Tetrahedron Letters

The International Journal for the Rapid Publication of Preliminary Communications in Organic Chemistry

Founded jointly by Sir Robert Robinson and R. B. Woodward
Chairman of the executive board of editors for Tetrahedron publications
Sir Derek Barton Texas A&M University U.S.A.

SUBJECT, ORGANISM AND AUTHOR INDEX NUMBERS 1–52 1990

Pergamon Press: Oxford New York
Beijing Frankfurt São Paulo Seoul Sydney Tokyo

TETRAHEDRON LETTERS

The International Journal for the Rapid Publication of Preliminary Communications in Organic Chemistry

EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

Chairman: **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A&M University, College Station, TX 77843-3255, USA (FAX: 1 409 845 4719)

Professor J. E. Baldwin, FRS, Dyson Perrins Laboratory, Oxford, England (FAX: 44 865 275632)
Professor D. L. Boger, Department of Chemistry, Purdue University, West Lafayette, Indiana 47907, USA (FAX: 1 317 494 9695)
Dr S. G. Davies, Dyson Perrins Laboratory, Oxford, England (FAX: 44 865 275633)
Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, Place L. Pasteur 1, B-1348 Louvain-la-Neuve, Belgium (FAX: 32 10 474 168)
Professor S. Ito, Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yamashiro-cho, Tokushima 770, Japan (FAX: 81 886 55 8774)
Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA (FAX: 1 904 392 9199)
Professor N. K. Kochetkov, N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences USSR, Leninsky Prospekt 47, Moscow B-334, USSR (FAX: 7 095 135 5328)
Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich NR4 7TJ, England (FAX: 44 603 507773)
Professor A. Nickon, Department of Chemistry, The Johns Hopkins University, Baltimore, MD 21218, USA (FAX: 1 301 338 8420)
Professor W. D. Ollis, FRS, University of Sheffield, Sheffield S3 7HF, England (FAX: 44 742 668318)
Professor G. Ourisson, Centre National de la Recherche Scientifique, Centre de Neurochimie, 5 rue Blaise Pascal, 67084 Strasbourg, Cedex, France (FAX: 33 88 607620)
Professor T. Shioiri, Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan (FAX: 81 52 834 4172)
Professor W. Steglich, Institut für Organische Chemie und Biochemie der Universität Bonn, D-5300 Bonn 1, Gerhard-Domagk-Strasse 1, Germany (FAX: 49 228 258216)
Professor H. H. Wasserman, Department of Chemistry, Yale University, PO Box 6666, New Haven, CT 06511, USA (FAX: 1 203 432 9990)
Professor W. T. Wipke, Thimann Laboratories, University of California, Santa Cruz, CA 95064, USA (FAX: 1 408 459 4716)

BOARD OF CONSULTING EDITORS

F. Arcamone, Florence
D. Arigoni, Zurich
P. D. Bartlett, Fort Worth, TX
A. R. Battersby, Cambridge
A. L. J. Beckwith, Canberra
A. J. Birch, Canberra
R. Breslow, New York, NY
H. C. Brown, Lafayette, IN
E. J. Corey, Cambridge, MA
J. W. Cornforth, Brighton
D. J. Cram, Los Angeles, CA
P. Deslongchamps, Quebec
M. J. S. Dewar, Gainesville, FL
C. Djerassi, Stanford, CA
W. von E. Doering, Cambridge, MA
J. E. Dubois, Paris
J. Elguero, Madrid
A. Eschenmoser, Zurich
D. A. Evans, Cambridge, MA
G. Fodor, Morgantown, WV
A. González González, Tenerife
Y. Hirata, Nagoya
R. Huisgen, Munich
W. S. Johnson, Stanford, CA
M. Julia, Paris
A. Kjaer, Lyngby
V. A. Koptyug, Novosibirsk
R. U. Lemieux, Alberta
X. T. Liang, Beijing
P. de Mayo, Ontario
A. I. Meyers, Fort Collins, CO
J. Michalski, Lodz
M. L. Mihailovic, Belgrade
K. Mori, Tokyo
T. Mukaiyama, Tokyo
K. Nakanishi, New York, NY
T. Norin, Stockholm
R. Noyori, Nagoya
S. Nozoe, Sendai
W. Oppolzer, Geneva
H. Paulsen, Hamburg
P. Potier, Gif-sur-Yvette
S. K. Pradhan, Bombay
V. Prelog, Zurich
G. Quinkert, Frankfurt am Main
R. A. Raphael, Cambridge
C. W. Rees, London
J. D. Roberts, Pasadena, CA
A. I. Scott, College Station, TX
K. B. Sharpless, Cambridge, MA
G. Snatzke, Bochum
H. A. Staab, Heidelberg
G. Stork, New York, NY
Sukh Dev, New Delhi
W. Tochtermann, Kiel
A. Todd, Cambridge
H. G. Viehe, Louvain-la-Neuve
E. Vogel, Cologne
Y. Wang, Shanghai
K. B. Wiberg, New Haven, CT
E. Winterfeldt, Hannover
N. S. Zefirov, Moscow

Publishing, Subscription and Advertising Offices

Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW (phone Oxford 794141: FAX: 60285) and Pergamon Press Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, USA (phone 914 592 7700: telex 137328).

Fifty-two issues per year

Annual Subscription Rates (1991)

Annual institutional subscription rate (1991) DM 6160.00.
Two-year institutional rate (1991/92) DM 11704.00.
Personal subscription rate for those whose library subscribes at the regular rate (1991), is available from your nearest Pergamon office.
Rates include postage and insurance. Subscription rates for Japan include despatch by air and prices are available on application.
Prices are subject to change without notice.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available direct from Pergamon Press offices.

∞ ™ The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences — Permanence of Paper for Printed Library Materials, ANSI Z39.48–1984.

Copyright © 1991 Pergamon Press plc.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article including reprints, photographic reproductions, microform, or any other reproduction of similar nature, and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording, or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the USA. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-fee Code for this publication is: 0040–4039/91 $3.00 + .00

Tetrahedron Letters

Subject Index 1990

Corrigenda
Alanine A.I.D., Fishwick C.W.G. and Szantay C.,Jr.:30,6571(1989): important omitted references given and additions to reference 3, 5674
Barner, B.A. and Mani, R.S.: 30,5413(1989); lead–in phrase of ref. 5, 1786
Bowles S., Campbell M.M., Sainsbury M. and Davies G.M.: 30, 3711(1989) page 1, line 12 should read: gave the epoxide (6) as the sole isolated product, 2650
Fugi K., Naniwa Y. and Kawabata T.: 31,3175(1990): structures **10** and **11** on p.3177 redrawn, 4666
Hoffmann P., Labat G., Robert A. and Meunier B. :31,1991(1990): p.1992, in Table 1, the UV–visible data of the last two complexes have been corrected, 3946
Holt, D.A. and Erb, J.M.: 30,5393(1989); p. 5396, footnote 8 re–written, including caution, on concentrating hypophosphorous acid, 1210
Jarrett J.T. and Lansbury P.T.Jr.: 31,4561(1990):reference 15 has been ammended, 5386
Khanapure S.P., Bhawal B.M. and Biehl E.R.: 31,286(1990): an apology to M. Watanabe, A. Kurosaki A. and S. Furukawa for our failure to cite their published work, 5098
Laabassi, M. and Gree, R.: 30,6683(1989); p. 6684, scheme 2, exchange strs **8** and **9**, and **2a** and **2b**, 1354
Rachon, J. and Walborsky, H.M.: 30,7345(1989); units (mm to m), three places, 1786
Tochtermann, W., Schlosser, U., Popp, B., Peters, E.–M., Peters, K. and von Schnering, H.G.: 30,6855(1989); p. 6856, l. 15: change (–)–**1d** to (+)–**1d**, 1642
Weigmann R.H. and Wurthwein E.U.: 30,61471989): in Table 2, the ^{13}C NMR data has been corrected; p.6149, the last paragraph has been corrected, 3082
Wright, A.E., Burres, N.S. and Schulte, G.K.; 30,3491(1989): overlooked reference [Culver, P. *et al., Molec. Pharmacol.* 28,436(1985)] cited and placed in context with Letter, 1930
Wu, T.–S., Liou, M., Lee, C.–J., Jong, T.–T., McPhail, A.T., McPhail, D.R. and Lee, K.–H.: 30,6649(1989); spelling error in title, 1786
Zheng G.C., Hatano M., Ishitsuka M.O., Kusumi T. and Kakisawa H.: 31,2617(1990): structures of **1** and **2** and structure of **Fig 1** have been redrawn, 4522

Acetals
1,2–quinone diacetals by anodic oxidation methyleugenol, 1513
1,3–diol, acetonides stereochemistry by ^{13}C NMR, 945
acylketene acetals, monoprotected β–ketoaldehydes and β–diketones from, 305
by methoxide–induced detosylation of β–epoxysulfones, 723
chelated and non–chelated cleavage, 2101
cyclic fused–ring–, sugar–derived, in DMSO, 539
cyclic lactam–, conversion into fused pyridines, 131
cyclic N,O–acetals, by anodic oxidation of cyclic *N*–acyl–α–amino–acids, 1713
cyclic–, construction via oxycarbonylation of dienones, 2491
diethyl–, homoallyl–, *via* organo–Sn coupling, 1857
dithio–, anions, addition to pyridinium salts, 1893
enol lactone acetals (ortho–esters), $TiCl_4$–catalysed condensation with ketene silyl acetals, 421
ketene S,S–acetals [2+2] cycloaddition with 2,3–bis(trifluoro–methyl)–ethylene–1,2dicarbonitrile, 2561
ketene silyl–, and N–(alkylamino)–benzotriazoles, prep of b–amino esters, 3999
selective synthesis of 2,2–disubstituted–1,3–dioxolan–4–ones, chirality transfer from lactic acid, 2135
silylated hemiacetal, conversion into α–bromoether using trimethylsilylbromide, synthesis of platelet activating factor antagonist L–659,989, 6953
silylketene acetal, addition to chiral α–thioaldehydes, 6733
spiro–acetals of 3–acetylcyclopent–2–en–1–one, organocuprate addition, 623

Acidity
difference between formic acid and ethanol, electronic origin, 5181
relative acidities of simple alcohols, 5687

Acridones
new strategy based on 1,4–dipolar cycloaddition of arynes with N–lithiated ethyl anthranilates(as 1,4–dipole equivs), 2869

Acylation
2–, regioselective, 1–carboxyalkyl–pyrroles by intramolecular delivery, 995
asymmetric–, N–acyl derivs, chiral toluene–2,α–sultam auxiliaries, 5019
cephalosporin agents derived from *syn*–2–(2–aminothiazol–4–yl)–2–methoxyiminoacetic acid, synthesis of cefepime sulfate, 6481
deoxynojirimycin and castanospermine esters, regioselective enzyme catalysed, 3093
electrogenerated acid catalysed–, electron– rich aromatics, 3933
enantioselective–, using a tartaric acid monoester,synthesis of optically active myo–inositol derivs, 2613
enzymatic–, 3'–OH groups of 2'–deoxy–5–fluorouridine and 2'–deoxy–5–trifluoro–methyl–uridine, 7327
lipase–catalysed–, terpenic allylic alcohols by fatty acid anhydrides, 4875
regiospecific–, imidazo[1,5–a]pyridine, 5833
selective acylation of amines using N–methoxydiacetamide, 243
selective–, prim alcohols in organic solvents, mediated by porcine pancreatic lipase, 3405
selective–, stannylene directed, of open–chain L–arabinose derivs, 2759
selective–, using tributyltin oxide, 169

transition metal carboxylates(high oxidation state) as acylating agents, 7281
(Z)–vinylzincate involving kinetic resolution and enantioface selection, chiral prostaglandins syntheses, 7349

Adamantanes
4–methylene–2–adamantanone, prep of bridged [4.1.1]propellane, 915
5–*p*–anilinoadamantan–2–one, reduction reinvestigation, 4391
adamantane–1,3,5–triol and–1,3,5,7–tetrol, via oxidation of methyl(trifluoromethyl)dioxirane, 3067
di–tert–butyladamnatanol, rearrangement to iodo–di–tert–butyl protoadamantane, NMR signals indicate atropisomerism, 4061

Addition reactions see also Cycloaddition
1,2–organolithium to imines, 6681
1,4–, Reformatsky reagent to 1,3–diaza–1,3–butadienes, 4215
1–chloro–1–alkynes and IPy_2BF_4, synthesis of 2–functionalised 1–chloro–1–iodo–1–alkenes, 2751
1:1 and 1:2 photoadducts, irradiation of 1,4–diphenyl–1,3–butadyne with dimethyl fumarate, 6197
5–diazouracil with nucleophiles, rhodium acetate catalysed reactions, 6965
αβ–ethylenic esters to organo–Mn reagents, copper–catalysed, 7423
αβ–unsaturated oxazolines,and silyl enol ethers leading to δ–oxa acids, 7433
α–halonitriles to carbonyl compds catalysed by zinc–trimethyl—chlorosilane, synthesis of β–trimethylsilyloxy nitriles, 2205
α–iminoester carbanions to cationic arenetricarbonylmanganese complex, 6351
acyl radical to electron deficient olefins, prep of 1,4–dicarbonyl compds, 3063
adducts of phthalimidosulphenyl chloride with alkynes, synthesis and reactivity towards nucleophiles, 6213
aldol–type–, unsaturated carboxylic acid polyenolates to β–ionone, synthesis of retinoic acids, 5791
alkenylcopper–phosphine complexes to enone, synthesis of estrone methyl ether and 7–alkylated deriv, 3313
alkyl radical to allyl stannanes, approx rate constants, 2861
auxiliary–modified allylic sulfoxides to electrophiles with improved regio– and diastereoselectivity, 5409
chiral 3–sulfonyl–1,3– oxazolidine–masked lithium 2–formylcyclohexanone enolate with alkanals, 6859
conjugate–, trimethylsilyl chloride to organo–Cu reagents, 345
cyclohexenones with cycloalkene esters of increasing ring size, gradual reversal of regioselectivity, 4689
diastereoselective–, lithiated N–t–butyldiphenylsilyl–S–methyl–S–phenylsulfoximine to imines and aldehydes, 5231
electrophilic anti–, benzeneselenenyl fluoride to alkynes, 2127
enantioselective–, enones to optically active bipyridines, catalysed by Ni, 5011
ester lithium F–enolate of ethyl tetrafluoropropionate "electrophile–coexisting" procedure for C–C bond forming reactions, 7043
free radical–, to acetylenic bonds using $(RSe)_3B$, 5827
γ–heterosubstituted, chiral δ–lactones, synthesis optically active lignan lactone, (–)–hinokinin, 7623
Grignard reagents, role of Cu completely different from organo–cuprates, 7457
H– and C–nucleophiles to tri–2–thienylcarbenium perchlorate, 2623
heteroconjugate–, valinol template as oxazolidine heteroolefin vs acetylenic nucleophiles, 5499
indole–2–acetic ester enolates to N–alkylpyridinium salts, synthesis of tubifolidine and tubifoline, 5089
intramolecular nitrene–olefin–, for tetrahydroquinoline ring construction, approach to virantmycin, 6031
ketones to (*S*)–lithiomethyl 1–naphthyl sulfoxide, 5349
methoxyformamidines to Grignard reagents, prep of 2–substituted pyrrolidines and piperidines, 4723
Michael–, dual catalysis with clay–supported nickel bromide and ferric chloride, 4867
organo–Mg reagents to αβ–ethylenic esters, Cu catalysed high yield procedure, 7425
organocuprate reagents to αβ–unsaturated esters of chiral *trans*–cyclohexanediol, 4751
organomanganese reagents to αβ–ethylenic esters catalysed by Cu, 7015
perfluorobutyl iodide to C–C multiple bonds, prep of perfluoro–butylalkenes, 5615
phenylacetic acid dialkylamide and ester enolates to Z–methyl cinnamate, stereochemistry depends on acceptor geometry, 5649
photo–initiated–, allenes to diphenyl diselenide, 5931
radical addition–elimination sequence, synthesis of vinylic and cyclic susfones, 2983
radical–, diethyl (2–phenylseleno)–propanedioate to olefins, 5697
regio– and stereo–, phthalimidosulphenyl chloride and alkynes, 6213
silylketene acetal to chiral α–thioaldehydes, 6733
singlet carbene to alkenes, application of curve crossing model,455
stable trichloromethyl anion to αβ–unsaturated carbonyl compds, 7181
stereoselective Michael–, α–litiated phosphonates to αβ–unsaturated esters, 2423
sulfinylated and sulfonylated carbon centered radicals to alkenes and enolethers, 4601
thiols and organocuprates to O–trifylthioketene acetal, synthesis of protected penem derivs, 3291
to carbonyl of conformationally restricted enantiomerically pure bicyclo[m.1.0]alkan–2–ones 4565
to chiral monosubstituted alkene complexes, $[\eta^5–C_5H_5)Re(NO)(PPh_3)(H_2C{=}CHR)]^+BF_4^-$, 4417
trialkylsilyl triflate promoted–, alkynylzinc compds to αβ–enones, 7627

Aggregation
flexible–, residues in duplex DNA, 6347
gilvocarcins, total synthesis, 6313

Alcohols see also Aminoacohols, Diols, Glycerols,Polyols
(S)–(+)–2–tridecanol acetate, synthesis, 5575
(Z)–vinylsilane allylic–, via 1,4–O to sp^2C rearrangement of a silyl ether precursor, 6137
2,3–epoxy alcohol derivs, reductive opening with lithium borohydride in solid state, 7467
2–benzylpropanol, lipase–catalysed resolution,, 6797
α–acetylenic–, shape–selective isomerisation to αβ–ethylenic carbonyl compds by vanadium–pillared montmorillonite catalyst, 7521
α–allenic–, conversion to 1,2–syn amino alcohol derivs, 4249
α–perfluorobutyl carbinols, prep and dehydration, 5617
acetylenic–, catalytic hydrosilylation, 1051
allylic–, catalytic intramolecular hydrosilation 7333
allylic–, deoxygenation to olefins, induced by hydridopentacyanocobaltate anion with β–cyclodextrin as phase transfer agent, 4101
allylic–, prep of β –hydroxy–hydroperoxides and their elaboration into 1,2,4–trioxanes, 6901
aryl(gem–dihalocyclopropyl)methanols, ring cleavage, synthesis of α– and β–halonaphthalenes, 6883
as sulfonate esters or alkyl halides, conversion into thiols, 7485
benzyl–, conversion to aromatic hydrocarbons with lithium 4,4'–di–t–butylbiphenyl radical anion, 6155

benzylic–, radical–induced reduction of by lithium aluminohydride, 553
chiral epoxy–, optical purity detn by gas chromatography, 4389
deoxygenation by reactions of their xanthate esters with triethylsilane, alternative to tributyltin hydride in Barton–McCombie reaction, 5093
E–3–silyl allyl–, via organoboranes, 4545
homoallylic–, by enantioselelctive nucleophilic addition to aldehydes, 3715
homoallylic–, stereoselective synthesis via sulfone α–carbanion–mediated coupling, 2631
homochiral 1–silyl–, via reduction of aliphatic acylsilanes with chlorodiisopino–camphenylborane, 4677
KF activated alcoholysis of hindered siliranes, 3987
mild conversion into benzyl ethers and benzoates, use of 2–phenyl–1,3–benzodithiolylium trifluoromethanesulfonate, 3051
monohalocyclopropyl–, reaction with activated lithium diethyl–amide, prep of α–allenyl or α–dienyl alcohols, 3553
new oxidative esterification with aldehydes by Br_2–HMPT–$NaHCO_3$, 2273
new selenium catalysed synthesis of carbonothioates using Co, S and alkyl halides, 4773
O–methylation of–, via trimethylsilyl–diazomethane reagent, 5507
optically active sec–, configuration of C–atom bearing OH group by mass spectra of diastereoisomeric esters, 2707
optically active–, via trifluoro–propene oxide as trifluoromethyl source, 7031
oxidation of–, new selective reagent, 1,4–benzoquinone, 4497
planar chiral organometallic–, resolution with lipase in organic solvents, 3895
prim allylic–, reaction with vinylic halides, synthesis of βγ –unsaturated aldehydees, 6641
prim and sec–, deoxygenation using diphenylsilane as H–donor and triethylborane–air as initiator, 4681
prim–, porcine pancreatic lipase mediated selective acylation in organic solvents, 3405
protection use of 4–nitrobenzyl group, 389
rac *E*–allylic– conversion to homochiral *Z*–allylic alcohols, transposition of prim and sec allylic alcohols via glycidol derivs, 5603
sec–, mechanism of deoxygenation by tin hydride reduction of methyl xanthates and thiocarbonyl derivs, 3991
sec–, resolution using XAD–8 immobilised lipoprotein lipase, 6403
selective oxidation by chromia–pillared montmorillonite catalyst, 5785
simple–, relative acidities, 5687
synthesis of α–glycosides, prep under high pressure, 6549
terpene–, cyclisation by benzeneselenenyl triflate, 6535
trans–2,3–epoxy–1–butanol derivs opening with organometallic reagents, 7145
trans–chlorovinyl–, prep via opening of 2,3–epoxychlorides, 4495

Aldehydes see also Enals
3,4–epoxy–4–methylpentanals via photooxygenation of 1–aryl–2.2–dimethyl– bicyclo[1.1.0]butanes, 4585
3,5–dimethyl–4–hydroxybenzaldehyde via oxygenation of 2,4,6–trimethylphenol by dioxygen with copper–amine complex catalyst, 2607
αβ–unsaturated–, 1,2–carbonyl transpositions, synthesis of β,γ–unsaturated carboxylic esters, 3757
α–acyloxy–αβ–unsaturated–, via propargyl esters, 4181
α–fluoro–, synthesis using Meyers's oxazine method, 179
α–hydroxy– and αβ–dihydroxy aldehydes from ascorbic acid isomers, 1003
acetaldehyde, photoaddition of electron deficient olefins, prep of 1,4–dicarbonyl compds, 3063
addition of 1–lithium–1– (trimethylsilyl)–3–methyl–1–butene, prep of steroidal 22α–allylic alcohols, 4937
and chiral $PhMe_2Si$–substituted allylboronate, 2–butene–1,4–diol synthesis, 7567
and $PhMe_2Si$ substituted allylboronate, enantioselective synthesis, anti–1,2–diols, 7563
aromatic–, Brown vinylation, route to *E*–1–aryl–2–methyl–3–silyl–2–propen–1–ols, 4545
aromatic–, conversion into aryl methyl ketones by Me_2Al–phenolate reagent, 323
asymmetric induction in reaction with δ–alkoxyallylstannanes induced by tin chloride, 6239
βγ–unsaturated–,via catalysed reaction of vinylic halides with prim allylic alcohols, 6641
benzaldehyde anomaly in stereo–selective aldol reaction of γ–thio–butyrolactone, 2453
benzaldehyde, reaction with silacyclobutane, to give cyclic silyl ether 6059
catalytic alkylation by diethylzinc in presence of N–isopropylephedrine, enatioselectivity depends on Et_2–Zn:RCHO, 5185
chemoselective reduction, aldehydes with zinc borohydride in THF7663
conversion into (*E,E*)–5–amino–penta–1,3–dienyl groups, 307
diastereofacial selectivity, reversal in methyl ketone aldol reaction, application to calyculin A spiroketal, 6129
diastereoselective addition to lithiated N–t–butyldiphenylsilyl–S–methyl–S–phenylsulfoximine, 5231
E– αβ–unsaturated aldehydes *via* olefination, 349
enantioselelctive conversion to *anti* aldols, 3715
facile synthesis of *E*–γ–hydroxy–αβ– unsaturated sulfones, 2487
formylolifination, new Wittig reagent, 341
halimedatrial, marine trialdehyde, synthesis, abs. config., 1573
intramolecular reductive cyclisation with alkynes by samarium iodide, 4765
malonodialdehyde, cleavage and oligomerisation under physiological conditions, 4077
N,N–protected D–alaninals, stereoselective addition of furyllithium, 3797
new oxidative esterification of alcohols by Br_2–HMPT–$NaHCO_3$, 2273
peroxy substituted–, olefination to unsaturated hydroperoxides, 5117
polyunsaturated–, by direct polyvinylogation of carbonyl compds using functionalised phosphonates, 3129
racemic diene aldehyde $Fe(CO)_3$ complexes, kinetic resolutions and face selective allylboration of enantiotopic group of meso complex, 4707
reduction using $SbCl_3$–Al (or Zn)–DMF–H_2O, 1185
regiochemistry of reaction with 1–alkoxy–2–alkenylenephosphoranes, allylic 1,3–rearrangement of 1–alkoxyallylphosphonium salts, 2901
Rh catalysed direct coupling, access to regio–defined aldol derivs, 5331
synthesis of symmetrical ketones catalysed by dicobaltoctacarbonyl, 3117
synthesis of vinyl epoxides catalysed by diisobutyl telluride, 7657
threo–selective ene reaction with 2–(alkylthio)allyl silyl ethers, 2165
transformation into 4–oxygenated 2–alkenals, use of allyl dithiocarbamate, 4155
transformation into amides via radical mediated oxidations, 7237
via conversion of aromatic halides by free radical carbonylation, 6887
via conversion of prim nitro groups by version of Nef reaction, 7499
via oxidation of alkyl and allyl halides with trimethlamine N–oxide in DMSO, 4825

Aldol reaction
3–formyl–Δ^2–isoxazolines and silyl enol ethers, syn– and anti–selective prep of 3–substituted–Δ^2–isoxazolines, 5053
α–isocyanocarboxylate with arene–chromium–tricarbonyl complexes, synthesis of β–hydroxyamino acids, 6185
and alkylation with chiral α–lactam, 977
asymmetric aldolisation of N–acyl derivs, chiral toluene–2,α–sultam auxiliaries, 5019
asymmetric reactions with chiral boron enolates, 827
asymmetric–, and oxazaborolidine reduction, synthesis, key C_9–C_{21} subunit of aplysiatoxins and oscillatoxins, 7587
asymmetric–, mechanism of solvent effect on stereoselectivity is specific, stoichiometric binding of tetrahydrofuran to chiral titanium enolate, 4699
asymmetric–, of isocyanoacetate, gold–catalysed, NMR study, 2723
enantioselelctive *anti* aldolisation based on reaction of boron enolate with aldehydes, 3715
enzymatic–, *Staphloccus carnosus* aldolase as catalyst, 7123
ester lithium F–enolate of ethyl tetrafluoropropionate "electrophile–coexisting" C–C bond forming reactions, 7043
generation, enolate anion adjacent to $^{\circ}3$–allyl–$Mo(CO)_2Cp$ moiety, stereoselective synthesis, 1,3,5–triol and 2–vinyl–3–hydroxyl–tetrahydrofuran, 7645
methyl ketone–, aldehyde diastereofacial selectivity reversed, application to calyculin A spiroketal, 6129
silicon directed Mukaiyama–Michael tandem reaction of enolsilanes with enones, strategy for 6– membered ring cyclisation, 7273
silyl enol ethers, aldehydo– β–methylene, cyclization, 2067
stereoselective–,β –chlorovinyl ketones using dienol borinates, synthesis of dihydropyrones, 2213
stereoselective–, of γ–thiobutyrolactone, benzaldehyde anomaly, 2453
titanium–mediated–, steric influence of silyl groups, 6001

Alkaloids
(±)–, vinoxine, alternative 5–step synthesis, 747
(±)–physovenine synthesis, by ketene–olefin cycloaddition, 219
(±)–pseudophrynamine A, total synthesis, 5661
(+)–castanospermine, chemoenzymatic synthesis, 4827
(+)–castanospermine, stereoselective synthesis, 4321
(+)–crotanecine, enantioselective synthesis by intramolecular azide 1,3–dipolar cycloaddition, 5437
(+)–monomorine 1, isolated from *Monomorium pharaonis*, alternative enantioselective total synthesis, 5065
(+)–tetrahydroalstonine, (+)–acricine and (+)–reserpinine, enantioselective synthesis, 2705
(+)–yohimbine, asymmetric synthesis, 4755
(–)–swainsonine and indolisidine alkaloids, intramolecular cycloaddition, η–chloroalkenes with azides, 7571
(2*R*,6*R*)–(–)–2,6–lupetidine synthesis, 2,6–disubstituted piperidines as 'C_2–symmetric' chiral reagents, 3279
(*R*)–reticuline, enzymatic formation from 1,2–dehydroreticuline, 4855
(*S*)–(+)–cryptostyline I, synthesis,797
(*S*)–nicotine, from nicotinic acid and 1–methyl–Δ'–pyrrolinium chloride catalysed by nicotine synthase from *Nicotiana sp*, 6295
1–ethylindolo[2,3–a]quinolizidin–2–one, synthesis, 3779
3–alkylidene phthalimidine core unit, reaction of isocyanates with ortho–manganated aromatic ketones, 4397
5–methyl–6H–pyrido[4,3–b]carbazole–11–methanol, from *Strychnos dinklagei*, 5845.
aaptamine from sponge, synthesis 569
ajmaline, biotransformation in cell cultures of *Rauwolfia serpentina*, alkaloids raumacline and N(b)–methylraumacline, 6693
ajmaline, conversion into possible gelsedine alkaloid precursors, 1287
Amaryllisaceae–, new approach via intramolecular aryne cycloaddition, 2331
antifungal–, stellettamide, structure and isolation from *Stelletta sp*, 4163
application of symmetry enhanced remote dicarbanion annulations for latent cycloalkenones, 3965
aristocularine–, by conversion of dibenzooxepinones, 6247
ascididemin, synthesis, cyclisation of quinoneimine, 4375
aspidosperma–, enantioselective synthesis rings ARC, 879
aspidosperma–, enantioselective synthesis, addition rings DE, 883
bisindole–, alternative partial synthesis, 2883
calystegines, via 1–hydroxy nortropane system, 3883
castanospermine, 6–O– and 7–O–acyl derivs, syntheses as potent anti–HIV agents, 2829
castanospermine, selective acylation, 169
Corynanthe–, synthesis of intermediates, 739
cytotoxic–, plakinidine pigments from *Plakortis sp, 3271*
decalines and hexahydroindanes, asymmetric synthesis, 3047
decumbensine, synthesis by asymmetric carbonyl addition, 3711
deoxynojirimycin and castanospermine esters, synthesis via subtilisin–catalysed regioselective acylation in pyridine, 3093
dioncophylline–A and sterioisomers, synthesis, and revised stereostructure, 643
discorhabdin C, aza–spirobicyclic system, prep via intramolecular phenolate alkylation, 3845
ellipticine, Diels–Alder synthesis, 1081
Fischer indolisation of 2–az–abicyclo–[3.3.1]nonan–7–ones, new entry to dasycarpidan system, 2449
gelsedine skeleton, construction from gardnerine based on alternative biogenetic speculation, 5483
heteroyohimbane skeleton, short synthesis, 647
hippadine, ungerimine, synthesis from indolines, 1523
hirsutine, asymm synthesis of precursor, 2033
indolizidine–, amino acids as precursor for δ–coniceine, 5689
indolo[2,3–a]– quinolizidine–2–one, synthesis via cyclisation of N–hydroxyethyl–2–[1–(phenylsulfonyl)–3–indolyl] –4–piperidone ethylene acetal, 3347
isopteropodine and pteropodine, total synthesis, 4557
isoquinoline, α–naphthyl–, triphyophylline, reassignment, 639
isoquinoline, dioncophylline A by reassignment of triphyophylline, 639
isoquinoline–, asymmetric synthesis via epoxidation or dihydroxylation, synthesis of (*R*)–reticuline, 7591
lycopodium–, synthesis of skeleton, 2039
morphinans, enantioselective synthesis, 875
natural *trans*–2–butyl–5–pentylpyrrolidine, enantiodivergent total synthesis, 3637
new cytotoxic–, aplaminone and neoaplaminone from *Aplysia kurodai*, 4911
new guanidine–, from *Crambe crambe*, structures, 6531
nortropane–, structure of new calystegines, 3879
paraherquamide from *Penicillium paraherquei* synthesis of 2H–1,5–benzodioxepin ring system, 6325
polymer–bound–, use in heterogeneous catalytic asymmetric dihydroxylation of *trans*–stilbene, 3003

pyrrolidine–, formation of related 5/5, 5/6,and 5/7 ring systems via intramolecular alkylation of 3–hydroxypyrrole–2–carboxylates, 4945
rigidin with calmodulin antagonistic activity, structure and isolation from *Eudistoma rigidan*, 4617
Sceletium and *Amaryllidaceae*–, organometallic approach, aryl–substituted cyclohexadienyl complexes as intermediates, 3401
Strychnos alkaloids, synthesis of tubifolidine and tubifoline, 5089
Strychnos–type pentacycles via dimethyl(methylthio)sulfonium fluoroborate induced cyclisation of diothioacetals upon indole 3–position, 3453
swainsonine and castanospermine analogs, new approach, 6949
teleocidins, congener (–)–indolactam, isolation and biosynthesis, 7337
tetraponerine (ant venom constituent) synthesis, 1535
thebaine from *Papaver somniferum*, incorporation of (*S*)–and (*R*)–reticuline, fate of C–1 hydrogen, 4853
tricyclic–, synthesis of (9Z,11Z) tetraponerines T4 and T8, 4543
virantmycin, construction of tetrahydroquinoline ring using intramolecular nitrene–olefin addition 6031
xestospongin A, synthesis of 1–oxaquinolizidine skeletal portion, thermodynamic control of stereochemistry, 4281

Alkanes
n–butane and propane, radical bromination using $BrCCl_3$ compared with the same reaction under Gif conditions, 3097

Alkenes see also Olefins
1,1– and 1,2–donor– and acceptor substituted ethylenes, reaction with electron poor dienes, kinetic data and regiochemistry, 6855
addition of HI, and prep. of iodo–alkenes, 1919
addition of sulfinylated and sulfonylated carbon centered radicals, 4601
chiral monosubstituted alkene complexes, additions, $[\eta^5–C_5H_5)Re–(NO)(PPh_3)–(H_2C{=}CHR)]^+BF_4^-$, 4417
cis–alkenes via selective reduction of alkynes by hydrometallation using $[(Ph_3P)CuH]_6$, 2397
dihydroxylation by osmium tetraoxide–chiral ligand complexes, mechanism of enantioselectivity, 6417
halofluorination of–, use of $(NH_4HF_2–AlF_3)$ as solid reagent, 3167
methoxy–, photocycloaddition of 3–(1–alkynyl)cyclohexenones, single step formation of tricyclic systems, 3245
reaction with tris(2,4–pentanedionato)–manganese or with β–ketocarbonyl compds, formation of 1,2–dioxacyclohexanes, 6371
reactions with triazolinedione, remarkable geminal selectivity 5775
singlet carbene addition, application of curve crossing model, 4553
stereodefined exocyclic–, prep via Pd–catalysed carbopalladation cross coupling, effects of organometals, 4393
terminal–, three–carbon homologated, via nucleophilic displacement in α–haloallylboronate ester, 7115
unactivated–, intramolecular reactions with conjugated dienones, 2243
water–soluble–, selective heterogeneous Pd–catalysed hydrogenations, 4719
X–ray structure of 3–oxabicyclo–[5.3.1]deca–1–(10),7(8)–(ZZ)–diene–10–carboxylic acid, 6843

Alkenyl halides
1,1–defluoroethylenes, gas phase dehalogenation, to chlorofluoro–acetylene and bromofluoro–acetylene, 5453
1,1–difluoroolefins via conversion of carbonyl compds with difluoro–methylphosphine oxide, 5571
1,3–dichloropropenes, S_N2i substitution using $RCu(CN)ZnX$, 1829
1–bromo–1–fluoro alkenes, synthesis of fluorinated enynes, 4449
1–chloro–1–iodo–1–alkenes, 2–functionalised, synthesis from 1–chloro–1–alkynes and IPy_2BF_4, 2751
2,3–dibromo–1–(phenylsulfonyl)–1–propene, as dielectrophile towards 1,3–diketones, route to disubstituted cyclopentenones, 6145
allyl iodides, homologation by CH_2ClI and Grignard reagents, 937
allylic chlorides, Cu–catalysed substitution by alk–1–ynes, new terpene derivs, 5161
allyllic halides, oxidation to aldehydes via trimethlamine N–oxide in DMSO, 4825
Pd–catalysed carbonylation, synthesis of enol esters and enol lactones, 2841
perfluorobutyl substituted alkenes from carbonyl compds, 5617
perfluorobutylalkenes, prep, addition of perfluorobutyl iodide to C–C multiple bonds, 5615
trifluoropropene oxide as trifluoromethyl source, prep of optically active alcohols, 7031
vinyl halide formation, two pathways via photolysis of alkylhalodiazirines, 5109
vinylic halides, norbornene and cyanide nucleophile, tandem assembly to *cis–exo*–2,3–disubstituted norbornanes, 5319
ω–chloroalkenes, intramolecular cycloaddition with azides, route to (–)–swainsonine and indolisidine alkaloids, 7571

Alkylation
1,4–enediones by alkylmercury halides, effect of amines and iodide ion, 6273
2–phenylsulfinylethanol, *syn*–diastereomer is major product, 2895
2–tetrazole–, using alkyl cyanoformates, 1925
3–bromo–2–cyclo alken–1–ones via radical intermediates, 4341
α–methyl substituted β–diketones via Cu(II) complexes, prep of sterically congested β–diketones, 7489
α–methylation of binaphthyl esters of arylacetic acids, 6553
α–substituted bicyclic phosphonamides, prep of phosphonic acids derivs of high enantiomeric purity, 6461
anions from pyruvate oxime ethers and related derivs, 5881
aromatic nitriles via photo–induced electron transfer of group 14 metal–carbon σ donors, 6395
aromatic rings by O_2NF_2C and O_2NFClC radicals, 4799
asymmetric allylic–, *trans*–2–(diphenyl–phosphino) cycloalkane carboxylic acids catalysed with phosphine–Pd complexes, 3905
asymmetric–, N–acyl derivs, chiral toluene–2,α–sultam auxiliaries, 5019
asymmetric–, Pd–catalysed via p–allyl intermediate, acetamido–malonate ester as nucleophile, 5049
catalytic–, aldehydes by diethylzinc in presence of N–isopropylephedrine, enatioselectivity depends on $Et_2–Zn:RCHO$, 5185
chemo–enzymatic–, active methylene compds, 4195
chiral bicyclic phosphonamides, prep of phosphonic acids derivs of high enantiomeric purity, 6465
chiral Schiff bases derived from glycine, use of Pd chiral complexes, 3133
chiral triflates with alkynyllithium reagents, synthesis of (+)–panaxacol, 4609
covalent–, DNA with duocarmycin A, identification of abasic site structure, 7197
direct photochemical trifluoromethylation of histidine–containing peptides, 5705
direct–, 1–(N,N–dimethyl–aminomethyl)–2–lithiomethylimidazole, synthesis of 2–(2–arylethyl)imidazoles, 5779
enolate–, diastereoselective effect of remote substituents, 4569
Friedel–crafts–, use of dicobalt hexacarbonyl–stabilised propargyl cations, 6277

gem–cyclodialkylation, synthesis of N–substsituted heterocycles, 2991
intramolecular ester enolate–, stereoselective construction of steroidal *trans*–hydrindanes, 4027
intramolecular phenolate–, prep of aza–spirobicyclic system of discorhabdin C, 3845
intramolecular–, 3–hydroxypyrrole–2–carboxylates, formation of 5/5, 5/6,and 5/7 ring systems related to pyrrolidine alkaloids, 4945
lithiated (Z)–1–meyhoxy–1–buten–3–yne, prep of 1–(trialkylsilyl)–1,3–diynes and 1,4–bis–silyl–1,3–butadiynes, 6815
méthylation via the Suzuki reaction, 5541
Meyers–, at C–1 of dihydroisoindole, 417
N–, carbamic acid esters via N–chloro–N–sodiocarbamates and trialkylborates, 5261
oxazole, formation of oxazolium salts and reaction with N– and C–nucleophiles, 7213
perfluoroalkylation of pyridine and derivs, 2711
perfluoroalkylation, triethylborane induced, silyl enol–, or germyl enol–ethers with perfluoroalkyl iodides, 6391
reagent, prep of 1–phenylsulfonyl–3–iodoethylindole, 4697
regioselective–, in positions α or γ to N–atom of piperidine skeletons using anodic oxidation, 6385
regiospecific O–, β–tetronic acids under Mitsunobu reaction conditions, 6973
stereospecific–, benzene by 4–mesyloxyproline, 1241
tandem dialkylation of 3–ethynyl–enones, 311
trichloromethylation of dialkyl–arenes at β–position of ring promoted by arene π–complexation with iron(Cp) moiety, 6831
trifluoromethylating agents, power–variable (trifluoromethyl)dibenzothio– and –selenophenium salt system, 3579

Alkyl halides
and aqueous hydrogen halides, halogen exchange reactions, new prep of alkyl halides, 4973
oxidation to aldehydes via trimethlamine N–oxide in DMSO, 4825
perfluoroalkyl iodides, triethylborane induced perfluoroalkylation of silyl enol–, or germyl enol–ethers, 6391
perfluorobutyl iodide, addition to C–C multiple bonds, prep of perfluorobutylalkenes, 5615
trifluoromethyl group, introduction into aromatic rings, 3357

Alkynes see also Enynes,Enynones
1–(pentamethyldisilanyl)–3–(trimethylsiloxy)–1–a lkynes, rearrangement to 1,1–bissilylallenes, 5607
1–(trialkylsilyl)–1,3–diynes and 1,4–bis–silyl–1,3–butadiynes from (Z)–1–methoxy–1–buten–3–yne, 6815
7–alkoxy–1–hepten–6–ynes, intramolecular Pauson–Khand cyclisation, asymmetric induction 7505
α–diazo substituted–, prep of oxygenated heterocycles, 6835
acetylene zip reaction in 2–decyn–1–ol, 801
acetylene, phenylseleno–tosyloxylation addition *via* selenirenium ion, 1957
acetylene–vinyl ketone cross–coupling catalysed by $RhCl(PMe_3)_3$, 7063
acetylenes, addition to trimethyl–stannane 165
acetylenes, formation from phosphaalkynes and halocarbenes via phosphirene intermediates, 6891
acetylenes, hydrostannation of C–C triple bonds, use of Pd catalysis, 6621
acetylenic alcohols, hydrosilylation, 1051
acetylenic analogs of tetrathiafulvalene, prep of 2–butyne–1,4–diylidene–2,2'–bis(1,3–dithiole), 7311
addition of PhIO.TfOH, prep of vinyliodonium triflates, 703
alkoxyacetylenes, substituted, prep, 7597
alkyne–hexacarbonyldicobalt complexes, synthesis and π donor properties of acetylenic analogs of tetrathiafulvalene, 7307
bis(R–thio)acetylenes, broad scope efficient synthesis, 2169
bis(tert–butylsulfonyl)acetylene, prep and Diels–Alder reaction with 1,3–dienes, 2173
carbolithiation, intramolecular, forming exocyclic olefins, 493
coupling with aryl iodides or aryl triflates to form crowded disubstituted alkynes, 6753
crowded ethynes, structures of diaryl– and arylnaphthylethynes, 6753
diethynylbenzenes, bridged ten–membered, 185
electrophilic anti–addition of benzeneselenenyl fluoride, 2127
enediyne system, synthesis of 10–membered ring functioalised cyclodiynol related to neocarzinostatin chromophore, 7437
hydrozirconisation, *in situ* generation of $Cp_2Zr(H)Cl$, 7257
intramolecular reductive cyclisation with aldehydes and ketones via samarium iodide, 4765
iodo–carbofunctionalisation with aromatic rings and IPy_2BF_4, 4207
irradiation of 1,4–diphenyl–1,3–butadiyne with dimethyl fumarate, 1:1 and 1:2 photoadducts, 6197
naphthols from, with phthalaldehyde and low–valent Nb or Ta, 369
new nonisoprenoid C_{15} enyne, structure of laureoxanyne using lactoperoxidase, 4895
olefin moiety in presence of terminal alkyne function, selective catalytic hydrogenation, 2857
p–methoxyphenylacetylene, photoprotonation, transient 1–*p*–methoxyphenylvinyl cation has properties similar to 1–*p*–methoxyphenethyl cation, 2821
propargyl alcohols, prep of tertiary, 4–methyleneoxazolidin–2–ones, 1721
reaction with phthalimidosulphenyl chloride, 6213
reduction to *cis*–alkenes using hydrogen and nickel, 361
reduction to *cis*–alkenes using low–valent niobium and tantalum, 365
selective reduction to *cis*–alkenes by hydrometallation using $[(Ph_3P)CuH]_6$, 2397
terminal acetylenes, carbonylative coupling with *o*–iodophenols, Pd–catalysed synthesis of chromones and flavones, 4073
terminal acetylenes, reactions with 2–alkynyl carbonates, synthesis for 1,2–dien–4–ynes, 7179
terminal–, free radical cyclisations with oxime ethers, 3727
terminal–, successful coupling with iodo–nucleosides determined by solvent, not Pd oxidation state, 3731
transannular diyne dimerisation to fused cyclobutadiene–Co–Cp complex, 1845
trifluoroacetyl acetylenes, regio–selective synthesis of trifluoromethyl substituted quinolines, 2689
water–soluble–, selective heterogeneous Pd–catalysed hydrogenations, 4719

Alkynyl halides
1–chloro–1–alkynes and IPy_2BF_4, synthesis of 2–functionalised 1–chloro–1–iodo–1–alkenes, 2751
bromoalkynes, prep from prim alkynes and PPH_3/CBr_4,3141
chlorofluoroacetylene and bromofluoroacetylene by gas phase dehalogenation of 1,1–defluoroethylenes, 5453
propargyl bromide, reaction with perfluoroalkyl copper and perfluoroalklenedicopper reagents to give perfluorinated alkynes, 3703
propargyl halides, reaction with perfluoroalkyl copper reagents, 3699
vinyl fluorides, via carbanion of diethyl 1–fluoro–1–(phenylsulfonyl)–methanephosphonate, 5449
vinyl halides, by conversion of vinylsilanes with xenon difluoride and metal salts, route to 5–(2–halovinyl)pyrimidine nucleosides, 5633

vinylic halides, reaction with prim allylic alcohols, synthesis of β,γ-unsaturated aldehydees, 6641

Allenes
1,1-bissilylallenes, via rearrangement of 1-(pentamethyldisilanyl)-3-(trimethylsiloxy)-1-alkynes, 5607
acyclic eneyne-allene systems related to neocarzinostatin and esperamicin-calichesmicin, DNA cleavage, 2907
cyclic bis-allenes, stereochemistry of formation from 1,5-cyclooctadiene/CBr_2 adducts, 1841
hetero substituted Cr allyls, synthetic studies on neocarzinostatin chromophore analogs, 6605
perfluorinated-, reaction of propargyl bromide with perfluoroalkyl copper and perfluoroalklenedicopper reagents, 3703
perfluoroalkyl-, general route, 3699
photo-initiated addition of diphenyl diselenide, 5931
sulfinamides, lithiation and alkylation, 213

Alomones
9-isocyanopupukeanane and its C-9 epimer, co-occurrence in *Phyllidia bourguini*, 5623
peroniatriols, isolated from *Peronia peronii*, decomposition to γ-pyrone derivs, 5491
tetraponerine (ant venom constituent) synthesis, 1535

Allylation
allylmetal (Mg, Si, Sn, B) reactions with protected α-aminoaldehydes, 1803
asymmetric-, chiral enamines bearing phosphine functionality, effect of anionic counterparts of allylating reagents on asymmetric induction, 3623
Pd catalysed C-8-, adenosine, 2'-deoxyadenosine and 2',3'-dideoxyadenosine nucleosides, 5877
stereoselective-, of lithium trialkylalkynylborates by allyl carbonate in presence of $Pd(PPh_3)_4$, 2405
Ti-induced-, of imines in $TiCl_4$/Al system, chirality transfer of l-valine to homoallylamine, 3123
vinyl Grignard, by dissymmetric Pd complex catalysts, 77

Aluminum compounds
AlI_3, oxime dehydration and Beckmann rearrangement 1063
bis-(2,6-di-t-butyl-4-methylphenoxy)-methylalumi num, reduction of quinone derivs, 6125
diethyl- enethiolates, regiochemistry of addition to enones, 1853
dihydropyran-2-yltrimethylalanate, reaction with cyclohexene oxide, 1271
dimethylaluminum-phenolate, for conversion of benzaldehydes into aryl methyl ketones, 323
γ-alumina activity, ratio of endo and exo products in Diels-Alder reaction of cyclopentadiene and methyl acrylate, 5433
lithium aluminohydride, radical-induced reduction of benzylic alcohols, 553
$MeClAlNR_2$ (R = H, Me), conversion of nitriles into amidinesm, 1969
methylaluminum bis-phenoxide, catalyst in Claisen rearrangement of allyl phenyl ethers, 377
promoted ring contraction in cedrane series, 4457
triiodide of-, use in Fries rearrangement and cleavage of esters, 3943
trimethylalane, reaction with β-phenylepoxide, rearrangement, 811

Ambiphilic reactivity
1,1-dimethoxyacetone via trialkylsilyl enol ethers, 4109

Amides
α-bromoamides self-prononation by electroreduction in N,N-DMF, detn of pK_a data on N-H acids, 7523
α-hydroxycarboxylic-, synthesis of both enantiomers from (-)-1-chlorobutyl *p*-tolyl sulfoxide, 3567
acetanilide, reaction with nitrobenzene in DMSO, solvent assisted regioselective aromatic nucleophilic substitution, 3217
methoxydiacetamide new selective acetylating agent, 243
amidation of unsaturated acids by phosphazo compds (RN=P-NHR), 1705
and urethanes, di-1-adamantyl di- and tricarbonate for exhaustive alkoxycarbonylation, 2697
camphanic acid amide, unusual fragmentation during cleavage, 5869
conversion into carbamates, urethanes, 1559
conversion to acids and/or anhydrides using dinitrogen tetroxide, 3893
formation of bonds, reaction of transition metal carboxylates with amines, 7281
hydrolysis via acetoxypivalimides, 731
N,N-dialkyl-, carboxamides, alkali-metal dealkylation, ultrasound-promoted, 941
N,N-dimethylbenzamides, oxidation of Me groups by cytochrome P450 mono-oxygenase model system, 4921
N-acetoxy-N-alkoxybenzamides, mutagenesis and solvolysis, nitrenium ion formation, 5377
N-alkyl-N-nitrosoamides, thermal rearrangement, new chemistry of diazoesters, 6009
N-allylic trichloroacetamides, diastereo-selective chlorocyclofunctionalisation, synthesis of analog and potential presursor of RP49532, 3871
N-methoxy-N-methylamides, reactivity with strongly basic reagents, 6269
N-methoxy-N-methylamides, as acyl transfer reagent also source of HCHO, 6269
N-sulfinyl-*p*-toluamide, reaction with ynamines having 1,4,3-oxathiazin-4-oxide structure, 5725
nitrile hydration in Pinner reaction, 1169
phenylacetic acid dialkylamide, addition to Z-methyl cinnamate, stereochemistry depends on acceptor geometry, 5649
safety-catch type amide protecting group, 5209
tricarbonyl moiety (α-ketoamide) FK-506, synthesis, 1439
via transformation of aldehydes by radical mediated oxidations, 7237

Amidines
chiral formamidines, asymmetric synthesis of pyrrolo[2,1-a]isoquinolines, 2813
cyclic-, intermediates to fused pyridines, 131
from nitriles using MeClAl-amides, 1969
methoxyformamidines, addition of Grignard reagents, prep of 2-substuted pyrrolidines and piperidines, 4723
N,N-dimethyl-N'-t-butyl-, formamidine, in protection-activation of isoindoline, 417
N-isopropyl-N-methylformamidine reagent, synthesis of bioactive amino alcohols, 2157
tri-N-substituted-, prep of nitrosamines, N-nitrosamides and diazonium ions, 3263
trifluoroacetamidines, N,N-disubstituted, prep and transformation to trifluoromethylated poly nitrogen heterocycles, 2717

Amido alcohols
cis-amidoalcohols, prep via oxazolines, action of diethylaminosulfur trifluoride on *trans*-4-amido-3-chromanols, 3649

Amination
allylic - (amino-deacetoxylation), asymmetric, using ferrocenylphosphine-Pd complexes, 1743
enol ethers, using aminyl radicals, 1675
reductive-, carbonyl compds by using sodium triacetoxyborohydride, 5595
reductive-, ketones, prep of α-trifluoro-methylamines and access to hindered amines unobtainable by Borch method, 5547

Amines
(±)–N–acylnorfenfluramine derivs, optical resolution by preferential crystallisation, 2143
(+)– and (–)–1–benzoyl–1,2,2α,3,4,5 –hexahydro–benz[*cd*]indol–4–amine, synthesis and preparation of LY228729, 7579
2,2–dimethyl–1–indanylamine, reaction with chloroacetone, structure of heptathiocane deriv, 5457
2–amino–1,3–butadienes, from β–enamino phosphonium salts, 6713
alicyclic–, Gif oxidation, formation of lactams, 2281
alkylated 1,4,8,11–tetraazacyclotetradecanes, synthesis, 1077
anilines, montmorillonite in nitroarene reduction by N_2H_4, 1181
aromatic–, photoinduced electron transfer between, 4969
aryl benzyl–, by radical arylation of aldimines, 2069
carbazoles from 2–(2–hexenyl)–*N*–methylaniline using $Hg(OAc)_2$, 1207
chiral α–acetylenic cyclic–, synthesis from α–amino acids, applications to differentially constrained oxotremorine analogs as muscarinic agents, 3957
cycloalkylmethylation, by α,ω–dialdehydes, CO and $HFe(CO)_4^-$, 105
δ–alkynylamines, anionic cyclisation, synthesis of 2–benzylidene substituted pyrrolidines, 5353
effect on free radical alkylation of 1,4–enediones by alkylmercury halides, 6273
hindered–, and –trifluoro–methy–lamines, synthesis, 5547
method for α–substitution via N–methoxycarbonyl–α–*t*–butyl–dioxyamines, 7475
N–(2–iodobenzyl)phenacylamines, Barbier reaction to 1,2,3,4–tetrahydroisoquinolin–4–ols, 5347
N–alkyl–5–phenyl–4–pen–ten–1–amines, intramolecular photochemical reactions, 5293
N–demethylation of–, by heme–undecapeptide microperoxidase–11 in presence of H_2O_2, 3163
N–methylanilines, photo demethyl–ation 1199
optically active–, asymmetric induction in solid state photochemistry with carboxylic acid salts, 6807
prim aliphatic–, oxidation to nitriles, mechanism with cuprous chloride–dioxygen–pyridine system, 3305
prim allylic–, α–substituted, new synthesis by Wittig olefination in absence of exogenous base, 2661
prim amines "benzostabase" protecting group, 6725
prim–, "benzostabase" protecting group, 6721
prim–, protection using 1,3,5–tri–N–substituted hexahydro–2–oxo–1,3,5–triazines, 2109
reaction with t–butyl sulfinamoyl–acetates, synthesis of thioaxamates via thione S–imide intermediate, 4453
sec–, new route from bis–(alkoxy–methyl)–alkylamines, activation of aminomethyl group and protection of product by same functional group, 4229
sec–, rhodium acetate catalysed reactions with 5–diazouracil, 6965
sec–, stereospecific synthesis from alcohols by Mitsunobu reaction, 3417
synthesis by action of baker's yeast on oximes and derivs, 5555
synthesis of potent α–mannosidase inhibitor, 7109
tert–, photocyanation by electron transfer activation, 4735
three–carbon homolgated *E*–allylamines via Pd–catalysed stereoselective reaction of vinyl triflates with N,N–di–t–butoxy–carbonyl–N–allylamine, 2463
trans–allylic–, stereocontrolled–synthesis, 6819
unknown N,N–bisheteroaryl–, bearing fused heterocycle as N–substituent, electrochemical properties, 6219
unsaturated–, Rh–catalysed reactions with H_2 and CO, new synthesis of piperidinones, 4795
ynamines, reaction with N–sulfinyl–*p*–toluamide having 1,4,3–oxathiazin–4–oxide structure, 5725

Amino acids
(+)–(2*S*,3*S*)–3–ethynyltyrosine, enantioselective synthesis, 5081
(–)–*erythro*– and (+)–*threo*–4–fluoroglutamic acid, synthesis and X–ray diffraction structures, 7403
(–)–galantinic acid, synthesis of revised structure, 4151
(2*R*,3*S*)– and (2*S*,3*R*)–3–amino–2–hydroxycarboxylic acid derivs key components of renin inhibitor and bestatin, synthesis from methyl(*R*)– and (*S*)–mandelate, 3031
(3*S*,4*S*)statine and related compds, stereoselective synthesis, 7359
(*S*)–(+)–γ–carboxyglutamic acid, synthesis, 283
2–methoxy proline ester, enantioselective addition organo–Cu reagents, 1775
2–phenylglycine derivs, treatment with $VO(OR)Cl_2$ under O_2 gave ethyl benzoate and ethyl phenylglyoxylate, 3917
2–thiohydantoins of–, synthesis using Woodward's reagent K, 3849
3'–substituted–2–(carboxycylo propyl) glycines via intramolecular cyclopropanation, folded form of L–glutamate activates non–NMDA receptor subtype, 4049
3,4,5,6–tetrahydro–pyrimidine–based amino acids in *Pseudomonas fluorescens*, 7611
3–amino–9–methoxy–2,6,8–trimethy l–10–phenyl–4,6–decadienoic acid (Adda), chiral synthesis, 2043
4–phenylprolines, synthesis by Friedel–Crafts reaction, 1241
α– and β–alanine or α– and γ–aminobutyric acid, prep by conversion of chiral nickelacycles, 4783
α–amino acid homoenolate equivalents, generation and synthesis of 3–substituted prolines, 5653
α–amino acids and latent fingerprints, detection 1,8–diazafluorenone, 7215
α–amino acids, conversion to α–amino phosphonic acids, 6827
α–deuterated L–amino acids, via *E.coli* B/It7–A cells containing tryptophanase, 7051
α–hydroxy β–amino acids, via β–lactams, synthesis of taxol and bestatin side chains, 6429
α–methyl α–aminoacids, configuration by NMR, 1031
accelerated esterification with lipoglysylated α–chymotrypsin in polar solvents, 2131
acromelic acid C, new toxic constituent of *Clitocybe acromelalga*, structure, 3901
as precursors to indolizidine alkaloid, δ–coniceine, 5689
β–amino acids and organo–phosphorus compds, new method for β–lactam formation, 2905
β–hydroxyamino acids, aldol reaction of α–isocyanocarboxylate with arene–chromium–tricarbonyl complexes, 6185
biochemical incorporation into indololactam V, 101
biologically active glutathion thiol conjugates by conversion of hepoxylin A_3
chiral β–amino acids, synthesis starting from L–asparagine, 5717
chiral synthesis using bornanesultam enolates, 991
complexation with macrobicyclic structures having carboxylate derivs converging on central cavity, 4245
cyclohexylnorstatine, stereoselctive synthesis as key component of renin inhibitor, 4175
cyclopropyl, stereoisomeric glutamic acid analogs, 139
cycloserine, N–derivatised deriv with antibaterial activity, synthesis, 2211

D– and L–serine, of (+)– and (–)–α–allokainic acid, occurring as (a)–kainic acid in *Diginea simolex*, 4917
dehydroalanine peptides, via bis–(2,2,2–trichloroethyl) and diphenyl phosphonoserine derivs, 5269
dehydroamino acid derivs, by Wittig synthesis, 157
difluoromethylhomocysteine, synthesis and biological activity, 3017
enantiomerically pure L– and D–allothreonines and (*S*)–and (*R*)–isoserines, synthesis, 5023
fluorescent derivatives using N–chloro–formylcarbazole, 1455
γ–azetidinyl–β–hydroxy–α–amino acid moiety of mugineic acid, synthesis and prep of mugineic acid, 5041
homochiral hydroxy–α–amino acid derivs, 7059
improved prep Boc–aminoacid bridging groups for peptide solid–phase synth, 2003
L and D alanine, from chiral amidals, 6413
L–2–amino–4–methoxy–*trans*–but–3–enoic acid, exclusive of *cis* isomer, 5257
L–*allo*–, threonine, stereoselective synthesis and enzymic assay, 827
L–serine, asymmetric synthesis of 4–ethylamino–trideoxypentose, 21
L–tryptophan, prep, 1–benzoyl–4–(amino)–1,2,2a,3,4,5–hexa hydrobenz[*cd*]indoles, 7583
L–tyrosine derivs, coupling with vanadium oxyhalides, cyclisation of intermediates to analogs of biphenomycin 6581
l–valine, chirality transfer to homoallylamine by $TiCl_4$(cat.)/Al, 3123
lysophosphatidylserine with 19:4 acyl group, synthesis as Nα–K atpase inhibitor in relation to DLIS–2 enodenous digoxin–like substance, 4033
N–methyl–, peptide coupling using $(Me_2N)_3PBr.PF_6$, 669
oxetane containing kainic acid analog, probing topography of kainate recognition sites, 2967
p–aminophenylalanine and glycine, biosynthesis of *Pseudomonas* antibiotic obafluorin, 7517
piperazic acid, cyclic peptides from, 1237
serine, nucleophilic aklaninol synthon, 7407
solid (*R*)–phenylglycyl–(*R*)–phenylglycine, inclusion of (*S*)–isopropyl phenyl sulfoxide, 3331
structurally diversified–, via synthesis and reactivity of protected β–bromo α–iminoacids, 3739
synthesis of chiral α–acetylenic cyclic amines, applications to differentially constrained oxotremorine analogs as muscarinic agents, 3957
tryptamine–2–carboxylic acids, direct synthesis of 1,2,3,4–tetrahydro–β–carbolines, carboxyl–mediated Pictet–Spengler reaction, 3397
tyrosine, phenyl ethers from using diaryliodonium salts, 2017
unusual α–amino acids from vinylglycine, 2291

Amino acid esters
9–amino–9–fluorenecarboxylic acid–, transaminative synthesis, 2959
β–amino esters, prep from ketene silyl acetals and N–(alkylamino)benzotriazoles, 3999
enantioselective hydrolysis responding to ionic strength, 5335
intramolecular cyclisation of glycine–derived radicals, 759
micellar enantioselective hydrolysis, effect of substituents, 5311
optically pure α–amino esters, asymmetric synthesis, 2889
pentafluorophenyl esters of FMOC protected amino acids, via pentafluorophenyl trifluoroacetate, 5851

Amino alcohols
1,2–syn amino–, derivs, via conversion of α–allenic alcohols, 4249
1,3–amino–,via reductive cleavage of oxazolidines with molybdenum hexacarbonyl, 3351
2–amino–, from optically active cyanohydrins, 1447
α–amino–, from cyanohydrins, new approach via N–metallo–imines, 3481
βγ–unsaturated–, synthesis, use of alaninol, 7407
β–amino–,from amino acids, chelation control via Schiff bases, 4985
β–amino–, stereoselective route via amino aldehyde–ene reaction, 3909
bioactive–, synthesis via N–isopropyl–N–methylformamidine reagent, 2157
fluorine–containing isosteres of sphingosine as inactivator of protein kinase C, synthesis, 4309
morpholine, N–(4–amino–5–cyclohexyl–2,3–dihydroxypentyl–), renin inhibitor fragment, 1569
optically pure β–amino alcohols asymmetric synthesis, 2889
sphingosines, stereoselective synthesis, 4985
synthesis of chiral bidentate aminophosphine–phosphinites bearing different substituents at aminophosphine and phosphinite moieties, 4139
synthesis,cobalt–catalysed ring–opening of epoxides by anilines, 575
vicinal, N–protected acyclic–, stereochemical outcome from Mitsunobu couplings, 5253

Amino aldehydes
amino aldehyde–ene reaction, stereoselective route to β–amino alcohols, 3909
asymmetric synthesis *via* glyoxal mono–acetal dimethylhydrazone, 1429
chiral α–amino aldehydes, complete reagent control in aldol additions to chiral boron enolates, 3863
protected, $TiCl_4$–catalysed condensation with trimethylsilyl ester enolate, 217
serinal, synthesis from D–glucosamine, 1253
serine aldehyde, protected, prep of αβ–unsaturated esters, alkylcuprate addition, 1011

Amino ketones
γ and δ–keto a–amino acid derivs, synthesis, 6311

Amino nitriles
α–aminonitriles via photocyanation of amines, 4735
optically pure β–amino nitriles via $Yb(CN)_3$–catalysed reaction of aziridines with cyanotrimethylsilane, 6379

Amino sugars
(±)–aminoarabinose– and (±)–aminoaltrose derivs via stereospecific double glycolisation of 1,2–dihydropyridines with OsO_4, 2139
4–deoxy–4–(*R*)– and 4–deoxy–4–(*S*)–C–methyl–N–acetylneuraminic acid, synthesis of epimeric pair, 2875
4–epi–L–vancosamine containing anthracycline antibiotics, prep of analogs, 4805
4–ethylamino–trideoxypentose, from calicheamycin, synthesis and absolute configuration, 21
D–glucosamine, serinal synthesis 1253
deoxynojirimycin and nojirimycin δ–lactone, synthesis, 409
ezoaminuroic acid, Me ester EtO–glycoside, 1697
glycosphingolipid, sulfated glucuronyl, synthesis, 1597
mannosamine, kifunensine synthesis from, 225
N–acetyl–D– and L–, daunosamine, from tartraldehyde mono(diethylthioacetal), 1195
nojirimycin, not so facile synthesis, 405
polyaminocyclodextrins, active catalysts for decarboxylation of oxalacetate, 3897
pyrrolidine aminosugars from dicarbonyl sugars synthesis of deoxynojirimycin, 6777
swainsonine and castanospermine analogs, new approach, 6949

Ammonium salts
long–chain surface–active, modification of properties, 449

quaternary centres, effects on conformation, 6717
tetrabutylammonium dihydrogentrifluoride, conversion of epoxides to fluorohydrins, 7209

Annulation
cyclopentenone fusion to cyclobutene by Pauson–Khand reaction, 635
cyclopentenone using (*E*)–1–(phenylseleno)–2–(trimethylsilyl)ethene, 2917
imidazolines, 1,3–dipolar cycloaddition route to pyrroloimidazoles, pyrrolidines and pyrroles, 2333
intramolecular–, new, approach to 1–oxo–phenanthrenequinone derivs, 5179
new distereoselective [3+2]–, approach to 5–membered carbocycles, 3653
radical based–, iodo lactams, 5397

Annulenes
bridged, 1,6–imino–8,13–oxido–[14]annulene, PMR, x–ray crystal structure, 999
first [14]annulyne with benzyne–like reactivity, synthesis and trapping, fast route to annelated bridged annulenes, 5277
pyrrolo–fused methano–bridged [11]annulenes, 1291
[6] and [8]annulenes, electron transfer to perdeuteriated per–^{13}C analogs reveals contrasting free energies, 6151

Anthocyanins
malvin, self–association, pH and electronic spectra, 1593
series of (4,8)–linked proanthocyanidins, assessment of 3,4–*trans* and 3,4–*cis* relative configurations, 3789
ternatin from *Clitpria ternatea* flowers, structure, 2921

Anthracenes and derivatives
amphiphilic–, photo dimerisation, substituent effects, reactions in monolayer assemblies and in solutions, 6043

Antibiotics
(±)–aristeromycin synthesis, application of imino Diels–Alder cycloaddition, 6243
(±)–psicoplanocin A, carbocyclic nucleoside combining features of psicofurannine and neplanocin A, 5977
(±)–renieramycin A, stereo–controlled total synthesis, 5989
(+)–nojirimycin and (+)–1–deoxy–nojirimycin, stereoselective synthesis, 2085
(–)–acetomycin, enantiospecific total synthesis, 2609
2–substituted 6–[1(*R*)–hydroxyethyl]–penems, synthesis, 4359
anthracycline–, containing branched aminosugar 4–epi–L–vancosamine, prep of analogs, 4805
anthracyclinone analog synthesis, 89
anthracyclins, synthesis of model for nogalarol, 605
antitumor ansamycins, synthesis of (±)–macbecin I, 4305
antitumor ansamycins, synthesis, serial sigmatropic construction of C_{11}–C_{21} ansa subunit of macbecin, 4301
aristeromycin, intermediacy of 4β–hydroxymethyl–1α,2α,3α–trihydroxycyclopentan etriol, 7549
avermectin B_{1a}, synthesis of C16–C28 spiroacetal fragment and reassignment of ^{1}H and ^{13}C resonances, 3445
avermectin B_{2a}, cleavage of spiroketal portion, 3525
avermectins and milbemycins, hexahydrobenzofuran subunit, enantioselective synthesis, 3563
avermectins, C24 and C25 substituted, Wittig approach, 3529
β–lactam–, via deprotection of carboxylic esters assisted by H–bonding network in phenolic media, 6661
bicyclic β–lactam–, semisynthesis from penicillin or cephalosporin, 5693
biphenomycin–, synthesis of analogs, 6581
bleomycin, mechanism of autoxidation, model study, 6063
calicheamycin, 4–ethylamino–trideoxypentose synthesis and absolute configuration, 21
calichemmicins g_1, synthesis of oligosaccharide moiety, prep of subunits 6–12, 4113
carbacephem–, via Dieckmann reaction using phenyl esters to direct regioselectivity of cyclisation, 6317
carbapenem–, new construction, total synthesis of 6–epi PS–5 and PS–5, 3209
carzinophilin, epoxy–acid fragment, synthesis and ammonium–hydroxide induced rearrangement, 2669
CC1965 analogs, cytotoxicity and alkylating efficacy, 793
chlorotricolide, synthesis of bottom half, 4433
clerocidin, synthesis of sidechain, stereoselective epoxidation of hydroxyenones, 4509
cyclic hexadepsipeptide, L–156 602 synthesis, 1237
cyclic hexadepsipeptide, selective semisynthetic modification of L–156,602, 4711
dl–duocarmycin A, total synthesis, 6699
duocarmycin A, covalent alkylation of DNA, identification of abasic site structure, 7197
dynemycin, bioreductive alkylation, rearrangement, geometry, 1521
enantiomerically pure 7,10–di–hydroxy–4–demethoxy–anthracyclinones, diastereoselective synthesis, 7153
erythronolide A, C(1)–C(7) and C(7)–C(13) subunits, synthesis via stereoselective osmylation approach, 3275
erythronolide, via macrolactonisation under acylation conditions with Yamaguchi reagent, 6367
esperamicin A_1, stereochemistry, single crystal x–ray structure of thiosugar moiety, 6149
FK–506, synthesis of cyclohexyl fragment by intramolecular ene reaction, 3007
funiculosin, produced by *Penicillium funiculosum*, synthesis of all–*cis* cyclopentanetetrol moiety, 6557
γ–lactam–, containing a cycloserine nucleus, synthesis, 2211
galantin 1, structure revision and total synthesis, 3183
gilvocarcins, total synthesis, 6313
ikarugamycin synthesis, studies on carbotricyclic subbunit, 3363
ikarugmycin synthesis, model studies on new strategy for ring C closure, 3367
ionophore tetronasin, enantioselective synthesis of C3–C11 hydrocarbon fragment, 5521
ionophore tetronasin, synthesis of C12–C26 fragment of acyltetronic acid, 5525
isochromanequinone–, intermediate (±)–nanaomycin A, biomimetic synthesis, 3919
kinamycins, A–ring on ABC ring template, regioselective Diels–Alder reactions of N–cyanoindole–4,7–diones, 5713
kinamycins, construction of ABC ring synthon via N–cyanoindole–4,7–diones, 3681
lasalocid A and isolasalocid A, via chelation–controlled formation of tetrahydrofuran rings, 6035
medermycin (lactoquinomycin) enantioselective total synthesis, 5495
natural glycocamptothecin, chaboside from *Ophiorrhiza pumila*, 5169
naturally occurring monensin ionophore, synthesis of new chiral receptor bis–monensin, 7027
neocarzinostatin chromophore A, synthesis of related bicyclic oxacycloalkenediyne system, 3533
neocarzinostatin chromophore, new 10–membered–ring analog, aromatisation, 4329
neocarzinostatin chromophore, oxidative triggering mechanism, 5947
neocarzinostatin chromophore analogs, prep and reactions of hetero substituted Cr allyls, 6605
neocarzinostatin chromophore, route to 10–membered ring analogs, 6625
neocarzinostatin chromophore, synthesis of 10–membered ring functioalised cyclodiynol, 7437

neocarzinostatin chromophore, synthesis of related [3]cumulenes and eneynecumulenes 7469
neocarzinostatine chromophore, synthesis of related acyclic(*E*)– and (*Z*)–dienediyne systems, 2323
new class of–, [3.3.0]pyrazolodinones, efficient synthesis, 2805
nitroimidazole–, action mechanism, nitrosoimidazole radical anions as putative intermediates, 3221
nybomycin acetate analog, synthesis of 4–acetyloxymethyl– 1,6,9–trimethyl–1,9–diazaanthracene–2,5,8,10–tetraone, 4405
oleandolide synthesis, oleandomycin aglycone, 709
optically active aspyrone, convergent synthesis, 7343
oxaunomycin, synthesis, regioselective glycosidation of C–7 OH group of β–rhodomycinone, 7173
papulacandins and chaetiacandin, basic skeleton by Pd–catalysed arylation of 1–tributylstannyl glycals, 5165
peplomycin iron complex, catalysed oxygenation of linoleic acid, 4485
Pseudomonas–, biosynthesis of obafluorin from *p*–aminophenyl–alanine and glycine, 7517
quinocarcin intermediate, synthesis from L–glutamic acid, 2105
rapamycin, excision of fragments similar to FK–506, 4845
rifamycin W, total synthesis, 1585
rubiginones absolute configuration and photo–induced oxidation of C1 hydroxyl to ketone, 7473
salinomycin and narasin, methodology for prep, 3043
simplified synthesis, (+)–brefeldin A, 7555
streptovaricin A, stereoselective synthesis of ansa fragment, 31
telocidins, biosynthesis of ring system, 101
tetronasin, synthesis of tetrahydrofuran fragment, 7637
tsukubaenolide (FK–506), synthesis, segment C_{16}–C_{23}, 1637
tyrocidine A, synthesis, use of oxime resin for peptide chain assembly and cyclisation, 6121
vancomycin analogs, synthesis, 2021
vancomycin, synthesis of bicyclic hexapeptide as plausible active center, 4053
venturicidins A, B, synthesis, aglycones, 1731, 1735

Antigens
multivalent Tn–, cluster–lysyllysine conjugates, synthetic vaccines, 2673

Antimony and compounds
reduction of SbF_5 by alkali bromides, 2007
$SbCl_3$–(Al orZn)–DMF–H_2O, aldehyde reduction, 1185
tributylstibine mediated olefination of diazo compds with carbonyl compds and catalytic Cu, 5897

Arenes
biomimetic hydroxylation using manganese–polyhalogenated porphyrin and hydrogen peroxide as oxidant and catalyst 6645
dialkylarenes, trichloromethylation at β–position of ring promoted by arene π–complexation with iron(Cp) moiety, 6831
styrenes and 2,2–bis(trifluoromethyl)–ethylene–1,1–dicarbonitriles, dichotomy of cycloaddition pathways, 7129
styrenes and 2,3–bis(trifluoromethyl)–ethylene–1,1–dicarboni trile, concertedness of [2+4]–cycloaddition, 7133

Aromatisation
4–vinylcyclobutenone, rearrangement, 1527
analogues of Hagemann's ester using I_2/MeOH, 481
flavanones to flavones with $Tl(TFA)_3$, 1459
neocarzinostatin chromophore, oxidative triggering mechanism for–, 5947
nickel peroxide, of methano–bridged dihydro–cycloundeceno–pyrroles, 1291
two diverse modes of–, new 10–membered–ring analog of neocarzinostatin chromophore, 4329

Aromaticity
pyrrolo–fused methano–bridged [11]annulenes, 1291

Arsenic and compounds
allyl dichloroarsines, prep of arsa–dienes, 1147
arsa–dienes from allyl dichloroarsines, 1147
arsirane, by reaction of sulfur ylides with diazaarsoles, 7607
arsonium salts, double elimination, synthesis of 4–trifluoromethyl –2, 4–dienyl carboxylates, 2305
bis–amino–, arsenium ions, synthesis,1145
l–[tris–trimethylsilyl]methyl–4,4–diphenyl–1–ars abutatriene, dimerisation to 1,3–diarsetane, 6331

Aryl halides
α– and β–halonaphthalenes, via ring cleavage of aryl(gem–dihalocyclopropyl)methanols and synthesis of justicidin E and taiwanin C, 6883
aromatic halides conversion to aldehydes by free radical carbonylation, 6887
aryl iodides or aryl triflates, coupling with alkynes to crowded alkynes, 6753
benzylic type halides, correlation between reduction potential and redox potential of radicals, 5803
coupling with vinylstannanes, Pd–catalysed, 1837, 1857
dialkyltrichloromethylarenes, with CCl_3 group at β–position to alkyl substituents of indan, tetralin, benzosuberane and isomeric xylenes, 6831
fluoro– and ethylbenzene, ortho functionalisation involving 2,5–disilylation with trimethylchlorosilane, 6179
functionalised aromatic iodides, conversion to arylzinc iodides, new prep, 4413
Pd–catalysed carbonylation, synthesis of enol esters and enol lactones, 2841
tert benzylic chlorides, failure of linear correlation of log*k* with Y_{AdCl}, a new Y scale based on 2–aryl–2–chloroadamantanes, 3611
trans–β–iodostyrene derivs, reaction of alkynes with aromatic rings and IPy_2BF_4, 4207

Arylation
1–tributylstannyl glycals catalysed by Pd, basic skeleton of papulacandins and chaetiacandin, 5165
acrylates with iodobenzene, molecular recognition in montmorillonite, 5781
by diaryliodonium salts, protected tyrosine at oxygen, 2017
phenylation of allylic acetates by tetraphenylborate anion, 7453
radical–, imines; arylative amination of aldehydes, 2069
red phosphorus, route to triphenylphosphine oxide and triphenylphosphine, 5463
vinyl acetate to stilbenes using aryl iodide and supported Pd–catalyst, 1495

Arynes
1,4–dipolar cycloaddition with N–lithiated ethyl anthranilates(as 1,4–dipole equivs),basis for acridone synthesis, 2869
benzyne adduct with 3,6–dipropyl–1,2–benzoquinone, 1563
benzyne cycloaddition to fused α–pyrones, 143
correction, bibenzyl formation by deoxidation/reduction, arynes with lithium 4,4'–di–t–butylbiphenyl radical anion, 7595

Asymmetric induction
(3*S*,4*S*)–statine and (3*S*,4*S*)–cyclohexykstatin, synthesis from (S)–leucine, 217
1,3–, wherein oxazoline is used as surrogate epoxide, 4573
absolute–, differences in dual pathway photoreactions, 6803
addition–elimination strategy for–, α chiral sulfoxide as leaving group, 2419

baker's yeast reduction pentacyclo–[5.4.0.02,6.03,10.05,9]undecane–8,11–dio ne, 1811
Diels–Alder reaction of quinones with chiral aryl containing 1–alkoxy–3–trimethylsilyloxy–buta–1,3–dienes, 7233
diisopinocampheyl isoprenyl borane, reaction with aldehydes, 455
effect of anionic counterparts of allylating reagents, Pd–catalysed asymmetric allylation of chiral enaminès bearing phosphine functionality, 3623
enantioselective iodolactonisation through diastereotopic olefin differentiation as well as face differentiation using (2*R*,5*R*)–bis–(methoxymethyl)pyrrolidine, 3175
enzymic, hydrolysis of esters of *cis*–2,5–bis(hydroxymethyl)tetrahydrofurans, 445
glyoxal monoacetal hydrazones, nucleophilic alkylation, 1429
hydroboration using asymmetric Rh catalyst, 231
hydrogenation using Rh diphosphine catalyst, 261
in creation of tri–and tetra–substituted carbon stereocenters by intramolecular Heck reaction, 3075
in solid state photochemistry of carboxylic acid salts with optically active amines, 6807
intramolecular Pauson–Khand cyclisation of 7–alkoxy–1–hepten–6–ynes, 7505
metal ion catalysed 1,3–dipolar cycloaddition of imines of α–amino esters to homochiral menthyl acrylate, 6569
optically active (–)–hinokinin, synthesis from γ–heterosubstituted chiral δ–lactones, 7623
Pd complex catalysts, dissymmetric allylic coupling, 77
reactions between δ–alkoxyallylstannanes and aldehydes induced by tin chloride, 6239
reduction of β–ketoesters by bakers' yeast, 267
reduction of hydroxyisopropenyl azetinone by chiral complex of Ru diacetate, 549
specifically designed chiral amidocuprates, ligand structural effects, prep and reaction conditions affect efficiency, 4105
stilbene oxides, from dissymmetric thiolanium ylids, 35
thioglycollic acid, α–alkylation, camphor chiral auxiliary, 257

Asymmetric reactions
(*R*) and (*S*)–4–hydroxy–2–cyclohexenone and derivs, 6653
1,3–dipolar cycloaddition of azomethine ylides with chiral electron–deficient olefinic dipolarophile, 3633
3–amino–9–methoxy–2,6,8–trimethyl–10–phenyl–4,6–decadienoic acid (Adda), synthesis, 2043
3–amino–β–lactams, synthesis by chiral ester enolate–imine condensation, 4289
4–ethylamino–trideoxypentose, from L–serine, 21
4–[(t–butoxycarbonyl)amino]–pyrazolidin–3–one, precursor to bicyclic pyrazolidinone antibacterials, 5567
α–amino–α–alkyl–phosphonic acids of high enantiomeric purity, 6465
α–chloro–α–alkyl and α–methyl–α–alkyl phosphonic acids of high enantiomeric purity, 6461
aldol addition of chiral 3–sulfonyl–1,3–oxazolidine–masked lithium 2–formylcyclo–hexanone enolate with alkanals, 6859
aldol reaction of isocyanoacetate, gold–catalysed, NMR study, 2723
alkylations, acylations and aldolisations of N–acyl derivs of chiral toluene–2–α–sultam, 5019
aza–Diels–Alder reaction using chiral 1–phenylethyl imine of methyl glyoxylate, 2603
baker's yeast catalysed cycloaddition of nitrileoxides to C=C bond, improved chiral recognition using β–cyclodextrin, 3201
both enantiomers of α–hydroxycarboxylic esters and amides, synthesis from (–)–1–chlorobutyl *p*–tolyl sulfoxide, 3567
carbonyl addition, synthesis of decumbensine, 3711
catalytic alkylation of aldehydes by diethylzinc in presence of N–isopropylephedrine, enatioselectivity depends on Et_2–Zn:RCHO, 5185
catalytic cyclopropanation of olefins, use of bis–oxazoline copper complexes, 6005
catalytic dihydroxylation of dialkyl substituted olefins, ligand–based enantioselectivity improvement, 3817
catalytic intramolecular hydrosilation of di(2–propenyl)methanol, 7333
chiral syntheses of Z–2–butylidene–cyclohexan–1–ol and –1–yl phenylsulphide from optically active phosphine oxides, 2743
cyclobutanones, intramolecular [2+2] cycloaddition of keten–iminium salt to olefinic double bond, 4467
Diels–Alder reactions of 1,3–dienes with N–enoyl derivs of chiral toluene–2–α–sultam, 5015
dihydroxylation of olefins, use of potassium ferricyanide in place of NMO increases level of induction, 2999
dihydroxylation of stilbenes, Sharpless method, 161
double–, Pd chiral complexes in alkylation of chiral Schiff bases derived from glycine, 3133
enantioselective cyclopropanation, Rh carboxamides as catalyst, 6613
enantioselective reduction acylstannanes, 1981, 1985
ene reactions of chiral allylic sulfones via chiral allylic sulfinate–sulfone rearrangement, 2619
formylation of quaternary stereocenters, electrophilic α–formylation of carbonyl compds using nor–ephedrine–derived 2–methoxy–oxazolidines, 4223
heterogeneous catalytic dihydroxylation of *trans*–stilbene, use of polymer–bound alkaloid, 3003
hexahydroindanes and decalines, synthesis, 3047
homochiral organometallic 1,4–dihydronicotinoyl complex with chiral auxiliary [(η^5–C_5H_5)Fe(CO)–(PPh_2(O–(l)–menthyl))] at C–3 and its use in reduction of ethyl benzoylformate, 3213
hydrogenation of 4,5–diaryl–2–oxocyclo–pentanecarboxylates, synthesis of chiral bis(triarylphosphine) ligands, 7185
hydrogenation of activated ketones on Rh catalysts, use of new chiral mixed AMPP ligands, 4139
hydrogenation of unsaturated carboxylic acids catalysed by BINAP–Ru–dicarboxylate complexes, stereochemistry and mechanism, 7189
optically pure tertiary mono and diphosphine ligands via borane complexes, 6357
organolithium additions to imines, 6681
Pd–catalysed alkylation via π–allyl intermediate, acetamidomalonate ester as nucleophile, 5049
protected 2–hydroxymethyl–1,3–butanediol, prep of four sterioisomers, 6421
secologanin aglycone, synthesis of intermediate (–)–ephedrine as chiral auxiliary, 2033
stereoselective synthesis of ansa fragment C(5)–C(15) of streptovaricin A, 31
substituted phenyl glycidic esters, 6501
synthesis and absolute stereo–chemistry of LY248686, 7101
synthesis *myo*–D–inositol 1–phosphate, from L–quebrachitol, 1433
synthesis of amines by action of baker's yeast on oximes, 5555
synthesis of pyrrolo[2,1–a]isoquinolines from chiral formamidines, 2813
unfunctionalised olefins, catalytic epoxidation, 7345
via heteroconjugate addition, valinol template as oxazolidine heteroolefin vs acetylenic nucleophiles, 5499

Asymmetry
chiral boron enolates, complete reagent control in aldol additions to chiral α–amino aldehydes, 3863

chiral epoxy alcohols, optical purity detn by gas chromatography, 4389
chiral recognition in SN2 reaction of t–butyl 2–bromopropionate with enolate derived from [(η5–C5H5)–Fe(CO)(PPh3)COCH3], 4067
chiral spirocyclic 1,3–oxazine–4,6–diones as synthons for enantiomerically pure compds, 3605
chiral toluene–2,α–sultam auxiliaries, prep and structure of enantiomerically pure (*R*)– and (*S*)–ethyl–2,1'–sultam, 4117
(+)–chirality, ephedrine for chiral medium in photochemistry, 1015
chirality transfer from lactic acid, prep of diastereomeric 2,2–disubstituted 5–methyl–1,3–dioxolan–4–ones via ketones or their acetals, 2135
L–ribulose, novel chiral pool compds, transformations, 2337
loss of chirality at phosphonium step in Arbuzov rearrangement, 4443
Mosher's acid chloride, optical rotation and stability, 75
stereoselective construction of 3 and 4 contiguous asymmmetric centers via alkylative rearrangement of epoxy silyl ethers, 3335
trans–2–(diphenylphosphino)cycloalkane carboxylic acids and asymmetric allylic alkylation catalysed with phosphine–Pd complexes, 3905

Autoxidation
mechanism of–, bleomycin, model study, 6063
N–Fmoc–protected–, anchoring by esterification to hydroxyl solid supports, 1701

Aza compounds
1,2,3–benzazadiphosphole with intracyclic P=P, synthesis, 4463
1,3λ3–azaphosphinines, [4+2] cycloaddition with alkynylphosphanes, 4589
1,3λ3–azaphosphinines, reaction with diazomethane to give diazadiphosphachiropteradiene, 6999
2–aza–(7)–paracyclophane, synthesis, 5769
2–aza–1,3–butadienes via N–vinylic λ5–phosphazenes, 3497
2–aza–1,3–dienes, ketene cycloaddition, 451
2–aza–1,3–dienes, synthesis of 4(1H)–pyridones by carbonylation, 3793
2–aza–1,3–dienes, synthesis of 4(1H)–pyridones, 3793
2–azaadamantanes, substituted, substrate–directed synthesis, 22949
2–azadienes, halogenation and Diels–Alder addition, 397
9–benzyl–10–aza–9–thiaphenanthrenes, thermal rearrangements, 7021
aza–prostacyclin analogs, perhydrofuro[3,2–c]pyridines, 523
azatrienes, synthesis of hydroisoindoles by diasteroselective cycloaddition, 7315
N–acyl–1–aza–1,3–butadienes, generation and cycloaddition starting from αβ–unsaturated aldehydes and synthesis of 1,7,8,8α–tetrahydro–3(2H)–indolizinones and 1,2,3,8,9,9a–hexahydro–4(4H)–quinolizinones, 3753
twisted polyaza clefts for complexation of cyclohexane–polyols, 7411
unactivated 2–aza–1,3–dienes and 2–aza–1,3,5–trienes, synthesis via 1,4–dehydrochlorination of a–chloroimines, 2771

Azepines
α–ethynylhexahydro–, synthesis, resolution, abs. configuration, 719

Azetidines
azetidine–2,3–diones, addition of α–bromoesters, synthesis of trimethylsilyloxyazetidin–2–ones and α–alkylidene β–lactams, 6425

Azetidinones
1–benzyloxy–2–, ring closure to N, with PhCH2O–loss, *via* carbene, 1807
3–(1'–hydroxyethyl)–2–azetidinones , metal directed stereoselective synthesis from ethyl 3–hydroxybutyrate, 3267
3–amino–β–lactams, synthesis by chiral ester enolate–imine condensation, 4289
3–amino–nocardicinic acid, tetrazole analog, 1755
3–amino–nocardicinic acid, phosphonic acid analog, 1759
3–benzyloxy–3–hydroxyethyl–azetidin–2–ones, stereospecific reduction to 3–spiro–epoxyazetidin–2–ones, 3249
4–(tri–n–alkylstannyl)azetidin–2–ones, synthesis, 4927
4–(trimethylsilyl)– and 4–(tributylstannyl)–2–, synthesis and application to β–lactam chemistry, 2637
α–hydroxy β–amino acids via β–lactams, application to taxol and bestatin side chains, 6429
alkylation and aldol reactions of chiral β–lactam, 977
β–lactam formation from β–amino acids and organophosphorus compds, new method, 2905
β–lactam homoenolates, synthesis, 4927
β–lactams, route via cyclic sulfites from syn–1,3–dihydroxy esters, 4317
carbapenem precursors, by isoxazolidinone route, 1901
exocyclic bromination of N–substituted β–lactams, 3471
N–bis–trimethylsilylmethyl β–lactams, intramolecular Peterson olefination to oxa–cephems, 1921
penicillin derived–, synthesis via C–C bond formation using allyltin reagents, 5693
thionation and *S*–alkylation, imino–thioethers, 123, 127
unsym–azetidinone disulfides, rearrangement to 2β–(thio–substitued methyl)penams, 3509

Azides
amide from– in ceramide synthesis, 1849
anomeric diazides, synthesis of C–1 spirocyclopropyl sugars, 4441
aryl–, as photolabels, iodine retention during photo–ring expansion of iodinated tyrosine deriv, 2443
azidisation of allyl, esters using Pd(O) and Me3SiN3, 527
functionalised–, studied under Staudinger and aza Wittig reactions, 7011
hydroxy–, from epoxides using dibutyltin diazide, 221
intramolecular cycloaddition with η–chloroalkenes, route to (–)–swainsonine and indolisidine alkaloids, 7571
methanesulfonyl–, diazo transfer from, 1527
sodium azide in acetonitrile, metal salt catalysed azidolysis of epoxides, 5641

Azido compounds
azido–alkenes from trimethylsilyl epoxides, 1335
azido–sugars, in amino–sugar synthesis, 409

Azines
bis(dimethyl malonato)azine, formation and inversion/rotation barrier, 4265

Aziridines
chiral–, access by enzymatic transesterification of *meso*–bis(acetoxymethyl)aziridines, 6663
dissymmetric (C2) 2,3–bisethoxycarbonyl–1–tosyl–, synthesis, reactions with LiMe2Cu, other Nu–, 1903
perfluoroalkyl–, carboxylic esters, alkoxy–, hydroxy–, 1989
Yb(CN)3–catalysed reaction with cyano–trimethylsilane, synthesis of optically pure β–amino nitriles, 6379

Azirines
3–aryl–3–trifluoromethyldiazirines thiazolidine and thiazolidine derivs for prep of fluorescent or 35S–radio labelled photaffinity probes, 2093
alkylhalodiazirines, photolysis, two pathways to vinyl halide formation, 5109
diaziridinone, ring enlargement via reaction with α–lithiopropionitrile to functionalised aminopyrazolinone and/or iminopyrazolidinone, 5237
perfluoroalkyl–, synthesis, reactivity, 1989

Azo and Azoxy compounds
azo compds, PhN=NSO2Na as spin traps in photochemical decomposition, 5737
azo–azo cycloadditions, polycyclic bis–azo cages, 1125
azoethane, radical initiated tautomerisation to acetaldehyde–ethylhydrazone, reactivity of $CH_3CH{=}NNC_2H_5$ radical, 6447
diazanorbornenes, triplet diyls on irradiation, 1229
diazirines, chlorocarbenes by photolysis, 1225

Azulenes
dihydroazulene/ferrocene conjugate, photo– and electrochemical properties, 3113

Basicity
kinetic Bronsted–, of organic solvents, scale provided by racemisation of optically active alkyltropylium ions via intermolecular prototropy, 4057

Benzobarrelenes
2,3–, 2,5– and 2,6–dibromobenzobarrelenes, synthesis by high temp bromination, 2349
2–bromobenzobarrelene, bromination, 2345

Benzodioxepins
2H–1,5–benzodioxepin ring system, of paraherquamide isolated from *Penicillium paraherquei*, 6325
dibenzooxepinones, conversion to aristocularine alkaloids, 6247

Benzofurans
2–alkenylbenzofurans and 2–ethynylbenzofurans, photochemical route, 3775
2–aryl–3(2H)–benzofuranones, synthesis, 6637
2–methyl–3–silyloxy–, photo oxygenation to dioxetanes which rearrange via α–silylperoxy ketones to keto ester cleavage products, 2259
dihydrobenzofuran ring closure, photochemical 2,3–bond formation, 1819
functionalisation via [4+2] cycloadditions of 2–vinylheteroarenes with tetrabromocyclopropene, 4581
hexahydrobenzofuran subunit of avermectins and milbemycins, enantioselective synthesis, 3563

Benzomorphans
6,7–benzomorphan, enantioselective synthesis via cyclisation of chromium tricarbonyl complex of 1–(aminoethan–2'–yl)–1,2–dihydronaphthalene, 2763

Benzonitriles
benzonitrile oxide, 1,3–dipolar cycloaddition to vinyl and azavinyl furan derivs, 2635

Benzopyranones see Coumarins, Chromones

benzopyrrolizidines
benzopyrrolizidines related to mitomycin, one pot "wavelength switch" approach via regiospecific dihydroindoles, 5373

Benzoquinones
1,2,3,4,5,6–hexahydrobenzo[1,2;4,5]dicyclobutene–3,6–dione, dimerisation, 7341
3,6–dipropyl–, *ortho*–quinone, reaction with benzyne, 1563
maesanin, synthesis, natural dioxy–quinone, 1527
new selective reagent for oxidation of alcohols, 4497
ortho–, diacetals, by anodic oxidation methyleugenol, 1513

Benzothiophenes
functionalisation via [4+2] cycloadditions of 2–vinylheteroarenes with tetrabromocyclopropene, 4581

Benzotriazoles
modified BOP reagent for peptide synthesis, 205
N–(alkylamino)benzotriazoles and ketene silyl acetals, prep of β–amino esters, 3999

Bicyclic alicyclic compounds see also individual ring systems
(+)–norborn–5–en–2–one, synthesis of α– and β–D–carbaribofuranose, 2873
(1*R*,6*R*,9*S*,10*S*)–9–chloro–10–hydroxy–8–methoxycarbonyl–4–methylene–2,5–dioxabicyclo–[4.4.0]–dec–3–one–7–ene metabolite from fungi, 4605
1,3–dilithiobicyclo[1.1.1]pentane, formation, and uses, 651
1,5–cyclo– and 1,6–cyclo–undecadiyne, *inter*– and *intra*–molecular reaction with $CpCo(CO)_2$, 6175
1–aryl–2.2–dimethylbicyclo[1.1.0]–butanes, photooxygenation, 4585
2–*endo*–aminonorbornenes, synthesis of 2–*exo*–substituted derivs, organo Al–promoted nucleophilic substitution on 2–*endo*–acetamido–2–*exo*– methoxynorbornene, 5345
5–norbornen–2–ols, Mitsunobu reaction, 2201
6–methyl–6–vinyl–, bicyclo–[3.2.0]heptanes, isomerisation, 1085
7–methylbicyclo[5.3.0]decatrien–8–ones, tautomerism with tricyclonorcaradienones, 4657
8–fluoro–1,5–dimethyl–, bicyclo[3.2.1]octane, from monoterpene alcohols, 1187
bicyclo–3.3.0–octan–3–ones, synthesis via tandem radical cyclisations, 2193
bicyclo[2.1.0]pentane way to the diquinane alcohol of natural triquinanes starting from trimethylsilyloxycyclopentene, 5027
bicyclo[2.2.1]heptane derivs, new route to linearly fused polyquinanes, 6067
bicyclo[2.2.2]octane derivs via double Michael reaction of carvone and derivs with αβ–unsaturated esters, 3559
bicyclo[3.3.0]octane–3,7–dione, methylation, ring–opening, 739
bicyclo[5.2.1]decanes and bicyclo[5.3.1]undecanes by cleavage tricyclo systems, 1483
bicyclo[m.1.0.]alkan–2–ones, additions, theoretical study of conformational control, 6811
bicyclo[m.1.0]alkan–2–ones, restricted, additions to carbonyl carbons, 4565
both monocyclic and bridged bicyclic systems via selective addition of organosilicon radicals to alkenes and carbonyl groups, 5265
ethyl α– and β–fenchols, synthesis earthy–mouldy smelling compds, 3151
functionalised *trans*–decalins, diastereo–controlled synthesis via electrocyclic reaction of trienol ethers, 4021
norbornan–2–6–one–2–carboxylates, reductive cleavage of D ring synthons of D_3, 4899
norbornene, vinylic halides and cyanide nucleophile, tandem assembly to *cis–exo*–2,3–disubstituted norbornanes, 5319
trans–bicyclo[3.3.0]octane, formation by anionic cyclisation, irreversible 5–hexen–1–yllithium cyclisations, 5993

Bicyclic heterocyclic compounds see also individual ring systems
1,3,4–triaza–bicyclo[3,2,0]hept–2–enes, ring–opening, 127
1,3–diaza– and 4–oxa–1,3–diaza–bicyclo[3,2,0]hept–2–enes, 123
1,7,8,8a–tetrahydro–3(2H)–indolizinones from N–acyl–1–aza–1,3–butadienes, 3753
1,8–cineole, stereospecific hydroxylation using microbial biocatalyst, 2833
1–thiadecalin 1,1–dioxide and related compds, shifts of diasterotopic O atoms, NMR, 5835
2,7–dioxa–bicyclo[3.2.0]hept–3–enes, prep of trisubstituted oxetanes, 4693
2–azabicyclo]3.3.1]nonan–7–ones, Fischer indolisation, new entry to dasycarpidan system, 2449
2–funtionalised–8,9–dioxa–bicyclo–[5.2.1]decanes, via bicyclisation of cyclo–oct–3–en–1–yl hydroperoxide, 5513

3,8–diazabicyclo[3.2.1]octane, 3–methoxybenzyl substituted, synthesis using dipolar cycloaddition to 3–oxidopyrazinium compd, 4781
7–chloro–1,8–naphthyridin–4–ones, cross–coupling with vinylstannanes, 1837
7–oxabicyclo[2.2.1]heptenes, bridge cleavage to hydroxycyclohex–1–enyl sulfones, 1475
amino–nucleic acids, conversion to corresponding fluoro–compds using t–butylthionitrate or t–butylthionitrite with sodium tetrafluoroborate, 3019
bicyclic oxacycloalkenediyne system related to neocarzinostatin chromophore A, synthesis, 3533
bridged bicyclic hydrazines, synthesis via cyclic N–acylhydrazonium intermediates, 5365
chiral bicyclic guanidinium molecular hosts, synthesis, 2269
imidazo[1,2–a]pyridine series, SRN1 reactions, 3013
imidazo[1,5–a]pyridine, regio–specific acylation, 5833
1,5–diselenoniabicyclo–[3.3.0]octane bis(hexafluorophosphate), diselenide dication salt, reduction, 6375
medium–sized heterocycles with S or Se atom, synthesis, 3027
oxabicyclo[2.2.1]compds, ring–opening with cuprates, prep of cyclohexenyl derivs, 3253
pyrroloimidazoles, pyrrolidines and pyrroles via 1,3–dipolar cycloaddition of imidazolinium azomethine ylides, 2333
pyrroloisoquinoline intermediate of manzamine A, access via Diels–Alder reaction of 3–alkyl–5,6–dihydro–2–pyridinone, 3195
tetrahydroquinolizinium salts, by intramolecular radical addition, 1625
[5,6]– and [6,7]–fused ring systems via intramolecular radical–induced substitution of pyridinium salts, 3495

Biogenesis
biogenetic–type synthesis of (±)–aplysiadiol isolated from *Aplysia kurodai*, 7157
gelsedine alkaloid precursors, synthesis from ajmaline, 1287
gelsedine alkaloids, construction of gelsedine skeleton from gardnerine 5483
indololactam V, biosynthesis from aminoacids, 101

Biologically active compounds
(±)–5,6,7–trinor–4,8–inter–*m*–phenylene PGI_2, synthesis, 4489
(+)–5,6,7–trinor–4,8–inter–*m*–phenylene PGI_2, synthesis, 4493
(–)–zearalenone, total synthesis via allylic radical intermediates, 3641
11–*R* glutatione thiol conjugates of hepoxilin A_3, 2113
3–deoxy–D–manno–2–octulosonic acid, new route to via D–arabinose and 2–acetylthiazole, 4513
4–deoxy–4–(*R*)– and 4–deoxy–4–(*S*)–C–methyl–N–acetylneuraminic acid, synthesis of epimeric pair, 2875
acetogenins, structure and isolation of uvariamicin I,II and III from *Uvaria narum*, 4649
acromelic acid, simple analog active agonists of kainate type neuroexcitent, 7047
avermectin B_1–3,4–oxide, synthesis, reactivity and bioactivity, 4965
azadirachtin, synthesis of intermediate, 431
bioactive dihydroxyeicosanoid from *Farlowia mollis*, synthesis and stereochemicl revision, 2971
biological evaluation and synthesis of (±)–Z–huperzine A, 6159
blood pigments, synthesis of tunichromes Mn–1 and Mn–2, of *Molgula manhattensis*, 7119
calichemmicins g1 synthesis of oligosaccharide moiety, prep of subunits 6–12, 4113
coriolic acid, synthesis starting from optically active lactol, 2577
difluoromethylhomocysteine, 3017
functionalised *trans*–decalins, diastereocontrolled synthesis via electrocyclic reaction of trienol ethers, 4021
kinamycins, structural basis for antimicrobial activity, 3681
naphtho[2,3–b]furan–4,9–diones, use of Se reagent in synthesis, 6873
oligodeoxyribonucleotides with internucleotide phosphoramidate bonds, new synthesis, 3205
oxetane containing kainic acid analog, probing topography of kainate recognition sites, 2967
p^1,p^4–dithio–5',5'''diadenosyl p^1,p^4tetra–phosphate and analogs, synthesis, separation and identification of diastereoisomers, 4371
periplanone B, synthesis of simple analog, 4037
phosphoenol pyruvate, synthesis of new analogs, 4471
phytanyl li[ids, dynamics of liposomes construction, 7559
picenadol, stereoselective synthesis, 5401
platelet activating factor antagonist L–659,989, synthesis from 5–iodovanillin, 6953
potent PGD_2–analog, synthesis of chemically and metabolically stable compd, 3425
pyrrolo[2,3b]indole (±)–pseudophrynaminol isolated from *Pseudophryne coriacea*, total synthesis, 2681
rigidin with calmodulin antagonistic activity, structure and isolation from *Eudistoma rigidan*, 4617
silicon analog of female sex pheromone of *haumnetopoea pityocampa*, synthesis and biological activity, 2739
statin analogs, from malic acid involving *cis*–selective allylation of α–alkoxy N–acyliminium ion, 4949
syringomycin, structure of phytotoxin, 1589
trans–δγ–unsaturated trifluoromethyl ketones, synthesis, 3161

Bioluminescence
lampteroflavin synthesis, glycosidation, 717

Biosynthesis
(±)–nanaomycin A, biomimetic synthesis, 3919
(*S*)–nicotine from nicotinic acid and 1–methyl–Δ'–pyrrolinium chloride catalysed by nicotine synthase from *Nicotiana sp*, 6295
aristeromycin, intermediacy of 4b–hydroxymethyl–1α,2α,3α–trihydroxycyclopentan etriol, 7549
aromatic polyketides, support for post aromatic reduction, 5905
biomimetic synthesis of isoflavones, 7355
intermediates in vitamin B_{12} pathway of *Propionibacterium shermanii*, 6163
marine sterols, side chain dealkylation using cell–free extracts of *Demospongiae* and *Hexactinellida*, 5425
neurotrophic neolignan, clovanemagnolol, structure and isolation from *Magnolia obovata*, 4477
new–, epicitreoviridinol from *Penicilliumpedemontanum ifo* 9583, isolation and biomimetic synthesis of citreoviridin–type compds, 5503
obafluorin, *Pseudomonas* antibiotic from *p*–aminophenylalanine and glycine, 7517
sterol–, use of sponge cell–free extracts from *Aplysina fistularis*, 5421
studies on naphterpin, metabolite of *Streptomyces aeriouvifer*, 6025

Bonds
"carba" peptide–, replacement, synthesis of Boc–L–Phe–ψ–(CH_2–CH_2)–L–Ala–OH and Boc–L–Phe–ψ(CH_2CH_2)–D–Ala–OH from Boc–L–phenylalanine, 5153

Boron and compounds
2,5–diphenylborolane ligand system, basis for reagent control in aldol addition of chiral boron enolates, 3863
α–haloallylboronate ester, via *in situ* generation of α–haloallyllithium, 7113

aldehydes and $PhMe_2Si$ substituted allylboronate, enantioselective synthesis, anti–1,2–diols, 7563
alkenyl dialkoxyboranes, BF_3–catalysed addition to ab–unsaturated ketones, 247
allyl– reactions with protected α–aminoaldehydes, 1803
aryl cross–coupling in alkaloid synthesis, 1523
arylboronic acids, Pd–catalysed cross–coupling with aryl triflates, prep of biaryls, 1665
bis(pyridine)iodinetetrafluoroborate and aromatic rings, reaction with alkynes to give *trans*–iodostyrene derivs, 4207
boron trifluoride promoted cleavage of benzyl carbamates, 6903
boron trifluoride, denitrosation of cyclic N–nitrosamines, 2787
boron triiodide–N,N–diethylaniline complex, cleavage of ethers and geminal diacetates, 6977
boronate esters, three–carbon homologated, via nucleophilic displacement in α–haloallylboronate ester, 7115
carborane (*ortho*), *C*–carboxylate ester palmitoleyl alcohol, 1517
chiral diborane reduction using oxazaborolidine complexes, 601, 611
chiral $PhMe_2Si$–substituted allylboronate and aldehydes, 2–butene–1,4–diol synthesis, 7567
chiral tetrahydro 1,4–oxazin–2–one boron enolates, use in aldol reactions 827
complex BI_3/$PhNEt_2$ for addition HI to alkenes and alkynes, 1919
crotylboronate, chiral ester in macrolide synth, 1735
diene hydroboration–oxidation to diol, 423
hydroboration of C–arylglucals, synthesis of β–C–arylglucoside nucleus of chaetiacandin, 6133
hydroboration, conversion of alkynylsilanes to *cis*–vinylsilanes, 5113
lithium borohydride, reductive opening of 2,3–epoxy alcohol derivs in solid state, 7467
lithium trialkylalkynylborates, stereoselective allylation by allyl carbonate in presence of Pd–$(PPh_3)_4$, 2405
neutron capture by–, therapy, prep of carboranyl porphyrin, 2247
nickel boride reduction of endothiopeptides to desoxopeptides, 23
nido–carborate containing thioureas, synthesis, 4003
optically pure tertiary mono and diphosphine ligands via borane complexes, 6357
organoboranes, prep of *E*–3–silyl allyl alcohols, 4545
organoboranes, reactions with N–chloro–N–sodiocarbamates, synthesis of N–alkylcarbamates, 5261
oxazaborolidines derived from (*R*) and (*S*)–ααα–diphenyl–2–piperidine methanol, enantioselective reduction of ketones, 2341
polyhedral borane derivs having carboxy group, synthesis, 4029
sodium triacetoxyborohydride, use in reductive amination of aldehydes and ketones, 5595
stereoselective hydroboration–oxidation, in β–lactam, 271
tetraphenylborate anion, phenylation of allylic acetates, 7453
triethylborane–air as initiator and diphenylsilane as H–donor in deoxygenation of prim and sec alcohols, 4681
vinylboronic acids and esters, BF_3–catalysed addition to αβ–unsaturated ketones, 247
vinylboronic acids, coupling with 1,1–dibromoolefins, synthesis of (*Z,E*)–2–bromo–1,2–dienes, 6509

Bridgehead chemistry
methoxy replacement in urazole–bridged anisole–cyclopentene photoadducts, 1961

Cage molecules
baker's yeast reduction pentacyclo[5.4.$0^{2,6}$.$0^{3,10}$.$0^{5,9}$]undecane–8,11–dio ne, 1811
benzobarrelenedione, photo–chemistry, 1563
bridgehead methoxy replacement in urazole–bridged anisole–cyclopentene photoadducts, 1961
1–methoxy–12,13–diazatetracyclo[6.5.0.$0^{2,11}$.$0^{3,7}$]trideca–9,12–diene, methoxy replacements in urazole intermed., loss of N_2, 1961
cage diketone monotosylhydrazone, rearrangement, fragmentation of PCUD skeleton, 7479
cubanes, radical iodination with t–BuOI, 805
dodecahedranes, substituted and oxirane–fused, x–ray structures, 1129
polycyclic bis– and tris–azo cages, 1125
seco–dodecahedradiene and isododecahedrane, molecular structures, 5459
seco–homopentaprismanedione, *via* triquinane–dienone to lycopodium alkaloid skeleton, 2039
trishomopentaprismane and –one and trishomohypostrophene and –one, synthesis, 497

Calixarenes
calix[4]arenes with resorcinol units incorporated in 2,6–position, 3295
p–phenylcalix[4]arenes, synthesis via tetraiodo derivs, 4653
p–t–butylcalix[4]arene conformers, sytheses, metal template effects, 7169
triple and double calix[4]arenes connected via oxygen functions, 4941

Carbamates
benzyl–, boron trifluoride promoted cleavage, 6903
butadienyl–, cycloadditions, 1409
butadienyl–, synthesis, 1405
cyclic–, stereoselective formation from t–butyldimethylsilyl carbamates, Pd–catalysed S_{EN} reactions, 5339
from amides, Hofmann degradation, 1559
O–propargyl–, as nucleophile add to triple bond giving 4–methylene–2–oxazolidinones, 4887

Carbanions
α–aminoester or nitrile, α–sulfonyl and α–nitro carbanions nucleophilic aromatic addition to cationic arenetricarbonylmanganese complex, 6351
α–hydroxyarylmethyl–, photodecarboxylation of α–hydroxy–substituted arylacetic acids in aqueous soln, 2809
α–thiocarbanions of Zn and Cu, 7575
anions from pyruvate oxime ethers and related derivs, alkylation, 5881
anions of polysulfones in basic media, reversible anodic coupling, 3149
metal free–, Wittig–Still rearrangement, procedure? 4425
multiply charged anions from molecules with extended π–systems, 7367
new stabilised difluorovinyl anion, *in situ* generation, 3931
radical anions, spectroscopic detn in reaction of phenyllithium with CO, 2533
reaction with N–fluoropyridinium salts, 7379
trichloromethyl anion, 1,4–addition to αβ–unsaturated carbonyl compds, 7181
tris(cyclopentadienyl)methane trianion, synthesis and prop, 6673

Carbapenems
1–acetoxy carbapenem derivs, synthesis of γ–lactam analogs, 6923
1β–methyl–, asymmetric synthesis of precursor, 549
2–aryl substituted–, prep exploiting a Pd–mediated cross coupling, 2853
intermediate in 1β–methylthienamycin synthesis, 271
new construction of–, total synthesis of 6–epi PS–5 and PS–5, 3209

Carbazoles see Polycyclic heteroaromatic compounds

Carbenes
2–alkenylcyclopropylcarbene–Cr complexes, conversion to 9–membered rings and subsequent anionic oxy–Cope rearrangement, 4547
addition to methylene group in [4.1.1]propellane synthesis, 915

carbenoid insertion into C–I bonds, 937
carbenoid route to C(1)–C(11) bridged steroids, 6171
carboxy–cyclopropanation of olefin, stereochemistry, 961
cyclobutylchlorocarbene, rearrangement, 1225
dimethylvinylene, generation and rearrangement, 1381
halocarbenes, reaction with phosphaalkyne, formation of acetylenes via phosphirene, 6891
insertion into CH bond a to ether link, 1039
intermediates in tetrathiafulvalene synthesis, 1007
lithium carbenoids, reaction with silacyclobutane, formation of silacyclopentanes, 6055
methoxycarbonylcarbene, addition to N–BOC–vinylglycine ester, 139
phenylphosphonylcarbene intermediate in pyrolysis of dialkyl diazobenzylphosphonates forming styrenes, 5061
rhodium stabilised monosubstituted vinylcarbenoids, anomalous reactivity, 6299
singlet–, addition to alkenes, application of curve crossing model, 455
thermodynamics of formation of pyridinium ylides from carbenes, 6287
tri–2–thienylcarbenium perchlorate, addition of H– and C–nucleophiles, 2623
triplet diphenylcarbene, kinetics of reaction with pyridine, 953

Carbohydrates see also Cyclodextrins, Glycosides
1,2–O–isopropylidene–a–D–glucofuranurono–6,3–lac tone, stereoseln, reductive amination and synth of (+)–nojirimycin and (+)–1–deoxynojirimycin, 2085
1–deoxy–1–iodo–2,3,4,5–di–O–isopropylidene pentitols, fragmentation affording full set of stereoisomeric 1,2–O–isopropylidene–pent–4–enitols, 3735
1–O–acetyl sugar as glycosyl donor, improved O to C glycoside rearrangement to C–aryl glycosides, 4629
3'–deoxy–3'–hydroxymethylribofuranosides, new approach to synthesis, 3101
3,5–bishomo–2–deoxyribose, from cyclohexene precursor, 335
3–deoxy–D–manno–2–octulosonic acid containing disaccharides, stereocontrolled approach, 5765
3–O–acetyl–2–C–*p*–tolylsulfonyl–D–arabino– and –D–ribo–hex–1–enitol derivs, reactions with nucleophiles, SN2' mechanism, 3749
α– and β–D–carbaribofuranose, synth from (+)–norborn–5–en–2–one, 2873
acylated hex–2–ulosylbromide, use in chain extension, 71
aldehydo–aldose, 2,3–O–isopropylidene derivs, reaction with allylsilanes, vinyl ethers or vinyl sulfides, structure of cyclic products, 5909
alpha glucosinolates, first synthesis, 3867
antigens for development of synthetic vaccines against tumors, synth, 2673
C–1 spirocyclopropyl sugars, synthesis from anomeric diazides, 4441
C–arylglucals, hydroboration, β–C–arylglucoside nucleus of chaetiacandin, 6133
caldose, calditol, branched sugars and sugar alcohols, hydroxymethyl–octoses, –octitols, 1717
carbohydrate 1,2–orthoesters, rapid and efficient synthesis, 6167
chain–extended monosaccharides, bicyclic acetals, 539
complex oligosaccharides, via deprotection of chloroacetates by hydrazine acetate, 7441
cyclophellitol synthesis from L–glucose, 1171
D–arabinose and 2–acetylthiazole, new route to 3–deoxy–D–manno–2–octulosonic acid, 4513
D–erythro–oxetanose, approaches to synthesis and reaction with silylated adenine deriv, 705
D–glucal and D–arabinose, new synths of immunoactivator FR90083 from, 2229
D–glucose, stereoselective synthesis of Avenociolide, 4931
D–ribose, enantioselective construction of homochiral pentacyclic C1–C15 intermediate of halichondrins, 3813
diastereoselective H–transfer in C–glycoside synth by cleavage phenylsulfonyl deriv with $LiC_{10}H_8$, 1897
disaccharide synthesis using thioglycosides, 275
four–membered ring, oxetanose derivatives, 119
galactose, conversion into polyhydroxy–ethylpyrrolidines, 469
ganglio–ganglioside GM1b, stereocontrolled synthesis, 385
ganglio–ganglioside synthesis, IV4Ga1NAcbGM1b, 1435
glucono–1,5–lactone, prep of trihydroxy–carboxylates bearing a long–chain alkyl acetal group, 5939
glucosidic precursor of damascenone, isolation from *Lycium halimifolium*, 6521
glycopyranosyl fluorides, glycosidation, dimethylgallium chloride and triflate as activators, 2435
glycosidase inhibitors, new family of 5–carbon iminoalditols, 3393
glycosphingolipid, sulfated glucuronyl, synth, 1597
incorporation of unprotected mono– and disaccharide units of N–glycoprotein into T cell epitopic peptides, 5889
inositol analogs, disaccharides, 1109
intramol cycloaddn nitrone from 6–aldehydoglucopyranoside 4–allyl ether, 2055
L–ribulose, novel chiral pool compds, transformations, 2337
manno isomer of α–cyclodextrin with O–2 tetradecyl group, stereo and regiocontrolled synthesis, 3029
new cycloglucohexaose deriv, synthesis of 1,3–β–linked homoglucans, 4517
nonasaccharide repeating unit of plant cell wall xyloglucan, total synthesis, 3035
nonoses and nonitols, branched, stereoselective synth, 1717
oligosaccharides, dolichylpyrophosphate–linked, 6485
oligosaccharides, three bond $J(^1H–^{13}C)$ coupling and conformation, 1413
open–chain L–arabinose derivs, stannylene directed selective acylation, 2759
phosphadisaccharide, potentially insulin–mimetic, synth, 2693
phytoalexin elicitor–active β–D–glucohexaoside and β–D–gluconoaoside, syntheses, 3179
precursors to carbapenems *via* isoxazolidin–5–ones, 1901
pyranose trienes, intramolecular Diels–Alder reactions, stereosel access to bis–annulated pyranosides, 2301
pyrimidinone deoxyribosides, acid hydrolysis, 175
rhamnosyl and mannosyl chlorides, α–selective thermal glycosidation, 2431
ribose in apolar organic media, glycosidation via host–guest complexation, 6193
ribose, D–, 4,5–dihydroxycyclopentenone acetonide from, 1509
selective cleavage t–BuPh2Si– in presence of t–BuMe2Si–ethers , NaH in HMPA, 1669
sialosaccharides with Neu5Aca2 to 6 glycosyl linkage, regio–stereosel formation using Ag–zeolite catalyst for exclusive a–glycosyation, 2825
sugar hydroxyls, use of $PhMe_2Si–CH_2OCH_2–$ and $PhMe_2–Si–CH_2–$ ethers as protecting groups, 2197
synth *via* dihydropyrans by hetero–Diels–Alder reactions, 1697
tigogenyl β–cellobioside hepta–acetate and glycoside tetraacetate, Schmidt's trichloroacetimidate method, new observations, 4421

triyne carbonate L-660, 631 methyl ester, total synthesis from D-glucose, 5077
unsaturated carbohydrates, regiospecific synthesis, 3829

Carbonates
2-alkynyl-, reactions with terminal acetylenes, synthesis for 1,2-dien-4-ynes, 7179

Carbonium ions
1-*p*-methoxyphenylvinyl cation, formed by photoprotonation of *p*-methoxyphenylacetylene, has props similar to 1-*p*-methoxyphenethyl cation, 2821
allyl cation, stereochemistry in intramolecular [4+3] cycloaddition, 5981
benzylic cations, relative stabilities in gas phase, 685
chiral formyl cation equivalent, norephedrine derived 2-methoxy oxazolidine, 2779
diselenide dication salt, 1,5-diselenoniabicyclo-[3.3.0]octane bis(hexafluorophosphate), chemical and electrochemical reduction, 6375
first oxathiazolium cations, synthesis of 1,3,4-oxathiazolium salts, 5935
new chiral glycine-cation equivalent in asymmetric synth of optically pure β-amino alcohols and α-amino esters, 2889
new heteroatom dication [>Se+-+S<], formation by transannular interaction in 5*H*,7*H*-dibenzo[*b*,*g*][1,5]selenathiocin, 2307
oxyallyl cations, cine substn of fused chlorocyclobutanones by N, S and C nucleophiles, 2181
persistent biphenylyl nitrenium ion, electrochemical and spectroscopic characterisation, 5013
thionium ion, unsaturated equivalents, γ-(phenylthio)-allyl and allenylstannanes, 6685

Carbonylation
exhaustive alkoxycarbonylation of urethanes and amides with di-1-adamantyl di- and tricarbonate, 2697
free radical-, conversion of aromatic halides to aldehydes, 6887
gem-dihalogeno cyclopropanes with iron pentacarbonyl, 4597
oxycarbonylation of dienones, construction of cyclic acetals, 2491
Pd-catalysed-, of aryl and alkenyl halides, synth of enol esters and enol lactones, 2841

Carbonyl compounds see also Aldehydes, Ketones
1,3-dicarbonyls substituted at C-2, treatment with 2,3-dibromo-1-(phenylsulfonyl)-1-propene, route to cyclopentenones, 6145
1,4-dicarbonyl compds via photoaddition of acyl radical to electron deficient olefins, 3063
1,4-dicarbonyl compds, via reaction of α-(phenylseleno)carbonyl compds with acetonyltributylstannane, 6669
αβ-ethylenic-, via shape-selective isomerisation of α-acetylenic alcohols by vanadium-pillared montmorillonite catalyst, 7521
αβ-unsaturated-, 1,4-addition of stable trichloromethyl anion, 7181
addition of α-halonitriles catalysed by Zn-Me_3SiCl; synth of β-trimethylsilyloxy nitriles, 2205
aryl aldehydes and ketones, olefination using alkanesulfonate esters, 981
β-dicarbonyl compds, tin chloride-promoted reactions with nitriles, synthesis of aminopyridines and aminoquinolines, 3485
perfluoroalkylated α,β-unsaturated-, synthesis by intramolecular Wittig reaction, 5925
polyfunctional a,b-unsaturated-, conjugate reduction using $[(Ph_3P)CuH]_6$, compatability with halogen, sulfonate, γ-oxygen and sulfur substituents, 3237
via direct polyvinylogation of polyunsaturated aldehyedes using functionalised phosphonates, 3129
vicinal tricarbonyl compds by selective oxidation of ylides using potassium peroxymonosulfate, 5205

Carboxylic acids
(±)-dihydroxyserrulactic acid, synth via (arene)chromium complexes, 2319
(±)-shikimic acid, via surrogate for (1*E*,3*E*)-1,4-diacetoxy-1,3-butadiene, 5997
17(20)-dehydro-23,24-dinorcholan-22-oic acids, oxidative decarboxylation to 16-unsaturated 20-oxopregnanes, 3475
2-arylpropionic acids, via light-mediated direct transformation of 2-chloro-propiophenones, 7495
3-oxabicyclo-[5.3.1]deca-1-(10),7(8)-(ZZ)-diene-10-carboxylic acid, X-ray structure, 6843
α-kainic acid and α-allokainic acid via olefin insertion-carbonylation, 6877
acetic acid, synthesis from methyl formate, catalyst and solvent effects, 3887
arylacetic acids, α-hydroxy-substituted, photodecarboxylation in aqueous soln, 2809
β-carboxyaspartic acid derivs, synthesis, use of 2-aza-π-allylpalladium complexes, 5135
benzylpropionic acid, lipase-catalysed resolution, 6797
by conversion of amides using dinitrogen tetroxide, 3893
carboxylic acid salts, asymmetric induction in solid state photo-chemistry with optically active amines, 6807
coriolic acid, synth starting from optically active lactol, 2577
δ-oxo acids, substituted, efficient synthesis, 7433
improved protecting group for-, 4-methoxy-α-methylbenzyl esters better 5913
lactic acid, prep of diastereomeric 2,2-disubstituted 5-methyl-1,3-dioxolan-4-ones via ketones or their acetals, 2135
Mosher's acid, enantiomeric purity, 6867
optically pure (1-naphthylmethyl)succinic acid, synth for prep of renin inhibitor, 2731
syn-2-(2-aminothiazol-4-yl)-2-methoxyiminoacetic acid, derived cephalosporin acylating agents, synthesis of cefepime sulfate, 6481
trans-2-(diphenylphosphino)-cycloalkane carboxylic acids, synthesis and resolution and asymmetric allylic alkylation catalysed with phosphine-Pd complexes, 3905
tryptamine-2-carboxylic acids, direct synthesis of 1,2,3,4-tetrahydro-b-carbolines by carboxyl-mediated Pictet-Spengler reaction, 3397
unsaturated-, asymmetric hydrogenation catalysed by BINAP-Ru-dicarboxylate complexes, stereochemistry and mechanism, 7189
unsaturated-, polyenolates, synthesis of retinoic acids, 5791

Carboxylic acid anhydrides
acetic formic -, for trapping a-arylthio-amines, 2051
bisindolyl- and indolylaryl-maleic anhydrides, synth, 2353
by conversion of amides using dinitrogen tetroxide, 3893
maleic-, conversion to maleimides, 5201
triflic anhydride as promoter of a-glucosylation, 6863

Carboxylic acid halogen derivatives
4-trifluoromethyl-2,4-dienyl carboxylates, synth via double elimination of arsonium salts, 2305
bromoacetic acid, 2-trimethylsilylethyl ester, for bridging group attachment in solid-phase peptide synth, 2003
chloroacetates, deprotection by hydrazine acetate, prep of tool for complex oligosaccharides, 7441

Carcinogenesis
6-azabenzo[a]pyrene, synthesis from perinaphthenone, 3743
ABC ring system of tiglianes and daphnanes via zirconium-mediated, intramolecular enyne carbocyclisation, 3691
arylamines, *N*-(α-aminoacyloxy)-, arylamination by, 1685, 1689

benzo[a]pyrene, 1–hydroxy– and 3–hydroxy–7,8–diol–9,10–epoxide s, synthesis of phenolic esters, 3707
mutagenesis of N–acetoxy–N–alkoxybenzamides, evidence for nitrenium ion formation, 5377
polycyclic aromatic hydrocarbon–nucleoside and oligonucleotide adducts alkylated on the amino functions of deoxyguanosine and deoxyadenosine, 6773

Catalysis
addition α–halonitriles to carbonyl compds using Zn–Me_3SiCl, synth of β–trimethylsilyloxy nitriles, 2205
Ag–zeolite–, for exclusive α–glycosyation in stereo and regiosel synth of sialosaccharides with Neu5Aca2 to 6 glycosyl linkage, 2825
baker's yeast–, asymmetric cycloaddition of nitrileoxides to C=C bond, improved chiral recognition using β–cyclodextrin, 3201
biaryls by Pd— cross–coupling of arylboronic acids with aryl triflates, 1665
bis–oxazoline copper complex–, cyclopropanation of olefins, 6005
carbene generation , Rh(II)–, from α–diazo–β–ketoester, 1807
cation exchange resin–, of 3β–toluene–*p*–sulfonoxy–(Z)–pregna–5,17(20)–diene, synthesis of (20*S*)–6β–methoxy–3α,5–cyclo–5α–pregnane–20–carboxyaldehyde, 6227
clay–, rearrangement of substituted allyl phenyl ethers, synthesis of ortho–allyl phenols, chromans and coumarans, 3241
conjugate Grignard addition to unsaturated esters, Cu(II)/TMSCl–promoted, 1161
Diels–Alder reactions by metalloporphyrins, 6303
diisobutyl telluride epoxidation, aldehydes, 7657
dual–, clay–supported nickel bromide and ferric chloride of Michael reaction, 4867
effect of $ZnCl_2$ during dibal reduction of β–hetosulfoxides, 6649, 6653
electrogenerated acid–, acylation of electron–rich aromatics, 3933
glycosyl transfer to cyclohexanol, by chloral and cyclobutanone, 327
iron–mediated–, ene carbocyclisation of trienes, stereosel prep of N–acylpiperidines, 2865
Lewis acid, condensation of imines with homophthalic anhydride, 193
Lewis acid, $TiCl_4$ condensation of aldehydes with trimethylsilyl ester enolate, 217
microbial bio–, stereospecific hydroxylation of 1,8–cineole, 2833
montmorillonite in nitroarene reduction by N_2H_4, 1181
Ni–, enantioselective conjugate addition to optically active bipyridines, 5011
Pd and Ni, metallo–ene cyclizations, 1265
Pd(PPh_3)$_4$–, 1,4–alkadienes via reaction of allyl carbonates with lithium trialkylalkynylborates, 2405
Pd–, carbonylation of aryl and alkenyl halides, synth of enol esters and enol lactones, 2841
Pd–, hydrostannation of C–C triple bonds, 6621
PPh_3/$TiCl_4$, condensation of cyclic enones with aldehydes using 677
proline–derived borinic acid complex, chiral diborane reduction 601, 611
tetrabutylammonium dihydrogentrifluoride, conversion of epoxides via solid–liquid phase–transfer catalysis, 7209
$Yb(CN)_3$–, cyanotrimethylsilane reaction with oxirane, 6209

Catalysts
azidotris(diethylamino)phosphonium bromide, self catalysing diazo transfer reagent, 4987
chloroiron–5,10,15,20–tetraarylporphinate/N–meth ylimidazole–, for cumene hydroperoxide oxidation of androst–4–en–3,17–dione, 6223
chromia–pillared montmorillonite–, selective oxidation of alcohols, 5785
chymotrypsin in organic solvents with salt hydrates–, for peptide synthesis from undissolved reactants, 5213
comparison and identification of triflic anhydride as promoter of α–glucosylation, 6863
copper–amine complex–, oxygenation of 2,4,6–trimethylphenol by dioxygen, 2607
dibutyltin ditriflate, Lewis acid catalyst for silyl enol ether/MVK addition, 1581
dibutyltin oxide, in ribonucleoside silylation, 1613
effects on synthesis of acetic acid, from methyl formate, 3887
interlamellar montmorillonite–supported Pd for coupling vinyl acetate to iodoarenes, 1495
involving two H–bonds proposed for rate acceleration of Diels–Alder reactions by biphenylenediol, 3381
iron complexes in hydrocarbon oxidation by H_2O_2, 659
ligand variation in oxidation (Fe^{III}/pyridine/AcOH/H_2O_2) ($GoAgg^{III}$) of cyclododecane, 1657
manganese–polyhalogenated porphyrin–,in biomimetic hydroxylation of arenes, 6645
metal ions in adenosine poly–phosphate synthesis, 235
metalloporphyrin–, study of biomimetic potential using nicotine, 5901
Mn–complex of optically active salen ligand, epoxidation of olefins, 7345
montmorillonite, molecular recognition, arylation of acrylates with iodobenzene, 5781
noble metal–, in presence of iron, selective hydrogenation of polynitroaromatic derivs, 6141
octa–brominated *meso*–tetramesitylporphyrin derivs, oxidation catalytic activity of Mn, Fe derivs, 1991
Pd catalysed cross–coupling of phenol triflates with organostannanes, synth of resorcinol dimethyl ethers, 2357
Pd complexes for acyloxy/azide substitution in allyl systems, 527
Pd–, cyclisation of allylic chloromercurioacetates to butenolides, 17
polyaminocyclodextrins for decarboxylation of oxalacetate, 3897
Rh carboxamides for enantioselective cyclopropanation, 6613
role of Cu for addition of Grignard reagents, completely different behavior from organocuprates, 7457
vanadium–pillared montmorillonite–, shape–selective isomerisation of α–acetylenic alcohols to αβ–ethylenic carbonyl compds, 7521

Cephams
3–methylenecephams, 1,3–dipolar cycloaddn with diazoalkanes to give 3–spiropyrazolines which transform into spirocyclopropylcephams, 2483
new spirocephams, synthesis and structure elucidation, 7141

Cephalosporins
3–substituted–, approach via reactions of organocuprates with vinyl–triflates and related cephems, 3389
cephalosporin acylating agents from *syn*–2–(2–aminothiazol–4–yl)–2–methoxyiminoacetic acid, synthesis of cefepime sulfate, 6481

Cesium
fluoroxysulfonate, reaction with pyridines, 775
aldehydes to αβ–unsaturated dimethylhydrazones, in Wittig reaction, 341

Chain reactions
radical–, dithiocarbonate group transfer, 2565

Chalcones
substituted–, epoxidation to chiral epoxyketones and conversion to phenyl glycidic esters, 6501

Chelation
bifunctional chelating agent, design and synthesis, precursor to neutral technetium and rhenium complexes, 5701
chelated and non–chelated cleavage of acetals 2101

control of–, via Schiff bases in prep of 8–amino alcohols from amino acids, 4985
stereocontrol by Lewis acid, imine–homophthalic anhydride condenation, 193
steric hindrance and, in organocopper additions, 345

Chemotherapy
(+)–castanospermine, chemoenzymatic synthesis, 4827
2',3'–dideoxy–3'–methylene pyrimidine nucleosides as potential anti–aids agents, 5839
boron neutron capture therapy, prep of carboranyl porphyrin, 2247
FK506, C_{10}–C_{34}segment, biocatalytic synthesis, 3287
FK506, chemoenzymatic synthesis of C_{10}–C_{19} moiety, 3283
γ and δ–keto α–amino acid derivs, synthesis, 6311

Chirality see Asymmetry

Chlorophyll and derivatives
chlorophyllone–a from freshwater clam, 1165
first synthesis of 20–fluoromethyl–pyropheophorbide, 6847
benzochlorins, *ms*–(–formyl-vinyl)porphyrins, 1365
petroporphyrins derived from – c_3, 1751

Chromanes
flavan and xanthene compds, prep via phloroglucinol polymers, 2789
synthesis via clay catalysed rearrangement of substituted allyl phenyl ethers, 3241

Chromanols
trans–4–amido–3–chromanols, action of diethylaminosulfur trifluoride, prep of *cis*–amidoalcohols via oxazolines, 3649

Chromatography
gas–, optical purity of chiral epoxy alcohols, 4389
liquid–, separation of enantiomers of spiropyrans of 2–oxaindan series, 6335
normal phase–, separation of diastereomers of 5'–dimethoxy–trityl–2'–deoxynucleoside–3'–O–methyl phosphonamidite, 3673
rapid analysis using TLC/CIMS in microwave accelerated reactions, 1661
resolution and enantiomer separation N–carbazolylcarbonyl aminoacids, 1455

Chromones
skeleton of –, new pathway via base catalysed cyclisation of 1–(2–hydroxyphenyl)–2–ynones, 2299

Chromium and compounds
(arene)chromium complexes, synth of (±)–dihydroxyserrulactic acid, 2319
(η^6–arene)chromium complexes, kinetic resolution by lipase, 3603
alkoxybenzenetricarbonylchromium complexes, hydro–dealkoxylation, 2589
carbene–$Cr(CO)_5$ complex in naphthol synthesis, 605, 609
chlorotoluene–$Cr(CO)_3$, reaction with a–sulfonylalkyl lithiums, *cine*–substn, 2011
chromium tricarbonyl complex of 1–(aminoethan–2i–yl)–1,2–dihydronaphthalene, enantiosel synth of 6 ,7–benzomorphan, 2763
complexed nitrones, 1,3–dipolar cycloaddition with electron rich olefins, 6893
hetero substituted Cr allyls, synthetic studies on neocarzinostatin chromophore analogs, 6605
vinyl complexes of–, new synthesis of 12–O–methyl royleanone, 5221

Chymotrypsin
chymotrypsin–catalysed fragment coupling, synthesis of D–Phe–(6)–GnRH, 7305

Circular dichromism
abs. configuration of α–ethynyl cyclic amines, 719
chiral stacking in aqueous solution of flavone glycoside, 713
dihydrodihydroxynaphthalenes, metabolites of *Pseudomonas sp.* 13
optically active phosphaallene of pseudo axial dissymmetry, 2311
phlobotannin hexamethyl ether diacetates with 2,3–*trans*–(–)–catechin terminal units, 2059
photo–generated *trans*–1–acetylcyclooctene, 1015

Cleavage reactions
2,3–epoxy alcohol derivs, opening with lithium borohydride in solid state, 7467
2,3–epoxychlorides, base–induced opening, prep of *trans*–chlorovinyl alcohols, 4495
boron trifluoride promoted cleavage of benzyl carbamates, 6903
camphanic acid amide resulting in unusual fragmentation, 5869
chelated and non–chelated directed–, of acetals, 2101
cyclic 1,2–dicarboxylic esters, C–C cleavage to seco–systems, 1483
DNA–, by acyclic eneyne–allene systems related to neocarzinostatin and esperamicin–calichesmicin, 2907
enantioselective hydrolytic–cleavage of amino acid esters responding to ionic strength, steric control, 5335
esters using aluminium triiodide, 3943
opening of spiro epoxides derived from *cis* bicyclo[3.3.0]octan–3,7–dione using chiral lithium amide bases, 6703
opening of *trans*–2,3–epoxy–1–butanol derivs with organometallic reagents, 7145
oxabicyclo[2.2.1]compds, ring–opening with cuprates, prep of cyclohexenyl derivs, 3253
oxazolidines with molybdenum hexacarbonyl, prep of 1,3–amino alcohols, 3351
oxidative–, of vicinal monoprotected diols, mediated by N–iodosuccinimide, 6283
oxidative ring opening, furans to *cis*–enediones use of magnesium monoperoxyphtalate, 7669
phenacyl esters of peptide segments by zinc reduction using acetylacetone and pyridine, 6539
photosensitised C–C–, β–phenylthioalcohols, 63
radical – of α–mesityl ketones, conformational control of photoreactivity, 2251
reductive–, D ring synthons of D_3 by norbornan–6–one–2–carboxylates, 4899
ring opening of 2,2–diaryl–1–methylene–cyclopropane radical cation, vibration–induced intramolecular C.T., 5175
ring opening of 3,4–dinitro–thiophene, prep of 1,4–dialkyl–and 1,4–diaryl–2,3–dinitro–1,3–butadienes, 4933
spiroketal portion of avermectin $B2_a$, 3525
sterically crowded N–acyl oxazolidones using benzyl mercaptan, 2849
tetrahydrofurans to 1,4–diols, anchimeric assistance of, 1885

Cobalt and compounds
acyl complexes of–, use in butenolide synthesis, 5139
binuclear Co–complex, improved reactivity over two equivs of mononuclear Co–complex, 5413
catalysis of condensation vinyl ethers with acetoacetate by $CoC1_2$, 1485
Co Schiff base complex promoted conversion of 1–(2–hydroxy–phenyl)–3–phenyl–1,3–propanediones to retro–Claisen reaction products and flavones, 3171
$CpCo(CO)_2$, *inter*– and *intra*–molecular reaction with 1,5–cycloundecadiyne and 1,6–cycloundecadiyne 6175
dicobalt hexacarbonyl–stabilised propargyl cations, use in intramolecular Friedal–crafts alkylations, 6277
dicobaltoctacarbonyl catalysed synthesis of symmetrical ketones from aldehydes, 3117
hydrogenation αβ–unsaturated acids and derivs by $HCo(CN)_5^{3-}$ with β–cyclodextrin as PTC, 1941

maleoylcobalt technology, synthesis of diterpenoid, quinone (±)–royleanone, 3723
methyl– reagents, conjugate addition to cyclohexenone, 1553
methylcobalt reactivity and methylating ragents, 511
transannular diyne dimerisation to 1,4,5,8–tetrahydrobiphenylene–Co–Cp complex, 1845

Coenzymes
HMG–CoA reductase inhibitor, synthesis of 6–(*R*)–hydroxy–7,9–octadiynoic acid, 7227
HMG–COA reductase inhibitor, new stereosel synth of HR 780, 2545
model cytochrome p–450 systems, metabolic studies, 5901

Complexation
alkali metal salts with unionised porphyrin, 5873
aromatic hydrocarbons in cyclotetrachromotropylene,α–calixarene analog, 1911
cyclobutane thymine dimers as rigid two–site receptors, 2401
cyclohexane–polyols, use of twisted polyaza clefts, 7411
tricarbonyliron–, activation of electron deficient cyclpheptatrienes, 6711

Complexes
(arene)chromium–, synth of (±)–dihydroxyserrulactic acid, 2319
2–alkenylcyclopropylcarbene–Cr–, conversion to 9–membered rings and subsequent anionic oxy–Cope rearrangement, 4547
2–aza–π–allylpalladium–, synthesis of β–carboxyaspartic acid derivs, 5135
acyl Co–, use in butenolide synthesis, 5139
alkenylcopper–phosphine–, conjugate addition, synthesis of estrone methyl ether and 7–alkylated deriv, 3313
alkoxybenzenetricarbonylchromium complexes, hydro–de–alkoxylation, 2589
alkynes–hexacarbonyldicobalt–, π donor properties of acetylenic analogs of tetrathiafulvalene, 7307
alkynylalkoxycarbene metal–, cycloaddn of tetralkoxyethylenes leading to synth of 3,4–dioxo–cyclobutenecarboxylate derivs, 2479
allyl – Mo and Fe, coupling to give dimetallo–1,5–hexadiene, 1671
arene–chromium–tricarbonyl–, reaction with α–isocyanocarboxylate, synthesis of β–hydroxyamino acids, 6185
aryl–substituted cyclohexadienyl–, intermediates for organometallic approach to *Sceletium* and *Amaryllidaceae* alkaloids, 3401
bis(3–methylpentane–2,4–dionato) Cu alkylation with alkyl bromides, 7489
bis–oxazoline copper–, catalytic cyclopropanation of olefins, 6005
bromine–N,N–dimethylacetamide–, applied to synthesis of 4–bromo–4–isoxazolin–3–ones, 5043
cationic arenetricarbonylmanganese–, nucleophilic aromatic addition, 6351
charge transfer–, intramolecular conformationally controlled, 5125
chiral monosubstituted alkene–, [η5–C5H5)Re(NO)(PPh3)(H2C=CHR)]+BF4–, additions, 4417
chromium tricarbonyl–, of 1–(aminoethan–2i–yl)–1,2–dihydronaphthalene, enantiosel synth of 6 ,7 –benzomorphan, 2763
Co Schiff base–, promoted conversion of 1–(2–hydroxyphenyl) –3–phenyl–1,3–propanediones to retro–Claisen reaction products and flavones, 3171
Cr complexed nitrones, 1,3–dipolar cycloaddition with electron rich olefins, 6893
Cu(*N*–isopropylsalicylaldimine)2, catalysis, 1161
cymantrene–ferrocene triad, synthesis, face to face metallocenes, 4977
η5–pentadienyliron–, reaction with organo–Li reagents, formation of s,η3–iron complexes, 2373
homochiral organometallic 1,4–dihydronicotinoyl–, with chiral auxiliary at C–3, use in reduction of ethyl benzoylformate, 3213
molybdenum carbene–, prep and cyclopropanation of electron–poor olefins, 2529
new iron dihydroxamate–, design of magnetic resonance contrast agents, 5729
Pd chiral–, use in alkylation of chiral Schiff bases derived from glycine, 3133
pseudocrown ether Cu–, molecular chirality by NMR in presence of Pirkle's reagent, 6543
reactive binuclear Co–, characterisation, cooperative promotion of phosphodiester hydrolysis, 5413
technetium complex, bifunctional chelating agent as precursor, 5701

Configuration
absolute, of (+)–aristolochene from *Aspergillus terreus* by cd, 1943
absolute, of diol mono–ester by x–ray structure of (1*S*)–camphanoyl derivative,445
absolute–, β–lactam intermediates from 2–amino–1–phenyl–1,3–propanediols, 6707
absolute–, flavan–3–ols and 4–arylflavan–3–ols via modified Mosher's method, 5073
absolute–, of (8–*R*)– and (8–*S*)–hepoxilin A3, and conversion to biolly active conjugates with glutathione, 2113
absolute–, umbraculumin A, 5843
absolute, verrucosin A and B and of umbraculumin A and C, 6093
absolute–, rubiginones and photo–induced oxidation of C1 hydroxyl to ketone, 7473
aldoximes and ketoximes, detn by NOE difference spectroscopy, 3109
and total synth of nonamethoxy–1–pentacosene isolated from *Olypothrix conglutinata*, 2915
anomeric–, of 1–cyano–D2,3–unsaturated sugars, detn from JC(1)–H coupling values, 2885
aryl diazotates and diazocyanides, 7205
bursatellin enantiomers, by synthesis from chloramphenicol, 573
C–atom bearing OH group in optically active sec alcohols, detn by mass spectra of diastereoisomeric esters, 2707
relative–, assessment of 3,4–*trans* and 3,4–*cis* in A–series of (4,8)–linked proanthocyanidins, 3789
stability, α –phenylseleno–alkyl–lithium compds, 7419

Conformation
adduct of cyclic malonyl–ephedrine with cyclopentenedione enol ether, by nOe, 2029
aryl diazotates and diazocyanides, 7205
behaviour of *trans*–2,3–bis(R–thio)–1,4–dioxanes, 2755
calculation of tetrahydropyranyl trichloroacetimidate preference, 327
calix[4]arenes with resorcinol units incorporated in 2,6–position, 3295
constraints introduced into peptides via thioether linkage, 2837
controlled by–, reduction of 14–membered macrolides, 6307
control of additions to bicyclo–[m.1.0.]–alkan–2–ones, application and validation of Wizard technique, 6811
control of photoreactivity, efficient radical cleavage of α–mesityl ketones, 2251
effects of quaternary centres, 6717
intramolecular control, intra–molecular CT complexes between electron–poor 3,5–dinitrobenzoyl and electron–rich 4–substituted phenoxy fragments of cyclo–hexanes, 5125
methoxy–benzenes and methoxy–cyclophanes, 107
modifications of secondary OH–side of α–cyclodextrin, NMR studies, 5045
oligosaccharides, three–bond J(1H–13C) coupling, 1413

p–t–butylcalix[4]arene conformers, sytheses, metal template effects, 7169
peptides and analogs, molecular graphics, 917
ten–membered benzooxadiyne ring, 185
tetramethyl[4,4]paracyclophadione, structure in solution, 6689
tetrcycloalkenyl–meso–tetraphenyl models for effect of non–planarity on light absorption of photosynthetic chromophores, 3719

Copper and compounds
2–methoxypyrrolidines, enantioselective addition organo–Cu reagents, 1775
alkylcuprate addition to αβ–unsaturated esters from protected serine aldehyde, 1011
allyl cuprate and CO, nucleophilic, butenoylation, of αβ–unsaturated ketones, 477
allylic cuprates which deliver cycloalkenyl moiety to organic substrates, prep, 4539
bis(3–methylpentane–2,4–dionato) Cu complexes, alkylation with alkyl bromides, 7489
chiral amidocuprates, addition to cyclo–hex–2–enone, 965
chiral model complexes, structure and synthesis, 7127
complexes, catalysed synthesis of new unsaturated enynes, 5161
copper–zinc reagents RCu(CN)ZnX, substn in 1,3–dichloropropenes, 1829; β–phosphonylalkyl–, synth, conjugate addition to enones, 1833
Cu catalysed, nucleophilic exchange in 2–iodoadenosine, 807
Cu(salicylaldimine)$_2$ and Cu(II)/–TMSCl–promoted, conjugate Grignard addition, 1161
homoallyl–Cu.Me_2S addition to triquinane enone, 2039
lithium organocuprate addition to 1,2–diketone enol tosylates, 315
new oxidising reagent, CuO_2H, prep and reactivity, 3891
organo–, addition to cyclic enol carbonates, 1869
organo–Cu reagents, conjugate addition to trimethylsilyl chloride, 345
organo–Cu reagents, double addition to 3–ethynyl–enones, 311
organocuprate addition to 3–acetylcyclo–pent–2–en–1–one spiro–acetals, 623
organocuprates, addition to O–trifylthioketene acetal, synthesis of protected penem derivs, 3291
organocuprates, reactions with vinyl–triflates and related cephems, approach to 3–substituted cephalosporins, 3389
trialkyltin–copper reagents, react. with β–iodocycloalkenones, 1837
trimethylstannyl methyl cuprates, uses, 165
water–soluble binuclear–Cu porphyrin–bipyridyl complex, intercalation into DNA, 519
[$(Ph_3P)CuH]_6$, use in conjugate reduction of polyfunctional αβ–unsaturated carbonyl compds, compatability with halogen, sulfonate, γ–oxygen and sulfur substituents, 3237

Coumarans
synthesis via clay catalysed rearrangement of substituted allyl phenyl ethers, 3241

Coupling reactions
1,1–dibromoolefins with vinylboronic acids, stereoselective synthesis of (*Z,E*)–2–bromo–1,2–dienes, 6509
Allyl complexes Mo and Fe, – to dimetallo–1,5–hexadienes, 1671
biaryls by Pd–catalysed cross–coupling arylboronic acids with aryl triflates, 1665
dicobaltoctacarbonyl catalysed–, ketones to aldehydes, 3117
improved–, protected peptides on Kaiser oxime resin using BOP activation, 4561
Mitsunobu–, vicinal, N–protected acyclic amino alcohols, 5253
mushroom tyrosinase catalysed–, hindered phenols, approach to synthesis of diphenoquinones and bisphenols, 3771
N–methyl amino acid–, using $(Me_2N)_3PBr.PF_6$, 669
organo–transition metal to β–bromostyrene and enones, 507, 511
organosilicon compds with enol and aryl triflates in presence of Pd catalyst and fluoride ion, 2719
oxidative cross–, unsymmetrical 2–naphthols, mechanism, 413
Pd catalysed, cross–, phenol triflates with organostannanes, synth of resorcinol dimethyl ethers, 2357
Pd–catalysed carbopalladation cross–, effects of organometals on prep of stereodefined exocyclic alkenes, 4393
Pd–catalysed–, 2–(tri–N–butylstannyl)–3,4–dihydrofuran and –5,6–dihydropyran, 6077
Pd–catalysed–, anthraquinone triflates with stannanes, synthesis of anthraquinone derivs, 5189
Pd–mediated cross–, exploited in prep of 2–aryl substituted carbapenems, 2853
phenylthiopentadienyl metals with C–electrophiles, regio– and stereochemistry 2327
reversible anodic–, polysulfone anions in basic media, 3149
Rh–catalysed direct–, αβ–unsaturated ketone, aldehyde and trialkylsilane, easy access to regio–defined aldol derivs, 5331
successful–, terminal alkynes with iodo–nucleosides determined by solvent, not Pd oxidation state, 3731
sulfone a–carbanion–mediated coupling, stereosel synth of homoallylic alcohol, 2631
two–component–, using Zn–Cu reagents, synthesis of natural PGE_1, Δ^2–*trans*–PGE_1 and 2,2,3,3–tetradehydro–PGE_1 4481

Crown ethers
new Ag+ ion–specific–, high press synthesis, 3923
non–covalent amino–protecting group in peptide synthesis, 399
via photodimerisation of styrene polyethers, 97

Cryptands
capped 18–crown–6 tetra–amides, synthesis, x–ray, 1101
new benzo–annelated cryptand and deriv with alkali cation–sensitive fluorescence, 5193
pseudocryptand for simultaneous recognition of heavy and alkali metals, 3919

Crystallisation
preferential–, optical resolution of (±)–N–acylnorfenfluramine derivs, 2143

Cubane
1,6–dihalohomocubane, reaction with t–butyllithium to give 1,6–didehydrohomocubane, 2263
amidocubanes, reaction with thionyl chloride to give secocubanes, 4835

Cumulenes
[3]cumulenes and eneynecumulenes related to neocarzinostatin chromophore, 7469

Cyano compounds
1–cyano–$\Delta^{2,3}$–unsaturated sugars, anomeric configuration, detn from $J_{C(1)-H}$ values, 2885
cyanide nucleophile, vinylic halides and norbornene, tandem assembly to *cis–exo*–2,3–disubstituted norbornanes, 5319
cyano substituted ozonides, unusual behaviour towards reducing agents, 3299
cyclic allylic higher order cyanocuprates, prep and reactions, 4539

Cyanohydrins
(*S*)–cyanohydrins, enzyme–catalysed synthesis 1249
α–amino alcohols from–, new approach via N–metallo–imines, 3481
silylated, from acylsilanes and Me_3SiCN, 1945
ssynthesis of 1–arylnaphthalene lignans, 5487

Cyclic ketones see also Troponoids
(*R*) and (*S*)–4–hydroxy–2–cyclohexenone and derivs, asymmetric synthesis, 6653
2–(1–alkenyl)–1–cyclobutyl ketones, ring enlargement, new prep of 4–acyl–1–cyclohexenes, 6027
2–phenylcycloalkanone photoreactions, cyclodextrin inclusion complexes, 835

3–(1–alkynyl)cyclohexenones photocycloaddition to methoxy alkenes, single step formation of tricyclic systems, 3245
3–atom ring expansion via Claisen rearrangement, synthesis of (±) precapnelladiene, 6799
3–vinylcycloalkenones, cyclisation with unactivated alkenes to give polycyclic systems, 2243
3–vinylcyclohexanones, radical–mediated synthesis, 823
5–alkenyl–2–methoxy–2–cyclopentenones conversion to 9–membered rings and subsequent anionic oxy–Cope rearrangement, 4547
5–alkylidene–4–hydroxy–2–cyclopentenones, synthesis, 3783
α–methylene cyclohexanones via radical cyclisation of propiolates and acetylenic ketones, 5039
α–tosyloxy–, cyclohexanones, tosylsulfinate elimination from, 315
aromatic–, conversion to aromatic hydrocarbons with lithium 4,4'–di–t–butylbiphenyl radical anion, 6155
benzocyclobutenones from acylsilanes, 2713
bicycloundecanones, via [3+2] intramolecular dipolar cycloaddition of carbonyl ylides, 6769
bicyclo[m.1.0]alkan–2–ones, diastereoselective additions to carbonyl carbons, 4565
carvone or methylcarvone, double Michael reaction with αβ–unsaturated esters, 3559
cis bicyclo[3.3.0]octan–3,7–dione, derived spiro epoxides, opening using chiral lithium amide bases, 6703
cyclobutanones, preparation and Baeyer–Villiger oxidation, 219
cyclodecanone, analysis of Norrish type II reactions by molecular mechanics, 5709
cyclopentanones by electroreductive cyclisation γ– and δ–cyanoketones, 1303
cyclopentanones, cyclohexanones, functionalized, by silicon methodology, 2063, 2067
cyclopentenone annulation using (*E*)–1–(phenylseleno)–2–(trimethylsilyl)ethene, 2917
cyclopentenones, route using 2,3–dibromo–1–(phenylsulfonyl)–1–propene as pivotal reagent, 6145
fused chlorocyclobutanones, *cine* substn by N, S and C nucleophiles via oxyallyl cations, 2181
methylated, cross–conjugated steroidal cyclohexadienones, regio– and stereoselective 1,4–reductions, 3859
norisoprenoid–, isolation of possible precursor from *Lycium haliimfolium*, 6521
O– and S– heterocyclic–, reaction with dimethylformamide–phosphorus oxychloride, alternative pathways to chloroformylation, 5227
or their acetals, chirality transfer from lactic acid, prep of diastereomeric 2,2–disubstituted 5–methyl–1,3–dioxolan–4–ones 2135
ortho–manganated aromatic–, reaction with isocyanates, synthesis of 3–alkylidene phthalimidines, 4397
protected (2*S*,3*S*)–2,3–bis (hydroxymethyl)–cyclobutanone, intermediate for chiral carbocyclic analogs of oxetanocin, 6609
silylacetylenic α–iodo ketones, intramolecular radical cyclisation, application to total synthesis of (±)–modhephene, 3745
spiro–annulated 2,5–cyclohexadienones via oxidation of 2'–alkenyl–*p*–phenyl phenols, 4551
trans–decalone, substituted, directed regiocontrol in ring expansion reactions, 2963
tricyclonorcaradienones, tautomerism with 7–methylbicyclo[5.3.0]decatrien–8–ones, 4657

Cyclisation
1,5–allylic abstraction–, route to 5–membered carbocycles, 6911
3–exo–, 5–phenylthio–3–pentenyl radicals, cyclopropane ring formation, 6085
4–*exo*—, of 2,2–dimethyl–5–cyano–4–pentenyl radical, acceleration of rate, 2975
5–hexen–1–yllithium and hydrolysis of product to give *trans*–bicyclo[3.3.0]octane, 5993
α–diazo substituted alkynes, prep of oxygenated heterocycles, 6835
allylic β–ketoamides with NIS, to spiro– and β–ketolactams, 1427
allyl glycidyl ethers to give tetrahydrooxepanol, 3501
allylic chloromercurioacetates, Pd–promoted synthesis of butenolides, 17
allyltrimethylsilanes, intramol – to acetal groups, stereoelectronic effects in, 2063
amidomercuration–, magnitude of stereodirecting effect of an allylic alkoxy–substituent, 6765
aminomercuration, cyclic, in tetrahydroxypipecolic acid synth, 1683
anionic–, δ–alkynylamines, synthesis of 2–benzylidene substituted pyrrolidines, 5353
aromatic dithioic esters, synth of 1,3–benzodithioles, 2121
aryl radical initiated 1,6–, of enamide and enamine substrates, formation of isoquinoline framework, 2315
base catalysed–, 1–(2–hydroxyphenyl)–2–ynones, new pathway to chromone skeleton, 2299
chromium tricarbonyl complex of 1–(aminoethan–2i–yl)–1,2–dihydronaphthalene, enantiosel synth of 6 ,7 –benzomorphan, 2763
competitive–, two tethered OH groups, Baldwin's rules and Thorpe–Ingold effect, 3457
cyclalkenediyne, route to 10–membered ring analogs of neocarzinostatin chromophore, 6625
dcarbonylative–, direct approach to 2–substituted 1,4–dihydro–4–oxo–quinoline–3–carboxylates, 7175
diastereoselective chloro–, N–allylic trichloroacetamides, synthesis of analog and potential presursor of RP49532, 3871
dimethyl–(methylthio)sulfoniumfluoroborate induced–, diothioacetals upon 2,3–disubstituted indoles, 3453
electrocyclic ring closure of aldehyde NN–dimethylhydrazones, synthesis of fused pyridines, 5807
electroreductive–, saturation *vs* cyclisation, electrolyte–assisted stereosel and control, 2525
eliminative–, prep tetracyclo–[6.2.1.0^{2,7}.0^{4,10}]–undecane and tetracyclo[5.3.0.0^{2,6}0^{5,9}]decane systems, 3695
ene carbocyclisation of trienes, catalytic iron–mediated, stereosel prep of N–acylpiperidines, 2865
enynes, application of vinyl radical addition to acetylenic bonds using (RSe)$_3$B, 5927
free radical–, terminal alkynes with oxime ethers, 3727
free–radical–, on sugar template, sulfonyl radical as synthetic tool for functionalised glycosides, 3541
Friedel–Crafts–, of heterocyclic derivs of 4–amino–1–aza–butadienes, synth of benzo[*f*]isoquinolines, benzo[*h*]quinazolines and new 8,13–diazasteroid deriv, 2189
intramolecular enyne carbo–, zirconium–mediated, synthesis of ABC ring system of tiglianes and daphnanes, 3691
intramolecular free radical–, α–sulfonyl and α–sulfinyl radicals, 6047
intramolecular Pauson–Khand–, 7–alkoxy–1–hepten–6–ynes, asymmetric induction studies, 7505
intramolecular radical–, silyl–acetylenic or olefinic α–iodo ketones, total synthesis of (±)–modhephene, 3745
intramolecular radical–, (bromomethyl)–dimethylsilylpropargyl ethers with double and triple bonds, 3555
N–hydroxyethyl–2–[1–(phenylsulfonyl)–3–indolyl]–4–piperidone ethylene acetal, synthesis of indolo[2,3–a]quinolizidine–2–one, 3347
N–oxide promoted Pauson–Khand–, at room temperature, 5289
one–pot–, epoxyolefins to substituted cycloalkanols via free radicals, 5376
organosilicon radical induced reactions, 5265

Pd–catalysed–, stereospecific synthesis of arylidene and allylidene cyclopentanes, 5147
peptide–, on Kaiser oxime resin, synthesis of cyclo–decapeptide tyrocidine A, 6121
polar and radical bi–, cyclo–oct–3–en–1–yl hydroperoxide to 2–funtionalised–8,9–dioxa–bicyclo[5.2.1]decanes, 5513
radical anionic–, via photochemically induced electron transfer, 7137
radical–, (bromomethyl)dimethylsilyl propargyl ethers, conversion of vinyl radical intermediates to functionalised carbocycles, 4445
regioselectivity in formation of cyclic sulfones from 4– and 5–alkenesulphonyl chlorides, 6433
six membered ring–, via Si directed Mukaiyama–Michael tandem reaction of enolsilanes with enones, 7273
stannylated α–carbonylvinyl radical–, prep of α–methylene–δ–valerolactones and α–methylene–cyclohexanones, 5039
stereoselective tandem radical–, synth of isoiridomyrmecin, 2193
tandem cyclisation–anion capture processes, effect of thallium salts, 6573
terpene alcohols and related polyenols by benzeneselenenyl triflate, 6535

Cycloaddition
1,3–cyclohexadiene to arenes, $4\pi s+4\pi s$ stereoselectivity, 3825
1,3–dipolar–, azides with methylenecyclopropanes, synthesis of indolizidines, 5441
1,3–dipolar–, Cr complexed nitrones with electron rich olefins, 6893
1,3–dipolar–, di–1–menthyl benzylidenemalonate to (Z)–N, α–diphenylnitrone, 4633
1,3–dipolar–, imidazolinium azomethine ylides, route to pyrroloimidazoles, pyrrolidines and pyrroles, 2333
1,3–dipolar–, imines of α–amino esters to homochiral menthyl acrylate, 6569
1,3–dipolar–, nitrile oxides and nitrile ylides to 1–azetines, 123
1,3–dipolar–, of 3–methylene–cephams with diazoalkanes, 2483
1,3–dipolar–, of benzonitrile oxide to vinyl and azavinyl furan derivs, 2635
1,4–dipolar–, arynes with N–lithiated ethyl anthranilates (as 1,4–dipole equivs), basis for acridone synth, 2869
2*H*–trialkylsilyloxy–, thiopyrans, reactions with dienophiles, 845
3–(1–alkynyl)cyclohexenones to methoxy alkenes, single step formation of tricyclic systems, 3245
3–vinylindole and anion, to *N*–phenylmaleimide and naphthoquinone, 1551
α–vinylidene–γ–butyrolactones, prep and Diels–Alder reactions with dienes, 4859
acyl ketenes with enol ethers, synthesis of 2–alkoxy–2,3–dihydro–4H–pyran–4–ones, 3677
arene–olefin–, synthesis of (±)–subergorgic acid, 5429
arene–olefin–, total synth of (–)–retigeranic acid, 2517
asymmetric 1,3–dipolar–, azomethine ylides with chiral electron–deficient olefinic dipolarophile, 3633
azodicarboxylic ester and aldehyde to 2–azadienes, 397
benzyne–, to 1,4–epoxy–2,3–dimethylene–cyclohexane system, 89
benzyne–, to fused α–pyrone in benzo–phenanthridone synthesis, 143
concertedness of [2+4]–, 2,2–bis(trifluor–methyl)ethylene–1,1–dicarbonitrile and styrenes, 7133
cyclopentadiene, aza–Diels–Alder reaction using chiral 1–phenylethyl imine of methyl glyoxylate, 2603
dichotomy of pathways in 2,2–bis(trifluoro–methyl)ethylene–1,1–dicarbonitriles and styrenes, 7129
Diels–Alder BF_3–catalysed anthracyclinone synthesis, 89
Diels–Alders, in syntheses of bicyclo[5.2.1] and–[5.3.1] systems, 1483
Diels–Alder synthesis of ellipticine, 1081
dihydropyrans by hetero–Diels–Alder reactions, 1697
dipolar tandem cycloadducts from alkylated oximes, 1191
dipolar–, nitrile imines to 1–azetines, 127
electron deficient cyclpheptatrienes, activation by tricarbonyliron complexation, 6711
enantioselective – 1,2–dihydro–pyridine *N*–glycosides to Me acrylate, 1995
hexa–2,4–diene isomers, reactivity towards TCNE, 841
hexachlorocyclopentadiene to 7–substituted norbornadienes: remote substituent effects, 7285
imino Diels–Alder–, synthesis of (±)–aristeromycin, 6243
intramolecular allyl cation–, with diastereomeric chiral trienols forming [3+2] or [3+4] adducts, 4577
intramolecular aryne–, new approach to *Amaryllidaceae* alkaloids, 2331
intramolecular ylide–alkene–, photoinitiated, 3821
intramolecular [2+2]–, keten–iminium salt to olefinic double bond, synthesis of cyclobutanones, 4467
intramolecular [2+3]dipolar–, enantioselective synthesis of (+)–crotanecine, 5437
intramolecular [4+3]–, effect of allyl cation stereochemistry, 5981
intramolecular, nitrile oxide and O–trimethyl–silylnitronates, 743
intramolecular, nitrile oxide to olefin, 1171
intramolecular, of nitrones to allyl ethers in sugar derivs, 2055
intramolecular–, azides with ω–chloroalkenes, route to (–)–swainsonine and indolisidine alkaloids, 7571
linear polyenes selectively protected as tricarbonyl–iron complexes, 3145
multiple radical–, iminyl radicals derived from sulfenylimines, 3545
N–acyl–1–aza–1,3–butadienes, synthesis of 1,7,8,8α–tetrahydro–3(2H)–indolizinones and 1,2,3,8,9,9α–hexahydro–4–(4H)quinolizinones, 3753
nitrile oxide–, to cinnamic esters, baker's yeast catalysis, 899
nitrile oxides, nitrilimines, to unsaturated azlactones, 1709
nitrileoxides to C=C bond, improved chiral recognition using β–cyclodextrin, 3201
nitrones from oximes, intramolecular addition to olefins, 559
photo–, 1,2–dichloroethylene to 3–methyl–2–cyclopentenone, 635
photo–, 1,4–diphenyl–1,3–butadiyne with dimethyl fumarate, 1:1 and 1:2 adducts, 6197
photo–, vinylnaphthalenes to naphthalenophanes, effect of tethers between naphthalene rings and substits at vinyl groups, 2911
photo–retro–cycloaddition, diazoalkanes to ketones, 863
pyrazole analog of ortho–quinodimethane, 5197
regioselective–, cyclopentadiene to α–vinylidene and α–methylene–γ–butyrolactones, 4863
tandem photooxidation–intramolecular Diels–Alder reactions of bis–furans, synthesis of decalines, 7201
to 7–substituted norbornadienes, theory of rates and stereoselectivities, 7289
type 2 intramolecular Diels–Alder–, disposable tethers, applications and stereochemical control, 5885

[2+2]–, of 2,3–bis(trifluoro–methyl)ethylene–1,2–dicarboni trile with enol ethers, 1,1–dimethylbutadiene and allyltrimethylsilane, 2553; with vinyl sulfides and ketene S,S–acetals, 2561
[2.2]–(2,3)–furanophane and 1,2,5,6–tetra–exo–methylene–cyclooctane as bis–diene components in Diels–Alder reactions, 2701
[2π+2π]–, allyl cation to (1*Z*,3*E*)–cyclo–alkadienes, stepwise process in ionic Diels–Alder reaction, 6489
[3+2] intramolecular dipolar–, carbonyl ylides, prep of bicycloundecanones, 6769
[4+2]–, 1,3λ3–azaphosphinines with alkynyl–phosphanes, 4589
[4+2]–, 2–vinylheteroarenes with tetra–bromocyclopropene, functionalisation of indoles, benzofurans and benzothiophenes, 4581
[4+2]–, silyl enol ethers of 2–acetylpyrroles to indole skeleton, 4613
[4+2]–, strategy for regio–and stereocontrol, intramolecular Diels–Alder reaction of silyl acetal triene, 6585
[4+2]cycloaddn and zwitterion formation as competing pathways in reaction of olefins with 1,2–bis–(N,N–dimethylamino)– 1,3–butadiene, 2265

Cycloalkanes
cycloalkanols, substituted, via free radical one–pot cyclisation of epoxyolefins, 5369
cyclododecane, catalytic (Fe(III)/pyridine/H_2O_2) oxidation, variation of ligands, 1657

Cycloalkenes
1,2–bis(trimethylsilyloxy)–cyclopentene, –cyclohexene, photo–oxygenation, 1245
iodination of 1–acetoxy–2,3–epoxy–cyclododeca–5,9–diene, 1633

Cycloalkynes
cyclalkenediyne, route to 10–membered ring analogs of neocarzinostatin chromophore, 6625
pentasilacycloheptyne, synthesis and structure, 3597

Cyclobutanes
1,2–bis(arylsulfonyl)–, by catalytic cathodic cyclodimerisation of vinyl sulfones,667
1,2–diacetyl–1,2–diethoxycarbonyl–3–methylene–, from Pd condensation, 111
cyclobutenone, 4–vinyl–, rearr, 1527
diaryl–, by styrene photodimerisation, 97, 107
methylcyclobutane–spiropentane rearr, electron–transfer induced divergent pathways, role of CIP and SSIP, 2411
via intramolecular photo–cycloaddition of dienes, 497

Cyclodextrins
α–cyclodextrin, modifications of secondary OH–side, NMR studies, 5045
acylation by aryl 1–adamantanepropiolates, kinetics, 631
β– and γ–cyclodextrins, synthesis of manno isomer using methylthioglycosides of α–(1!4) linked mannoheptaose and mannooctaose, 3191
β–cyclodextrin as PTC in hydrogenation αβ–unsaturated acids and derivs by $HCo(CN)_5^{3-}$, 1941
β–cyclodextrin, use in improved chiral recognition, asymmetric cycloaddition of nitrileoxides to C=C bond, 3201
binding of Leu–enkephalin to b–cyclodextrin, 2D–^{1}H–nmr, 1999
effect on regiochemistry of nitrile oxide –cinnamate ester cycloadditions, 899
photoreactions of 2–phenylcycloalkanones as inclusion complexes, 835
rigid anion capped β–cyclodextrin, inclusion binding, hydrophobic cationic molecules, 7017

Cycloheptanes
ring–expansion approach to 3–formyl–2–cyclohepten–1–ones, 1873
tropone acetals, organo–lithium substitution, anodic oxidation, 895

Cyclohexanes
1,2–dioxacyclohexanes via reaction of alkenes with tris(2,4–pentanedionato)–manganese or with β–ketocarbonyl compds, 6371
4–acyl–1–cyclohexenes, via ring enlargement of 2–(1–alkenyl)–1–cyclobutyl ketones, 6027
cyclohexenyl derivs, prep via ring–opening of oxabicyclo[2.2.1]compds, with cuprates, 3253
protected conduritol B, key intermediate in total synthesis of myo–inositol polyphosphates, 3449
second sphere hyperconjugation, delta effect of tin on cyclohexyl systems, 3841

Cyclooctanes
1,2,5,6–tetra–exo–methylene–cyclooctane and [2.2]–(2,3)–furanophane as bis–diene components in Diels–Alder reactions, 2701
iodination of 2,3–epoxycyclo–oct–5–en–1–ols, 1629

Cyclopentanes
1–bromobicyclo[1.1.1]pentane, 1,3–dehydro–bromination, formation of [1.1.1]propellane, 5219
all–*cis* cyclopentanetetrol moiety of funiculosin, 6557
arylidene and allylidene–cyclopentanes via Pd–catalysed cyclisation, 5147
cyclopent–3–ene–1,2–diones and cyclopentane–1,2–diones, 2029
cyclopentenones, 4,5–dihydroxy–, enantioselective synth, 1509
highly functionalised ring systems via 1,5–allylic abstraction cyclisation, 6911
new distereoselective [3+2] annulation approach, 3653

Cyclophanes
2–aza–(7)–paracyclophane, synthesis, 5769
diaza–metacyclophane, hypervalent sulfur–bridged, 1019
naphthalenophanes, photocycloaddns of vinylnaphthalenes, effect of tethers between naphthalene rings and substits at vinyl groups, 2911
triply–bridged–, by photocycloaddition, 107
[2.2]–(2,3)–furanophane and 1,2,5,6–tetra–exo–methylene–cyclooctane as bis–diene components in Diels–Alder reactions, 2701
[2$_3$](4,4')azobenzenophane, photo– and thermal *cis–trans* isomerisation, 3309

Cyclopropanation
carboxy–cyclopropanation of olefin, stereochemistry, 961
electron–poor olefins by molybdenum carbene complexes, 2529
enantioselective–, Rh carboxamides as catalyst, 6613
using oxoallyl–Pd complexes, acylcyclopropanes, 615

Cyclopropanes
1,1,2,2–tetraarylcyclopropanes, acid–induced, photooxygenation 681
2,2–diaryl–1–methylene–cyclo–propane radical cation, vibration–induced, intramolecular CTin ring opening, 5175
amino acid derivs, NMDA receptor ligands, 139
dibromo–, allenes from, stereochemistry, 1841
electrophilic–, via reaction of non–activated olefins with CH–acids, 7501
enantioselective synthesis by metallo–ene cyclizations, 1265
functionalised–, stereochemistry of S–Li and Sn–Li exchange reactions, 2727
gem–dihalogeno cyclopropanes, reduction and carbonylation with iron pentacarbonyl, 4597
halimedatrial, marine diterpenoid, synth, 1573
methylenecyclopropane, carbocyclic spiro–type derivs, synthesis, 3609
methylenecyclopropanes, functionalised, prep via 1–vinylcyclopropyl tosylates, 4593

ring, formation by 3–exo–cyclisation of 5–phenylthio–3–pentenyl radicals, 6085
sulfinyl derivs, chiral, synthesis and rearrangements, 239
tetrabromocyclopropene, [4+2] cycloaddition of 2–vinylheteroarenes, functionalisation of indoles, benzofurans and benzothiophenes, 4581
trimethylsilyloxy–, oxidation to enones by iodosobenzene, 197
vinyl–, phenylthio radical mediated addition of alkenes, 823

Cyclopropenes
chloro–, thermal rearrangement to propynoyl chlorides, 1261

Dealkoxylation
hydro–de–alkoxylation of alkoxybenzene–tricarbonylchromium complexes, 2589

Deamination
2–phenylglycine derivs, treatment with $VO(OR)Cl_2$ under O_2 gave ethyl benzoate and ethyl phenylglyoxylate, 3917

Deblocking
4–nitrobenzyl groups, reduction/oxidation removal, 389

Decarbonylation
thermal–, dimerisation of 1,2,3,4,5,6–hexahydro–benzo[1,2;4,5]dicyclobutene–3,6–dione, 7341

Decarboxylation
17(20)–dehydro–23,24– dinorcholan–22–oic acids to 16–unsaturated 20–oxopregnane 3475
oxalacetate, use of polyamino–cyclodextrins as active catalyst, 3897
photo–, of α–hydroxy–substituted arylacetic acids in aqueous soln via α–hydroxyarylmethyl carbanions, 2809
without deacylation of cyclic β–enaminoketo esters with boric acid, 4873

Deconjugation
αβ–unsaturated esters using new chiral cyclic inductors derived from (+)–camphor, 5157

Degradation
microbial oxidation of triterpene alcohols, 1283
oxidative–, of torosachrysone, absolute configuration, 1203

Dehalogenation
1,4–dehydrochlorination of α–chloroimines, synthesis of unactivated 2–aza–1,3–dienes and 2–aza–1,3,5–trienes, 2771
debromination and telluration with bis(triphenylstannyl)telluride, 6291
dehydrochlorination of 5–chloro–1,3–dimethyl–isouric acid to dehydro–1,3–dimethyluric acid, 6101
gas phase–, 1,1–defluoroethylenes, prep of chlorofluoroacetylene and bromofluoroacetylene, 5453

Dehydrogenation
catalytic–, of N,N,N–trisubstituted hydrazines, route to azomethine imines, 2767

Dehydration
(20*R*)–20–hydroxy–20–isoxazolinyls teroids, synthesis of 20–isosteroidal side–chain, 7065
1,1',2,2'–ferrocene– tetramethanol to 1,1':2,2'–bis((oxybismethylene)–ferrocene, 6117

Denitrosation
aldehydes to 2–lithio–1,3–dithiane *S,S'*–dioxide, 135

Deoxygenation
alcohols by reactions of their xanthate esters with triethylsilane, alternative to tributyltin hydride in Barton–McCombie reaction, 5093
allylic alcohols to olefins, induced by hydridopentacyanocobaltate anion using β–cyclodextrin as phase transfer agent, 4101
chlorotrimethylsilane–sodium nitrite or nitrate, deoximation of oximes, 6677
cyclic N–nitrosamines with boron trifluoride, 2787
prim and sec alcohols using diphenylsilane as H–donor and triethylborane–air as initiator, 4681

Deprotonation
mechanism of–, sec alcohols by tin hydride reduction of methyl xanthates and thiocarbonyl derivs, 3991

Diagrams
cubic reaction coordinate–, analysis of nucleophilic substitution process, 3199

Diastereoselection
(–)–statine, diastereospecific synthesis, 7329
(*E,E*)–5–aminopenta–1,3–dienyl groups, homolgation into aldehydes, 307
addition of silylketene acetal to chiral α–thioaldehydes, 6733
additions to chiral monosubstituted alkene complexes, [η^5–C_5H_5)–Re(NO)(PPh_3) (H_2C=CHR)]+–BF_4–, 4417
asymmetric alkylations, acylations and aldoisations of N–acyl derivs, 5019
asymmetric aza–Diels–Alder reaction using chiral 1–phenylethyl imine of methyl glyoxylate, 2603
asymmetric synthesis via heteroconjugate addition of alkyls and alkynyls, 5499
chiral acrylates in Baylis–Hilmann reaction, 1621
chlorocyclofunctionalisation of N–allylic trichloroacetamides, analog and potential presursor RP49532, 3871
coupling allyl π–complexes of Mo and Fe to give dimetallo–1,5–hexadienes, 1671
diastereoface selectivity in cycloaddition to 2–azadienes, 397
diastereoisomers of π^1,π^4 dithio–5',5'''–diadenosyl–p^1,p^4tetraphosphate and analogs, synthesis, separation and identification, 4371
explanation, 1,3–dipolar cycloaddition of di–1–menthyl benzylidenemalonate to (*Z*)–N,α–diphenylnitrone, 4633
fluorination of benzylic derivs by anodic oxidation in α–position of electron withdrawing group, 3137
H–transfer in C–glycoside synthesis by cleavage phenylsulfonyl deriv with $LiC_{10}H_8$, 1897
hydride reduction of taxanes, 1221
intramolecular allyl cation cycloadditions with chiral trienols forming [3+2] or [3+4] adducts, 4577
lithium dimethylcuprate addition to enones, 1393
N–(4–amino–5–cyclohexyl–2,3–dihydroxypentyl)morp holine, from glucose, 1569
new enantiomerically pure 7,10–dihydroxy–4–demethoxy–anthracyclinones, synthesis, 7153
oxazaphospholidine borane complex, synthesis and ring opening, 6357
oxidation of sulfides to sulfoxides with potassium peroxymonosulfate, 3685
synthesis of isoxazolidin–5–ones, 1471

Diaza compounds
1,3–diaza–1,3–butadienes, 1,4–addition of Reformatsky reagent, 4215
7–alkenylene–, 2,3–diazanorbornene, diradicals from, 1229
new bis(dialkylamino)–1,4,2–($I–^4$) diazaphospholanium salts, synthesis via phosphenium cations and imines, 4459
stable aryl free 1,3–diazabutadiene, synthesis and Diels–Alder reaction, 7357

Diazo compounds
4–diazocyclohexa–2,5–dienones, enzyme inactivation in light, 1275
α–diazo β–keto esters, C–H insertion catalysed to cyclopentane derivs, 5173
α–diazo–β–ketoester, Rh–catalysed carbene cyclization, 1807
aryl diazotates and diazocyanides, configuration and conformation, 7205

aryldiazonium ions, $TiCl_3$ reduction to radicals, addition to imines, 2069
β–methoxyacryloyl–diazomethane, by diazo transfer mesyl azide, 1527
diazo carbonyl compds, catalysed intramolecular cyclopropanation 6969
diazoacetic ester, Rh–catalysed addition to N–BOC–vinylglycine ester, 139
diazoacetic ester, Rh–c$atalysed addition to N–BOC–vinylglycine ester, 139
diazoalkanes, 1,3–dipolar cycloaddition with 3–methylenecephams to give 3–spiropyrazolines which transform into spirocyclopropylcephams, 2483
diazoesters, thermal rearrangement of N–alkyl–N–nitrosoamides, 6009
diazomalonate esters, lactones from by Rh–catalysis, 1023
diazomethane, reaction with 1,3λ3–azaphosphinines to give diazadiphosphachiropteradiene, 6999
diazomethylphosphonate ester, synthetic use, 1039
diazonium ions, prep via tri–N–substituted amidines, 3263
dimethyl diazomalonate, decomposition to bis(dimethyl malonato)azine, latters inversion/rotation barrier, 4265
trimethylsilyldiazomethane, O–methylation of alcohols, 5507

Dienamines
1,2–bis(N,N–dimethylamino)–1,3–butadiene, reaction with olefins, zwitterion formation and [4+2]cycloaddition as competing pathways, 2265

Dienes,
(1*E*,3*E*)–4–acetoxy–1–phenyldimethylsilyl–1,3–but adiene, surrogate for (1*E*,3*E*)–1,4–diacetoxy–1,3–butadiene, synthesis of (±)–shikimic acid, 5997
(1*Z*,3*E*)–cycloalkadienes, [2π+2π] cycloaddition of allyl cation, stepwise process in the ionic Diels–Alder reaction, 6489
(*Z*,*E*)–2–bromo–1,2–dienes,via cross coupling of 1,1–dibromoolefins and vinylboronic acids, 6509
(*Z*,*Z*)–6,9–*cis*–3*S*,4*R*)–epoxynonadec adiene, sex pheromone component of *Boarmia selenaria*, identification and synthesis, 4923
1,1–dimethylbutadiene, [2+2] cycloaddition with 2,3–bis(trifluoromethyl)ethylene–1,2–dicarbonit rile, 2553, 2557
1,3–cyclohexadiene, photo cycloaddition to arenes, 4πs+4πs stereoselectivity, 3825
1,3–cyclopentadiene diesters, isomerisation and synthesis by transannular π–bond pairing, 7073
1,4–alkadienes via reaction of allyl carbonates with lithium trialkyalkynlborates catalsed by Pd(PPh3)4, 2405
1,4–dialkyl–and 1,4–diaryl–2,3–dinitro–1,3–butadienes, reaction with Grignard reagents to give 1,4–substituted 2,3–dinitro–1,3–butadienes, 4933
1,5– and 1,6–dienes, regio– and stereoselective prep, syntheses of *Eudia pavonia* pheromone and gassypure, 2595
1–aryl–1,3–diaza–1,3–dienes, prep ofquinazolines and dihydroquinazolines, 903
1–methoxy–1,3–dienes, by elimination of Cl–OMe from unsaturated chloro– acetals with Bu_3SnLi, 691
1–sulfenylated 2,4–alkadiene, 1,5–rearrangement of sulfonyl group, 4621
2,3–dimethylene–, thiophene, generation, trapping, 1491
2–alkoxy–1,3–dienes, steroid, by Pd–catalysed vinyltin coupling, 1889
2–amino–1,3–butadienes, from β–enamino phosphonium salts, 6713
2–azadienes, halogenation and Diels–Alder addition, 397
2–morpholinobutadienes, reaction with heterocumulenes, synthesis of thiins and new 2–morpholino–butadiene derivs, 5237
2–trimethylsilylethyl–1,3–butadienes, equivalents of 3–methylene–1,4– pentadiene by consecutive Diels–Alder reactions, 6201
activated 1,6–diene, intramolecular ene reaction with homoallylsilane as ene donor, basis for synthesis of functionalised diquinanes, 3461
acyclic 4–acetoxy–2,8–nonadienes, cyclisation, efficient chirality transfer, 6995
acyclic(*E*)– and (*Z*)–dienediyne systems related to neocarzinostatine chromophore, synthesis and cytotoxicity, 2323
chiral aryl containing1–alkoxy–3–trimethylsilyloxy–buta–1,3–dienes, diastereomeric induction in Diels–Alder reaction, 7233
conjugated–, nitroselenation, prep of 3,4–epoxy–3–nitro–1–alkenes, 4199
cyclic 1,3–dienes, selectivity in ozonolysis, 5579
cyclopentadiene and methyl acrylate, Diels–Alder reaction on g–alumina, 5433
cyclopentadiene, aza–Diels–Alder reaction using chiral 1–phenylethyl imine of methyl glyoxylate, 2603
cyclopentadiene, regioselectivity in cycloaddition with α–vinylidene and α–methylene–γ–butyrolactones, 4863
dienophiles, reactivity in inverse type Diels–Alder reactions with 1,2,4,5–tetrazines, 6851
dimethylene–thiazoles, oxazoles, imidazoles, generation, trapping, 1487
electron poor–, reaction with 1,1– and 1,2–donor– and acceptor substituted ethylenes, kinetic data and regiochemistry, 6855
hexa–2,4–dienes, reactivity of isomers towards TCNE, 841
hexachlorocyclopentadiene, cycloaddition to 7–substituted norbornadienes: remote substituent effects, 7285
homoannular conjugated–, from allylic esters in decalin derivs, Pd–catalysed formation and application to synthesis of 1–α–hydroxy–provitamin D_3, 4333
homogeneous hydrogenation using parahydrogen, NHR detection of intermediates 5721
1,2–dien–4–ynes, via reactions of terminal acetylenes with 2–alkynyl carbonates, 7179
myrcene and epoxy myrcene, cycloaddition with N–sulfinylbenzene sulfonamide, ssynthesis of adduct with one S–atom at C–10, 7007
norbornadienes, cycloadditions to 7–substituted derivs, theory of rates and stereoselectivities, 7289
o–quinodimethane strategy for 1a,25–dihydroxyvitamin D_3 synthesis via 25–hydroxy Windaus–Grundmann ketone, 6205
photodimerisation of 1,3–cyclo–hexadiene, 985
tris(cyclopentadienyl)methane trianion, synthesis and prop,, 6673

Dimerisation
1–ethyl–1,2,4–triazinium salts into 4α,4β,9,10–tetrahydro–1,3,6,8,8α,10α–hexaazaphenanthrenes, 7665
1–phospha–4,4–diarylbutatriene to 2,4–diallenyl–1,3–diphosphetane, 4429
amphiphilic anthracenes, substituent effects, reactions in monolayer assemblies and in solutions, 6043
l–[tris–trimethylsilyl]methyl–4,4–diphenyl–1–ars abutatriene to 1,3–diarsetane, 6331
monomer shift, dimer shift and dimerisation constant for self–associating system, accurate NMR data evaluation, 3975
thermal decarbonylative–, 1,2,3,–4,5,6–hexa–hydrobenzo[1,2;4,5]–dicyclobutene–3,6–dione, 7341
tri–2–thienylmethyl radical dimerisatiou, 2627
trimethylsilyl, 1,3–dienes, synthesis from allylidene phosphorane, 543

Dimers
new–, from α–lithio–N–nitros–amine decomposition, evidence for NO elimination, 3059

unusual formation of–, during cine substitution of fused chlorocyclobutanones by N, S and C nucleophiles, 2181

Dienones
conjugated–, intramolecular reactions with unactivated alkenes, 2243
Pd–catalysed oxycarbonylation, construction of cyclic acetals, 2491
spiro–, by phenol oxidative coupling, 1351

Diffusion limited reactions
selectivity in near–, isotope effects in phosphorylnitrene insertion into C–H bonds, 4261

Diols and triols
1,2–diol and 1,2,3–triol, monomesylates, prep of ketones, 463
1,3,5–triol and 2–vinyl–3–hydroxyl–tetra–hydrofuran, synthesis, generation enolate anion adjacent to σ^3–allyl–Mo(CO)$_2$Cp moiety, 7645
1,3–diol, acetonides stereochemistry by ^{13}C NMR, 945
1,3–diols, stereoselective synthesis *via* allylsilanes, 1059
1,4–diols, via cleavage of tetra–hydrofurans, anchimeric assistance, 1885
2–amino–1–phenyl–1,3–propanediol s, β–lactam intermediates, synthesis and absolute configuration, 6707
2–butene–1,4–diols from aldehydes and chiral PhMe$_2$Si substituted allylboronatea, 7567
2–methyl–1,3–diol synthesis using Sharpless epoxidation, 1443
2–methyl–1,3–propanediol derivs, chemo–enzymatic enantioselective synthesis, 5657
anti–1,2–diols, enantioselective synthesis via aldehydes and PhMe$_2$Si substituted allylboronate, 7563
biphenylenediol, rate acceleration of Diels–Alder reactions, proposed catalysis involving two H–bonds, 3381
chiral *trans*–cyclohexanediol, αβ–unsaturated esters, addition of organocuprates and cyclisation of enolate formed, 4751
prim–sec–diols, selective oxidation of prim OH groups, 2177
protected 2–hydroxymethyl–1,3–butanediol, four sterioisomers, asymmetrised tris (hydroxy–methyl)methane as stereodivergent chiral building block, 6421
vicinal monoprotected–, cleavage mediated by N–iodosuccinimide, 6283

Diones
αβ–dioxoindole–3–propionic esters, condensation with imines, 1609
α–diones, regeneration via anodic oxidation of α–keto and α–hydroxythioacetals, 2599
bridged 1,2–, photochemical cleavage, 1563

Dioxanes
acetoacetylated Meldrum's acid, highly enantioselective reduction with fermenting baker's yeast, 7463
trans–2,3–bis(R–thio)–1,4–dioxanes, conformational behaviour, 2755

Dioxetanes
by–product of trimethylsilyl olefin ozonolysis, 1799
via photooxygenation of 2–methyl–3–silyloxybenzofurans and rearrangement via α–silylperoxy ketones to keto ester cleavage products, 2259

Dioxiranes
dimethyldioxirane conversion of phosphine sulfides and phosphorothioates into corresponding oxygen analogs, 3359
dimethyldioxirane epoxidation of enol phosphates, 6517
dimethyldioxirane, epoxidation of αβ–unsaturated ketones, acids and esters, 331
methyl(trifluoromethyl)dioxirane oxidation, oxyfunctionalisation of aromatic hydrocarbons, 6097
methyl(trifluoromethyl)dioxirane oxidation of adamantane, prep of adamantane–1,3,5–triol and –1,3,5,7–tetrol, 3067

Dioxolanes
2–(3–lithiopropyl)–1,3–dioxolane and carbonyl compds, direct synthesis of δ–lactones, 3767
2–(3–lithiopropyl)dioxolanes and 2–(3–lithiopropyl)–2–methyl–1,3–dioxolane, new masked lithium bishomoenolates in synthesis of bifunctionalised compds, 3763
chloroalkyl 1,2–dioxolanes from unsaturated hydroperoxides and t–butyl hypochlorite, 7077
cyclohexanediols and 1,3,2–cyclohexanetriol, binding by use of polyaza clefts, 7411
diastereomeric 2,2–disubstituted 5–methyl–1,3–dioxolan–4–ones, prep from lactic acid and ketones or their acetals, 2135

Disulfides
antifungal–, polycarpamines A–E from *Polycarpa auzata*, 2389
bis(1–propenyl) disulfide, prep of *cis*– and *trans*–2–mercapto–3,4–dimethyl–2,3–dihydrothiophene, 4999
butyl(3–trimethoxysilylpropyl)disulfide for silicon surface modification and protein immobilisation, 5773
by conversion of thiol acetates, activation and synthetic applications of thiostannanes, 3595
by conversion of thiols, activation and synthetic applications of thiostannanes, 3591
disulfides via oxidation of thiols, 5007
unsym–azetidinone–, rearrangement to 2β–(thio–substitued methyl)–penams, 3509
unsymmetrical disulfides, via thiosulfonates immobilised on polystyrene support, 6075

Dithianes
1,3–dithiane–*trans*–1,3–dioxide, lithiation and addition to aldehydes, 135
1,3–dithianes, quantitative metallation at –78_C using *n*–BuLi/Na–O–t–Bu, 7261
2–acyl–1,2–dithianes, reduction using Corey oxazaborolidine catalyst, 7415

Dithiols
1,3–benzodithiol–2–ylidene compds, synthesis, 2121
2–butyne–1,4–diylidene–2,2'bis(1,3–dithiole), via acetylenic analogs of tetrathiafulvalene, 7315
aromatic dithioic esters, synthesis of 1,3–benzodithioles, 2121

Donors
π donor properties and synthesis of acetylenic analogs of tetrathiafulvalene, 7307

Drugs
(±)–Z–huperzine A, synthesis and biological evaluation, 6159
(+)–(2*S*,3*S*)–3–ethynyltyrosine, enantioselective synthesis, 5081
(+)–panaxacol, total synthesis, 4609
1–(3'–azido–2',3',5'–trideoxy–β–D–allofuranosyl) thymine, side–chain homolog of 3'–azido–3'–deoxythymidine, synthesis, 4007
1–epi and 7–epi coleonols (forskolins) and 6,7–epoxy–6,7–dideoxycoleonol, synthesis using Mitsunobu reaction, 7493
6,7–benzomorphan, enantioselective synthesis via cyclisation of chromium tricarbonyl complex of 1–(aminoethan–2'–yl)–1,2–dihydronaphthalene, 2763
acetylcholinesterase inhibitor, synthesis of (±)–Z–huperzine A, 6159
antiinflammatory–, synthesis of (*S*)–suprofen and (*S*)–naproxen, 6553
antitumor ansamycins, synthesis of (±)–macbecin I, 4305
antitumor ansamycins, synthesis, serial sigmatropic construction of C$_{11}$–C$_{21}$ ansa subunit of macbecin, 4301
castanospermine, 6–O– and 7–O–acyl derivs, syntheses as potent anti–HIV agents, 2829
compactin, synthesis from Hajos (–)–enedione, 5599
enantiomerically pure muscarine analogs, synthesis, 5733
FK506, C$_{10}$–C$_{34}$ segment, biocatalytic synthesis, 3287
FK506, chemoenzymatic synthesis of C$_{10}$–C$_{19}$moiety, 3283

ganciclovir monophosphate, synthesis of phosphonate isostere α cytomegalovirus active phosphonate nucleotide analog, 3257
ikarugamycin synthesis, model studies on new strategy for ring C closure, 3367
ikarugamycin synthesis, studies on carbotricyclic subbunit, 3363
lipase acylation, 3'–OH groups of 2'–deoxy–5–fluorouridine and 2'–deoxy–5–trifluoromethyl–uridine, 7327
new carrier for–, alkylglycoside carbonates of 3'–azido–3'–deoxy–thymidine, 6021
phosphadisaccharide, potentially insulin–mimetic, synthesis, 2693
picenadol, stereoselective synthesis, 5401
potential anti–aids–, synthesis of acyclonucleoside analogs of 1–(3*R*–amino–4–hydroxy–butyl)thymine, 4879
pyrazolodinones, new class of antibacterial agents, efficient synthesis, 2805

Eicosanoids see also Leukotrienes
6–(*R*)–hydroxy–7,9–octadiynoic acid, HMG–CoA reductase inhibitor, 7227
fatty acid anhydrides, lipase–catalysed acylation of terpenic allylic alcohols, 4875
iron tricarbonyl complex of 5,6–DiHETE, 1141
linoleic acid, oxygenation catalysed by iron–peplomycin, 4485
malyngic acid, stereoselective synthesis, trihydroxy 18C–dienoic acid, 1783
new cyclopropyl hydroxy–eicosanoids from *Constantinea simplex*, isolation and structure of constanolactones A and B, 2995
revision of bioactive dihydroxy–eicosanoid from *Farlowia mollis*, 2971
rigidified arachidonic acid analogs, synthesis, 5035
sporogenic fatty acid metabolites from *Aspergillus nidulans*, structure elucidation, 3837
tetracyclo[11.5.2.0^{1,8}0^{4,8}]eicosa–2,5,19–triene, synthesis via Chugaev approach, 3409
threo–18–fluoro–9,10–dihydroxystearic acid from *Dichapetalum toxicarium* seeds, identification, 7661
trans–olefinic very long chain fatty acid in lipids of fresh water sponges of lake Baikal, 4367

Electrochemical reactions
anodic glycosylation of aryl thioglycosides, 5761
anodic oxidation cyclic N–acyl–a–aminoacids to cyclic N,O–acetals, 1713
anodic oxidation methyleugenol (EEC$_r$C$_p$ mechanism), 1513
anodic oxidation of 1–methoxy–cycloheptatrienes, 895
anodic oxidation of α–keto and α–hydroxy–thioacetals, regeneration of α–diones, α–ketols and chiral synthons, 2599
catalytic cathodic cyclodimerisation of vinyl sulfones, 667
determination of relative pKa of weak acids in N,N–dimethylformamide, 7523
electrochemical and spectroscopic characterisation of a persistent biphenylyl nitrenium ion, 5013
electrochemical S$_{RN}$1 perfluoroalkyl substitution imidazoles, 1279
electroreductive cyclisation, saturation *vs* cyclisation, electrolyte–assisted stereoselection and control, 2525
electroreductive cyclization γ– and δ–cyanoketones, 1303
method as key step in synthesis of (±)–pentalenene, 7167
oxidative fluorination of sulfides in presence of Et$_3$N.3HF, 2287
αβ reduction and cyclisation of C=O to αβ–unsaturated ester, 485
reduction potentials quaternised 2,2i–bithiazoles, 1539

Electrodes
amine oxidation on electrode modified by polymeric nitroxyl, 771

Electron donors
Sharpless procedure in asymmetric synthesis of nor–leucotriene D$_4$ analog, 27

Electron spin resonance
20–fluoromethylpyropheophorbide, 6847
azo compds, PhN=NSO$_2$Na as spin traps in photochemical decomposition, 5737
nitro–pyrrole and nitro–imidazole amide anion radicals by uv irradiation, 1299
photolysis and photo–assisted thermolysis of tetrafluoroethylene–hexafluoropropene–oxygen terpolymers, 7055
probe to evaluate equilibrium constants for competition reactions for isotopic isomers of annulenes, 6151
radical cation from bridged 2,2'–bithiazoles, 1539
spin–labelled thymidine analog, DNA dynamics, 593
triplet diyls (trimethylenemethanes), 1229

Electron transfer
4,4'–di–t–butylbiphenyl, Li and ultrasound, conversion of aromatic ketones, benzyl alcohols and alkyl aryl ethers to aromatic hydrocarbons, 6155
contrasting free energies of electron transfer from [6] and [8]annulenes to perdeuteriated–per–^{13}C analogs, 6151
in indirect electrolysis, synthesis of N,N–bisheteroaryl amines bearing fused heterocycle as N–substituent, 6219
intramolecular–, anchimerically assisted photo–decomp of 2'–t–butyl peroxy ester, 5143
mediated photoreductions of a,b–unsaturated ketones, 6793
photochemically induced–, radical anionic cyclisation, 7137
photoinduced–, between alkylnitriles and aromatic amines, 4969

Electronic effect
electronic origin of difference in acidity between formic acid and ethanol, 5181
responsible for reactivity of azomethine ylides, route to 5–alkylidene–3–oxazolines, 3343

Electronic spectra
malvin, uv/vis and cd spectra, association, pH effects, 1593
tetrcycloalkenyl–meso–tetraphenylporphyrins, for effect of non–planarity on light absorption of photosynthetic chromophores, 3719
uv/visible–, *ortho*–xylylene deriv, 1563

Elimination reactions
double–, of arsonium salts, synthesis of 4–trifluoromethyl–2,4–dienyl carboxylates, 2305
radical addition–elimination sequence, synthesis of vinylic and cyclic sulfones, 2983

Enals
Ti reductive coupling to trienes, 1365

Enamides
substrates, aryl radical initiated 1,6–cyclisation, formation if isoquinoline framework, 2315

Enamines
acetyl–, methylation and BH$_4^-$ reduction, 747
β–aminoenols, O,N,N–tris–trimethylsilyl–, 1945
chiral–, bearing phosphine functionality, Pd–catalysed asymmetric allylation, effect of anionic counterparts of allylating reagents on asymmetric induction, 3623
trapping in Pd–catalysed 1,3,6,8–tetraene cyclization, 1117

Enamino esters
prep and decarboxylation without deacylation to give cyclic β–enaminones, acid, 4873

Enantiocontrol
convergent–, route to vitamin E and mevalolactone from (*S*)–O–benzylglycidol, 3619
enzyme–catalysed synthesis mandelonitriles, mandelic acids, 1249
natural (+)–bakuchiol, synthesis, 3325
Pd and Ni, catalysed metallo–ene cyclizations, 1265

Enantiomeric purity
Mosher's acid, enantiomeric purity, 6867
optically active α–methyl esters, stereoselective synthesis, 2149

Enantioselectivity
(+)–tetrahydroalstonine, (+)–acricine and (+)–reserpinine, synthesis, 2705
(*R*)–and (*S*)–5,7–O–dimethyl–eucomol, 6823
2–acyl–1,2–dithianes, reduction using Corey oxazaborolidine catalyst, 7415
2–butene–1,4–diols from aldehydes and $PhMe_2Si$ substituted allylboronate, 7567
6,7–benzomorphan, synthesis via cyclisation of chromium tricarbonyl complex of 1–(amino–ethan–2'–yl)–1,2–dihydronaphthalene, 2763
absolute asymmetric induction, differences in dual pathway photoreactions, 6803
addition of ketones to (*S*)–lithio–methyl 1–naphthyl sulfoxide, 5349
addition organo–Cu reagents to 2–methoxypyrrolidines, 1775
aldol reaction, oxazoline synthesis using dissymmetric ferrocene gold complex, 839
aldol reactions using chiral tetrahydro 1,4–oxazin–2–one boron enolates, 827
alkylation of camphor sulfonylimine dianions, 1653
allylic alcohols, catalytic intramolecular hydrosilation 7333
anti–1,2–diols, via aldehydes and $PhMe_2Si$ substituted allylboronate, 7563
asymmetric alkylation via π–allyl intermediate, acetamidomalonate ester as nucleophile, 5049
asymmetric alkylations, acylations and aldoisations of N–acyl derivs, 5019
asymmetric catalytic cyclopropanation of olefins by bis–oxazoline Cu complexes, 6005
asymmetric dihydroxylation of *trans*–stilbene, 3003
asymmetric synthesis of β–lactams by chiral ester enolate–imine condensation, 4289
baker's yeast reduction pentacyclo–[5.4.0.$0^{2,6}$.$0^{3,10}$.$0^{5,9}$]undecane–8,11–dio ne, 1811
bakers' yeast reduction 2–allylacetoacetic ester, 1159
base–catalysed alkylation of bicyclo–[3.3.0]octane–3,7–dione monoacetal, 739
binding of cyclopropane$ glutamic acid analogs to NMDA receptors, 139
butadiene–iron tricarbonyl phosphonium salts, reaction with chiral formyloxirane, 1137
conjugate addition of cyclo–hex–2–enone to chiral amido–cuprates, 965
cycloadditions of acylnitroso compounds to cyclopentadiene, 1043, 1047
dependence on Et_2Zn:RCHO in catalytic asymmetric alkylation of aldehydes in presence of N–isopropylephedrine, 5185
dihydroxylation of alkenes by osmium tetraoxide–chiral ligand complexes, 6417
dihydroxylation of olefins by OsO_4–chiral amine complexes, 1741
enzymic hydrolysis of esters of *cis*–2,5–bis–(hydroxymethyl)tetrah ydrofurans, 445
enzymic hydrolysis of trimethylsilyl–methylmalonates, 653
Grignard reagents, addition to chiral iminium salts, 797
hexahydrobenzofuran subunit of avermectins and milbemycins, synthesis, 3563
highest yet obtained in asymmetric dihydroxylations using $K_3Fe(CN)_6$, 2999
highly–, reduction of acetoacetylated Meldrum's acid with fermenting baker's yeast, 7463
improvement in baker's yeast reduction 3–ketoesters, 1615
intramolecular cyclopropanation of unsaturated diazo carbonyl compds, 6969
isoquinolines, asymmetric synthesis via epoxidation or dihydroxylation, synthesis of (*R*)–reticuline, 7591
ligand–based improvement of–, in catalytic asymmetric dihydroxylation of dialkyl substituted olefins, 3817
methyl shikimate acetonide, carbethoxyalkylation by ethyl 2–diazopropionate, 183
new chiral mixed AMPP ligands, use in asymmetric hydrogenation of activated ketones on Rh–catalysts, 4139
new double asymmetric induction using Pd chiral complexes in alkylation of chiral Schiff bases derived from glycine, 3133
optically active myo–inositol derivs by acylation using a tartaric acid monoester, 2613
organocuprate addition to 3–acetyl–cyclo–pent–2–en–1–one spiro–acetals, 623
origin of–, in dihydroxylation of olefins by osmium tetroxide and Cinchona alkaloid derivs, 2665
photo–generation *trans*–1–acetyl–cyclooctene in presence (+)–ephedrine, 1015
radical addition to chiral unsaturated amide–diester, 1679
reduction of ketones with oxaza–borolidines derived from (*R*) and (*S*)–αα–diphenyl–2–piperidine methanol, 2341
serine aldehyde, protected, prep of αβ–unsaturated esters, alkyl-cuprate addition, 1011
Sharpless oxidation in 2–methyl–3–phenylpropanal synthesis, 811
Stork/Robinson annelation using (*S*)–1–phenyl–ethylamine, 875
substituted 3–hydroxypropionic acid synth, enzyme–mediated, 1601
synthesis of both enantiomers of carnitine, 7323
synthesis of chiral allylic alcohols, reduction using CBS/diborane, 611
synthesis of decalines and hexahydroindanes with four new asymmetric centers in one operation, 3047
synthesis of sarcophytol A, 3317
tetrahydropyran synthesis from 7–hydroxyhept–2–enoic esters, 763

Enantiospecificity
4,5–dihydroxycyclopentenone acetonide enantiomers from D–ribose, 1509
additions to chiral monosubstituted alkene complexes, $[\eta^5\text{–}C_5H_5)\text{–}Re(NO)(PPh_3)(H_2C{=}CHR)]^+\text{–}BF_4^-$, 4417
carbocyclic nucleoside (+)C–AFG from aristeromycin, 767
new enantiospecific route to pseudopterosins, 3857

Ene reactions
3β–toluene–*p*–sulfonoxy–(Z)–pregna–5,17(20)–diene, synthesis of (20*S*)–6β–methoxy–3α,5–cyclo–5α–pregnane– 20–carboxyaldehyde, 6227
amino aldehyde–, stereoselective route to β–amino alcohols, 3909
asymmetric ene reactions of chiral allylic sulfones via chiral allylic sulfinate–sulfone rearrangement, 2619
comparison, singlet oxygen and triazolinediones with alkyl substituted tetramethylethylenes, 6759
intramolecular–, activated 1,6–diene with homoallylsilane as ene donor, basis for synthesis of functionalised diquinanes, 3461
intramolecular–, synthesis of optically active indolizidine and pyrrolizidine ring systems, 4641
intramolecular–, synthesis of cyclohexyl fragment of FK–506, 3007
threo–selective–, of aldehydes with 2–(alkylthio)allyl silyl ethers, 2165
triazolinedione with alkenes, geminal selectivity 5775

Enolates
β–lactam homoenolates, synthesis, 4927
chiral ester enolate–imine condensation, synthesis of 3–amino–β–lactams, 4289
dienolates, carbamoylation, alkoxycarbonylation, 1405
dithioester –, 1,2– and 1,4–addition to enones, effect of metal (Li, Ti, Al), 1853
enol and aryl triflates, coupling with organosilicon compds in presence of Pd catalyst and fluoride ion, 2719
ester lithium F–enolate of ethyl tetrafluoropropionate "electrophile–coexisting" for C–C bond forming, 7043
ketone–, condensation with dihydropyran, 7603

Enols
β–aminoenols, O,N,N–tristrimethylsilyl–, 1945

Enones
4,5–dihydroxy–cyclopent–2–en–1–ones, enantioselective synth, 1509
αβ–enones, trialkylsilyl triflate promoted addition of alkynylzinc compds, 7627
bridgehead–, in acid–catalysed rearrangement of hydroxy–enol ether, 849
brridgehead–, rearrangemnet and prep from sulfoxides, 2233
butylthiomethylene–cyclohexanones, ring–expansion to 3–formyl–2–cyclohepten–1–ones, 1873
cis–enediones via oxidative ring opening of furans use of magnesium monoperoxyphtalate, 7669
conjugate addition β–phosphono–alkyl copper–zinc reagents, 1833
cyclic bβ–trialkylstannyl–, synthesis, reactivity, 1837
cyclic–, condensation with aldehydes using PPh_3/$TiCl_4$, 677
cyclohex–2–enone, addition of chiral amido–cuprates, 965
cyclohexenones, hernandulcin analogs, 1409
epoxidation by dimethyldioxirane, 331
functionalised equivalent for–, use of tricarbonyl(tropone)iron, 3385
hydroxyenones, synthesis of sidechain of clerocidin, 4509
mechanism lithium dimethylcuprate addition, 1393
mechanistic and stereochemical aspects of 1,2–3,4 hydride reduction, 5303
methyl vinyl ketone as carbon radical trap, 1965
Ni–catalysed enantioselective conjugate addition to optically active bipyridines, 5011
olefinic–, radical anionic cyclisation competing with intramolecular [2+2]cycloaddition to form spirocyclic products, 7137
silicon directed Mukaiyama–Michael tandem reaction with enolsilanes, strategy for 6–membered ring cyclisation, 7273

Enynes
antibiotic enediynes, rearrangement to arene–1,4–diyl, 1521
dienediynes, cyclic "skipped" isomers, 1845
fluorinated, by Pd–catalysed coupling, 1369
fluorinated–, synthesis vis 1–bromo–1–fluoro alkenes, 4449
unsaturated–, synthesis catalysed by copper complexes, 5161
zirconium–mediated, intramolecular carbocyclisation of–, prep of ABC ring system of tiglianes and daphnanes, 3691

Enynones
3–ethynyl–2–cycloalkenones, dialkylation 311

Enzymes
α–chymotrypsin, lipoglycosylated, accelerated esterification of amino acids in polar solvents, 2131
α–mannosidase inhibitor, synthesis, 7109
acetylcholinesterase inhibitor, synthesis of (±)–Z–huperzine A, 6159
acetylcholinesterase, inactivation by diazo–cyclohexadienone in light, 1275
alcoholysis of flavone acetates in organic solvent, 7371
aldolase, rabbit muscle, in enzymatic synthesis (+)–*exo*–brevicomin, 867
angiotensin–converting enzyme inhibitors, 815
artificial–, modifications of secondary OH–side of α–cyclodextrin, NMR studies, 5045
aspartate transcarbamoylase, synthesis of potential inhibitors, 5381
baker's yeast catalysis of nitrile oxide cycloadditions, 899
baker's yeast reduction pentacyclo–[5.4.0.$0^{2,6}$.$0^{3,10}$.$0^{5,9}$]undecane–8,11–dio ne, 1811
bakers' yeast reduction 2–allylacetoacetic ester, 1159
cholesterol inhibitors, biosynthesis of mevinic acid analogs, 1869
chymotrypsin in organic solvents with salt hydrates for peptide synthesis from undissolved reactants, 5213
chymotrypsin–catalysed fragment coupling synthesis of D–Phe–(6)–GnRH, 7305
cytochrome P450 mono–oxygenase model system, oxidation of Me groups of N,N–dimethylbenzamides, 4921
cytosolic $NADPH_2$ reduction of 1,2–dehydroreticuline to (*R*)–reticuline, 4855
cytosolic $NADPH_2$from *Papaver somniferum*, purification and characterisation, 4855
DNA topoisomerase II, iSnhibition by dimeric tannin, 393
E.coli B/lt7–A cells containing tryptophanase, prep of a–deuterated L–amino acids, 7051
esterase inhibitor, tetrahydrolipstatin, synthesis, stereochemistry controlled by phenyldimethylsilyl group, 3645
esterase inhibitor,(±)–ebelactone A, synthesis using aldol–Claisen strategy, 7513
esterase, specific activity of subtilsin towards α–halo acids, 4883
fluorogenic HIV protease substrates based on resonance energy transfer, design and synthesis, 6493
glycosidase inhibitors, new family of 5–carbon iminoalditols, 3393
glycosidase inhibitors, approach to swainsonine and castanospermine analogs, 6949
heme–undecapeptide microperoxidase–11, sulfide oxidation, amine N–demethylation and olefin oxidation in presence of H_2O_2, 3163
HMG–CoA reductase inhibitor pravastatin, approach to synthesis via required decalin aldehyde, 2235
HMG–COA reductase inhibitor, new sterepselective synthesis of HR 780, 2545
hydrolysis of esters of *cis*–2,5–bis–(hydroxymethyl)tetrahydrofurans, 445
hydrolysis of trimethylsilylmethylmalonates, enantioselectivity, 653
lactoperoxidase, structure of laureoxanyne, nonisoprenoid C_{15} enyne from *Laurencia nipponica*, 4895
lipase acylation, 3'–OH groups of 2'–deoxy–5–fluorouridine and 2'–deoxy–5–trifluoro–methyl–uridine, 7327
lipase in organic solvents, resolution of planar chiral organometallic alcohols, 3895
lipase P, enantioselective acetyl transfer, 1601
lipase, hydrolysis of α–acyloxystannanes, prep of optically active α–hydroxy stannanes, 6407
lipase, kinetic resolution of (η6–arene)chromium complexes, 3603
lipase, porcine pancreatic (PPL), hydrolysis N–protected α–amino–butyrolactones, 2037
lipase–catalysed acylation of terpenic allylic alcohols with fatty acid anhydrides, 4875
lipase–catalysed hydrolysis of rac acetates corresponding g–hydroxy stannanes, prep of optically active γ–hydroxy stannanes, 6387
lipases, simultaneous separation of enantiomers of diastereomers, 3011

mediated hydrolysis of enol esters, prep of optically active α–hydroxy ketone derivs, 7159
mediated hydrolysis of enol ester, synthesis of (+)-*endo*– and (+)–*exo*–brevicomin, 7163
mediated optical resolution of *endo*–norbornene lactone, 7219
mimicing approach by–, peptide bond formation 2929
model of–, having preorganised catalytic groups, use in accelerated synthesis of peptides, 6051
monoamine oxidase, oxazolidin–2–ones as model inhibitors, 515
mushroom tyrosinase catalysed coupling of hindered phenols, approach to synthesis of diphenoquinones and bisphenols, 3771
Nα–K atpase inhibitor in relation to DLIS–2 enodenous digoxin–like substance, synthesis of lysophosphatidylserine with 19:4 acyl group, 4033
nicotine synthase from *Nicotiana sp.* catalysis and formation of (*S*)–nicotine from nicotinic acid and 1–methyl–Δ'–pyrrolinium chloride, 6295
nuclease resistant a–anomeric uridylates as potential antisense agents, solid phase synthesis, 3537
oxidosqualene cyclases from yeast and from hog liver, vinyl oxirane analog of (3*S*)–2,3–epoxysqualene as potential inactivaor, 2097
oxynitrilase in synthesis (*S*)–cyanohydrins, 1249
pea–seedling diamine oxidase, evidence relating to its mechanism of action, 6907
pepidase inhibitors, synthesis of key constituents statine and (3*S*,4*S*)–4–amino–3–hydroxy–5–phenyl pentanoic acid, 7359
phosphodiesterase, snake venom, cleavage carbocyclic oligothymidylates, 1463
plant glycosidase, inhibition by D–galacturonic acid analog, 1683
poliovirus and rhinovirus 3C–proteinases, spiro indolinone beta–lactam inhibitors, 7277
porcine pancreatic lipase mediated selective acylation of prim alcohols in organic solvents, 3405
prenyltransferase reaction, synthesis of (*S*)–10,11–epoxyfarnesol from rac 6,7–epoxygeranyl diphosphate and isopentyl diphosphate, 4189
protein kinase C, synthesis of fluorine–containing isosteres of sphingosine as inactivator, 4309
renin inhibitor and bestatin, synthesis of key components (2*R*,3*S*)– and (2*S*,3*R*)–3–amino–2–hydroxycarboxylic acid derivs from methyl(*R*)–and (*S*)–mandelate, 3031
renin inhibitor, key component, stereoselctive synthesis of cyclohexylnorstatine, 4175
renin inhibitor, non–peptide BW–175, 1569
renin inhibitors, synthesis of key intermediate, methyl N–[2–(*R*)–(1–naphthylmethyl)–3–(morpholinocarbon yl)propionyl]–(*S*)–histidinate, 2731
renin, transition state analog inhibitors, prep of peptidic α–hydroxy phosphonates, 5587
selective hydrolysis of nitriles under mild conditions, 7223
serinehydroxymethyltransferase, rabbit liver, assay of *allo*–serine enantiomers, 827
Staphloccus carnosus aldolase as catalyst for enzymatic aldol reactions, 7123
subtilisin–catalysed regioselective acylation of deoxynojirimycin and castanospermine esters, 3093
trypsin, immobilised, for porcine to human insulin conversion, 989
XAD–8 immobilised lipoprotein lipase, resolution of sec alcohols, 6403

Epoxidation
αβ–unsaturated ketones, acids and esters, by dimethyldioxirane, 331
aldehydes, synthesis, vinyl epoxides catalysed by diisobutyl telluride, 7657
allyl silanes, peracid oxidation, 1055, 1059
asymmetric catalytic–, unfunctionalised olefins, 7345
dimethyldioxirane–, N–vinylformamides, 2047
dimethyldioxirane–, of enol phosphates, 6517
direct–, of precocenes, use dimethyldioxirane, 5235
epoxy isonitriles prep, 2047
MnTPPCl–catalysed–, of olefins with hydrogen peroxide, mediation of orthoquinones, 6039
stereoselective–, hydroxyenones, synthesis of sidechain of clerocidin, 4509

Epoxides see also Oxiranes
(*S*)–10,11–epoxyfarnesol, synthesis from rac 6,7–epoxygeranyl diphosphate and isopentyl diphosphate, 4189
2,3–epoxy alcohol derivs, reductive opening with lithium borohydride in solid state, 7467
2,3–epoxychlorides, base–induced opening, prep of *trans*–chlorovinyl alcohols, 4495
4–epoxyvinyl–, dimethyl–1,3–dioxolan, stereoisomers, 1003
base induced reaction with silacyclobutane leading to silacyclopentane, 6059
bis–epoxy–, dodecahedradienes, x–ray structures, 1129
conversion to fluorohydrins under solid–liquid phase–transfer–catalysis using tetrabutylammonium dihydrogentrifluoride, 7209
efficient metal salt catalysed azidolysis with sodium azide in acetonitrile, 5641
epoxy–isocyanides, from *N*–vinylformamides, 2047
epoxyolefins, cyclisation via free radicals to substituted cycloalkanols, 5369
from 1,2–diol by tosylation/base, stereospecific prep, 2043
hydroxy–, Pd–catalysed cyclisation, synthesis if *cis*– and *trans*–2–alkenyl–3–hydroxytetrahydropyrans, 4747
natural, palmosalide C, ir, x–ray, occurrence, 1973
opening by Me_3SiOAr/F^-, β–aryloxy–trimethylsilyl ethers, 1722
Payne–, of *erythro* and *threo* dihydroxyethyl oxazolidinone, 515
ring opening by dibutyltindiazide, 221
stilbene oxides, from dissymmetric thiolanium ylids, 35
spiro epoxides from cis bicyclo–[3.3.0]octan–3,7–dione using chiral lithium amide bases,6703
sugar–, rearrangement to oxetans, 119
surrogate–, application of oxazoline in 1,3–asymmetric induction reactions, 4573
transannular participation in iodination 2,3–epoxycyclooct–5–en–1–ols, 1629; of 1–acetoxy–2,3–epoxycyclododeca–5,9–diene, 1633
trimethylsilyl–, prep of azido–alkenes, 1335

Esters
(–)–methyl 8–hydroxyocta–5,6–dienoate, antifungal principle of *Sapium japonicum*, enantioselective synthesis, 4279
1,3–diphenyl–2–propenyl acetate, Pd–catalysed alkylation with sodium salt of acetamidomalonate via p–allyl intermediate, 5049
1,4–dihydro–4–oxo–quinoline–3–carboxylates, via carbonylative cyclisation, 7175
2'–t–butyl peroxy ester, photoinduced intramolecular electron transfer which anchimerically assists peroxide decomp, 5143
2,2–dimethoxyethyl acrylate, Diels–Alder reaction via cationic intermediate, 5625
2–hydrazinyl esters, prep in high optical purity from 2–sulfonyloxy esters, 2953
3,4–dioxocyclobutenecarboxylate derivs, efficient synthesis, 2479

9–amino–9–fluorenecarboxylic acid esters, transaminative synthesis, 2959
αβ–ethylenic–, addition to organo–manganese reagents catalysed by Cu, 7015
αβ–ethylenic–, addition to organo–Mg reagents, Cu catalysed high yield procedure, 7425
αβ–ethylenic–, addition to organo–Mn reagents, 7423
αβ–unsaturated esters, stereoselective Michael addition to α–litiated phosphonates, 2423
αβ–unsaturated–, double Michael reaction with carvone or methylcarvone, 3559
αβ–unsaturated–, from protected serine aldehyde, alkylcuprate addition, 1011
α–halo acid–, specific esterase activity of subtilsin, 4883
α–hydroxycarboxylic–, synthesis of both enantiomers from (–)–1–chlorobutyl *p*–tolyl sulfoxide, 3567
α–methyl–, optically active, stereoselective synthesis, 2149
αβ–unsaturated–, photodeconjugation using new chiral cyclic inductors derived from (+)–camphor, 5157
active dithiophosphoric acid–, prep as precursors of dideoxynucleoside phosphorodithioates, 3489
acyclic α–bromo esters, stereoselective reduction, 2845
allyl or propargyl propiolates, reactivities of C–C multiple bonds in one molecule, chemo– and stereoselective hydroghalogenation, 7653
allylic acetate, olefin insertion–carbonylation, α–kainic and α–allokainic acids, 6877
allylic acetates, by tetraphenylborate anion, 7453
allylic–, in polycyclic systems, formation of homoannular conjugated dienes by Pd–catalysed elimination, application 1–α–hydroxy–provitamin D_3, 4333
βγ–unsaturated carboxylic–, via 1,2–carbonyl transpositions of α,β–unsaturated–aldehydes, 3757
β–fluoro–α,β–unsaturated–, via a fluoro–Pummerer rearrangement, 5609
benzoates via mild conversion of alcohols, use of 2–phenyl–1,3–benzodithiolylium trifluorométhanesulfonate, 3051
binaphthyl arylacetates, diastereoselective α–methylation, 6553
carboxylic–, deprotection assisted by H–bonding network in phenolic media, synthesis of β–lactam antibiotics, 6661
cleavage and Fries rearrangement using aluminium triiodide, 3943
deoxynojirimycin and castanospermine esters, subtilisin–catalysed regioselective acylation, 3093
di–1–menthyl benzylidenemalonate, 1,3–dipolar cycloaddition of (Z)–N,α–diphenylnitrone, 4633
diethyl (2,3–epoxybutylidene)–malonate, reactions with organo–Mg and –Li compds, synthesis of cyclopropane carboxylates, 4915
enol–, and enol lactones, synthesis via Pd catalysed carbonylation of aryl and alkenyl halides, 2841
enol–, enzyme mediated hydrolysis, prep of optically active α–hydroxy ketone derivs, 7159
enol–, enzyme–mediated hydrolysis, synthesis of (+)–*endo*– and (+)–*exo*–brevicomin, 7163
ethyl 3–hydroxybutyrate, metal directed stereoselective synthesis of 3–(1'–hydroxyethyl)–2–azetidinones, 3267
ethyl benzoate and ethyl phenylglyoxylate via treatment of 2–phenylglycine derivs, with $VO(OR)Cl_2$ under O_2, 3917
ethyl benzoylformate, asymmetric reduction, use of 1,4–dihydronicotinoyl complex with chiral auxiliary [$(\eta^5$–$C_5H_5)Fe(CO)$–$(PPh_2$(O–(l)–menthyl))] at C–3, 3213
ethyl isocyanoacetate, reaction with arene–chromium–tricarbonyl complexes, synthesis of β–hydroxy–amino acids, 6185
γ–hydroxy–αβ–unsaturated–, via Pummerer reactions of vinyl sulfoxides, 6441
geminal diacetates, cleavage using boron triiodide–N,N–diethylaniline complex, 6977
isopropyl 2'–hetero substituted 2'–alkenyloxyacetates, stereo—electronic controled [2,3]Wittig rearrangement, 2415 Issue18
methyl 1,3–diene–2–carboxylate via carbonylation of 2,3–dien–1–ols, 5629
methyl 5*S*–(benzoyloxy)–6–oxo–hexanoate, key intermediate in leukotriene synthesis, prep, 3355
methyl α–methoxyarylacetates via hypervalent iodine oxidation of aryl methyl ketones, 3055
methyl formate, synthesis of acetic acid, catalyst and solvent effects, 3887
methyl(*R*)– and (*S*)–mandelate, synthesis of (2*R*,3*S*)– and (2*S*,3*R*)–3–amino–2–hydroxycarboxylic acid derivs, key components of renin inhibitor and bestatin, 3031
N–Fmoc–3–O–[Ac4–α–D–Man*p*–(1!2)–Ac3–FGα–D–Man*p*–1 –]–threonine–O–Pfp in synthesis of O–linked dimannosyl glycopeptide, 6991
N–lithiated ethyl anthranilates (as 1,4–dipole equivs) 1,4–dipolar cycloaddition with arynes, basis for acridone synthesis, 2869
o–acylarylcarboxylic esters, replacement of phenolic OH by ethoxy CO group, 6781
optically active cyclopropyl allyl–, rearrangement by Lewis acids and Pd catalysis, 4135
optically active γ–hydroxy–αβ–unsaturated–, stereospecific synthesis, 6589
oxalacetate, use of polyaminocyclodextrins as active catalyst,3897 Issue28
oxetane carboxylic–, via ring contraction of 2–O–trifluoromethanesulfonates of α–hydroxy–γ–lactones, 4787
phenolic–, of 1–hydroxy– and 3–hydroxy–7,8–diol–9,10–epoxides of benzo[a]pyrene, synthesis, 3707
phenyl esters use to direct regioselectivity of cyclisation in Dieckmann reaction for carbacephem antibiotics, 6317
phenyl glycidic esters, synthesis of substituted derivs, 6501 Issue46
phosphoenol pyruvate–, synthesis of new analogs, 4471
propargyl–, Pd–catalysed oxidative rearrangement, 4181
silver isocyanoacetate, gold–catalysed asymmetric aldol reaction, NMR study, 2723
syn–2,3–dihydroxy ester cyclic sulfites, use in short route to β–lactams, 4317 Issue31
t–butyl 2–bromopropionate, S_N2 reaction with enolate derived from [$(\eta^5$–$C_5H_5)Fe(CO)$–$(PPh_3)COCH_3$], chiral recognition, 4067
t–butyl formate, new technique for measuring conformational populations, polar aprotic solvents favor *E*–isomer, 4685,
t–butyl sulfinamoylacetates, reaction with amines, synthesis of thioaxamates involving thione S–imide intermediate, 4453
tartaric acid monoester, use in enantioselective acylation, synthesis of optically active myo–inositol derivs, 2613
triyne carbonate L–660, 631 methyl ester, total synthesis from D–glucose, 5077
Z–methyl cinnamate, addition phenylacetic acid dialkylamide and ester enolates, stereochemistry, 5649

Ester halogen derivatives

ethyl tetrafluoropropionate–, lithium F–enolate, "electrophile–coexisting" for C–C bond forming, 7043

pentafluorophenyl–, carboxyl group protection in solid phase synthesis of N–linked glycopeptides, 6987

Esterification
accelerated–, of amino acids with lipoglysylated α–chymotrypsin in polar solvents, 2131
carboranecarboxylic acid with palmitoleyl alcohol, 1517
new oxidative–, of alcohols with aldehydes by Br_2–HMPT–$NaHCO_3$, 2273

Ethers see also Acetals
(bromomethyl)dimethylsilylpropargyl–, with double and triple bonds, intramolecular radical cyclisation, 3555
(bromomethyl)dimethylsilylpropargyl–, radical cyclisation, conversion of vinyl radical intermediates to carbocycles, 4445
(phenyldimethylsilyl)methoxymethyl and(phenyldimethylsilyl)methyl ethers use for sugar hydroxyls, 2197
2–(alkylthio)allyl silyl–, threo–selective ene reaction with aldehydes, 2165
α–bromoether by conversion of silylated hemiacetal, synthesis of platelet activating factor antagonist L–659,989, 6953
α–oxo enol–, dihydroxylation by air, 403
alkyl aryl ethers, conversion to aromatic hydrocarbons with lithium 4,4'–di–t–butylbiphenyl radical anion, 6155
allenic–, and α–metallated allenic–, reactivity of allyl–Zn(and Cu) reagents, 2879
allyl glycidyl–, cyclisation to tetrahydrooxepanol, 3501
allyl phenyl–, substituted, clay catalysed rearrangement, synthesis of ortho–allyl phenols, chromans and coumarans, 3241
benzyl–, via mild conversion of alcohols, use of 2–phenyl–1,3–benzodithiolylium trifluoromethanesulfonate, 3051
cleavage, using boron triiodide–N,N–diethylaniline complex, 6977
cyclic–, prep of cyclic phosphite (phosphonate) esters, 2025
diaryl–, from tyrosine using diaryliodonium salts, 2017
diethylisopropylsilyl–, selective distinction in hydrogenolysis, 6697
dimethoxy and trimethoxy allylbenzenes, by electro–oxidation, 1513
enol–, cycladdition with acyl ketenes, prep of 2–alkoxy–2,3–dihydro–4H–pyran–4–ones, 3677
enol–, kinetics of [2+2] cycloaddition with 2,3–bis(trifluoromethyl)ethylene–1,2–dicarbonitrile, 2557
enol–, [2+2] cycloaddition with 2,3–bis–(trifluoromethyl)ethylene–1,2–dicarbonitrile, 2553
enolethers, addition of sulfinylated and sulfonylated carbon centered radicals, 4601
epoxy silyl–, alkylative rearrangement, stereoselective construction of 3 and 4 contiguous asymmetric centers, 3335
monocillin IV dimethyl ether, metabolites from *Monocillium nordinii*, 6445
optically active α–cyanobenzyl alkyl–, synthesis, 5343
oxygen–bridged cyclooctanes, cyclododecenes, 1629, 1633
phenol ethers, bromination by alkali bromides in HF–SbF_5, 2007
resorcinol dimethyl–, via Pd catalysed cross–coupling of phenol triflates with organostannanes, 2357
silyl enol–, of 2–acetylpyrroles, [4+2] cycloaddition to indole skeleton, 4613
silyl enol–, or germyl enol–, triethylborane induced perfluoroalkylation with perfluoroalkyl iodides, 6391
tetrahydropyranyl–, direct conversion into t–butyldimethylsilyl ethers with t–butyldimethylsilyl triflate and dimethyl sulfide, 2899
trialkylsilyl enol–, cycloaddition with furans to oxabicyclo intermediates for α–tropolone ring system, 4109
trienol–, electrocyclic reaction, diastereocontrolled synthesis of functionalised *trans*–decalins, 4021 Issue29
trimethylsilyl enol–, coupling with γ–(phenylthio)–allyl and allenylstannanes in presence of tin, 6685

Etherification
enzymatic transesterification of *meso*–bis(acetoxymethyl)–aziridines, access to chiral aziridines, 6663

Exchange reactions
1–aryl–2,2,2–tri fluoroethyl cations, stability, in gas phase, 685
allylic carbonate–organo–Cu S_N2i reactions, 1869
halogen–, between aqueous hydrogen halides and alkyl halides, new prep of alkyl halides, 4973
iodopyridines from bromo– and chloropyridines, 6757
nucleophilic–, pentacoordinated phosphirenes, 3429
replacement of phenolic OH by ethoxy CO synthesis of *o*–acylarylcarboxylic esters, 6781
S–Li and Sn–Li–, stereochemistry, 2727

Extrusion reactions
azo elimination, photochemical, 1125
N–, from *exo* and *endo*–6,7–diazo–3–oxotricyclo[3.2.2.$0^{2,4}$]non–6–ene, 5129
new synthesis of αβ–unsaturated ketones via thermolysis of δ–hydroxy β–keto triphenylphosphoranes, 2591
sulfur, from 1–benzyl–2–phenylthio–2–imidazoline, 1767

Fatty acids see Eicosanoids

Ferrocenes
chiral –ylphosphine–Pd complexes as asymmetric allyl amination catalysts, 1743
cymantrene–ferrocene triad, synthesis, face to face metallocenes, 4977
ferrocene/dihydroazulene conjugate, photo– and electrochemical properties, 3113
1,1',2,2'–ferrocenetetramethanol, dehydration to 1,1':2,2'–bis((oxybismethylene)–ferrocene, 6117
monolithioferrocene, convenient prep, 3121

Flavanoids
flavan–3–ols and 4–arylflavan–3–ols, absolute configurations via modified Mosher's method, 5073
flavanone dehydrogenation to flavones with $Tl(TFA)_3$, 1459
flavanones, conversion into isoflavones, biomimetic synthesis of isoflavones, 7355
flavanones, oxidative 1,2–aryl rearr using thallium *p*–tolyl sulfonate, new route to isoflavones, 2747
flavonoid–antioxidant, synthesis, 7293
malvin, self–association, pH and electronic spectra, 1593
oligo–, condensed tannins with 2,3–*trans*–(–)–catechin terminal units, 2059

Flavins
lampteroflavin synthesis, glycosidation, 717

Flavones
flavocommelin, chiral stacking in aqueous solution, 713
flavone acetates, alcoholysis in organic solvent, 7371
formation and retro–Claisen reaction products via conversion of 1–(2–hydroxyphenyl)–3–phenyl–1,3–propanediones, promoted by Co Schiff base complex, 3171
hydroxylated–, synthesis of ring–A, 6497
Pd–catalysed synthesis via carbonylative coupling of *o*–iodophenols with terminal acetylenes, 4073

Fluorene
9–amino–9–fluorenecarboxylic acid esters, transaminative synthesis, 2959

Fluorescein
fluoresceinylated 2'–deoxy–adenosine, mono, di and triphosphate derivs, synth, 2581

Fluorescence
alkali cation–sensitive–, of new benzo–annelated cryptand and deriv, 5193
fluorescent or ^{35}S–radiolabelled photoaffinity probes, prep from thiazolidine and thiazoline derivs o of 3–aryl–3–trifluoromethyl–diazirines, 2093

Formylation
electrophilic α–formylation of carbonyl compds, using nor–ephedrine–derived 2–methoxy–oxazolidines, asymmetric formation of quaternary stereocenters, 4223
hydroformylation of alkenylphosphines, Rh–catalysed, stereo– and regiocontrolled reaction, 2461
oxidative–, and chloromethylation as alternative pathways to chloro–formylation in reaction of O–and S– heterocyclic ketones with dimethylformamide–phosphorus oxychloride, 5227

Fragmentation
1–deoxy–1–iodo–2,3,4,5–di–O–isopropylidene pentitols, with metal–graphite reagents affords full set of stereoisomeric 1,2–O–iso–propylidene–pent–4–enitols, 3735
Beckmann–, and successive C–C bond formation of α–alkoxycyclo–alkanone oximes catalysed by trimethylsily l trifluoromethanesulfonate, 5951
benzyloxychlorocarbene, stereochemical course, 4715
free radical–, of derivs of [2+2] photoadducts leading to C–skeletons of interest to terpenoid synthesis, 5985
1,2–3,4 reductive–, of β–furanyl unsaturated ketone, establishing four stereocenters, 5301
unusual–, during cleavage of camphanic acid amide, 5869

Fulvenes and Fulvalenes
6–dimethylamino–6–lithiofulvene, prep and uses, 545

Fungi
chlorine–containing shikimate–related metabolites, 4605
hericenone A and B, cytotoxic lactone and lactam from *Hericium erinaceum*, 373
isoquinoline fungal derivs pyrenoline–A and –B structure and isolatiqn from *Pyrenophora teres*, *2117*

Furanones
5–alkyl–4–bromo–5– hydroxy–2(5H)–furanones and 5–alkylidene–4–bromo–2(5H)–furanones, 5517

Furans
2,5–dimethoxy–2,5–dihydrofurans, synthon for mono–protected glyoxal, synthesis of 4–hydroxybutenolides, 4227
2–(tri–N–butylstannyl)–5,6–dihydrofuran Pd–catalysed coupling reaction, 6077
2–vinyl–3–hydroxyl–tetra–hydro–furan and 1,3,5–triol, synthesis, generation enolate anion adjacent to η^3–allyl–Mo(CO)$_2$Cp moiety, 7645
3,4–di–t–butylfuran, synthesis and characterisation, 4473
β–iodotetrahydrofurans, ring fission by alkyl–Li, 1907
bis–furans, tandem photooxidation–intramolecular Diels–Alder reactions, synthesis of decalines, 7201
dihydrofuran analog of leukotriene A_4, stereospecific synth, 2089
dihydrofuran rings, periselective [2,3]Wittig rearrangements, 7353
dihydropallescensin D, furanosesquiterpene synthesis, 59
furyl carbinols, oxidative rearrangement to pyran–3–ones, 605
fused–, in helenanolide synthesis; Hg(II) triflate cyclization thiolo–ester to 2–positionn 1977
oxidative ring opening to *cis*–enediones use of magnesium monoperoxyphtalate, 7669
siloxyfuran building block, route to freelingnite and dehydrolasiosperman from *Eremophila freelingii*, 5741
tetrahydrofuran fragment, tetronasin, synthesis, 7637
tetrahydrofuran methanol derivs with pyridinium chlorochromate, synth of γ–butyrolactones, 2775
tetrahydrofuran rings, chelation–controlled formation, synthesis of lasalocid A and isolasalocid A, 6035
tetrahydrofurans, cleavage to 1,4–diols, anchimeric assistance, 1885
tetrahydrofurans, enantioselective synthesis, 1265
tetrahydrofurans, stereoelectronic factors in synthesis by OH participation in phenylthio migration, 3457
tetrahydrofurans, *trans*–2,5–disubstituted, stereoselective route, 5917
vinyl and azavinyl derivs of–, 1,3–dipolar cycloaddn to benzonitrile oxide, 2635

Gallium and compounds
dimethylgallium chloride and triflate as activators for glycosidation using glycopyranosyl fluorides, 2435

Geological data
geological samples, presence of 2–methyl–, 3–methyl– and 6–methyltri–aromatic steroid hydrocarbons, 3937
methylpropanoporphyrins from serpiano oil shale, synthesis and origins, 7545

Geometry
dynemycin, bioreductive alkylation and rearrangement, 1521
remote enoate–, control in byrostatins with tethered Horner–Wadsworth–Emmons reagent, 4703

Gibberellins
11b–hydroxy–GA_7, synthesis from monomethyl gibberellenate, 423
gibberellin–derived antheridiogen from gametophytes of *Lygodium japonicum*, synthesis of GA_{73} methyl ester, 6235

Glycals
1–tributylstannyl–, arylation catalysed by Pd, synthesis of basic skeleton of papulacandins and chaetiacandin, 5165

Glycerol
(*S*)–O–benzylglycidol, convergent enantiocontrolled route to vitamin E and mevalolactone, 3619
1,3–di–ethers, ring–cleavage of glycidyl ethers with Me_3SiOAr/F^-, 1722
ischthyotoxic diacylglycerol, synthesis and absolute configuration of umbraculumin A, 5843

Glycolisation
stereospecific double–, of 1,2–dihydropyridines with OsO_4, synth of (±)–aminoarabinose and (±)–aminoaltrose derivs, 2139

Glycosidation
α–selective thermal–, of rhamnosyl and mannosyl chlorides, 2431
didehydrodideoxy–deoxyribosides of pyrimidine bases, 1815
lampteroflavin synthesis, riboside, 717
regioselective–, C–7 OH group of β–rhodomycinone, sythesis of oxaunomycin, 7173
ribose solubilised in apolar organic media via host–guest complexation, 6193
using glycopyranosyl fluorides, dimethylgallium chloride and triflate as activators, 2435

Glycosides
1,2–*cis*–glycosidic linkages, construction via S–glycopyranosyl phosphorodiamidimidothioates, 4769
1,2–dihydropyridine–, cycloaddition to Me acrylate, 1995
2,6–dideoxy–α–glycosides, stereocontrolled synthesis, use of 2,6–anhydro–2–thio sugar, 3339
2–(trimethylsilyl)ethyl glycosides, conversion to their glycosyl chlorides in one step, 2537
α–glycosides, from alcohols, prep under high pressure, 6549
alkylglycoside carbonates of 3'–azido–3'–deoxythymidine as new drug carrier, 6021

β–C–arylglucoside nucleus of chaetiacandin, via hydroboration of C–arylglucals, 6133
bis C–C–glycosides, synthesis involving anomeric carbene intermediates? 4441
C–aryl–, improved O to C glycoside rearrangement using 1–O–acetyl sugar as glycosyl donor, 4629
functionalised–, sulfonyl radical as synthetic tool, stereoselective free–radical cyclisation on sugar template, 3541
ganglio–ganglioside GMIb, stereocontrolled synthesis, 385
phenylthio–dodeoxyglycosides, radical reactions with allylstannanes, 1467
reaction with O–protected cyanohydrins, 1447
trichloroacetimidate glycosides, to alcohol catalysed by C=O, 327

Glycosylation
α–glucosylation, comparison of catalysts and triflic anhydride as reactive promoter, 6863
anodic–, of aryl thioglycosides, 5761
ganglio–ganglioside synthesis IV⁴GalNAcbGM1b, 1435
methylthioglycosides of a–(1!4) linked mannoheptose and mannooctose, use in synthesis of manno isomer of β– and γ–cyclodextrins, 3191

Gold and compounds
complex, catalysis of aldol reactions, sythesis of dissymmetric ferrocene ligand, 839

Grignard reactions
conjugate addition to unsaturated esters, Cu(II)/TMSCl–promoted, 1161

Guanidines
chiral bicyclic guanidinium molecular hosts, synth, 2269
guanidinium part of (–)–tetrodotoxin, synthesis via Overman rearrangement as key step, 3327

Halogenation
bromination of 2–benzyl–5–phenyl–4–isoxazolin–3–one and derivs, 5043
bromination of 2–bromobenzobarrelene, 2345
bromination of double bonds by trimethyl–phenylammonium perbromide, 563
bromination of phenol ethers by alkali bromides in HF–SbF_5, 2007
diastereoselective fluorination of benzylic derivs by anodic oxidation in α–position of electron withdrawing group, 3137
exocyclic bromination of N–substituted β– and γ–lactams, 3471
halofluorination of alkenes, use of (NH_4HF_2–AlF_3) as solid reagent, 3167
high temp bromination, synth of 2,3–, 2,5– and 2,6–dibromobenzobarrelenes, 2349
hydrofluorination by tetrabutylammonium dihydrogentrifluoride, ring opening of oxiranes to fluorohydrins, 7209
hydroghalogenation, allyl or propargyl propiolates, reactivities of C–C multiple bonds in one molecule, 7653
iodination of 2,3–epoxycyclooct–5–en–1–ols, 1629; of 1–acetoxy–2,3–epoxycyclododeca–5,9–diene, 1633
Ni–catalysed chlorination of saturated hydrocarbons by sodium hypochlorite, 6577
olefin fluorination using PhSeCl/AgF, 973
oxidative fluorination in presence of $Et_3N.3HF$, 2287
photo–bromination phenylthio–glucopyranoside, sulfoxide, sulfone, 1133
radical bromination of n–butane and propane, using $BrCCl_3$ compared with the same reaction under Gif conditions, 3097
tyrosine tripeptide, fluorination using acetyl hypofluorite, 619

Halogens
fluoride ion activated alcoholysis of hindered siliranes, 3987
fluoride ion and Pd catalyst promote coupling of organosilicon compds with enol and aryl triflates, 2719
fluoro ynones to difluoroalkynes using DAST, 801
fluoropyridines, using cesium fluoroxysulfonate, 775
halogen exchange reactions between aqueous hydrogen halides and alkyl halides, new prep of alkyl halides, 4973
hypervalent iodine oxidation of aryl methyl ketones, route to methyl α–methoxyarylacetates, 3055
hypervalent iodine oxidation of phenols to quinones bis(trifluoroacetoxy)iodobenzene, 4871
hypervalent iodine, phenyliodoso–triflate, addition to terminal acetylenes, 703
unsymmetrical tricoordinate iodinates, reaction of iodosobenzene with trimethylsilane, prep of mixed iodonium sulfonates, 4821

Hepoxylin
(8–*R*)– and (8–*S*)–hepoxilin A_3, configuration and conversion to biolog active conjugates with glutathione, 2113

Heterocyclic ring systems
1,2,4–diazaphospholes and diazarsoles, 1147
oxazolo[4,5–*b*]pyridines, oxazolo[4,5–*d*]–pyrimidines, 1155
trifluoromethylated polynitrogen–, via prep and transformation of N,N–disubstituted, trifluoroacetamidines, 2717

Hormones
1a,25–dihydroxy–nor–vitamin D_3 *via* 1a–hydroxycyclovitamin, 1823
24–epibrassinolide, key intermediate, synthesis of (22*E*,24*R*)–5α–ergosta–2,22–dien–6–one, 3941
azadirachtin, prep of optically pure related hydroxyacetal epoxide, chemistry of insect antifeedants from *Azadirachta indica*, 3437
insulin, conversion of porcine to human by immobilised trypsin, 989
potentially insulin–mimetic phosphadisaccharide, synth, 2693
regulating plant cell growth, total synthesis of nonasaccharide repeating unit of xyloglucan, 3035
serotonin and norepinephrine uptake inhibitor, asymmetric synthesis of LY248686, 7101
serotonin receprot agonist, (+)– and (–)–1–benzoyl–1,2,2a,3,4,5–hexahydrobenz–[*cd*]indol–4–amine, synthesis and preparation of LY228729, 7579

Host molecules
chiral bicyclic guanidinium molecular hosts, synth, 2269
chiral synthetic macrodiolide and macrothiolide ionophores with C_2–C_3–symmetry, 5285
macrobicyclic–, featuring convergent functional groups, design and synthesis, 4245

Hydrzides
trimethyl–, γ–hydroxyacyl, cyclization to γ–lactones, 1981

Hydrazines
bridged bicyclic–, synthesis via cyclic N–acylhydrazonium intermediates, 5365
from dimethylhydrazone by addition alkyllithium, 1429
N,N,N–trisubstituted–, catalytic dehydrogenation, route to azomethine imines, 2767

Hydrazones
acylsilane phenylhydrazones, reaction with phosphorus trichloride, 6935
aldehyde NN–dimethylhydrazones, electrocyclic ring closure, fused pyridines, 5807
arylaldehyde dimethylhydrazones, reaction with TFAA, 1183
cage diketone monotosylhydrazone, rearrangement, fragmentation of PCUD skeleton, 7479
ethoxycarbonyl–, lead tetraacetate oxidation to form *o*–ketoesters, 6781
glyoxal monoacetal–, nucleophilic alkylation, 1429

Hydrindanes
trans–8–methylhydrindanones, new synthetic intermeds, 2407

Hydrocarbons
2–methyl–, 3–methyl– and 6–methyltriaromatic steroid hydrocarbons in geological samples, 3937
aromatic–, conversion of aromatic ketones, benzyl alcohols and alkyl aryl ethers with lithium 4,4'–di–t–butylbiphenyl radical anion, 6155
aromatic–, oxyfunctionalisation via methyl–(trifluoromethyl)dioxirane oxidation, 6097
deoxygenated–, via reactions of xanthate esters of alcohols with triethylsilane, 5093
extended π–systems with phenylene–vinylene repeating units, multiply charged anions on reduction by alkali metal, 7367
hopane series, bromine, N–bromosuccinimide and sulphur induced isomerisations, 7445
hydrocarbon soln behaviour of tetrameric 2,2–bia(methoxymethyl)–1–propyllithium, 2641
saturated –, catalytic oxidation cyclododecane to cyclododecanone, effect of picolinic acid, 1657
saturated–, conversion to ketones, evidence for a second intermed in Gif oxidation, 2817
saturated–, Ni–catalysed chlorination by sodium hypochlorite, 6577
tricyclic diterpenoid–, valparene with new carbon skeleton, 4501

Hydrogenation
αβ–unsaturated acids and derivs by $HCo(CN)_5^{3-}$ with β–cyclodextrin as PTC, 1941
asymmetric–, 4,5–diaryl–2–oxocyclopentane–carboxylates, synthesis of chiral bis(triarylphosphine) ligands, 7185
asymmetric–, activated ketones on Rh catalysts, use of new chiral mixed AMPP ligands, 4139
asymmetric–, unsaturated carboxylic acids catalysed by BINAP–Ru–dicarboxylate complexes, stereochemistry and mechanism, 7189
asymmetric–, using dissymmetric Rh catalyst, 261
homogeneous–, dienes using parahydrogen, NMR detection of intermediates 5721
polynitroaromatic derivs with noble metal catalysts in presence of iron, 6141
selective catalytic–, of olefin moiety in presence of terminal alkyne function, 2857
selective heterogeneous Pd–catalysed–, water–soluble alkynes and alkenes, 4719

Hydrogenolysis
metal assisted catalytic transfer–, phenolic C–O bonds, 5789
selective distinction of diethylisopropylsilyl ether, 6697

Hydrogen bonding
bonding NH..O in 1,6–imino–8,13–oxido–[14]annulene, 999
intramolecular adenine–thymine base pairing, 1177

Hydrolysis
α–halo acid esters in water by subtilsin but transesterification in organic solvents, 4883
alkaline–, of erythronolide A derivs, 3687
amide hydrolysis via acetoxy–pivalimides, 731
enantioselective–, by crude pig liver acetone powder of rac–*trans*–1–acetoxy–2–aryloxy cyclohexanes, 4347
enzyme mediated–, enol esters, prep of optically active α–hydroxy ketone derivs, 7159
enzyme–mediated–, enol ester, synthesis of (+)–*endo*– and (+)–*exo*–brevicomin, 7163
ester–, catalysed by Cu^{2+} complexes of surfactant imidazole ligands in non–ionic micelles, rate enhancing multi–site interactions, 7023
hydrolytic cleavage of amino acid esters responding to ionic strength, steric control, 5335
micellar enantioselective–, amino acid esters, effect of substituents, 5311
selective–, nitriles under mild conditions by enzyme, 7223

Hydroxylamines
2,–hydroxylamino–deoxy–nucleosides, cyclisation to uracil residue, 531
ahydroxylamino–acids, chiral synthesis using bornanesultam enolates, 991
carcinogenesis, N–(α–aminoacyl–oxy)arylamines, arylamination, 1685, 1689, 1693
N–(γ–ketoalkyl)–N–phenylhydroxylamines, via acid promoted conversion of vinylnitrones, 6089
rearrangement N,O–diphosphinoyl– to phosphoramidic–phosphinic mixed anhydride, 1451
sugar hydroxylamines, by reduction of oximes and nitrones, 531

Hydroxylation
allylic–, by Sharpless method, in a β–lactam, 271
asymmetric dihydroxylation of olefins, use of potassium ferricyanide in place of NMO increases level of induction, 2999
biomimetic–, arenes, hydrogen peroxide and manganese–polyhalogenated porphyrins as oxidant and catalyst, 6645
catalytic asymmetric dihydroxylation of dialkyl substituted olefins, ligand–based enantioselectivity improvement, 3817
dehydroxylation of a–oxo– enol ethers by air, 403
di–, olefins by OsO_4–chiral amine complexes, enantioselection, 1741
dihydroxylation of olefins by osmium tetroxide and Cinchona alkaloid derivs, origin of enantioselectivity, 2665
heterogeneous catalytic asymmetric dihydroxylation of *trans*–stilbene, use of polymer–bound alkaloid, 3003
microsomal benzylic–, selectivity and mechanism, 3477
osmium tetroxide, in terpenoid synthesis, 39
saturated hydrocarbons, by Mg monoperphthalate, Mn–porphyrin–catalysed, 1779
stereospecific–, of 1,8–cineole using microbial biocatalyst, 2833

Imidazoles
1–(N,N–dimethylaminomethyl)–2–lithio–methylimidazole, direct alkylation to 2–(2–arylethyl)imidazoles, 5779
2,4–dioxoimidazolidin–5–yl ribofuranoside, synthesis from adduct of furan and methyl nitroacrylate, 6547
2–thioxo–1–imidazolidine carboxamides, from 2–oxo–1–imidazolidinethiocarbonyl chloride, 6763
4,5–dimethylenethiazoles, generation and trapping, 1487
4–α–chloroethyl–5–nitroimidazole, SRN1 substitution, 1269
imidazoline–4,5–dione, intramolecular oxamide–aldehyde condensation, 225
imidazolines as nucleophilic C–1 transfer reagents, 1767
imidazolines, annulation, 1,3–dipolar cycloaddition route to pyrroloimidazoles, pyrrolidines and pyrroles, 2333
imidazolinium ylids and reactions of 2–(hydroxyalkyl)imidazolines, 1771
nitrosoimidazoles, reduction to radical anions, putative intermediates in action mechanism of nitro–imidazole antibiotics, 3221
ring of histidine–containing peptides, direct photochemical trifluoromethylation, 5705

Imides
maleimides conversion of maleic anhydride, 5201
seco–, asymmetric synthesis of intermediate to secologanin aglycone, 2033

Imines
1,2–addition of organolithium, 6681
α–chloroimines, 1,4–dehydrochlorination, synth of unactivated 2–aza–1,3–dienes and 2–aza–1,3,5–trienes, 2771
α–hydroxy–, with α–allyl or α–propargyl substit, thermal rearr, 2277

addition to lithiated N–t–butyldiphenylsilyl–S–methyl–S–phenylsulfoximine, 5231
azomethine–, via catalytic dehydrogenation of *N,N,N*–trisubstituted hydrazines, 2767
chiral 1–phenylethyl imine of methyl glyoxylate, aza–Diels–Alder reaction with cyclopentadiene, 2603
chiral ester enolate–imine condensation, synthesis of 3–amino–β–lactams, 4289
conversion into α–ethylidene– and α–methylene–β–lactams, 2493
enamines/Schiff bases, condensation with αβ–diketo–esters, 609
induced Ti–allylation of–, in $TiCl_4$/Al system, chirality transfer of l–valine to homoallylamine, 3123
of α–amino esters, 1,3–dipolar cycloaddition to homochiral menthyl acrylate, 6569

Iminium salts
chiral–, addition of Grignard reagents, 797
N–alkyl–N–alkoxymethyl–(methylene)iminium salts, prep of sec amines, 4229

Imino acid
protected β–bromo α–iminoacids, synthesis and reactivity, route to structurally diversified amino acids, 3739

Immunodeficiency
fluorogenic HIV protease substrates based on resonance energy transfer, design and synthesis, 6493
inhibitors, adenosine analogs, 43
propynyl and cyanomethyl AZT analogs, 597

Immunostimulation
immunoactivator FR90083, new synths, 2229

Immunosuppresive compounds
FK–506, thermal rearrangement to ring expanded macrolide, 6477
FK506, C_{10}–C_{34}segment, biocatalytic synthesis, 3287
FK506, chemoenzymatic synthesis of C_{10}–C_{19}moiety, 3283
kifunensine synthesis, immunomodulator, 225
rapamycin, excision of fragments similar to FK–506, 4845
segment C_{16}–C_{23} of FK506, synthesis, 1637
tricarbonyl moiety of FK–506, synthesis, 1439

Inclusion
(*S*)–isopropyl phenyl sulfoxide–, by solid (*R*)–phenylglycyl–(*R*)–phenylglycine, 3331
acenaphthylene in zeolites, photodimerisation, 47
clathrate of EtOAc in an octahydro–bisepoxy–tribenzodicyclooctene, 1825
rigid anion capped β–cyclodextrins, inclusion binding, hydrophobic cationic molecules, 7017

Indanes
hexahydroindanes, asymmetric synthesis, 3047

Indoles
1,2,9,9a–tetrahydro– benzo[*e*]cyclopropa[*c*]indol–4–one, synthesis of enantiomers, 793
1–phenylsulfonyl–3–iodoethylindole, prep, 4697
3,3–disubstituted–2–oxindoles, via oxidative rearrangement of carboline derivs, 4557
3–alkylindoles, selective thiocyanation, access to 2–isothiocyano derivs, 7229
3–vinyl– and 1,1i–methylenebis–(3,3i–divinyl–), cycloadditions, 1551
5,6–dihydroxyindoles, via rearrangement of aminochromes, quinone–methide intermediates, 6095
dihydroindoles, "wavelength switch" approach to benzopyrrolizidines related to mitomycin, 5373
functionalisation via [4+2] cycloadditions of 2–vinylheteroarenes with tetrabromocyclopropene, 4581
imidazoindoles via azides, Staudinger and aza Wittig reactions, 7011
indole dimer from *Murraya gleniei* root, 5217
indole glucosinolate, synthesis, 1417
methano–bridged azocino–[5,4–*b*]– and –[4,5–*b*]–indoles, 1893
N–cyanoindole–4,7–diones, construction of ABC ring synthon of kinamycins, 3681
N–cyanoindole–4,7–diones, Diels–Alder reactions, A–ring of kinamycins on ABC ring template, 5713
skeleton, [4+2] cycloaddition of silyl enol ethers of 2–acetylpyrroles, 4613

Indolines
via functionalised azides, Staudinger and aza Wittig reactions, 7011

Indolisation
Fischer –, of 2–azabicyclo[3.3.1]–nonan–7–ones, new entry to dasycarpidan system, 2449

Indolizidines
(+)–monomorine 1, isolated from *Monomorium pharaonis*, alternative enantioselective total synthesis, 5065
1,3–dipolar cycloaddition of azides with methylenecyclopropanes followed by cyclopropylimine rearrangement, 5441
conversion of N–alkyl iodo lactams and N–alkyl selenide lactams, 5397
optically active–, ring system, diastereo–selective synthesis via intramolecular ene reaction, 4641

Infra red spectra
matrix IR search for 2,3–didehydropyridine in photolysis products of 2,3–pyridine dicarboxylic anhydride, 4837
ν(c–d) stretching frequency and anomeric effect in tetrahydropyran compds, 3549

Inositol
chiro–inositol 2,3,5–triphosphate (racemic), from benzene, 1617
chiro–inositol synthesis from *myo*–inositols, 1105, 1109
D–myo–inositol 1,5–bisphosphate, 3,5–bisphosphate and rac–1,5–bis–sulfated and 1,5–bis–sulfamoylated isosteric analogs, 6915
dipalmitoylphosphatidylinositol, monothiophosphate analog, diasteeomers, 2015
glycophosphatidyl inositol anchor of *Trypanosoma brucei*, approach to glycoheptaosyl core, 2439
myo–– hexanitrate, dialkylammonium croconates from, 1797
myo–D–inositol 1–phosphate, chiral synthesis from L–quebrachitol, 1433
myo–inositol 1,4,5–triphosphate isosteric analogs, synthesis of 1,4,5–trissulfated and 1,4,5–trissulfamoylated myo–inositols, 6919
myo–inositol polyphosphates, total synthesis from benzene via conduritol B derivs, 3449
optically active *myo*–inositol derivs by acylation using a tartaric acid monoester, 2613
protected *myo*–inositols, synth, 2633

Insecticides
avermectin B_{2a}, cleavage of spiroketal potion, 3525
avermectins, C24 and C25 substituted, Wittig approach, 3529
clitocine, synthesis of carbocyclic analogue, 279
phosphorothioates and phosphine sulfides, conversion with dimethyldioxirane into corresponding oxygen analogs, 3359
precocenes, use of dimethyldioxirane for direct epoxidation, 5235
pyrethroid–, photochemical synth by aza–di–π–methane rearr of b,g–unsaturated oxime acetates, 2475

Insects
antifeedants from *Azadirachta indica*, prep of optically pure hydroxyacetal epoxide related to azadirachtin, 3437
azadirachtin, synthesis of intermediate, 431

Insertion reactions
1,6–, alkylidenecarbene into C–H bond, stepwise reaction mechanism, 4727
diazomalonate esters, lactones from by Rh–catalysis, 1023
fragile 2'–deoxyribosylurea residue into oligodeoxynucleotides, 5745
intramolecular C–H–, of α–diazo β–keto esters to cyclopentane derivs, 5173
phosphorylnitrene–, into C–H bonds, measurement of isotope effects, 4261

Inversion reactions
inversion/rotation barrier of bis(dimethyl malonato)azine, 4265

Iodine hypervalent see under Halogens

Ionisation
relative acidities of simple alcohols, 5687

Ionophores
chiral synthetic macrodiolide and macrothiolide ionophores with C_2–C_3–symmetry, 5285
naturally occurring monensin–, synthesis of chiral receptor bis–monensin, 7027
tetrahydropyranoid podand ionophores, stereocontrol of complexation, 4253

Iridoids
isoiridomyrmecin, synth via stereosel tandem radical cyclisation, 2193

Iron and compounds see also Ferrocenes
allyl π–complexes of Mo and Fe, coupling to give dimetallo–1,5–hexadienes, 1671
chiral butadiene–iron tricarbonyl phosphonium salts, 1137
dissymmetric ferrocene ligand, gold complex in aldol reaction, 839
iron pentacarbonyl, carbonylation and reduction of gem–dihalogeno cyclopropanes, 4597
iron pentacarbonyl, reactions with 3,4–divinyl pyrrolidines, 655
methyl– reagents, conjugate addition to cyclohexenone, 1553
methyliron, reactivity and alkylating reagents, 507
new iron dihydroxamate complexes, design of magnetic resonance contrast agents, 5729
peplomycin complex of–, catalysed oxygenation of linoleic acid, 4485
tetracarbonylhydridoferrate in amine alkylation, 105
tricarbonyliron complexation, activation of electron deficient cyclpheptatrienes, 6711

Isobenzofurans
trapping reaction of strained thiophene, 1315
trapping reaction of strained cyclopropene, 1313

Isocyanates
hydrosilylation using hypervalent silicon hydrides, prep of *N*–functionalised formamido and thioformamido compds, 2585
reaction with 2–morpholino–butadienes, synthesis of thiins and new 2–morpholinobutadiene derivs, 5237
reaction with ortho–manganated aromatic ketones, synthesis of 3–alkylidene phthalimidines, 4397

Isocyanides
alkyl isocyanides as precursors for C–C bond formation via radicals, 6013
benzyl isocyanides, addition of phenyl radical, secondary α–deuterium kinetic isotope effect, 3575
epoxy–, from N–epoxyalkyl–formamides and Tf_2O, 2047

Isoflavones
(*R*)–and (*S*)–5,7–O–dimethyl–eucomol, enantioselective synthesis, 6823
amino isoflavone isolation from *Piscidia erythrina*, 6667
new route to–, use of thallium *p*–tolyl sulfonate in oxidative 1,2–aryl rearr of flavanones, 2747

Isoindoles
dihydroisoindole, alkylation at C–1, Meyers's method, 417
hydroisoindoles via intramolecular Diels–Alder reactions, 7315

Isomerisation
1,3–cyclopentadiene diesters and maleimido–oxepines, 7073
bromine, N–bromosuccinimide and sulphur induced–, in hopane series, 7445
one–photon–multiple bond–, hindered poly–cis isomers of retinal, 6957
optically active phosphaallene of pseudo axial dissymmetry, 2311
photo– and thermal *cis–trans*–, [2s](4,4')–azobenzenophane, 3309
photo–, β–globulin–bound retinal and related compds, 4841
regioselective photo–, retinolacetate, 3441
shape–selective–, α–acetylenic alcohols to αβ–ethylenic carbonyl compds by vanadium–pillared montmorillonite catalyst, 7521
tricyclo[5.2.1]decane, isomerisation, 3973

Isonitriles see Isocyanides

Isoprenoids
acyclic–, transformation of terminal double bond to chiral epoxide, 4025

Isoquinolines
1,2,3,4–tetrahydroisoquinolin–4–ols, via Barbier reaction of N–(2–iodo–benzyl)phenacyl–amines, 5347
1,8–ring fusion, aaptamine synthesis by 569
8–substituted–, easy and versatile access, 3125
asymmetric synthesis via enantioselective epoxidation or dihydroxylation, synthesis of (*R*)–reticuline, 7591
framework of–, formation via aryl radical initiated 1,6–cyclisation of enamide and enamine substrates, 2315
fused to α–pyrone and naphthalene systems, 143

Isoquinuclidines
2,6–bismethoxycarbonyl–, enantioselective synthesis, 1995

Isothiocyanates
2–isothiocyano derivs, access via selective thiocyanation of 3–alkylindoles, 7229
and isocyanates, hydrosilylation using hypervalent silicon hydrides, prep of N–functionalised formamido and thioformamido compds, 2585
reduction to thioformamidines with tri–n–butyltin hydride, 2467

Isotope effects
measurement of–, in phosphorylnitrene insertion into C–H bonds, 4261
secondary α–deuterium kinetic isotope effect, addition of isocyanides to phenyl radical, 3575

Isotopic labelling see also Labelling
C–13, in mechanism of m$alonate ester synthesis by $Pd(OAc)_2$/CO/Et cloroformate reaction, 325
fluorescent or ^{35}S–radiolabelled photoaffinity probes, prep from thiazolidine and thiazoline derivs of 3–aryl–3–trifluoromethyldiazirines, 2093
tritiated vinyl oxirane analog of (3*S*)–2,3–epoxysqualene, potential inactivator for oxidosqualene cyclases from yeast and from hog liver, 2097

Isoxazoles
isoxazolyl–3–oxy analog of phosphocholine, platelet activating factor, 699

Isoxazolidines
bridged–, from tandem 1,3–cycloadditions, 1191
isoxazolidin–5–one route to carbapenems from carbohydrates, 1901
isoxzolidin–5–ones, diastereoselective synthesis, 1471
nitrone adducts in sugar series, 3,4–fused and 3,5–bridged, 2055

reductive cleavage of–, with molybdenum hexacarbonyl, prep of 1,3–amino alcohols, 3351

Isoxazolines
4–bromo–4–isoxazolin–3–ones, synthesis, application of bromine–N,N–dimethylacetamide complex, 5043
5–cyanomethyl–2–isoxazolines, rearrangement to 2–aminopyridine 1–oxides, 1949
Δ2–isoxazolines, 3–substituted, syn– and anti–selective prep, 5053

Kainoids
acromelic acid, analog active agonists of kainate type neuroexcitent, 7047

Ketals see also Acetals
acylketene acetals, hydroboration, reduction,305

Ketenes
acetylketene as acetoacetate transesterification intermediate, 1401
acyl–, cycladdition with enol ethers, prep of 2–alkoxy–2,3–dihydro–4H–pyran–4–ones, 3677
carbamoylketene, reaction with alkene, route to (±)–physovenine, 219
cycloaddition to 2–aza–1,3–dienes, 451
dimesityl–, reaction with hexamethyldisilane and MeLi, 555
dimethylpropadienone, generation, matrix isolation, calculations, 1381
diphenylketene, [8+2] cycloaddition with tropothione to form an enethiol lactone, 4169
ketene trimethylsilyl methyl acetals, TiCl4–catalysed condensation with ortho–esters, 421
methoxyvinyl–, by photochemical Wolff rearr., [2+2] cycloaddition, 1527
oxoketene dithioacetals, carbonyl transpositions, 1763

Keteniminium salts
keteniminium salt, [2+2] cycloaddition to olefinic double bond, synthesis of cyclobutanones, 4467
keteniminium salt, [2+2] cycloaddition to olefinic double bond, synthesis of cyclobutanones, 4467

Keto esters
2–allylacetoacetic ester bakers' yeast reduction, 1159
acetoacetates, condensation with vinyl ethers, Co–catalysed, 1485
cyclic β–enaminoketo esters, decarboxylation with boric acid, 4873
peptidyl α–ketoesters, synthesis, 1385
reduction β–ketoesters by baker's yeast, improved enantioselectivity, 1615

Ketols
α–ketols, α–diones and chiral synthons, regeneration via anodic oxidation of α–keto and α–hydroxy–thioacetals, 2599

Ketones see also Carbonyl compounds, Cyclic ketones, Enones
1,1–dimethoxyacetone, ambiphilic reactivity, 4109
1,4–diketones, synth and application to synth of *cis*–jasmone, 2783
1–(2–hydroxyphenyl)–2–ynones, base catalysed cyclisation, new pathway to chromone skeleton, 2299
1–(2–hydroxyphenyl)–3–phenyl–1,3–propanediones, conversion to retro–Claisen reaction products and flavones, 3171
2–chloro–propiophenones, direct transformation into 2–aryl–propionic acids, 7495
3,4–epoxy–4–methyl–1–pentanones via photooxygenation of 1–aryl–2.2–dimethyl–bicyclo[1.1.0]butanes, 4585
αβ–unsaturated–, 1,2–carbonyl transpositions, synthesis of βγ–unsaturated carboxylic esters, 3757
αβ–unsaturated–, aldehyde and trialkylsilane, direct coupling to regio–defined aldol derivs, 5331
α,b–unsaturated–, electron transfer mediated photoreductions, 6793
αβ–unsaturated–, new synth via thermolysis of δ–hydroxy b–keto triphenylphosphoranes, 2591
α–hydroxyketones and γ–hydroxy–αβ–unsaturated esters, synthesis via Pummerer reactions of vinyl sulfoxides, 6441
α–hydroxy–, methyl carbonate esters, prep of oxoallyl–Pd complexes, 615
α–mesityl–, conformational control of photoreactivity, efficient radical cleavage, 2251
αβ–unsaturated ketones, nucleophilic butenoylation, with allyl cuprate and CO, 477
activated–, asymmetric hydrogenation on Rh catalysts, use of new chiral mixed AMPP ligands, 4139
aliphatic–, reductive amination using sodium triacetoxyborohydride, 5595
alkyl 2–nitrophenyl ketones, from 2–halo–nitrobenzenes, 1093
β–furanyl unsaturated–, reductive fragmentation, four stereocenters established, 5301
β–keto–aldehydes and –ketones, from acylketene acetals, 305
β–triketides, cyclisation to g–pyrones with adjacent chiral centers, biomimetic synthesis of α–pyrone–natural products, 5619
conversion to three–carbon homolgated *E*–allylamines, via vinylic substitution of N,N–di–t–butoxycarbonyl–N–allylamine, 2463
conversion to three–carbon homolgated *E*–allylamines, via stereosel Pd–catalysed vinylic substn of N,N–di–t–butoxycarbonyl–N–allylamine, 2463
enantioselective addition of (*S*)–lithiomethyl 1–naphthyl sulfoxide, 5349
γδ–unsaturated–, oxygenation in presence of thiophenol, formation of cyclic peroxides, 2425
γδ–unsaturated–, oxygenation in presence of thiophenol, formation of cyclic peroxides, 2425
intramolecular cyclisation with alkynes by samarium iodide, 4765
methyl aryl ketones, from benzaldehydes using Me2Al–phenolate reagent, 323
olefinic α–iodo ketones, intramolecular radical cyclisation, total synthesis of (±)–modhephene, 3745
optically active α–hydroxy ketone derivs, prep by enzyme–mediated hydrolysis of enol esters, 7159
sterically congested β–diketones, via α–methyl substituted β–diketones and Cu complexes, 7489
symmetrical–, synthesis from aldehydes catalysed by dicobaltoctacarbonyl, 3117
synthesis of hindered amines and a–trifluoromethylamines, 5547
trans–γδ–unsaturated trifluoromethyl–, synthesis, 3161
via conversion of saturated hydrocarbons by Gif oxidation, evidence for a second intermed, 2817
via conversion of saturated hydrocarbons by Gif oxidation, evidence of second intermediate, 2817
vinyl ketone–acetylene cross–coupling catalysed by RhCl(PMe3)3, 7063

Ketone halogen derivatives
α–bromoketones, dibutyltin dihydride reduction with difference of chemoselectivity, 6381
β–chlorovinyl ketones, stereosel aldol reactions using dienol borinates, synth of dihydro–pyrones, 2213

Kinetics
1,1–dimethylbutadiene, enol ethers and allyltrimethylsilane, kinetics of [2+2] cycloaddn with 2,3–bis(trifluoromethyl)ethylene–1,2–dicarbonit rile, 2557
acylation of β–cyclodextrin by aryl 1–adamantanepropiolates, 631
approx rate constants for addition of allylstannanes to alkyl radicals, 2861

approx rate constants for addition of allylstannanes to alkyl radicals, 2861
contrasting behaviour in reaction of *p*–nitrophenyl diphenylphosphinate with alkali metal phenoxide in ethanol or tetraglyme, 6513
cycloaddition of hexachlorocyclo–pentadiene to 7–substituted nor- . bornadienes: remote substituent effects, 7285
cycloadditions to 7–substituted norbornadienes, theory of rates and stereoselectivities, 7289
rate constant for 4–*exo* cyclisation of 2,2–dimethyl–5–cyano–4–pentenyl radical, 2975
reaction of electron poor dienes with 1,1– and 1,2–donor– and acceptor substituted ethylenes, 6855
restricted rotation in hypervalent S heterocycles, 1605
solvent effects on solvolysis of 1,2,2–tris–(*p*–methoxyphenyl)vinyl tosylate, 7039
thermal isomerisation 6–methyl—6–vinyl–bicyclo[3.2.0]heptanes, 1085

Labelling
aryl azide–, iodine retention during photo–ring expansion of iodinated tyrosine deriv, 2443
aryl azide–, iodine retention during photo–ring expansion of iodinated tyrosine deriv, 2443
photo–, model studies with 6–[(4–nitro–benzyl)thio]–9–(β–ribo–furanosyl)purine, 4995
radiolabelled p1–di–N–acetyl–α–chitobiosyl P2–dolichylpyro–phosphate, 6485
triphenylmethyl group/linker for automated labelling of synthetic biopolymers and its selective removal, 7095
UV–activatable azido–photoaffinity probe, use in covalent modification of ligands, 5307

Lactams see also Azetidinones
α–alkylidene β–lactams, prep from monocyclic azetidine–2,3–diones by means of Reformatsky reaction, 6425
α–ethylidene– and α–methylene–β–lactams, synthesis from imines, 2493
α–ethylidene– and α–methylene–β–lactams, synth from imines, 2493
α–methylene, from α–diazolactams via Wittig reaction, 815
ansa–macrolactams, prep from *seco*–precursor *–amino acids using 2–bromo–1–methylpyridinium iodide as carboxyl activating agent, 2161
β– and γ–lactams, N–substituted, exocyclic bromination, 3471
β–, application of 4–(trimethylsilyl)– and 4–(tributylstannyl)–2–azetidinones as building blocks, 2637
β–lactam homoenolates, synthesis, 4927
β–lactam intermediates from 2–amino–1–phenyl–1,3–propanediols, 6707
β–lactams, asymmetric synthesis by chiral ester enolate–imine condensation, 4289
β–lactams, formation from β–amino acids and organophosphorus compds, new method, 2905
β–lactams, formation from β–amino acids and organophosphorus compds, new method, 2905
β–lactams, stereoselective synthesis of a–hydroxy β–amino acids, synthesis of taxol and bestatin side chains and related systems, 6429
β–lactams, use of cyclic sulfites from syn–2,3–dihydroxy esters, 4317
cyclic lactam acetals, conversion into fused pyridines, 131
γ–lactam analogs of 1–acetoxy carbapenem derivs, 6923
hericenone B, cytotoxic lactam from *Hericium erinaceum*, 373
macrocyclic–, synthesis using diphenylphosphoryl azide activation of carboxylic acids, 6469
N–alkyl iodo lactams and N–alkyl selenide lactams, conversion into pyrrolizidines and indolizidine 5397
N–vinyl–β–lactams, synthesis from 2–aza–1,3–dienes, 451
new protected lactam–bridged dipeptide, synthesis, 6071
spiro indolinone beta–lactams, inhibitors of poliovirus and rhinovirus 3C–proteinases, 7277
thiaisoalkanams, synthesis using sulfur dichloride as transfer reagent, 3627

Lactones
(±)–ebelactone A, esterase inhibitor, synthesis using aldol–Claisen strategy, 7513
(–)–massoialactone, synthesis via 4–(trimethyl–silyl)– cyclopentanones, 4761
(–)–zearalenone, total synthesis via allylic radical intermediates, 3641
4–hydroxybutenolides, synthesis, 4227
7–β–hydroxyeudesmanolides, partial synthesis, 5795
αβ–dibenzyl–γ–butyrolactones, reaction of potassium enolates with electrophiles, prep of α–substituted *trans*–αβ–dibenzyl–γ–butyrolactones, 3615
α–aminobutyro–, *N*–protected, hydrolysis by porcine pancreatic lipase (PPL), 2037
α–hydroxy–γ–lactones, 2–O–trifluoromethane–sulfonates, prep of oxetane carboxylic esters, 4787
α–hydroxylactones, 2–O–trifluoromethanesulfonate esters, reduction to 2–deoxylactones by lithium iodide trihydrate, 3785
α–methylene–δ–valerolactones via radical cyclisation of propiolates and acetylenic ketones, 5039
α–vinylidene and α–methylene–γ–butyrolactones, regioselectivity in cycloadditions to cyclopentadiene, 4863
α–vinylidene–γ–butyrolactones, Diels–Alder reactions with dienes, 4859
allylic–, access from allylic nitro compds, 7429
aplydilactone, fatty acid metabolite from *Aplysia kurodai*, 4907
artemisinin, stereoselective synthesis, 755
avenociolide from *Aspergillus avenaceaus*, stereoselective synthesis from D–glucose, 4931
avermectin B_{1}–3,4–oxide, synthesis, reactivity and bioactivity, 4965
β–lactones, 3,3–disubstituted, sterically guided rearrangement to cycloheptano trans–fused butyrolactones, 6617
butenolide synthesis using acyl Co–complexes, 5139
butenolides, synthesis of (+/–)–mintlactone, 6789
butenolides, via catalysed cyclisation of allylic chloromercurioacetates, 17
butyrolactones, α–methylene, from chloro–cyclopropenones, 1261
calichemicin/esperamicin and neocarzinostatin aglycones, model synthetic studies via construction of *E*– and *Z*–phenylthio substituted olefins, 2541
chiral δ–, γ–hetero substituted, conjugate addition, synthesis optically active lignan lactone, (–)–hinokinin, 7623
conformationally controlled–, of 14–membered macrolides, 6307
constanolactones A and B, new cyclopropyl hydroxy–eicosanoids from *Constantinea simplex*, isolation and structure, 2995
costunolide bromination, cyclocostunolides, 563
δ–lactones, direct synthesis from 2–(3–lithiopropyl)–1,3–dioxolane and carbonyl compds, 3767
di– and tri–lactones, 12–, 18–membered, by radical cyclisation, 1121
endo–norbornene lactone, enzyme mediated optical resolution, 7219
enol lactones, synth via Pd catalysed carbonylation of aryl and alkenyl halides, 2841
enol lactones, synthesis via Pd catalysed carbonylation of aryl and alkenyl halides, 2841
erythronolactone, D– and L–, synth, uses, 1509

erythronolide A derivs, alkaline hydrolysis, 3687
γ–butyrolactones, synth via pyridinium chlorochromate oxidation of tetrahydrofuran methanol derivs, 2775
γ–lactones, 4–substituted, enantioselective synthesis, 5509
glucono–1,5–lactone, prep of trihydroxy–carboxylates with long–chain alkyl acetal group, 5939
hericenone A, cytotoxic phenolic lactone from *Hericium erinaceum*, 373
keto–, by oxidative cyclisation of 5– and 4,6–di–keto acids, 201
lactone dithioacetal, synth, hydrolysis, 1577
mevalolactone and vitamin E, convergent enantiocontrolled route from (*S*)–O–benzylglycidol, 3619
optically active α–trimethyl–$\Delta^{a,b}$–butenolides, synthesis and their conversion into various butenolides and saturated γ–lactones, 6399
oxa–bridged lactones by Baeyer–Villiger oxidation bicyclic ketones, 1717
peptide isosteres by α–alkylation γ–aminomethyl γ–lactones, 1803
protected 5–hydroxymethyl γ–butyrolactone, deoxy–thymidines from, 1815
pseudopterolide, transformation into tobagolide and its reversal, 6505
sesquiterpenoid –, palmosalides A–C from octocoral *Coelogorgonia palmosa*, 1973
sesquiterpenoid –, pseudoguaiolides *via* fused furans, 1977
shikimic ester lactone ether, enantioselective synthesis, 183
syringomycin, cyclic peptide–lactone, structure, 1589
tetracyclic C14 ginkolide, stereoselective synthesis, 3995
tetracyclic C14 ginkolide, stereoselective synthesis, 3995
tetrahydropyran–2–one, substituted, *via* cyclopentanone, 1047
tubiporein, diterpenoid from soft coral, 689
unique–, dermocanarins from *Dermocybe canaria*, 3505
unsaturated spiro–γ–, formation, dissociative reduction, bromoacetates, 7539

Lactonisation
(–)–indolactam, isolation and biosynthesis, congener of teleocidins, 7337
brominative–, of ilicic acid, 3071
enantioselective iodolactonisation through diastereotopic group differentiation 3175
trimethylhydrazine, γ–hydroxy–acyl–, cyclization to γ–lactones, 1981

Lanthanum and compounds
trichloride for anhydrous thioacetalisation, 5815

Leukotrienes
arachidonic acid, *exo*–methylene analogues, 361
iron tricarbonyl complex of LTA_4, 1141
keto–12 leukotriene LTB_3, β–keto–phosphonates as precursors, 4131
leukotriene A_4, stereospecific synth of dihydrofuran analog, 2089
nor–leucotriene D_4 conformationally–restricted analog, asymmetric synthesis, 27
synthesis of–, prep of methyl 5*S*–(benzoyloxy)–6–oxohexanoate as key intermediate, 3355

Lignans
(±)–trachelogenin, synthesis vi reaction of potassium enolates of α,β–dibenzyl–γ–butyrolactones with electrophiles, 3615
(–)–deoxypodophyllotoxin, synthesis, 261
1–arylnaphthalene–, via cyano–hydrins, 5487
lactones, justicidin E and taiwanin C, 6883
megacerotonic acid and antho–cerotonic acid, isolation from *Anthocerotae*, 4159
optically active (–)–hinokinin, synthesis from γ–heterosubstituted chiral δ–lactones, 7623

Linear free energy relations
carbocation stabilities in gas phase, 685
curved Hammett plots on aryl migrat–ion in chloromethyl silanes, 1089

Lipids see also Eicosanoids
13(*S*)–hydroxy–9*Z*,11*E*–octadecadienoic acid, synth, 2577
dipalmitoylphosphatidylinositol, monothiophosphate analog, diasteromersr, 2015
ganglio–ganglioside GM1b, stereocontrolled, synthesis, 385
ganglio–ganglioside synthesis, $IV^4Ga1NAc\beta GM1b$, 1435
glycosphingolipid, sulfated glucuronyl, $IV^3GlcA(3–SO_3)nLcOse_4Cer$, synth, 1597
glycosphingolipid, synth hexaosyl ceramide, 1849
lipids of fresh water sponges of lake Baikal, *trans*–olefinic very long chain fatty acid, 4367
phytanyl–, dynamics of liposomes construction, 7559

Lipopoylsaccharides
new lipodisaccharide reagent, synth and biocatalyst for esterification of amino acids in polar solvents, 2131

Lipoproteins
new flavonoid–antioxidant, synthesis, 7293

Liquid crystals
consisting of tetraphenylporphyrin derivs, 3157

Lithiation
1–benzyl–4,5–dihydroimidazole, at C–2, 1767, 1771
6–dimethylamino–6–lithiofulvene, prep and uses, 545
alkyne derivs, synthesis of exocyclic alkenes, 493
allenic and propargylic sulfinamides, by LDA, 213
protected pyrimidine ribofurano–sides, uridine derivative synthesis, 1295
pyridine–mediate of 1,3–dithiane–*trans*–1,3–dioxide, 135
selective *ortho*–, of phenylsilanes with trimethylethylenediamino group on Si, 2925
selective *ortho*–, phenylsilanes with trimethylethylenediamino group on Si, 2925
trimethylsilyl acetate, by LDA, reinvestigation, 209

Lithium and compounds
1,3–dilithiobicyclo[1.1.1]pentane, formation and uses, 651
2–(3–lithiopropyl)– and 2–(3–lithiopropyl)–2–methyl–1,3–dioxolane, new masked lithium bishomoenolates in synthesis of bifunctionalised compds, 3763
2–(3–lithiopropyl)–1,3–dioxolane and carbonyl compds, direct synthesis of δ–lactones, 3767
3–t–butylbicyclo[1.1.1]pentyllithium via ring opening of [1.1.1]propellane in presence of t–butyllithium, 5219
α–haloallyllithium, use in prep of α–haloallylboronate ester, 7113
α–phenylseleno–alkyl–lithium compds, configuration stability, 7419
α–sulfonylalkyl lithiums, *cine*–substn on reaction with chlorotoluene–$Cr(CO)_3$, 2011
activated lithium diethylamide, reaction with monohalocyclopropyl alcohols, prep of α–allenyl or a–dienyl alcohols, 3553
alkyllithiums, addition to glyoxal monoacetal dimethylhydrazone, 1429
chiral lithium amide bases, use in opening of spiro epoxides from *cis* bicyclo[3.3.0]octan–3,7–dione, 6703
conjugate addition R–Li to naphthalenecarboxylic esters, 1739
furyllithium, stereoselective addition to N,N–protected D–alaninals, 3797
lithio–deselenation of phenylselenoacetals, 67

lithium dianion of 3–hydroxy–butanoate and N–acylaldimines, enolate–imine condensation, enhanced stereoselectivity by added lithium chloride, 7631
mediated aldol reactions, steric influence of silyl groups, 6001
methoxy(phenylthio)methyl–Li, addition to α–(butylthiomethylene)–ketones and rearr, 1873
monolithioferrocene, convenient prep, 3121
organo reagents of–, reaction with η5–pentadienyliron complexes, formation of s,η3–iron complexes, 2373
organolithium reagents, addition to acylketene acetals, 305
organolithium, 1,2–addition of imines, 6681
organolithium, conjugate addition to cyclopentenone, 1047
phenyllithium, reaction with CO, spectroscopic detn of radical anions, 2533
resorcinol bis–methoxymethyl ether, by BuLi, 1819
S–Li and Sn–Li exchange reactions, stereochemistry, 2727
t–butyllithium, reaction with 1,6–dihalo pentacyclo–[5.2.0.02,6.03,9.05,8]nonanes; is 1,6–dehydrohomocubane reactive intermed? 2263
tetrameric 2,2–bis(methoxy–methyl)–1–propyllithium, X–ray structure and hydrocarbon soln behaviour, 2641

Macrocycles
alkylated 1,4,8,11–tetraazacyclo–tetradecanes, synthesis, 1077
ansa–macrolactams, prep from seco–precursor *–amino acids using 2–bromo–1–methylpyridinium iodide as carboxyl activating agent, 2161
capped 18–crown–6 tetra–amides, synthesis, x–ray, 1101
chiral synthetic macrodiolide and macrothiolide ionophores with C2–C3–symmetry, 5285
dermocanarins, unique lactones from *Dermocybe canaria*, 3505
di– and tri–lactones by radical cyclisation, 1121
gly/lys–containing peptide macrocycles, synthesis and cyclisation, 4191
lactams, synthesis using diphenylphosphoryl azide activation of carboxylic acids, 6469
macrobicyclic hosts featuring convergent functional groups, design and synthesis, 4245
macrolides, synthesis of venturicidin A, B aglycones, 1735
polyether/esters, pore–formers for ion transport, 1233
polytopic receptor molecules contaning multiple bipyridyl and dibenzo–18–crown–6 units, 5069
rifamycin W, total synthesis, 1585
synthesis via allylic radical intermediates, total synthesis of (–)–zearalenone, 3641
tetramethyl[4,4]paracyclophadione, structure in solution, 6689
tetrapyrrole–, peripheral substit migration reaction, 2685
trichothecenes, novel rearrangements, 4401
triple and double calix[4]arenes connected via oxygen functions, 4941
tsukubaenolide (FK–506), synthesis of segment C16–C23, 1637
unsymmetrical tetra–arylporphyrins, adaptation of MacDonald dipyrrole self–condensation methodology, 7265
xestospongin A, synthesis of 1–oxaquinolizidine skeletal portion, thermodynamic control of stereochemistry, 4281

Magnesium and compounds
allyl– reactions with protected α–aminoaldehydes, 1803
allylmagnesium bromide, unusual reactivity, 4143
magnesium monoperoxyphtalate, oxidative ring opening of furans to *cis*–enediones, 7669
organo reagents, conjugate addition to αβ–ethylenic esters, Cu catalysed high yield procedure, 7425

Manganese and compounds
manganese–polyhalogenated porphyrin catalyst in biomimetic hydroxylation of arenes, 6645
Mn acetate catalysis in sesquiterpenoid synthesis, 59
organo reagents, copper–catalysed conjugate addition to αβ–ethylenic esters, 7423
ortho–manganated aromatic ketones, reaction isocyanates, synthesis of 3–alkylidene phthalimidines, 4397
porphyrin, catalyst of hydrocarbon hydroxylation, 1779

Mass spectra
annomonicine and montanacine, butenolide acetogenins from *Annona montana*, 1861
carboranecarboxylic acid, fatty alcohol esters, 1517
fast atom bombardment masss spectrometry, intermediates in vitamin B12 pathway of *Propionibacterium shermanii*, 6163
new acetogenins, structures of epoxyrollins A and B, 2283
rapid analysis using TLC/CIMS in microwave accelerated reactions, 1661
syringomycin, FAB – and structure, 1589

Mechanisms
1,1',2,2'–ferrocenetetramethanol, dehydration to1,1';2,2'–(bis oxybismethylene)–ferrocene, 61171
1,2–3,4–hydride reduction of enones,5303
organo reagents of–, reaction with η5–pentadienyliron complexes, formation of s,η3–iron comple
2–thioxo–1–imidazolidine carboxamides, from 2–oxo–1–imidazolidinethiocarbonyl chloride, 6763
action–, of nitroimidazole antibiotics, nitrosoimidazole radical anions as putative intermediates, 3221
asymmetric hydrogenation of unsaturated carboxylic acids catalysed by BINAP–Ru–dicarboxylate complexes, 7189
autoxidation of bleomycin, model study, 6063
β–iodotetrahydrofurans, ring fission by alkyl–Li, 1907
Clemmensen reduction, single electron transfers in zinc–promoted reactions, 6081
correction, bibenzyl formation by deoxidation/reduction, arynes with lithium 4,4'–di–t–butylbiphenyl radical anion, 7595
deoxygenation of sec alcohols by tin hydride reduction of methyl xanthates and thiocarbonyl derivs, 3991
dialkyl diazobenzylphosphonates forming styrenes via Wittig type intermediate, 5061
diphenylphosphinoyloxy–aryl–amines, amination by, SN2 at N, 1689
enantioselectivity,dihydroxylation of alkenes by osmium tetraoxide–chiral ligand complexes, 6417
four stereocenters in reductive fragmentation of β–furanyl unsaturated ketones, 5301
fragmentation, alkyl α(oxyimino)–benzyl–phosphonates, silica gel, trapping intermediate alkyl metaphosphate, 6281
Gif oxidation of alicyclic amines, formation of lactams, 2281
homogeneous hydrogenation of dienes using parahydrogen, NMR detection of intermediates 5721
hydride transfer from alcohol to ketone, calculation of reaction pathway and energetics, 459
microsomal benzylic hydroxylation, 3477
O!C rearrangement of allylidene–oxyphosphoranes, formation of C–C bond, 4831
organic sonochemistry, new interpretation and consequences, 4125
organic sonochemistry, new fundamental approach, 4129
origin of enantioselectivity in dihydroxylation of olefins by osmium tetroxide and Cinchona alkaloid derivs, 2665
oxidative cross–coupling of unsymmetrical, 2–naphthols, 413
oxidative triggering for aromatisation of neocarzinostatin chromophore, 5947
Pd–promoted, olefinic α–iodocarbonyl cyclization, 933

pea–seedling diamine oxidase, mechanism of action, 6907
photolysis of steroidal ketones initiates photo–reduction and epimerisation of distal carbonyl groups, 5865
radical addition of diethyl (2–phenylseleno)–propanedioate, 5697
reaction of 1,2–bis(N,N–dimethyl–amino)–1,3–butadiene with olefins, zwitterion formation and [4+2]cycloaddn as competing pathways, 2265
sodium hydrogen telluride addition to olefins, 93
solvent effect on stereoselectivity of asymmetric aldol reactions is specific stoichiometric binding of tetrahydrofuran to chiral titanium enolate 4699
stepwise reaction–, 1,6–insertion of alkylidenecarbene into C–H bond, 4727
thermolysis of 2–isopropyl oxazolidines, tautomerism between azomethine ylid, aziridine and enamine, 6017
transacetoacetylation reactions, 1401
vibration–induced, intramolecular CT in ring opening of 2,2–diaryl–1–methylene–cyclopropane radical cation, 5175

Membranes
vesicle bilayers, ion transport by pore–formers, 1233

Mercury and compounds
amidomercuration cyclisation, magnitude of stereodirecting effect of allylic alkoxy–substituent, 6765
aminomercuration, cyclic, in tetrahydroxypipecolic acid synthesis, 1683
cyclohexyl–, halides, radicals from, stereoselective additions, 1679
mercuric acetate cyclized *o*–allylic anilines, 1207

Metabolites
aaptamine synthesis from isoquinoline derivative, 569
active–, of vitamin D_3, synthesis of 25–hydroxy Windaus–Grundmann ketone using *o*–quinodimethane strategy, 6205
aplysiatoxins and oscillatoxins, synthesis, key C_9–C_{21} subunit, 7587
bioactive–, from *Discoderma calyx*, approach to calyculin A spiroketal, 6129
bursatellin, synthesis from chloramphenicol, 573
chlorine–containing shikimate–related metabolite from fungi, 4605
compactin, synthesis from Hajos (–)–enedione, 5599
epicitreoviridinol from *Penicillium–pedemontanum ifo* 9583, biomimetic synthesis of citreoviridin–type compds, 5503
fatty acid–, aplydilactone from *Aplysia kurodai*, 4907
fungal–, bryostatins with tethered Horner–Wadsworth–Emmons reagent, control of remote enoate geometry, 4703
marine, geodiamolides B–F, cyclodepsipeptides, 489
moncillin IV dimethyl ether, metabolites, *Monocillium nordinii*, 6445
new–, vitamin D by biomimetic oxidation with Fe–S protein model cluster and dioxygen system, 4903
torosachrysone, absolute configuration, 1203
vitamin D_3–, enantioselective synthesis of A–ring synthon, 1577

Metallation
2–(trimethylsilyl)ethoxymethoxy directed ortho–, new syntheses of substituted pyridines and benzenes, 4267
hydro–, using [$(Ph_3P)CuH]_6$, selective reduction of alkynes to *cis*–alkenes, 2397
quantitative–, 2–substituted 1,3–dithianes at –78_C using *n*–BuLi/Na–O–t–Bu, 7261

Metals see also specific metals
1,1–diorganometallic species, Claisen rearrangement of functionalised γ–hydroxy–vinylstannanes, 5829
4d–, *in situ* prep of alkyl derivs, alkylation of 2–cyclohexenones, 1553
Ag,Pd,Rh,Ru,Co and Fe, alkyl derivs,conjugated addition to 2–cyclohexenone, 1553
alkali metal salts, complexation with unionised porphyrin, 5873
allylic–, addition to α–aminoaldehydes, synthesis of statine, ketomethylene and hydroxy–ethylene dipeptide isosteres, 1803
allyl–Zn(and Cu) reagents, reactivity of allenic ethers, and α–metallated allenic ethers, 2879
assisted by–, catalytic transfer hydrogenolysis of phenolic C–O bonds, 5789
cymantrene–ferrocene triad, synthesis, face to face metallocenes, 4977
differential metal ion interactions with ground and transition state, role of solvents in stabilising ions via H–bonding and complexation, 6513
directed by–, stereoselective synthesis of 3–(1'–hydroxyethyl)–2–azetidinones from ethyl 3–hydroxybutyrate, 3267
heavy–, recognition by polyethers bearing bipyridines, and molecular chirality of pseudocrown structure in Cu complex, 6543
hydrolytic metallomicelles, Cu^{2+}complexes, micellar aggregation may trigger catalytic effects resulting from changes in coordination geometry of complex, 4791
later transition metal alkyls, conjugate addition to cyclohexenone, 1553
metal template, effects on selective syntheses of *p*–t–butylcalix[4]arene conformers, 7169
organo–Mg and –Li compds, reactions with diethyl (2,3–epoxy–butylidene)malonate, synthesis of cyclopropane carboxylates, 4915
organometallic reagents, opening of *trans*–2,3–epoxy–1–butanol derivs, 7145
organometallics, either diastereofacial differentiation reaction with chiral thiomethylketones, 5479
organometals, effects on prep of stereodefined exocyclic alkenes via Pd–catalysed carbopalladation cross coupling, 4393
phenylthiopentadienyl–, regio– and stereochemistry of coupling with C–electrophiles, 2327
trimethylstannylcuprates: Me_3Sn–(R)Cu(CN)Li_2, selective delivery of Me_3Sn moiety to organic substrates, 7253
two different–, simultaneous recognition by using diazacrown ether with 2,2–bipyridine moieties, 3919
Zn and Cu organometallics, highly functionalised aromatic and heteroaromatic, new synthesis, 4413
Zn and Cu organometallics containing sulfur functionalities at the alpha or gamma position, 7575

Microbial reactions
amines by action of baker's yeast on oximes, 5555
baker's yeast reduction of 3–ketoesters, 1615
baker's yeast reduction 3–ketoesters, improved enantioselectivity, 1615
baker's yeast, stereochemical control in diastereoselective reduction, 3631
chemo–enzymatic alkylation of active methylene compds, 4195
microsomal benzylic hydroxylation, selectivity and mechanism, 3477
stereoselective biocatalytic Diels–Alder reaction of cyclopentadiene with dienophiles, 5959
yeast reduction, synthesis of chiral epoxyisoprenoids, 4025

Microorganisms
asymmetric hydrolysis of esters of *cis*–2,5–bis(hydroxymethyl)tetrahydrofurans, 445
bacterial siderophores, 3,4,5,6–tetrahydro–pyrimidine–based amino acids in pyoverdins from *Pseudomonas fluorescens*, 7611
baker's yeast reduction pentacyclo[5.4.$0^{2,6}$.$0^{3,10}$.$0^{5,9}$]undecane–8,11–dione, 1811
enterobacteria, approach to 3–deoxy–D–manno–2–octulosonic acid containing disaccharides, 5765

enzyme model mimicking non–ribosomal peptide synth, 2929
Pseudomonas sp., oxidation of 2–methyl–naphthalene, absolute configuration of metabolites, 13
yeast, reduction of β–ketoesters, additives modifying chiral induction, 267

Migration
2–arylpropionic acids, via direct transformation of 2–chloro–propiophenones, 7495
aryl groups from Si to C, F–promoted, 1089
migratory aptitude in pinacol rearrangement, 251
peripheral substit–, of tetrapyrrole macrocycles, 2685
phenylthio–, OH participation, stereoelectronic controlling factors in synthesis of tetrahydrofurans, 3457

Models
"transition state models", empirically optimized, 5085
clerodin–, simple access to *trans*–decalin epoxy–diacetate, 5151
compd embracing tetracyclic nucleus of correct structure of aspirochlorine A30641, 4297
curve crossing–, application to singlet carbene addition to alkenes, 4553
discorhabdin C, aza–spirobicyclic system, prep via intramolecular phenolate alkylation, 3845
NADH mimic, 1,4–dihydro–nicotinoyl complex possessing chiral auxiliary [(η^5–C$_5$H$_5$)Fe(CO)–(PPh$_2$(O–(l)–menthyl))] at C–3 and it use in reduction of ethyl benzoylformate, 3213
sterically constrained turn models of protein, three mimics for construction, 4011
studies on new strategy for ring C closure for ikarugmycin synthesis, 3367
tetrcycloalkenyl–meso–tetraphenylporphyrins, models for effect of non–planarity on light absorption of photosynthetic chromophores, 3719

Molecular design
identification of isomers, stereo–isomerism in N–substituted 2,6–di–*ortho*–tolylpyridinium cations due to restricted rotation, 5645

Molecular modelling/mechanics
conformations of peptides and reduced peptides, 917
cycloadditions of chiral acylnitroso compounds, 1039
ten–membered cyclic enediynes, conformation, 185
tetrahydropyranyl trichloro–acetimidate conformation, 327

Molecular recognition
hydrophobic guest recognition by hexa–cationic host, 1027
in montmorillonite in arylation of acrylates, 5781
intramolecular recognition, structures of diaryl– and arylnaphthylethynes, 6753
new system of–, inclusion of (*S*)–isopropyl phenyl sulfoxide by solid (*R*)–phenylglycyl–(*R*)–phenylglycine, 3331
O–containing substrates with Lewis acid MAD, 5475

Molybdenum and compounds
allyl π–complexes of Mo and Fe, coupling to give dimetallo–1,5–hexadienes, 1671
carbene complexes, prep and cyclopropanation of electron–poor olefins, 2529
molybdenum hexacarbonyl, reductive cleavage of oxazolidines, prep of 1,3–amino alcohols, 3351

Named reactions
(±)–aristeromycin synthesis, application, Diels–Alder cycloaddition, 6243
(±)–aristeromycin synthesis, application of imino *Diels–Alder* cycloaddition, 6243
(–)–tetrodotoxin, synthesis of guanidinium part via *Overman* rearrangement as key step, 3327
(1*Z*,3*E*)–cycloalkadienes, [2π+2π] cycloaddition of allyl cation, stepwise process in the ionic *Diels–Alder* reaction, 6489
1,2,5,6–tetra–exo–methylene–cyclooctane and [2.2]–(2,3)–furanophane as bis–diene components in *Diels–Alder* reactions, 2701
1,4,3–oxathiazin–4–oxides, retro–*Diels–Alder* reactivity, 5725
1–epi and 7–epi coleonols (forskolins) and 6,7–epoxy–6,7–dideoxycoleonol, synthesis using *Mitsunobu* reaction, 7493
2,2–dimethoxyethyl acrylate, *Diels–Alder* reaction via cationic intermediate, 5625
2–azabicyclo]3.3.1]nonan–7–ones, *Fischer* indolisation, new entry to dasycarpidan system, 2449
2–trimethylsilylethyl–1,3–butadienes, equivalents of 3–methylene–1,4– pentadiene by consecutive *Diels–Alder* reactions, 6201
4–phenylprolines, synthesis by *Friedel–Crafts* reaction, 1241
5–norbornen–2–ols, *Mitsunobu* reaction, 2201
α–alkoxycycloalkanone–, *Beckmann* fragmentation and C–C bond formation catalysed by trimethylsilyl trifluoromethanesulfonate, 5951
α–alkylidene β–lactams, prep via monocyclic azetidene–2,3–diones by means of *Reformatsky* reaction, 6425
α–methylene lactams from α–diazolactams via *Wittig* reaction, 815
additive Pummerer reaction of vinyl sulfoxides, 6441
aldehydes to αβ–unsatur$ated aldehydes *via* imines by *Peterson* olefination, 349
allyl, benzyl and propargyl silanes via *Suzuki* reaction, 4981
allylic hydroxylation b$y *Sharpless* method, in a β–lactam, 271
Arbuzov reaction, TiCl$_4$–catalysed, 1567
Arbuzov rearrangement, evidence of loss of chirality at phosphonium step, 4443
avermectins, C24 and C25 substituted, *Wittig* approach, 3529
aza–*Claisen* rearrangements of N–allyl amide enolates, 727
aza–*Wittig* reaction, 1,3–diaza–1,3–dienes as intermediates from, 903
azaanthraquinone derivs, synth via hetero *Diels–Alder* reaction, 2569
β–fluoro–αβ–unsaturated esters and nitriles, via *Pummerer* rearrangement, 5609
β–hydroxy imidazolyl sulfones, reductive elimination by samarium diiodide, improved *Julia* olefin synthesis, 7105
Baeyer–Villiger oxidation of norcamphor derivative, 431
Baeyer–Villiger oxidation 7–oxanorbornanone deriv., 1717
Baylis–Hillman reaction, chiral acrylates as substrates, 1621
Baylis–Hilmann reaction, chiral acrylates in, 1621
benz[f]indene, synthesis and *Katz* reaction, 3155
biphenylenediol, rate acceleration of *Diels–Alder* reactions, proposed catalysis involving two H–bonds, 3381
bis(tert–butylsulfonyl)acetylene, prep and *Diels–Alder* reaction with 1,3–dienes, 2173
bis–furans, tandem photooxidation–intramolecular *Diels–Alder* reactions, stereoselective synthesis of decalines, 7201
carboxyl–mediated *Pictet–Spengler* reaction, direct synthesis of 1,2,3,4–tetrahydro–β–carbolines from tryptamine–2–carboxylic acids, 3397
cis–alkenenitriles, stereosel synth via *Reformatsky–Peterson* reaction, 2209
Claisen rearrangement of allyl phenyl ethers, methylaluminum bis–phenoxide catalyst, 377
Claisen rearrangement, organo–tin compounds, 869
Claisen rearrangement, 3–atom ring expansion of cyclic ketones, synthesis of (±) precapnelladiene, 6799
Claisen ring expansion, synthesis of tricyclic nucleus of acetoxy–crenulide, 6979

competitive cyclcisation of two tethered OH groups, *Baldwin's* rules and *Thorpe–Ingold* effect, 3457
copper–zinc reagents, β–phosphonoalkyl–, synthesis, *Michael* addition to enones, 1833
cyclobutanones, *Baeyer–$Villiger* oxidation, 219
cyclodecanone, analysis of *Norrish* type II reactions by molecular mechanics, 5709
cyclopentadiene and methyl acrylate, *Diels–Alder* reaction on γ–alumina, 5433
cyclopentadiene, aza–*Diels–Alder* reaction using chiral 1–phenylethyl imine of methyl glyoxylate, 2603
cyclopentenone fusion to cyclobutene by *Pauson–Khand* reaction, 635
Darzens reaction with chloromethyl sulfones, 1877
dehydroaminoacid deriva$tives, by *Wittig* synthesis, 157
deoxygenation of alcohols by reactions of their xanthate esters with triethylsilane, alternative to tributyltin hydride in *Barton–McCombie* reaction, 5093
diallyl sulfoxide, source of thioacrolein for *Diels–Alder* trapping, 5003
diastereomeric induction, *Diels–Alder* reaction of quinones with chiral aryl containing 1–alkoxy–3–trimethylsilyloxybuta–1,3–dienes, 7233
Diels–Alder BF_3–catalysed anthracyclinone synthesis, 89
Diels–Alder reactions 3–vinylindole and anion, 1551
Diels–Alder reactions of tropylium ion, empirical force field study, 2255
Diels–Alder reactions of 1,3–dienes with N–enoyl derivs of chiral toluene–2–a–sultam, 5015
Diels–Alder synthesis of ellipticine, 1081
dienophiles, reactivity in inverse type *Diels–Alder* reactions with 1,2,4,5–tetrazines, steric and electronic effects, 6851
dihydropyrans by hetero–*Diels–Alder* reactions, 1697
dihydroxylation of stilbenes, *Sharpless* method, 161
Dimroth rearrangement, in carbocyclic adenine–guanine conversion, 767
diterpenoids, dolastane skeleton, construction via intramolecular *Sakurai* reaction, synth of (±)–14–deoxyisoamijiol, 2239
dithioester enolates, *Michael* and 1,2–addition to enones, effect of metal (Li, Ti, Al), 1853
double *Michael* reaction of carvone or methylcarvone with αβ–unsaturated esters, 3559
dynemycin, *Bergman* rearrangement, geometry, 1521
esterase inhibitor, (±)–ebelactone A, synthesis using aldol–*Claisen* strategy, 7513
flavan–3–ols and 4–arylflavan–3–ols, absolute configurations via modified *Mosher's* method, 5073
fluoroaldehyde synthesis using *Meyers's* oxazine method, a– 179
Fries rearrangement and cleavage of esters using aluminium triiodide, 3943
functionalised azides, *Staudinger* and aza *Wittig* reactions, 7011
γ–hydroxyvinylstannanes, *Claisen* rearrangement route to allylstannanes bearing Si and Sn on same carbon, 5829
Graham oxidation methamidinium chloride, 1225
heteropolycyclic compds from 4–amino–1–azabutadienes via *Friedel–Crafts* cyclisation of their heterocyclic derivs, 2189
hydroisoindoles synthesis via intramolecular *Diels–Alder* reactions, 7315
intramolecular aza–*Wittig* reactions of iminophosphoranes, prep of 2–azidobenzoyl– and 2–azidobenzylidene heterocycles, 6561
intramolecular *Diels–Alder* reaction of silyl acetal triene, strategy for regio–and stereocontrol in [4+2] cycloadditions, 6585
intramolecular *Diels–Alder* reactions, conditions for synthesis of intermolecular reaction products, 6585
intramolecular Friedel–Crafts alkylations, use of dicobalt hexacarbonyl propargyl cations, 6277
intramolecular *Pauson–Khand* cyclisation of 7–alkoxy–1–hepten–6–ynes, 7505
intramolecular *Wittig–Horner* reaction in macrolide synthesis, 1735
kinamycins, A–ring on ABC ring template, *Diels–Alder* reactions of N–cyanoindole–4,7–diones, 5713
Kowalski reaction for silyloxyalkyne synthesis, 1527
Masamune homologation, acid to benzyl β–ketoester, 1807
mechanism of *Clemmensen* reduction, single electron transfers in zinc–promoted reactions, 6081
methylation via the *Suzuki* reaction, 5541
Meyers alkylation at C–1 of dihydroisoindole, 417
Michael reaction, dual catalysis, 4867
Mitsunobu δ–hydroxy–amine closure to pyrrolidines, 469
Mitsunobu method for β–lactam cyclisation, 1755, 1759
Mitsunobu reaction in aziridine cyclization, 1903
modified *Trost* allylation using manganic intermediates, 357
N–(2–iodobenzyl)phenacylamines, *Barbier* reaction to 1,2,3,4–tetrahydroisoquinolin–4–ols, 5347
N–oxide promoted Pauson–Khand cyclisations at room temperature, 5289
nitrile hydration in *Pinner* reaction, 1169
O–alkylation of β–tetronic acids, *Mitsunobu* reaction, 6973
oxime dehydration and *Beckmann* rearrangement using AlI_3, 1063
Payne rearrangement in *erythro* and *threo* dihydroxyethyl oxazolidinone synthesis, 515
perfluoroalkylated αβ–unsaturated carbonyl compds, synthesis by intramolecular *Wittig* reaction, 5925
periselective [2,3]*Wittig* rearrangements on dihydrofuran and hydropyran rings, 7353
Perkow reaction, new analogs of phosphoenol pyruvate, 4471
Peterson olefination in oxa–cephem synthesis, 1921
photochemical *Wolff*–, β–methoxyacryloyl diazomethane, 1527
polyquinenes via Weiss reaction, *Chugaev* approach to 1,10–cyclododecatriquinacene, 3409
polyquinenes, synthesis via *Weiss* reaction, aldol approach to fenestranes, 4285
prim nitro groups, conversion into aldehydes by version of *Nef* reaction, 7499
pyranose trienes, intramolecular *Diels–Alder* reactions, stereosel access to bis–annulated pyranosides, 2301
pyrroloisoquinoline intermediate of manzamine A, access via *Diels–Alder* reaction of 3–alkyl–5,6–dihydro–2–pyridinone, 3195
retro–*Claisen* reaction products and flavones via conversion of 1–(2–hydroxyphenyl)–3–phenyl–1,3–propanediones, promoted by Co Schiff base complex, 3171
Robinson annulation, TMS ether/MVK, 1581
robustadial and euglobal skeleton, unactivated terpenes as 2π components in hetero *Diels–Alder* reactions, 6629
sec amines, stereospecific synthesis from alcohols by *Mitsunobu* reaction, 3417
Sharpless asymmetric epoxidation in synthesis polyhydroxy–dienoic acid, 1783
Sharpless oxidation in 2–methyl–3–phenylpropanal synthesis, 811
Sharpless procedure in asymmetric synthesis of nor–leucotriene D_4 analog, 27
Sila–*Cope* elimination in α tetrahydropyridine N–oxide, 1865

silicon directed *Mukaiyama Michael* tandem aldol condensation: a strategy for 6–membered ring cyclisation, 7273
silyl enol ethers by *Brook* rearrangement of cyclic silyl vinyl carbinols, 831
solution phase peptides, *Geysen* method of simultaneous peptide synthesis, 5811
stable aryl free diazabutadiene, synthesis and *Diels–Alder* reaction, 7357
stereoselective biocatalytic *Diels–Alder* reaction of cyclopentadiene with dienophiles, 5959
stereoselective double *Michael* cyclisation of phenylsulfinyl and sulfonyl analogs of Nazarov reagent, 3969
sulfinyl–α–hydroxyalkylcyclopropanes, chiral, *Wagner–Meerwein* rearrangement to cyclobutenes, 239
Suzuki biaryl synthesis, Pd(O)–catalysed, 1523
synthesis of BOC–L–LEU–γ(CH2–CH2)–L–PHE–OH and BOC–L–LEU–γ(CH2–CH2)–D–PHE–OH through *Horner–Emmons* reaction, 7319
Takai iodomethylenation of aldehydes, 307
tetracyclo[11.5.2.0^{1,8}0^{4,8}]eicosa–2,5,19–triene, synthesis via *Chugaev* approach, 3409
theoretical study of conformational control of additions to bicyclo–[m.1.0.]alkan–2–ones, validation of *Wizard* technique, 6811
theoretical study of the *Barbier* reaction, 7619
tigogenyl β–cellobioside hepta–acetate and glycoside tetraacetate, *Schmidt's* trichloroacetimidate method, new observations, 4421
trimethylsilyl 1,3–dienes, synthesis by vinylidene *Wittig* route, 543
type 2 intramolecular *Diels–Alder* cycloadditions, disposable tethers, applications and stereochemical control, 5885
unsaturated dimethylhydrazones from aldehydes in *Wittig* reaction, 341
unsymmetrical tetra–arylporphyrins, synthesis, adaptation of *MacDonald* dipyrrole self–condensation methodology, 7265
vicinal, N–protected acyclic amino acids, stereochemical outcome from *Mitsunobu* couplings, 5253
water promoted *Claisen* sigmatropic–, using glyco–organic substrates, prep of chiral 4–pentene–1,3–diol, 4147
Wittig and *Conia–Wittig* reactions, with fused cyclopentanones, 635
Wittig olefination in absence of exogenous base, new synth of α–substituted prim allylic amines, 2661
Wittig reactions in 1–deaza–thymidine synthesis, 907
Wittig–Still rearrangement, does it proceed via a metal free carbanion? 4425

Natural products see also Organism Index
2'–hydroxylamino–deoxy–nucleosides, cyclisation to uracil residue, 531
ribonucleosides, silylations using dibutyltin oxide, 1613

Naphthalenes
(*R*)–(–)–1,1'–bi–2–naphthol triflate,stereospecific functionalisation, 6321
(*R*)–(–)–1,1'–bi–2–naphthol triflate, stereospecific functionalisation, 6321
1,1'–binaphthalene–2,2'–diol derivatives, chiral photosensitisers,985
1,8–bis–halomethyl–, laser–generated diradicals prep of acenaphthene, 1727
1–methyltetralin deriv, isolation and structure of feroxidin from *Aloe ferox*, 3077
2,7–dimethoxy–, enantioselective conversion into morphinans, 875
2–methylnaphthalene, oxidation by *Pseudomonas sp.*, absolute configuration of metabolites, 13
2–naphthols, oxidative $cross–coupling, unsymmetrical, mechanism, 413
α– and β–halonaphthalenes, via ring cleavage of aryl(gem–dihalocyclopropyl)methanols and synthesis of justicidin E and taiwanin C, 6883
decalines, via tandem photooxidation–intramolecular Diels–Alder reactions of bis–furans, 7201
dihydrodihydroxy–, metabolites of *Pseudomonas sp.*, 13
generation, trapping 2,3–dihydro–1,4–dipropylnaphthalene–, 1563
heptasubstituted–, in rifamycin synthesis, 1585
hexahydronaphthalene unit of pravastatin, approach to synth, 2235
naphthol synthesis, alkyne/carbene–Cr(CO)5 complex, 605, 609
naphthols from phthalal$dehyde and acetylenes, using low–valent Nb or Ta, 369
tetrahydroxynaphthalene in alkali, most stable form a nonsymmetrical keto–tautomer trianion, 5905
trans–decalin epoxy–diacetate, clerodin mode l, simple access, 5151
vinylnaphthalenes, photocycloaddns to naphthalenophanes, effect of tethers between naphthalene rings and substits at vinyl groups, 2911

Nickel and compounds
catalysed chlorination of saturated hydrocarbons by sodium hypochlorite, 6577
chiral nickelacycles, conversion to α– and β–alanine or α– and γ–aminobutyric acid, 4783
nickel boride reduction of endothiopeptides to desoxopeptides, 23
organo–nickel ring, alkylation by iodides, 1257
petroporphyrins from Moroccan shales, 1751

Nitrenes
nitrenium ion formation, mutagenesis and solvolysis of N–acetoxy–N–alkoxybenzamides, 5377
phosphorylnitrene insertion into C–H bonds, measurement of isotope effects, 4261

Nitrile oxides
asymmetric cycloaddition to C=C bond, improved chiral recognition using β–cyclodextrin, 3201
benzonitrile oxide cycloaddn to vinyl and azavinyl furan derivs, 2635
cycloaddition to unsaturated azlactones, 1709

Nitriles
2,2–bis(trifluoromethyl)ethylene–1,1–dicarbonitriles and styrenes, dichotomy of cycloaddition pathways, 7129
2,3–bis(trifluoromethyl)ethylene–1,2–dicarbonit rile, [2+2] cycloaddn with enol ethers, 1,1–dimethylbutadiene and allyltrimethylsilane, 2553
2,3–bis(trifluoromethyl)ethylene–1,2–dicarbonitr ile, kinetics of [2+2] cycloaddn with 1,1–dimethylbutadiene, enol ethers and allyltrimethylsilane, 2557
2,3–bis(trifluoromethyl)ethylene–1,2dicarbonitr ile, [2+2] cycloaddn with vinyl sulfides and ketene S,S–acetals. 2561
alkylnitriles, photoinduced electron transfer between, 4969
amidines from–, using MeClAlNR2 (R = H, Me), 1969
aromatic–, alkylation, photo–induced electron transferof group 14 metal carbon donors, 6395
arylidenemalonodinitriles, pyruvate and malonodinitrile, new synth of substituted, biphenyls, biaryls and terphenyls, 2735
β–fluoro–αβ–unsaturated–, via α fluoro–Pummerer rearrangement, 5609
β–trimethylsilyloxy–, synth via addition of α–halonitriles to carbonyl compds using zinc–trimethylchlorosilane, 2205

cis–alkenenitriles, stereosel synth via Reformatsky–Peterson reaction, 2209
direct conversion to amidines, 1969
hydration to amides in Pinner reaction, 1169
selective hydrolysis by an enzyme under mild conditions, 7223
tin chloride–promoted reactions with β–dicarbonyl compds, synthesis of aminopyridines and aminoquinolines, 3485
via direct conversion of nitro compds, 7497
via oxidation of prim aliphatic amines, with cuprous chloride–dioxygen–pyridine system, mechanism 3305
via reaction of acyltrimethylsilane phenylhydrazones with phosphorus trichloride, 6935

Nitrilimines
cycloaddition to 1–azetines, triazoles and fused triazolines, 127
cycloaddition to unsaturated azlactones, 1709
diarylnitrilimines, reaction with 3–arylidene–4–isothiochromanones, prep of new thiadiazaphenanthrene, 4145

Nitro compounds
3,4–epoxy–3–nitro–1–alkenes, prep via nitroselenation of conjugated dienes, 4199
allylic–, access to allylic sulfones and lactones, 7429
direct conversion into nitriles, 7497
nitro–olefins, conjugate addition of β–phosphonoalkyl copper–zinc reagents, 1833
nitroarenes, reduction with Al–$NiCl_2$–THF system, 4065
nitrobenzene reaction with acetanilide in DMSO, solvent assisted regioselective aromatic nucleophilic substitution, 3217
nitroethane anion, substitution into 2–nitrohalobenzenes, 1093
polynitroaromatic derivs, hydrogenation using noble metal catalysts in presence of iron, 6141
prim nitro groups, conversion into aldehydes by version of Nef reaction, 7499
ring opening of 3,4–dinitrothiophene, prep of 1,4–dialkyl–and 1,4–diaryl–2,3–dinitro–1,3–butadienes, 4933
trimethylsilyl–, nitronates, intramolecular cycloaddition, 743

Nitrones
(Z)–N,α–diphenylnitrone, 1,3–dipolar cyclo–addition of di–1–menthyl benzylidene–malonate, 4633
formation in intramolecular ene reactions and by tautomerism of oximes, 559
vinylnitrones, acid promoted conversion into N–(γ–ketoalkyl)–N–phenylhydroxylamines, 6089

Nitrosamines
α–lithio–N–nitrosamines, dimers, NO elimination, 3059
and N–nitrosamides, prep via tri–N–substituted amidines, 3263
cyclic N–, denitrosation with boron trifluoride, 2787

Nitroso compounds
acylnitroso compounds, cycloadditions, 1039, 1043, 1047
chloro–1–nitroso–cyclohexane, prep via hydroxylamino–acids from enolates, 991

Nitro sugars
nitroarene reduction by N_2H_4, effect of montmorillonite, 1181

Nitroxides
pyrroline–1–oxyl in spin–labelled thymidine, 593

Nobium and compounds
methylniobium chlorides, reaction with aldehydes and ketones, 503

Nomenclature
periplanones, *Periplaneta americana* sex pheromones, 1747
substituents on rings of any size, definition of axial, equatorial and related terms, 2125

N–Oxides
1,4,3–oxathiazin–4–oxides, retro–Diels–Alder reactivity, 5725
tert–amine oxides, use in Co–mediated intramolecular cyclisations at room temp, 5289
trimethlamine N–oxide in DMSO, oxidation of alkyl and allyl halides to aldehydes, 4825

Nuclear magnetic resonance
^{13}C NMR, detn of radical anions in reaction of phenyllithium with CO, 2533
^{1}H and ^{13}C NMR, polyandrocarpamides, metabolites from *Polyandrocarpa sp.*, 2521
2,3–, 2,5– and 2,6–dibromobenzobarrelenes, 2349
2,6–di–ortho–tolylpyridium cations, stereoisomerism, identification of isomers by molecular design, 5645
20–fluoromethylpyropheophorbide, 6847
α–cyclodextrin, modifications of secondary OH side, NMR study, 5045
accurate data evaluation for monomer shift, dimer shift and dimerisation constant for self–associating system, 3975
acetogenin squamostatin–A, structure, 535
acromelic acid C, new toxic constituent of *Clitocybe acromelalga*, structure, 3901
annomonicine and montanacine, butenolide acetogenins from *Annona montana*, 1861
antifungal alkaloid stellettamide, 4163
aplotaxene, isolated from *Centaurea incana*, 7615
aplydilactone fatty acid metabolite from *Aplysia kurodai*, 4907
aryl diazotates and diazocyanides, configuration and conformation, 7205
assignment of double bond stereochemistry by $^{3}J_{CH}$ values, 157
bromination prods of 2–bromobenzobarrelene, 2345
calix[4]arenes with resorcinol units incorporated in 2,6–position, 3295
chemical shift correlations in 1,3–diol acetonides, implications for the stereochemical assignment of propionate–derived polyols, 7099
chiral lanthanide shift in configurational assignment of α–methyl α–aminoacids, 1031
chiriquitoxin from *Atelopus chiriiquiensis*, structure, 3187
chlorophyllone–a and pheophorbide–a Me ester, 1165
cis,cis,trans–bicadinane from crude oils, 4645
conformation and configuration of adduct of cyclic malonyl–ephedrine with cyclopentenedione enol ether, nOe, 2029
COSY, NOESY, ^{1}H spectra Leu–enkephalin bound to β–cyclo–dextrin, 1999
coupling constants in [1.1.1]propellane, 171
crystalline sodium seleno– and telluro–carboxylates, negative charge on Se or Te atoms, 3587
cyclodepsipeptide sponge metabolites geodiamolides B–F, 489
cyclodextrins, functionalisation of 2–position, 4275
detection of intermediates during homogeneous hydrogenation of dienes using parahydrogen, 5721
di–tert–butyladamnatanol, rearrangement to iodo–di–tert–butyl protoadamantane, signals indicate atropisomerism, 4061
direct detection by ^{31}P NMR of metaphosphoramidates in –75° THF solns, 6473
diterpenoids, kalihinene and isokalihinol cytotoxic isonitriles from *Acanthella klethra*, 3599
dynamic–, fused ^{14}–thiadiazolopyrimidines, 1605
experimental method to estimate resonance energies of 4N+2 π–electron systems relative to that of benzene, 5281
hericenones, fungal metabolites, structures, 373
Hofmann degradation, new methods, 1559
hydrogen–bonding effects on ^{17}O NMR, 957
imaging agents, new iron dihydroxamate complexes, design, 5729

in presence of Pirkle's reagent, molecular chirality of pseudocrown ether Cu complex, 6543
indololactam V from enriched aminoacids, 101
internal mobility of resonance stabilised phosphorus ylides, 5753
J values in synthesis of ansa fragment of streptovaricin A, 31
measuring conformational populations of t–butyl formate, polar aprotic solvents favor *E*–isómer, 4685
molecular recognition of O–containing substrates with Lewis acid MAD, 5475
neurotrophic neolignan, clova–nemagnolol, synthesis from caryophyllene and magnolol, 4477
new bis(dialkylamino)–1,4,2–(l–4) diazaphospholanium salts, synthesis via phosphenium cations and imines, 4459
new cytotoxic alkaloid, aplaminone and neoaplaminone sulfate from *Aplysia kurodai*, 4911
new guanidine alkaloids from *Crambe crambe*, structures, 6531
new spirocephams, synthesis and structure elucidation, 7141
NOE difference spectroscopy, configuration of aldoximes and ketoximes, 3109
nortropane alkloids, structure of new calystegines, 3879
oxygen analogs of sulfchlorin A and C, synthesis, 3853
Perkov reaction with monothio–phosphites, 1557
petroporphyrins from Moroccan shales, 1751
phosphorothioic acid oxidation products, 473
phosphorus, of complexes with Pd, 77
phosphorus–31, of 1,2,4–diaza–phosphole, 1147
phosphorus–31, of phosphonylated P/S–ylids, 1151
porphyrin dimers and trimers with ether linkages, syntheses, stability, and tumorcidal activity, 7399
ring–chain tautomerism of thiocarbohydrazones, 3927
rubiginones absolute configuration and photo–induced oxidation of C1 hydroxyl to ketone, 7473
selective one–dimentional analog of HMQC–TOCSY, 5273
selenenamide ^{77}Se chemical shifts, 875
sesquiterpenoids, structure of illicinolide A, 5621
shifts of diasterotopic O atoms in 1–thiadecalin 1,1–dioxide and related compds, 5835
shifts of methoxy groups, conformations, 107
solution conformation and synthesi of dodecaphenylporphyrin, 5583
sporogenic fatty acid metabolites from *Aspergillus nidulans*, structure elucidation, 3837
stereochemistry of 1,3–diol acetonides by ^{13}C NMR, 945
stereochemistry of δ–lactones from polyol–acids, 381
stereostructure of coleonolic acid from *Coleus firskohk*, 3467
steric compression, proton and C–13 NMR effects, 497
steroidal saponin pachastrelloside A from *Pachastrella genus*, structure, 3321
Stork/Robinson annelation using (*S*)–1–phenyl–ethylamine, 875
structure and isolation of entilins A and B from *Entandrophragma litile*, 4505
structure of carzinophilin and its epoxy–acid fragment, 2669
structure of dermocanarins, unique lactones from *Dermocybe canaria*, 3505
structure of ferodoxin from *Aloe ferox*, 3077
structure of ternatin from *Clitpria ternatea* flowers, 2921
study of gold–catalysed asymmetric aldol reaction of isocyanoacetate, 2723
syringomycin structure determination, 1589
temperature effects in deoxy–adenosines substituted at N–6, 1547
temperature–dependent; chiral stacking of flavone glycoside, 713
tetranortriterpenoids, dimeric mahagonin from *Swietenia mahagoni*, 5943
thebaine, incorporation of (*S*)–and (*R*)–reticuline, fate of C–1 hydrogen, 4853
tobagolide, a furano–diterpenoid from coral, 465
trans–2,3–bis(R–thio)–1,4–dioxanes, conformation, 2755
tris(cyclopentadienyl)methane trianion, 6673
triterpenoids, chiratenol, from *Swertia chiurata*, 7649
triterpenoids, dimers from *Maytenus ilicifolia*, 6881
uvariamicin I,II and III from *Uvaria narum*, 4649
woodfruticosin tannin, ^{1}H, ^{13}C and HMBC correlation spectra, 393

Nucleic acids
amino–nucleic acids and nucleic acids, conversion into fluoro compds, 3019
DNA cleavage by acyclic eneyne–allene systems related to neocarzinostatin and esperamicin–calichesmicin, 2907
DNA interaction with new cationic porphyrin, 4739
DNA intercalation into water–soluble binuclear Cu porphyrin–bipyridyl complex, 519
DNA, covalent alkylation with duocarmycin A, identification of abasic site structure, 7197
DNA, fluorescent non–radioactive probes, synth fluoresceinylated 2i–deoxyadenosine, 2581
dynamics of DNA, spin–labelled thymidine analog, 593
insertion of fragile 2'–deoxy–ribosylurea residue into oligodeoxynucleotides 5745
nucleoproteins, synthesis of fragments, 427
oligodeoxyribonucleotides, improved automated synth, 2549
PS–RNA, PS–rC14, synthesis, nuclease resistance and base–pairing properties, 7149

Nucleosides
(±–oxetanocin isolated from *Bacillus megaterium*, short synthesis, 5445
1–(3*R*–amino–4–hydroxy–butyl)thymine, synthesis of acycl–onucleoside analogs as potential anti–aids drugs, 4879
2',3'–dideoxy–3'–methylene pyrimidine–, as potential anti–aids agents, 5839
2'–deoxy carbocyclic purine–, two, both lacking 5'–methylene, synthesis, 5861
2'–deoxyguanosine, 6–oxo–group replacement, 2'–319
2'–deoxyribonucleosides, regio–specific synthesis improved, 4437
2'–deoxyribonucleosides, prep of 3'–*O*–alkyl derivs, 7483
2–azidoadenine, photochemistry in alcohols, 5849
2',3'–didehydro–deoxythymidines, from lactone intermediates, 1815
3',N,N–dialylphosphonamidates, building blocks for oligo–nucleotides, 6363
3'–azido–3'–deoxythymidine alkylglycoside carbonates as new drug carrier, 6021
3'–deoxy–3'–hydroxymethyl–ribofuranosides, new approach to synthesis, 3101
4',5'–unsaturated pyrim$idine nucleosides, radical addition to 227
5'–dimethoxytrityl–2'–deoxynucleoside–3'–O–methy lphosphonamidite diastereomers, separation by normal phase chromatography, 3673
5–(2–halovinyl)pyrimidiine–, conversion of vinylsilanes to vinyl halides with xenon difluoride and metal salts, 5633
9–(4–hydroxy–1–butenyl)–adenosine analogs, 43
adenine–, related to sinefungin, synthesis, 7003
adenosine functionalisation at C–2 using copper, 807
adenosine, 2'–deoxyadenosine and 2',3'–dideoxy–adenosine–, C–8, allylation and vinylation, 5877
antiviral acyclonucleosides, synth of 9–hydroxypurine intermeds, 2185
aristeromycin, conversion into (+)C–AFG, 767

aristeromycin, intermediacy of 4b–hydroxymethyl–1α,2α,3α–trihydroxycyclopentan etriol, 7549
C–nucleosides, from non–carbohydrate precursors, prep of 2,4–dioxoimidazolidin–5–yl ribofuranoside, 6547
carbocyclic adenosine analog, assignment by selective one–dimentional analog of HMQC–TOCSY, 5273
carbocylic–, synthesis of (±)–psicoplanocin A, combining features of psicofuranine and neplanocin A, 5977
deoxyadenosine, N(6)–substituted polycyclic aromatic hydrocarbon, 1547
deoxyguanosine, arylamination by N–acyloxyarylamines, 1685, 1689, 1693
dinucleoside phosphorodithioates via phosphotriester approach, 1953
enzymatic mono–acylation of 3'–OH groups of 2'–deoxy–5–fluorouridine and 2'–deoxy–5–trifluoromethyluridine, 7327
glutarimide C–nucleosides, 1–deaza–thymidine analogs, 907
iodo–, successful coupling with terminal alkynes determined by solvent, not Pd oxidation state, 3731
nucleoside, dinucleotide, esters *via* phosphotriester method, 1953
phytoalexin elicitor–active β–D–glucohexaoside and β–D–gluconoaside, stereoselective syntheses, 3179
polycyclic aromatic hydrocarbon–nucleoside adducts alkylated on the amino functions of deoxyguanosine, 6773
porphyrinylnucleosides, first representatives, 5133
propynyl and cyanomethyl deoxythymidines, 597
pyrimidinone deoxyribosides, acid hydrolysis, 175
ribonucleoside silylation, dibutyltin oxide catalysis, 1613
transport of–, across celular membranes, inhibited by 6–[(4–nitrobenzyl)thio]–9–(β–ribo–furanosyl)purine, 4995
unsaturated–, regiospecific synthesis, 3829

Nucleotides

α–anomeric uriylates, nuclease resistant, solid phase synthesis as potential antisense agents, 3537
adenosine polyphosphate synthesis, metal ion catalysed, 235
amino–group protection in bases, by 2–(t–butyldiphenylsilyloxymethyl)benzoyl, 427
deoxynucleotides, sulphur analogues 335
dinucleotide, esters *via* phosphotriester method, 1953
dinucleotides containing phosphorodithioate links, 911
fluoresceinylated 2'–deoxy–adenosine, mono, di and triphosphate derivs, synth, 2581
methylphosphonate dinucleotides, DMAP–catalysed coupling, 851
methylphosphonate dinucleotides, stereospecific synthesis, 855
oligodeoxynucleotides, insertion of fragile 2'–deoxyribosylurea residue, 5745
oligodeoxyribonucleotides, improved automated synth, 2549
oligodeoxyribonucleotides with internucleotide phosphoramidate bonds, new synthesis, 3205
oligonucleotide synthesis, modified resin for, 81
oligonucleotide, fast deprotection phosphoramidite chemistry for DNA synthesis, 7269
oligonucleotides bearing thio group at 3i–terminal, synth, use of polymer support, 2471
oligonucleotides containing carboxyl group at either 5' or 3' end and subsequent derivatisation by amino acid intercalating agent, 6657
oligonucleotides via 3',N,N–dialylphosphonamidates as building blocks, 6363
oligoribonucleotide and phosphorothioate analog via H–phosphonate approach, 7541
p^1,p^4–dithio–5',5'''diadenosyl p^1,p^4tetra–phosphate and analogs, synthesis, separation and identification of diastereoisomers, 4371
phosphate modified oligo–nucleotides, 2–(acetoxymethyl)benzoyl as protecting group, 6729
phosphonate and thiophosphate analogs of AP_3A, diadenosine 5',5'''–p^1,p^3–triposphate, 5637
phosphonate nucleotide analog, cytomegalovirus active phosphonate isostere of ganciclovir monophosphate, synthesis, 3257
phosphorodithioate esters *via* phosphotriester method, 1953
phosphorothioate RNA, PS–C_{14}, solid phase synthesis and evaluation as potential antisense agents, 7149
polycyclic aromatic hydrocarbon–oligonucleotide adducts alkylated on the amino functions of deoxyadenosine, 6773
site–specific labelling oligodeoxy–, aminoalkylphosphoramidates, 1543
small oligodeoxyribonucleotides, large scale synthesis on polystyrene by phosphite triester approach, 6231
trimer of thymidine with formacetal linkages, synth and incorp into longer deoxyribonucleotide and characterisation of hybridisation props with complementary RNA sequence, 2385

Olefination

basis of route to unsaturated hydroperoxides, 5117
diazo–compds with carbonyl compds using tributylstibine and catalytic Cu, 5897
olefination of aryl aldehydes and ketones using alkanesulfonate esters, 981
Wittig–, in absence of exogenous base, new synth of α–substituted prim allylic amines, 2661

Olefins see also Alkenes

1,1–dibromoolefins, cross coupling with vinylboronic acids, synthesis of (*Z,E*)–2–bromo–1,2–dienes, 6509
1,4,7,10–tetraarylcyclododeca–1,2,3,7,8,9–hexaenes, sulfurisation, 7641
addition (*trans*) of PhSe–F to acid–labile systems, 663
Ad_E–reactions with xenon fluorosulfates, 5225
arene–olefin cycloaddition, total synthesis of (±)–subergorgic acid, 5429
arene–olefin cycloaddn, total synth of (–)–retigeranic acid, 2517
asymmetric catalytic cyclopropanation, use of bis–oxazoline copper complexes, 6005
asymmetric dihydroxylation, use of potassium ferricyanide in place of NMO increases level of induction, 2999
bridgehead–, cage controlled hyperstability, 4219
conversion to b–keto esters via ozonolysis followed by *in situ* reduction with tin chloride in presence of ethyl diazoacetate, 4991
dialkyl substituted–, catalytic asymmetric dihydroxylation, ligand–based enantioselectivity improvement, 3817
diastereotopic–, differentiation in enantioselective iodolactonisation using (2*R*,5*R*)–bis(methoxymethyl)pyrrolidine, 3175
dihydroxylation by osmium tetroxide and Cinchona alkaloid derivs, origin of enantioselectivity, 2665
E– and Z–phenylthio substituted olefins, stereosel construction and model studies on synth of calichemicin/esperamicin and neocarzinostatin aglycones, 2541
electron deficient–, photoaddition of acyl radical, prep of 1,4–dicarbonyl compds, 3063
electron deficient–, photocycloaddition with 1,4–diphenyl–1,3–butadiyne, 1:1 and 1:2 adducts 6197
fluorination using PhSeCl/AgF, 973

fluoroselenenylation of–, use of benzeneselenenylfluoride equiv *in situ* generated with XeF_2–$(PhSe)_2$ in CH_2Cl_2, 3583
formation by I–OR elimination by alkyl–Li, 1907
improved Julia synthesis, samarium diiodide reductive elimination of β–hydroxy imidazolyl sulfones, 7105
MnTPPCl–catalysed epoxidation with hydrogen peroxide, mediation of orthoquinones, 6039
moiety of–, in presence of terminal alkyne function, selective catalytic hydrogenation, 2857
non–activated–, reaction with CH–acids, prep of electrophilic cyclopropanes, 7501
oxidation of–, by heme–undecapeptide microperoxidase–11 in presence of H_2O_2, 3163
photoinitiated, intramolecular ylide–alkene cycloaddition, 3821
radical addition of diethyl (2–phenylseleno)–propanedioate, 5697
reaction with 1,2–bis(N,N–di–methyl–amino)–1,3–butadiene, zwitterion formation and [4+2]cycloaddn as competing pathways, 2265
regiospecific synthesis, 3829
tetramethylethylenes, alkyl substituted and singlet oxygen, comparison of ene reaction with triazolinediones, 6759
trans–stilbene, heterogeneous catalytic asymmetric dihydroxylation, use of polymer–bound alkaloid, 3003
unfunctionalised–, catalytic asymmetric epoxidation, 7345
via deoxygenation of allylic alcohols, induced by hydridopentacyanocobaltate anion using β–cyclodextrin as phase transfer agent, 4101

Oligomerisation
malonodialdehyde under physiological conditions, 4077

Osmylation
stereoselective–, approach to C(1)–C(7)and C(7)–C(13) subunits of erythronolide A, 3275

Oxadiazines
3,4–dihydro–, 1,3,4–oxadiazines, from arylaldehyde dimethylhydrazones, 1183

Oxadiazoles
2,5–dihydro–1,3,4–oxadiazoles, photo–cleavage, 863

Oxadiazolidines
4–alkylthio–Δ^4–1,3–oxathianes, via novel endocyclic ketene dithioacetals from acetalisation of β–hydroxydithioesters, 6961

Oxathiazolinium salts
1,3,4–oxathiazolium salts, synthesis, first oxathiazolium cations, 5935

Oxazines
5,6–dihydro–2–hydroxy–2,3–dimethyl–2H–1,4–oxazine, ring–chain tautomerism, 4211
chiral spirocyclic 1,3–oxazine–4,6–diones as synthons for enantiomerically pure compds, 3605
fluoromethyl–5,6–dihydro–4,4,6–trimethyl–4*H*–1,3 – oxazine, a–fluoroaldehyde synthesis using, 2–179
tetrahydro–1,4–oxazin–2–one, aldol reactions of chiral boron enolates, 827

Oxazoles
from acylsilanes, R^1Li and R^2COCl, 1945
intramolecular formation of oxazolium salts and reaction with N– and C–nucleophiles, 7213

Oxazolidines
2–isopropyl–oxazolidines, thermolysis, mechanism of tautomerism between azomethine ylid, aziridine and enamine, 6017
3–aryl–5–(1',2'–dihydroxyethyl), oxazolidin–2–ones, stereospecific synthesis, 515
4–methylene–2–oxazolidinone, N–substituted and densely functionalised, synthesis, 4887
N–acyl oxazolidones, cleavage using benzyl mercaptan, 2849
norephedrine derived 2–methoxy–, as chiral formyl cation equivalents, 2779
oxazolidin–2–ones, 4–methylene–, phosphine–catalysed synth, 1721
protected serine aldehyde and derived αβ–unsaturated esters, 1011

Oxazolines
5–alkylidene–3–oxazolines, route based on reactivity of azomethine ylides due to electronic effects, 3343
αβ–unsaturated–, addition of silyl enol ethers leading to δ–oxa acids, 7433
as epoxide surrogate in 1,3–asymmetric induction, 4573
dissymmetric synthesis using ferrocene gold complex for aldol catalysis, 839
indole–, synth as potent 5–HT_3 antagonists, 2445

Oxepanes
tetrahydrooxepanol via cyclisation of allyl glycidyl ethers, 3501

Oxepines
maleimido–oxepines, isomerisation and synthesis via transannular p–bond pairing, 7073

Oxetanes
intramolecular oxetane/oxolane ring formation, two possible transition states based on AMI calculations,4777
oxetanocin, synthesis, 6931
trisubstituted–, from 2,7–dioxa–bicyclo–[3.2.0]hept–3–enes, 4693
via ring contraction, 3–deoxy–2–O–trifluoro–methanesulfonates of a–hydroxy–γ–lactones, 6927

Oxidation
2'–alkenyl–*p*–phenyl phenols with iodobenzene diacetate to spiro–annulated 2,5–cyclohexadienones, 4551
2,3–epoxynorbornane catalysed by RuO_4, 1157
2–methylnaphthalene by *Pseudomonas sp.* absolute configuration of metabolites, 13
alcohols, new selective reagent 1,4–benzo–quinone, 4497
alkyl and allyllic halides to aldehydes with trimethlamine N–oxide in DMSO, 4825
allylic, of olefin to αβ–unsat ketone by CrO_3, 1943
allylic–, unsaturated spiroketals, 7509
androst–4–en–3,17–dione with cumene hydroperoxide, catalysed by chloroiron–5,10,15,20–tetraarylporphinate/ N–methylimidazole, 6223
anodic–, diastereoselective fluorination of benzylic derivs in α–position of electron withdrawing group, 3137
anodic–, of α–keto and α–hydroxy–thioacetals, regeneration of α–diones, α–ketols and chiral synthons, 2599
Baeyer–Villiger oxidation of norcamphor derivative, 431
biomimetic–, vitamin D by Fe–S protein model cluster and dioxygen system, 4903
by methyl(trifluoromethyl)dioxirane, oxyfunctionalisation of aromatic hydrocarbons, 6097
diastereoselective–, sulfides to sulfoxides with potassium peroxy–monosulfate, 3685
ethyl– to 3–acetylpentane, radical oxidation, 353
Gif – of alicyclic amines, formation of lactams, 2281
Gif system, conversion of saturated hydrocarbons to ketones, evidence for a second intermed, 2817
hydrocarbons, using H_2O_2/Fe(III), 659
hydrogen peroxide as oxidant in biomimetic hydroxylation of arenes, 6645
hypervalent iodine, of trimethylsilyloxy–cyclopropanes, 197
hypervalent iodine, of keto–acids to keto–lactones, 201

hypervalent iodine–, aryl methyl ketones, route to methyl α–methoxyarylacetates, 3055
methyl groups of N,N–dimethylbenzamides by cytochrome P450 mono–oxygenase model system, 4921
methyl(trifluoromethyl)dioxirane–, adamantane, prep of adamantane–1,3,5–triol and –1,3,5,7–tetrol, 3067
N21,N22–etheno–bridged 5H–phlorins to monocationic N21,N22–etheno–bridged 5–alkylporphyrins by Cu(BF4)2, 5057
new oxidising reagent, CuO2H, prep and reactivity, 3891
oxidative debenzylation of 4–methoxy–α–methylbenzyl esters, 5913
oxygenation of 2,4,6–trimethylphenol to 3,5–dimethyl–4–hydroxybenzaldehyde by dioxygen with copper–amine complex catalyst, 2607
peracid–, triterpenic hopane skeleton, 6523
phenols to quinones by bis(trifluoroacetoxy)–iodobenzene, 4871
photo–induced–, rubiginones A1,B1 and C1 to rubiginones A2, B2 and C2,7473
potassium superoxide, reaction with 2–methyl–1,2,3–triazinium iodide and dihydro deriv give same products, 7193
prim aliphatic amines into nitriles, with cuprous chloride–dioxygen–pyridine system, mechanism, 3305
s,h3–iron complexes to cyclohexenones, 2373
selective–, of alcohols by chromia–pillared montmorillonite catalyst, 5785
selective–, of prim OH groups in prim–sec–diols, 2177
selective–, tellurium dioxide catalysed, of sulfides with H2O2, 2893
selective–, ylides using potassium peroxymonosulfate, formation of vicinal tricarbonyl compds, 5205
state of–, dependent on light sensitivity of dihydroazulene/ferrocene conjugate, 3113
tandem photooxidation–intramolecular Diels–Alder reactions of bis–furans, synthesis of decalines, 7201
tetrahydrofuran methanol derivs, oxidation with pyridinium chlorochromate, synth of γ–butyrolactones, 2775
thiols and selenols to disulfides and diselenides, 5007
thiophene derivs with dimethyldioxirane, efficient synthesis of thiophene l,l–dioxides, 5955

Oximes
α–alkoxycycloalkanone–, Beckmann fragmentation and C–C bond formation catalysed by trimethylsilyl trifluoromethanesulfonate, 5951
acetates of–, βγ–unsaturated, aza–di–p–methane rearr, photochemical synth of pyrethroid insecticides, 2475
aldoximes and ketoximes, detn by NOE difference spectroscopy, 3109
alkylated–, prep of dipolar cycloadducts, 1191
and derivs, action of baker's yeast, synthesis of amines, 5555
dehydration and Beckmann rearrangement using AlI3, 1063
deoximation using chlorotrimethylsilane–sodium nitrite or nitrate, 6677
ethers of–, tethered to terminl alkynes, free–radical cyclisations, 3727
intramolecular ene reactions and nitrone tautomer cycloadditions, 559

Oxiranes see also Epoxides
α–silylalkyl, stereoselective synthesis, 1055, 1059
cobalt–catalysed cleavage by anilines, radical mechanism, 575
cyclic phosphite (phosphonate) esters –1,3,2–dioxaphospholanes, 2025
dimethyldioxirane, use in direct epoxidation of precocenes, 5235
isocyanooxiranes, prep, 2047
phenylsulfonyl–, and trimethylsilyl analogs, synth, rearr, 1877
reaction with cyanotrimethylsilane under Yb(CN)3 catalysis, 6209
ring–opening by dibutyltin diazide, 221
synthesis of–, use of diphenyltellurium methylide, 4173
vinyl oxirane analog of (3S)–2,3–epoxysqualene, substrate for oxidosqualene cyclases from yeast and from hog liver, 2097

Oxo carbonium ions and anions
diethylammonium croconate, from inositol hexanitrate, 1797

Oxothiones
enethiolisable α–oxothiones, synthesis by flash vacuum thermolysis, 6183

Oxygenation
γδ–unsaturated ketones in presence of thiophenol, formation of cyclic peroxides, 2425
linoleic acid, catalysed by iron–peplomycin, 4485
photo–, 1,2–bis(trimethyl-.silyloxy)cycloalkenes, 1245
photo–, 1–aryl–2.2–dimethyl–bicyclo–[1.1.0]butanes, 4585
photo–, allylic alcohols, prep of b–hydroxyhydroperoxide and elaboration into 1,2,4–trioxanes, 6901
photo–oxygenation 1,3–cyclohexadiene deriv. in inositol synth, 1617
singlet–, of alkylidenecyclopropane, 1173
singlet–, of oxadisiliranes, synthesis and crystal structure of 1,2,4,3,5–trioxadisilolanes, 4177

Oxygen heterocycles see also Furans Pyrans etc
cyano substituted–, prep, properties and unusual behaviour towards reducing agents, 3299
prep via cyclisation of α–diazo substituted alkynes, 6835
pyrano[3,2–*b*]pyrans and pyrano[3,2–*b*]oxepans, by intramol nitrone–allyl ether cycloaddn and isoxazolidine cleavage, 2055

Ozonides
5,6–dihydro–4H–1,3–dioxocins, rearrangement to tetra–hydropyran–3–carbaldehydes, 649
tetrahydropyrans, by cyclisation of 7–hydroxyhept–2–enoic esters, 763

Ozonolysis
ascorbic acids, protected, to butanetetrols, 1003
cyclohexen–3–one spiro–acetals and trimethylsilyl enol ether, 623
selectivity in–, cyclic 1,3–dienes, 5579
trimethylsilyl olefin, to cyclic peroxides, 1799

Palladium and compounds
and Lewis acids catalysis, rearrangement of optically active cyclopropyl allyl esters, 4135
catalysed acetoxy group substitution, 1043
catalysed carbopalladation cross coupling, effects of organometals on prep of stereodefined exocyclic alkenes, 4393
catalysed cyclisation, stereospecific synthesis of arylidene and allylidene cyclopentanes, 5147
catalysed reaction of vinylic halides with prim allylic alcohols, synthesis of 4–enals, 6641
catalysis bicyclisation of iodo–dienes with anion capture, 1347
catalysis in alkynylation of benzenes, 185
catalysis in hydrostannation of C–C triple bonds, 6621
catalysis of 1,3,6,8–tetraene cyclization, enamine trapping, 1117
catalysis of methyl propargyl carbonate condensation with diacetylsuccinate, 111
complex catalysts, dissymmetric allylic coupling, 77
methyl– reagents, conjugate addition to cyclohexenone, 1553
not oxidation state of–, but solvent determines successful coupling of iodo–nucleosides with terminal alkynes, 3731
oxoallyl complexes, migration of metal, 615
Pd(OAc)2/CO reaction with Et cloroformate, formation of malonate esters, mechanism, 325
promoted cyclisation of allylic chloromercurioacetates to butenolides, 17

tetrakis(triphenylphosphine)palladium, radical chain promoter of olefinic α–iodocarbonyl cyclization, 933

Penams
2β–(thio–substitued methyl)penams via rearrangement of unsym–azetidinone disulfides, 3509
carbapenams by carbene cyclization *N*–benzyloxy azetidin–2–one, 1807

Peptides and polypeptides
(–)–statine, diastereospecific synthesis, 7329
(3*S*,4*S*)statine and related compds, stereoselective synthesis, 7359
amadori N–glycopeptides, new approach via synthesis of N–glycopeptide partial sequence A^1–A^{12} of b–chain of glycosylated haemoglobin, 3493
antiobiotic galantin 1, structure revision and total synthesis, 3183
bond formation using an enzyme mimicking approach, 2929
carba peptide bond replacements, synthesis of PHe y(CH_2–CH_2)–L–ALa–OH and Boc–L–Phe–y–(CH_2CH_2)–D–Ala–OHfrom Boc–L–phenylalanine, 5153
C–terminal 104 residue from GAG p^{24}, synthesis, 4637
chain of–, glycolamidic ester linkage to polystyrene resin cleaved under alkaline conditions, 6189
chlamydocin, prep of protected AOE analogs, 2153
chymotrypsin–catalysed fragment coupling synthesis of D–Phe–(6)–GnRH, 7305
condensing reagents for solid–phase synth, 1–arenesulfonyl–3–nitro–1,2,4–triazoles, 1915
cyclic hexadepsipeptide, L–156 602 synthesis, 1237
cyclic peptides, containing diaryl ether links, 2021
cyclo–decapeptide, assembly of linear chain on oxime resin, cyclisation and cleavage to yield tyrocidine A, 6121
cyclodepsipeptides, geodiamolides C–F from sponge, 489
dehydroalanine–, prep from bis–(2,2,2–trichloroethyl) and diphenyl phosphonoserine derivs, 5269
desoxopeptides, reduction of endothiopeptides, 23
dipeptide isosteres, conformationally restrained, synthesis using trans allylic amines, 6819
dipeptide isosteres, stereoselective synthesis of 1,2,3–trisubstituted cycloprpanes, 4731
FK–506, synthesis of cyclohexyl fragment by intramolecular ene reaction, 3007
fluorination (AcOOF) of tyrosine tripeptide, 619
fluoroolefin dipeptide isosteres, synthesis of glyy(CF=CH)Gly and rac Phe*(CF=CH)Gly, 7297
fluoroolefin dipeptide isosteres, synthesis of both antipodes of Phe–Gly dipeptide mimic, 7301
gly/lys–containing–, macrocycles, synthesis and cyclisation, 4191
heme–undecapeptide microperoxidase–11, sulfide oxidation, amine N–demethylation and olefin oxidation in presence of H_2O_2, 3163
hexapeptide as plausible active center of vancomycin, synthesis, 4053
histidine–containing–, direct photochemical trifluoromethylation, 5705
hydroxyacetylaminomethyl group, ester as C–terminal binder in solid phase synthesis, 339
insulin, conversion of porcine to human by immobilised trypsin, 989
isosteres of ser(P)–peptides, synthesis of Leu–Abu(P) and Glu–Abu(P)–Leu, 3759
L–2–thiol–histidine as synthon for bis–thioether bridged peptide, 2837
malformin A2, structure and spectroscopic analysis of A1, metabolites produced by *Aspergillus niger*, 4337
N–glycosylated–, incorporation of unprotected mono– and disaccharide units, 5889
N–linked glycopeptides, solid phase synthesis, pentafluorophenyl esters as carboxyl group protection, 6987
N–methylaminoacids, coupling using $(Me_2N)_3PBr.PF_6$, 669
neuro–, Leu–enkephalin, binding to β–cyclodextrin, 2D– ^1H–nmr, 1999
new protected lactam–bridged dipeptide, synthesis, 6071
O–linked dimannosyl glycopeptide, solid phase synthesis, 6991
peptides and analogs, conformations by molecular graphics, 917
peptidyl α–ketoesters for construction of proteinase inhibitors, 1385
phosphopeptides, automatic synth by phosphorylation on solid phase, 2497
protected–, condensation on conformationally constrained cyclic carrier, synthesis of 4–heix bundle–like template assembled synthetic protein, 4015
protected–, improved coupling on Kaiser oxime resin using BOP activation, 4561
segments, reduction of phenacyl esters using acetylacetone and pyridine, 6539
sialoglycopeptides with di– and trimeric sialosyl Tn epitopes, partial structures of glycophorin A, 6897
solid–phase synth, Boc–aminoacid bridging groups, improved prep, 2003
solid–phase sythesis, use of BOP[1] reagent for suppression of diketopiperazine formation in Boc/Bzl 7363
solution phase–,Geysen method of simultaneous peptide synthesis, 5811
statin analogs, synthesis from malic acid involving *cis*–selective allylation of α–alkoxy N–acyliminium ion, 4949
synthesis accelerated using enzyme model having preorganised catalytic groups, 6051
synthesis from undissolved reactants, chymotrypsin suspended in organic solvents with salt hydrates as catalyst 5213
synthesis of BOC–L–LEU–y(CH_2–CH_2)–L–PHE–OH and BOC–L–LEU–y(CH_2–CH_2)–D–PHE–OH through Horner–Emmons reaction, 7319
synthesis using modified BOP reagent, 205
synthesis, amino protection using 18–crown–6, 399
syringomycin, cyclic peptide–lactone, structure, 1589
syringostatins A and B, polypeptide–lactones from *Pseudomonas syringae* pv. *syringae*, 695

Peracids
oxidation of triterpenic hopane skeleton, 6523

Perfumes
(3*E*,5*Z*)–1,3,5–undecatriene, two new stereoselective syntheses, 5749
damascenone, glucosidic precursor, isolation from *Lycium halimifolium*, 6521

Peroxides
β–hydroxyhydroperoxide, by photooxygenation of allylic alcohols and elaboration into 1,2,4–trioxanes, 6901
cumene hydroperoxide oxidation of androst–4–en–3,17–dione catalysed by chloroiron–5,10,15,20–tetraarylporphinate/ N–methylimidazole, 6223
cyclic peroxides, formation by oxygenation of γδ–unsaturated ketones in presence of thiophenol, 2425
cyclic, 8α,9–secoartemisinin and intermediates, 1799
cyclo–oct–3–en–1–yl hydro–peroxide, bicyclisation to 2–funtionalised–8,9–dioxabicyclo–[5.2.1]decanes, 5513
cyclohexene 1,4–endoperoxides in conduritol synthesis, 1323
dihydrotropone endoperoxide in tropolone synthesis, 1309
unsaturated hydroperoxides and t–butyl–hypochlorite, prep of chloroalkyl 1,2–dioxolanes, 7077
unsaturated hydroperoxides, olefination based route, 5117

Pesticides
avermectin B_1–3,4–oxide, synthesis, reactivity and bioactivity, 4965
clerodin model, simple access to *trans*–decalin epoxy–diacetate, 5151

sensitive, reversible and continuous reporters of–, by *p*–nitrophenol–functionalised, vesicular surfactants, 2377

Ph
measurement by water insoluble indicators in water immiscible solvents, 5799

Pharmacologically active compounds
2'–deoxyribonucleosides, regio–specific synthesis improved, 4437
3'–deoxy–3'–hydroxymethyl–ribofuranosides, new approach to synthesis, 3101
3'–substituted–2–(carboxy–cyclopropyl)glycines via intramolecular cyclopropanation, folded form of L–glutamate activates non–NMDA receptor subtype, 4049
4–[(t–butoxycarbonyl)–pyrazol–idin–3–one, precursor to bicyclic pyrazolidinone antibacterials, 5567
5–alkenyl–2–methoxy–2–cyclopentenones conversion to 9–membered rings and subsequent anionic oxy–Cope rearrangement, 4547
5–methyl–6H–pyrido[4,3–b]carbazole–11–methanol, from *Strychnos dinklagei*, 5845
α–mannosidase inhibitor, synthesis, 7109
acromelic acid, analog active agonists of kainate type neuroexcitent, 7047
antifungal disulfides, polycarpamines A–E from *Polycarpa auzata*, 2389
antiviral D4T, synth using γ–hydroxymethyl γ–lactone, 1815
aspirochlorine A30641, synthetic studies, 4297
bicyclic, cyclophosphamide analogs, 887
carnitine, synthesis of both enantiomers, 7323
chiral carbocyclic analogs of oxetanocin, synthesis of protected (2*S*,3*S*)–2,3–bis–(hydroxymethyl)–cyclobutanone as key intermediate, 6609
D–myo–inositol 1,5–bisphosphate, 3,5–bisphosphate and rac–1,5–bis–sulfated and 1,5–bis– sulfamoylated isosterric analogs, 6915
diterpenoids, clerodane, approach via synthesis of tricyclo–[6.2.2.0^{1,6}]dodeca–6,9–dienes, 5297
DNA, covalent alkylation with duocarmycin A, identification of abasic site structure, 7197
enantiomerically pure muscarine analogs, synthesis, 5733
fascaplysin, pigment from *Fascaplysinopsis*, synth, 2381
HIV viral protein, synthesis of C–terminal 104 residue peptide from GAG p^{24}, 4637
HMG–COA reductase inhibitor, new stereosel synth of HR 780, 2545
homochiral pentacyclic C1–C15 intermediate of halichondrins, enantioselective construction from D–ribose, 3813
indole isoxazolines, synth as potent 5–HT$_3$ antagonists, 2445
inhibitors of poliovirus and rhinovirus 3C–proteinases, 7277
isoproterenol, synthesis R–(–)–form using CBS reduction, 601
isoquinolines, asymmetric synthesis via epoxidation or dihydroxylation, synthesis of (*R*)–reticuline, 7591
monoterpenoids, paeonilactones A, B and C, stereoselective synthesis, 5973
myo–inositol 1,4,5–triphosphate isosteric analogs, synthesis of 1,4,5–trissulfated and 1,4,5–trissulfamoylated myo–inositols, 6919
natural glycocamptothecin, chaboside from *Ophiorrhiza pumila*, 5169
neocarzinostatine chromophore, synth of related acyclic (*E*)– and (*Z*)–dienediyne systems, 2323
oxaunomycin, total synthesis, glycosidation of C–7 OH group of β–rhodomycinone, 7173
oxotremorine analogs, differentially constrained as muscarinic agents, access via synthesis of chiral α–acetylenic cyclic amines from α–amino acids, 3957
oxygen analogs of sulfchlorin A and C, synthesis, 3853
pepidase inhibitors, synthesis of key constituents statine and (3*S*,4*S*)4–amino–3–hydroxy–5–phenyl pentanoic acid, 7359
phenacetin, side–effects of, oxidation, 1693
phosphonate nucleotide analog, cytomegalovirus active phosphonate isostere of ganciclovir monophosphate, synthesis, 3257
porphyrin dimers and trimers with ether linkages, syntheses, stability, and tumorcidal activity 7399
pseudopterosins, new enantiospecific route, 3857
pyrrolidine and piperidine amino–sugars from dicarbonyl sugars, synthesis of deoxynojirimycin, 6777
renin inhibitors, synth of key intermed, methyl N–[2–(*R*)–(1–naphthylmethyl)–3–(morpholinocarbon yl)propionyl]–(*S*)–histidinate, 2731
RP49532, synthesis of analog and potential presursor, diastereoselective chlorocyclofunctionalisation of N–allylic trichloroacetamides, 3871
Streptomyces griseolus, sinefungin, synthesis of related adenine nyucleosides, 7003
substituted ethynesulfonamides, simple synthesis, 3875
swainsonine and castanospermine analogs, 6949
synthesis of platelet activating factor antagonist L–659,989, 6953
thromboxane A$_2$, potent antagonist, synthesis, 3833
trifluoromethylating agents, power–variable (trifluoromethyl)dibenzothio– and –selenophenium salt system, 3579
triyne carbonate L–660, 631 methyl ester, total synthesis from D–glucose, 5077

Phenols
2'–alkenyl–*p*–phenyl phenols, oxidation to spiro–annulated 2,5–cyclohexadienones, 4551
2,4,6–trimethylphenol, oxygenation to 3,5–dimethyl–4–hydroxybenzaldehyde by dioxygen with copper–amine complex catalyst, 2607
and ^{18}O–labelled phenols, via conversion of 1–aryl–3,3– dialkyl—triazines, 4409
C–O bonds of–, metal assisted catalytic transfer hydrogenolysis, 5789
hericenone A and B, cytotoxic lactone and lactam from *Hericium erinaceum*, 373
hindered–, mushroom tyrosinase catalysed coupling, approach to synthesis of diphenoquinones and bisphenols, 3771
keto–tautomer equivs, synthesis of 4,4–substituted–2– cyclohexen–1–ones via conjugate reduction of quinone derivs, 6125
o–iodophenols carbonylative coupling with terminal acetylenes, Pd–catalysed synthesis of chromones and flavones, 4073
ortho–allyl–, synthesis via clay catalysed rearrangement of substituted allyl phenyl ethers, 3241
oxidation to quinones by bis(trifluoroacetoxy)–iodobenzene, 4871
oxidative coupling using hypervalent iodine compd, 1351
polyhydric–, use of enzymes in protection–deprotection of OH groups, 7371
triflates of–, Pd catalysed cross–coupling with organostannanes, synth of resorcinol dimethyl ethers, 2357

Pheromones
(+)–*endo*– and (+)–*exo*–brevicomin, via enzyme–mediated hydrolysis of an enol ester, 7163
(+)–*exo*–, brevicomin, part enzymatic synthesis, 867
Cryptophlebia leucotreta, pheromonal attraction inhibited by 7–vinyldecyl acetate, 5771
Eudia pavonia–, and gossyplure, synths, stereo and regiosel prep of 1,5– and 1,6–dienes, 2595
female sex – of *Haummetopoea pityocampa*, silicon analog, synth and biol activity, 2739

fluorinated analogs of (Z)–9–do–decenyl acetate, 801
frontalin intermediate, chiral synthesis, 1039
ipsenol, ipsdienol, chiral syntheses of enantiomers, 455
periplanone B, synthesis of simple analog, 4037
periplanones, *Periplaneta americana*, 1747
potential sex pheromone in *Platynereis dumerilii*, 5613
sex – components of *Stenoma cecropia* and *Ectomyelois ceratoniae*, stereospecific synthesis, (*Z,E*)–9,11,13–tetradecatrien–1–yl acetate and aldehyde, 2295
sex pheromone component of *Boarmia selenaria*, identification and synthesis of (*Z,Z*)–6,9–*cis*–3*S*,4*R*)–epoxynonadecadiene, 4923
sex pheromone of *Matsucoccus feytaudi* identification, 6633
sex–, (–)–serricornin from *Lasioderma serricorne*, stereoselective synthesis, 4757
synth (3*Z*,6*Z*,9*Z*)–3,6,9–nonadecatriene, –component of *Boarmia selenaria*, 1895
synthesis of *Andrena haemorrhoa* pheromone components, TosMIC in prep of spiroacetals, 6217

Phosphaalkenes
phospha–1,3–dienes, trapping by diazoacetic ester, 1147

Phosphalkynes
reaction with halocarbenes, formation of acetylenes via phosphirene, 6891

Phosphaallenes
optically active–, of pseudo axial dissymmetry, separation, 2311

Phosphanes
alkynylphosphanes, [4+2] cycloaddition with 1,3^3–azaphosphinines, 4589

Phosphates
alkyl diethyl–, from *N*–alkyl diethyl–phosphoramidates, 1113
enol phosphates, dimethyldioxirane epoxidation, 6517
radiolabelled P^1–di–N–acetyl–a–chitobiosyl P^2–dolichyl pyro–phosphate, 6485

Phosphazenes
N–vinylic λ^5–phosphazenes, 'one–pot' synthesis of 2–aza–1,3–butadienes, 3497

Phosphenium salts
phosphenium cations, reaction with imines, synthesis of new bis–(dialkylamino)–1,4,2–(l–4) diazaphospholanium salts, 4459

Phosphatanes
2,4–diallenyl–1,3–diphosphetane via 1–phospha–4,4–diarylbutatriene dimerisation, 4429

Phosphine oxides
difluoromethyldiphenylphosphine oxide for conversion of carbonyl compds to 1,1–difluoroolefins, 5571
optically active–, synthesis, Z–2–butylidene–cyclohexan–1–ol and –1–yl phenylsulphide, 2743

Phosphines
alkenyl–, regio– and stereo–controlled Rh–catalysed hydroformylation, 2461
allyl dichlorophosphines, prep of phospha–dienes, 1147
phosphine sulfides and phosphoro–thioates, conversion by dimethyldioxirane into corresponding oxygen analogs, 3359
PPh_3/CBr_4, use in prep of bromo–alkynes from prim alkynes, 3141
trans–bis(2 or 3–diphenyl–phosphinophenyl)–cyclopentanes via asymmetric hydrogenation of 4,5–diaryl–2–oxocyclopentane–carboxylates, 7185
tributyl–, catalyst in synth 4–methyleneoxazolidin–2–ones, 1721
triphenylphosphine oxide and triphenylphosphine, new route via arylation of red phosphorus, 5463

Phosphinines
1,3λ^3–azaphosphinines, [4+2] cycloaddition with alkynylphosphanes, 4589
1,3λ^3–azaphosphinines, reaction with diazomethane to give diazadiphosphachiropteradiene, 6999
λ^3–phosphinines, 2,4,6–tri– and 3,5–di–substituted, rearrangement with diphenylcarbene and diphenyldiazomethane, 4849

Phosphinic acid and derivatives
allylphosphinic ester rearrangement via allylideneoxyphosphorane intermediates with, formation of C–C bond, 4831
diphenylphosphinoylhydroxylamine, Lossen–type rearrangement, 1451
diphenylphosphinoyloxy–aryl–amines, amination by, S$_N$2 at N, 1689
peptidic α–hydroxy phosphinyls, C–terminal modification, 5591

Phosphirenes
P–chloro–, phosphirenium ions, to β–chlorovinylphosphenium ions, 819
pentacoordinated–, first synthesis and nucleophilic exchange reactions, 3429

Phosphites
monothiophosphites, Perkov reaction, 1557
thiation forming thiolphosphoric esters, 501

Phospholidines
1,3–dimethyl–2–alkyl–2–oxo–1,3,2–diazaphospholid – ines and 2–alkyl–2–oxo–1,3,2– dioxo–phosphorinanes and prep via phosphonic dichlorides, 3261

Phospholipids
isoxazolyloxy analog of phos–phocholine, platelet activating factor, 699
plasmalogen anthraquino$ne, incorporation into liposomes, 189
sulfur analogues, synthesis using N–alkylthio–imides, 501

Phosphonamidites
5'–dimethoxytrityl–2'–deoxynucleoside–3'–O–methy lphosphonamidite diastereomers, separation by normal phase chromatography, 3673

Phosphonic acid and derivatives
dialkyl arylaminomethylphos–phonates, TiCl$_4$–catalysed Arbuzov reaction, 1567
α–amino–α–alkyl– phosphonic acids of high enantiomeric purity, 6465
α–chloro–α–alkyl and α–methyl–α–alkyl phosphonic acids of high enantiomeric purity, 6461
α–lithiated phosphonates, stereosel Michael addn to αβ–unsaturated esters, 2423
β–ketophosphonates, precursors in synthesis of keto–12 leukotriene LTB_3, 4131
copper–zinc reagents, β–phos–phonoalkyl–, synth, addition to enones, 1833
cyclic phosphite (phosphonate) esters from ethers, 2025
dialkyl phosphonates, conversion to dialkyl phosphorodithioates, 7461
functionalised phosphonates, direct polyvinylogation of carbonyl compds to polyunsaturated aldehyedes, 3129
nocardicinic acid, 3–aminophos–phono–, analog, 1759
peptidic α–hydroxy phosphonates, transition state analog renin inhibitors, 5587
phosphonate analogs of AP_3A diadenosine 5',5'''–p^1,p^3–triphosphate, 5637
phosphonic dichlorides, prep, application to synthesis of cyclic phosphonic diesters and diamides, 3261
phosphonodithioformates, ylids, rearrangements, NMR, 1151

Phosphonium salts
1–alkoxyallylphosphonium salts, allylic 1,3 rearr regiochemistry of reaction of 1–alkoxy– 2–alkenyl–enephosphoranes with aldehydes, 2901
azidotris(diethylamino)phosphonium bromide, self catalysing diazo transfer reagent, 4987
β–enamino phosphonium salts, synthesis of 2–amino–1,3–butadienes, 6713

chiral butadiene–iron tricarbonyl phosphonium salts, 1137
ethinyltriphenylphosphonium salts, reaction with phosphonium ylides, 3301
intermediate–, loss of chirality in reaction of oxazaphospholidine with alkyl halides, 4443
vinyltriphenyl, dimethylhydrazino derivative, 341

Phosphonylation
methylphosphonate dinucleotides, DMAP–catalysed coupling, 851

Phosphoramidates
bicyclic, cyclophosphamide analogs, symthesis and config, 887
metaphosphoramidates in –75° THF solns, direct detection by ^{31}P NMR, 6473
N–alkyl phosphoramidates, nitrosation, 1113
oligodeoxyribonucleotides with internucleotide phosphoramidate bonds, new synthesis, 3205

Phosphoramidites
phosphorothioamidites in synthesis dinucleotides with phosphoro–dithioate links, 911

Phosphoranes
1–alkoxy–2–alkenylenephosphoranes, regiochemistry of reaction with aldehydes, allylic 1,3 rearr of 1–alkoxyallylphosphonium salts, 2901
allylidene–, trimethylsilylation, prep of silyl dienes, 543
allylideneoxyphosphoranes, O!C rearrangement, formation of C–C bond, 4831
δ–hydroxy β–keto triphenylphosphoranes, thermolysis, new synth of αβ–unsaturated ketones, 2591
iminophosphoranes, aza–Wittig reactions, prep of 2–azidobenzoyl– and 2–azidobenzylidene heterocycles, 6561
phosphonylated P/S–ylids, rearrangements, NMR, 1151

Phosphorinanes
2–alkyl–2–oxo–1,3,2–dioxophosphorinanes and 1,3–dimethyl–2–alkyl–2–oxo–1,3,2–diazaphospholidines prep via phosphonic dichlorides, 3261

Phosphorothioic acid
deoxynucleoside phosphorodithioates, prep by triester method, 3489
dialkyl phosphorodithioates, by conversion of dialkyl phosphonates, 7461
oligonucleotide phosphordithioate analogs, 1319
oligoribonucleotide and phosphorothioate analog via H–phosphonate approach, 7541
phosphoro(thioperoxic) acids, oxidation at sulfur, 473
phosphorothioate RNA, PS–C_{14}, solid phase synthesis and evaluation as potential antisense agents, 7149
phosphorothioates, conversion with dimethyldioxirane into corresponding oxygen analogs, 3359
thiolphosphoric esters, synthesis from phosphites, 501
thiophosphoenol pyruvate derivs, 1557

Phosphorus compounds
1,2,3–benzazadiphosphole with intracyclic P=P, synthesis, 4463
3–diethylamino–1,4–dihydro–2,4,3–benzodioxa–phosphepin, phosphitylating agent for alcohols, 255
organophosphorus compds, and β–amino acids, new method for β–lactam formation, 2905
phosphazo compds (RN=P–NHR) for amidation unsaturated acids, 1705
phosphoryl P^{iv}–compounds, synthesis of dimeric 2,2–disubstituted 1,3,2–benzoxazaphospholes, 5361

Phosphorus halogen compounds
trichloride, reaction with primary amines, 1705

Phosphorylation
3–diethylamino–1,4–dihydro–2,4,3–benzodioxa–phosphepin, phosphitylating agent for alcohols, 255
chiro–inositol (racemic) deriv, 1617
on solid phase, automatic synth of phosphopeptides, 2497

Photochemistry
2–azidoadenine, photochemistry in alcohols, 5849
2–chloro–propiophenones, direct transformation into 2–aryl–propionic acids, 7495
6–[(4–nitrobenzyl)thio]–9–(β–D–ribo–furanosyl)purine, inhibitor of nucleoside transport across cellular membranes, 4995
absolute asymmetric induction, differences in dual pathway reactions, 6803
acenaphthylene dimerisation, in zeolites, 47
acid–induced, oxygenation of tetraarylcyclopropanes, 681
acyloxy radicals from 1–acyloxy–2–thiopyridone, 949
affinity labelling, proteins by diazophenols, 1275
asymmetric induction in solid state photochemistry of carboxylic acid salts with optically active amines, 6807
atmospheric gas phase generation of singlet oxygen by homogeneous photosensitisation, 5857
catalytic oxidation, TiO_2–mediated, selectivity for thioethers, 4533
chiral photosensitisers, 1,1i–binaphthalene–2,2i–diol derivatives, 985
cleavage of 2,5–dihydro–1,3,4–oxadiazoles, 863
cycloaddition of 1,2–dichloro–ethylene to 3–methyl–2–cyclopentenone, 635
cycloaddition of 3–(1–alkynyl)–cyclohexenones to methoxy alkenes, prep of tricyclic systems, 3245
cycloaddition of arenes to 1,3–cyclohexadiene, $4\pi s+4\pi s$ stereoselectivity, 3825
cycloaddns of vinylnaphthalenes to naphthalenophanes, effect of tethers between naphthalene rings and substits at vinyl groups, 2911
cyclodextrin inclusion complexes, 2–phenylcycloalkanone photoreactions, 835
decarboxylation of α–hydroxy–substituted arylacetic acids in aqueous soln, 2809
decomposition of $PhN{=}NSO_2Na$ compds trap radicals, 5737
demethylation N–methylanilines, 1199
dihydrobenzofuran ring closure, – in 2,3–bond formation, 1819
dimerisation of psoralen derivs, 5031
direct radical iodination of cubane, 805
divinylbenzene dimerisation, forming multi–bridged cyclophanes, 107
generation 2,3–dihydronaphthalene deriv. by photolysis bridged 1,2–dione, 1563
induced decomposition of a tunable perester, electron relay, 5143
induced electron transfer between alkylnitriles and aromatic amines, 4969
intramolecular cycloaddition of dienes to cyclobutanes, 497
intramolecular ylide–alkene cycloaddition, 3821
irradiation of N–alkyl–5– phenyl–4–penten–1–amines, formation of intramolecular styrene–amine adducts, effect of size of N–alkyl group, 5293
laser–generated diradicals from 1,8–bis–halomethylnaphthalenes, 1727
multifunctional radioiodinatable photoaffinity probe, synthesis, 5307
one–photon–multiple bond isomerisation, hindered poly–cis isomers of retinal, 6957
oxygenation 1,2–bis(trimethylsilyloxy)cycloalkenes, 1245
oxygenation of olefin in enone synthesis, 51
phosphorescence of stilbene in Tl–exchanged pentasils and faujasites, 1097
photo–oxygenation 1,3–cyclohexadiene deriv. in inositol synth, 1617

photolysis and thermolysis of tetrafluor ethylene–hexafluoropropene–oxygen terpolymers, 7055
photolysis of alkylhalodiazirines, two pathways for vinyl halide formation, 5109
photolysis of steroidal ketones, reduction and epimerisation of distal carbonyl groups, intramolecular energy transfer mechanism, 5865
photolysis products of 2,3–pyridine dicarboxylic anhydride, matrix IR search for 2,3–didehydropyridine, 4837
photooxygenation of 2–methyl–3–silyloxy–benzofurans to dioxetanes which rearr via α–silylperoxy ketones to keto ester cleavage products, 2259
photoreactivity, conformational control, efficient radical cleavage α–mesityl ketones, 2251
protonation of *p*–methoxy–phenylacetylene, transient 1–*p*–methoxyphenylvinyl cation with props similar to 1–*p*–methoxy–phenethyl cation, 2821
reaction of 1,4–diphenyl–1,3–butadiyne with dimethyl fumarate, 6197
route to 2–alkenyl– and 2–ethynyl–benzofurans, 3775
sensitisation of β–phenylthioalcohols, 63
singlet oxygenation of alkylidene–cyclopropane, 1173
styrene dimerisation, forming crown ethers, 97
trans–1–, acetylcyclooctene photogeneration in partially resolved form, 1015
viologen–benzophenone copolymer, reduction by DMSO, 891

Phoroelectron spectra
dienediynes, cyclic "skipped" isomers, 1845
skipped (1,3) polyols, intermediates to rifamycin W, 1585

Photophysics
quenching singlet $\Delta_g O_2$ by heavy atoms, 1389

Phytoalexins
elicitor–active β–D–glucohexaoside and β–D–gluconoaoside, stereoselective syntheses, 3179

Pigments
blood–, synthesis of tunichromes Mn–1 and Mn–2, of *Molgula manhattensis*, 7119
cytotoxic alkaloid plakinidine–, from *Plakortis sp*, 3271
fascaplysin, from *Fascaplysinopsis* sp, synth, 2381

Piperidines
2,6–disubstituted–, as 'C_2–symmetric' chiral reagents in (2*R*,6*R*)–(–)–2,6–lupetidine synthesis, 3279
2–substituted–, via addition of methoxyformamidines to Grignard reagents, 4723
α–ethynyl–, synthesis, resolution, abs. configuration, 719
aminosugars from dicarbonyl sugars, synthesis of deoxynojirimycin, 6777
aza–prostacyclin analogs, isomeric piperidine based, 523
N–acylpiperidines, stereosel prep via catalytic iron–mediated ene carbocyclisation of trienes, 2865
N–substsituted–, route via cyclic ethers and prim amines, 2991
pipecolic acid, 3,4,5,6–tetrahydroxy–, synth, inhibition of glycosidase, 1683
ring systems, construction via tandem Michael reactions, 3039

Piperidinones
Rh–catalysed reactions of unsaturated amines with H_2 and CO, 4795

Plants
blast diseased rice plant, constituent (11*R*,12*S*,13*S*)–trihydroxy–(9*Z*,15*Z*)–octadecadienoic acid, stereoselective synthesis, 4349
hormone regulating cell growth, total synthesis of nonasaccharide repeating unit of xyloglucan, 3035
non–vascular–, isolation of lignans megacerotonic acid and anthocerotonic acid, 4159
pea–seedling diamine oxidase, mechanism of action, 6907
phytoalexin elicitor–active β–D–glucohexaoside and β–D–gluconoaoside, stereoselective syntheses, 3179
Sapium japonicum, synthesis of (–)–methyl 8–hydroxyocta–5,6–dienoate 4279

Podands
hexapus azaparacyclophane, titration, 1027
tetrahydropyranoidpodand ionophore, stereocontrol of complexation, 4253

Polyamines
polyaminocyclodextrins, active catalysts for decarboxylation of oxalacetate, 3897
synth using triazone protection of prim amines, 2109

Polycyclic alicyclic compounds
(±)–hirsutene, stereoselective synthesis via application of cyclopentanoid allylsilanes synthesis, 3465
1,6–dihalopentacyclo[5.2.0.0^{2,6}–0^{3,9}0^{5,8}]nonanes, reaction with t–butyllithium, is 1,6–didehydro–homocubane intermed? 2263
bis–acetoxy[5.5.5.5]fenestrane dione, synthesis, 4285
diamantane derivatisations, unusual degree of selectivity, 5417
linearly fused polyquinanes, new route via bicyclo[2.2.1]heptane derivs, 6067
polyquinenes via Weiss reaction, Chugaev approach to 1,10–cyclododecatriquinacene, 3409
roofed polyquinane rings with *trans* double bonds, hyperstability, 4219
seco–dodecahedradiene and isododecahedrane, molecular structures, 5459
sesquicarene series, convergent syntheses,use of C$_7$–vinylalkynylcarbene, 4121
tetracyclo[10.2.1.0^{2,11}.0^{4,9}]–pentadecane skeleton, unusual rearrangement, 5357
tetracyclo[6.2.1.0^{2,7}.0^{4,10}]undecane and tetracyclo[5.3.0.0^{2,6}–0^{5,9}]–decane systems, functionalised, prep via base–promoted eliminative cyclisation, 3695
tricyclo[5.2.1]decane, isomerisation, 3973
tricyclo[6.2.2.0^{1,6}]dodeca–6,9–dienes, synthesis, approach to clerodane diterpenes, 5297

Polycyclic aromatic compounds
1,2,3,4,5,6–hexahydrobenzo[1,2;4,5]dicyclobutene–3,6–dione, thermal decarbonylative dimerisation, 7341
1,2,3,4–tetrahydronaphthacenes, by cycloaddition, 89
4N+2 π–electron systems, resonance energies relative to that of benzene, experimental NMR method, 5281
acenaphthylene photodimerisation, in zeolites, 47
anthraquinones and fluorenones, ^{17}O NMR and hydrogen bonding from N, 957
anthraquinones, nucleophilic substitution, 55
benz[f]indene, synthesis and Katz reaction, 3155
complexation in aqueous cyclotetrachromotropylene, 1911
donor–acceptor superphane with quinone and CpCo–cyclobutadiene unit, 5893
new annelated dihydropyrenes, fast route, 5277
polycyclic systems via cyclisation of 3–vinylcycloalkenones with unactivated alkenes, 2243
polycyclic systems via reaction of tropylium ion with 3–buten–1–ol, 2255
tricyclic systems, single step formation via photocycloaddition of 3–(1–alkynyl)cyclo–hexenones to methoxy alkenes, 3245

Polycyclic heteroaromatic compounds
(±)–pseudophrynamine A, total synthesis, 5661
(+)– and (–)–1–benzoyl–1,2,2a,–3,4,5– hexahydrobenz[*cd*]indol–4–amine, synthesis and preparation of LY228729, 7579

1,2,3,4,5,6,7,8,9–nonathiacycloundec–10–ene, formation and molecular structure, 5323
1,2,3,4–tetrahydro–β–carbolines, synthesis from tryptamine–2–carboxylic acids, carboxyl–mediated Pictet–Spengler reaction, 3397
1,3,2–benzoxazaphospholes, dimeric 2,2–disubstituted, from phosphoryl Piv–compounds, 5361
1–benzoyl–4–(amino)–1,2,2α–,3,4,5–hexahydrobenz[*c d*]indoles from L–tryptophan, 7583
1–ethylindolo[2,3–a]quinolizidin–2–one, synthesis, 3779
1–oxo–phenanthrenequinone derivs, new intramolecular annulation approach, 5179
12*H*–pyrido[1,2–*a*:3,4–*b*]diindole, fascaplysin pigment from *Fascaplysinopsis*, total synth, 2381
2,3–diphenyl– and 2,3,6,7–tetra–phenyl–hexa–azatriphenylene, ligands for transition metals, 2573
4–acetyloxymethyl–1,6,9–trimethyl–1,9–diazaanth racene–2,5,8,10–tetraone, nybomycin acetate analog, synthesis, 4405
4α,4β,9,10–tetrahydro–1,3,6,8,8α,10α–hexaazaphen anthrenes, dimerisation of 1–ethyl–1,2,4–triazinium salts, 7665
5*H*,7*H*–dibenzo[*b*,*g*][1,5]selena–thiocin, transannular interaction, formation of new heteroatom dication [>Se⁺–⁺S<], 2307
6–azabenzo[a]pyrene, synthesis from perinaphthenone, 3743
9–benzyl–10–aza–9–thia–phenanthrenes, thermal rearrangements, 7021
azaanthraquinone derivs, synth via hetero Diels–Alder reaction, 2569
benzo[a]pyrene, 1–hydroxy– and 3–hydroxy–7,8–diol–9,10–epoxides, synthesis of phenolic esters, 33707
benzo[*c*]phenanthridin–6–ones, from fused a–pyrones, 143
benzo[*f*]isoquinolines, benzo–[*h*]quinazolines and new 8,13–diazasteroid from 4–amino–1–azabutadienes via cyclisation of derivs, 2189
bisindolyl– and indolylaryl–maleic anhydrides, synth, 2353
carbazole synthesis from 2–(2–hexenyl)– N–methyl–aniline by $Hg(OAc)_2$, 1207
carbazoles, prep of αβ–dioxoindole–3–propionic esters, 1609
carboline derivs, oxidative rearrangement into 3,3–disubstituted–2–oxindoles, 4557
cefepimesulfate, via new cephalosporin acylating agents derived from *syn*–2–(2–amino–thiazol–4–yl)–2–methoxyiminoacetic acid, 6481
chiral carbocyclic analogs of oxetanocin, protected (2*S*,3*S*)–2,3–bis–(hydroxymethyl)–cyclobut anone as key intermediate, 6609
chiral carbocyclic analogs of oxetanocin, synthesis of protected (2*S*,3*S*)–2,3–bis–(hydroxymethyl)–cyclobutanone as key intermediate, 6609
cis–5,17;8,14–diepoxy–5,6,8,9,14,15,17,18–octahydrodibenzo[*e*,*ei*]–benzo[1,2–*a*:4,5–*ai*]dicyclooctene, 1825
exo and *endo*–6,7–diazo–3– oxotricyclo[3.2.2.0^{2,4}]non–6–ene, N–extrusion, 5129
homochiral pentacyclic C1–C15 intermediate of halichondrins, enantioselective construction from D–ribose, 3813
indolo[2,3–a]quinolizidine–2–one, synthesis via cyclisation of N–hydroxyethyl–2–[1–(phenylsulfonyl)–3–indolyl] –4–piperidone ethylene acetal, 3347
isorobustin, total synthesis, 7449
manzamine A, access to pyrroloisoquinoline intermediate using Diels–Alder reaction of 3–alkyl–5,6–dihydro–2–pyridinone, 3195
N–lithiated ethyl anthranilates, 1,4–dipolar cycloaddn with arynes, basis for acridone synth, 2869
naphtho[2,3–*a*]carbazole–5,13–dione, 1551
naphtho[2,3–b]furan–4,9–diones, use of Se reagent in synthesis, 6873
new thiadiazaphenanthrene via reaction of diarylnitilimines with 3–arylidene–4–isothiochromanones, 4145
phenanthridines, by cyclization *N*–(*o*–bromobenzyl)anilines, 1881
phenanthridinone–2,9–disulfonate capped β–cyclodextrin, 7017
polycyclic aromatic hydrocarbon–nucleoside and oligonucleotide adducts alkylated on the amino functions of deoxyguanosine and deoxyadenosine, 6773
pyrrolophenanthridine alkaloid synth, 1523
pyrrolo[1,2–a]benzimidazoles and isoindolo[1,3,4]benzotriazepinone, via aza–Wittig reactions of iminophosphoranes, 6561
pyrrolo[2,1–*a*]isoquinolines, asymmetric synth from chiral formamidines, 2813
pyrrolo[2,3–*b*]indole (±)–pseudophrynaminol isolated from *Pseudophryne coriacea*, total synth, 2681
triazolo[1,6–a]pyrimido and triazolo–1,3–diazepino–benzimdazoles, synthesis, 5467
triazolo[4,5–d]pyrimidine, elimination of nitrogen and synthesis of pyrimidine, 6103

Polyenes
bridged cyclic–, synthesis using new retrosynthetic algorithm as guide, 7069
linear–, selectively protected as tricarbonyl–iron complexes, Diels–Alder cycloadditions, 3145
stereocontrolled prep of–, via electrophilic vinylogous dienyl π–complexes, 3979
tetraenes (1,3,6,8–), Pd–catalysed cyclization and enamine trapping, 1117

Polyenols
cyclisation by benzeneselenenyl triflate, 6535

Polyenones
terminal bis(methylthio)–, polyene esters by C=O transposition, 1763

Polyethers
bearing bipyridines, recognition of heavy and transition metals and molecular chirality of pseudo-crown structure in Cu complex, 6543
homochiral pentacyclic C1–C15 intermediate of halichondrins, enantioselective construction from D–ribose, 3813
polyether podands as nucleophiles and leaving groups in anthraquinones, 55

Polyketide metabolites see Metabolites

Polymerisation
bromoacetylaminomethyl polystyrene, C–terminal binder in polypeptide synthesis, 339

Polymer support
2–trimethylsilylethyl bromoacetate for bridging group attachment in solid–phase peptide synth, 2003
aminoalkyl phosphoramidate labelled oligodeoxynucleotide, 1543
glycolamidic ester handle used with polystyrene supports, synthesis of TP5, 6189
p–nitrobenzophenone oxime, use in peptide chain assembly, cyclisation and cleavage to yield tyrocidine A, 6121
peptide synth using 1–arenesulfonyl–3–nitro–1,2,4–triazoles, 1915
polystyrene–supported synthesis by phosphite triester approach, large scale synthesis of small oligo–deoxyribonucleotides, 6231

Polmers
design of new support for improved oligodeoxyribonucleotides synth, 2549
free–radical–, poly–(TEMPO–acrylate), electrochemistry, 771
glycolamidic ester handle used with polystyrene supports, synthesis of TP5, 6189
phloroglucinol–, rearr, prep of flavan and xanthene comps, 2789
poly–diosphenol diglycidyl ether, silylated, 1722

synthetic biopolymers, triphenylmethyl group/linker for automated labelling and selective removal, 7095
tetrafluoroethylenehexafluoropropene–oxygen terpolymers, photolysis and thermolysis, 7055
viologen–benzophenone copolymer, photoreduction by DMSO, 891

Polyols
1,3–polyol acetonides, stereo–chemistry by ^{13}C NMR, 945
conduritols–F and –B, stereospecific synthesis, 1323
isotactic nonamethoxy–1–pentacosene, isolation from *Olypothrix conglutinata*, total synth and configuration, 2915
propionate–derived–, stereochemical assignment, chemical shift correlations in 1,3–diol acetonides, 7099

Polyquinenes
synthesis via Weiss reaction, aldol approach to fenestranes, 4285

Porphyrins
binuclear Cu water–soluble–, pyridinium–substituted, DNA intercalation, 519
carboranyl–, for boron neutron capture therapy, prep, 2247
cyclisation *ms*–2–formylvinyl)porphyrins to benzochlorins etc, 1365
dimer formation from α–hydroxyethyl porphyrins using triflic acid, 789
dimers and trimers with ether linkages, syntheses, stability, and tumorcidal activity 7399
dodecaphenylporphyrin, soln conformation, 5583
Manganese – catalysed hydroxylation hydrocarbons by Mg monoperphthalate, 1779
manganese–polyhalogenated porphyrin as catalyst in biomimetic hydroxylation of arenes, 6645
metalloporphyrin catalysts, study of biomimetic potential using nicotine, 5901
methylpropanoporphyrins from serpiano oil shale, synthesis and origins, 7545
N^{21},N^{22}–etheno–bridged 5H–phlorins, oxidation to monocationic N^{21},N^{22}–etheno–bridged 5–alkylporphyrins by $Cu(BF_4)_2$, 5057
new cationic–, synthesis and DNA interaction, 4739
octaethylporphyrin, mechanism of conversion into purpurins, 285
petro– from Moroccan shales, Ni and VO complexes, 1751
porphyrinylnucleosides, first representatives, 5133
protoporphyrin–IX dimethyl ester, synthesis of oxygen analogs of sulfchlorin A and C, 3853
strapped by dibenzo–crown ether, synthesis and binding paraquat in acetone soln, 4801
tetracycloalkenyl–meso–tetraphenylporphyrins, models for effect of non–planarity on light absorption of photosynthetic chromophores, 3719
tetramesityl–, bromination, sulfonation, catalytic activity of Mn, Fe derivs; uv spectra, 1991
tetraphenylporphyrin derivs, novel liquid crystals, 3157
unionised–, serves as complexing agent for alkali metal salts, 5873
unsymmetrical tetra–arylporphyrins, synthesis, adaptation of MacDonald dipyrrole self–condensation method, 7265

Potassium and compounds
isoprenylpotassium, reaction with dissymmetric dialkylmethoxyborane, 455
peroxymonosulfate of–, selective oxidation of ylides, formation of vicinal tricarbonyl compds, 5205

Propellanes
1,3–dilithiobicyclo[1.1.1]pentane from [1.1.1]propellane, 651
bridged [4.1.1]propellanone, adamantanone analog, 915
[1.1.1] propellane, C–C$ coupling in NMR, 171
[1.1.1]propellane, formation by 1,3–dehydro–bromination of 1–bromobicyclo[1.1.1]pentane, 5219
[3.1.1]silapropellane, synthesis and reaction, 4185

Prostacyclins
aza–prostacyclin analogs, perhydrofuro[3,2–*c*]pyridines, 523
dehydroxylation of α–oxo– enol ethers by air, 403

Prostaglandins
(±)–5,6,7–trinor–4,8–inter–*m*–phenylene PGI_2, synthesis, 4489,4493
biologically potent PGD_2–analog, synthesis of chemically and metabolically stable compd, 3425
chiral–, syntheses via addition of (Z)–vinylzincate involving kinetic resolution and enantioface selection, 7349
natural PGE_1, Δ^2–*trans*–PGE_1 and 2,2,3,3–tetradehydro–PGE_1 via two–component coupling using Zn–Cu reagents, 4481

Prostanoids
9a,10a–epoxyprostanoic acid deriv, stereospecific synth of a stable thromboxane A_2 mimic, 2677
arachidonic acid, *exo*–methylene analogues, 361
rosaprostol, synthesis by cyanoketone electroreductive cyclisation, 1303

Protecting groups
"benzostabase"–, for prim amines, 6721
"benzostabase"–,for prim amines, 6725
(phenyldimethylsilyl)methoxymethyl and(phenyldimethylsilyl)methyl ethers, use as protecting groups for sugar hydroxyls, 2197
2–(acetoxymethyl)benzoyl for (phosphate) modified oligonucleotides, 6729
2–(trimethylsilyl)ethyl glycosides, conversion to their glycosyl chlorides in one step, 2537
4–methoxy–α–methylbenzyl esters better for carboxylic acids, 5913
amide–, safety–catch type, 5209
amino groups in nucleobases, 2–(t–butyl–diphenylsilyloxymethyl)benzoyl, 427
amino groups in peptide synthesis, 18–crown–6, 399
butyldimethylsilyl and triphenylsilyl ethers, deprotection, 567
deprotection of carboxylic esters assisted by H–bonding network in phenolic media, 6661
deprotection of chloroacetates by hydrazine acetate, prep of tool for complex oligosaccharides, 7441
di– and tri–nucleotide 2,4–dinitrobenzyl phosphorodithioate analogs, 1319
dimethylformamidine group for oligonucleotide synthesis and fast deprotection, phosphoramidite chemistry for DNA synthesis, 7269
hydroxyl functions, 4–nitrobenzyl group, 389
N–arylmethyl–, photoremovable from N–containing compds and N–arylmethyladenines, 5757
new protected lactam–bridged dipeptide, synthesis, 6071
pentafluorophenyl esters as carboxyl group protection in solid phase synthesis of N–linked glycopeptides, 6987
primary amines using triazones, 2109
protected AOE analogs of chlamydocin, prep, 2153
protected myo–inositols, synthesis, 2633
selectively protected polyenes as tricarbonyl–iron complexes, Diels–Alder cycloadditions, 3145
triphenylmethyl group/linker for automated labelling of synthetic biopolymers and its selective removal, 7095

Proteins
1,8–diazafluorenone and related compds, detection of α–amino acids and latent fingerprints, 7215
α–chymotrypsin, li poglycosylated, accelerated esterification of amino acids in polar solvents, 2131
amadori N–glycopeptides, new approach via synthesis of N–glycopeptide partial sequence A^1–A^{12} of β–chain of glycosylated haemoglobin, 3493

β–globulin–bound retinal and related compds, photoisomerisation, 4841
di– and trimeric sialosyl–Tn epitone, partial structure of glycophorin A, 6897
HIV viral–, synthesis of C–terminal 104 residue peptide from GAG p^{24}, 4637
protected peptide, condensation on conformationally constrained cyclic carrier, synthesis of 4–heix bundle–like template assembled synthetic protein, 4015
sterically constrained protein turn models, three mimics for construction, 4011

Protonation
enantioselective–, photodienols, substituent effect on the induced chirality, 5157
photo–, of *p*–methoxyphenyl–acetylene, transient 1–*p*–methoxy–phenylvinyl cation with props similar to 1–*p*–methoxyphenethyl cation, 2821
self–, α–bromoamides by electroreduction in N,N–DMF, detn of pK_a data on N–H acids, 7523

Purines
1–(3–thietanyl)–, from 6–mercaptopurine and epichlorohydrin, 1373
2'–deoxy carbocyclic–,nucleoside,two, both lacking 5'methylene, synthesis, 5861
3–methyl–1–(6–purinyl)–, zeatin metabolite, synthesis, 1419
adenine–thymine base pairing, intramolecular, 1177
dehydro–1,3–dimethyluric acid, synthesis, 6101
fluorination using cesium fluoroxysulfonate, 775
N–arylmethyladenines, photosolvolysis and photoremovable N–arylmethyl protecting group for N–containing compds, 5757
oxo–group replacement i$n 2'–deoxyguanosine, 6–319

Purpurins
6,16–*meso*–diaryl–substi$tuted, purpurins, 285

Pyranones
(*S*)–(+)–parasorbic acid, synthesis, 5575
2–alkoxy–2,3–dihydro–4H–pyran–4–ones, via cycladdition of acyl ketenes with enol ethers, 3677
pyran–3–ones from furyl carbinols by oxidative rearrangement, 605

Pyrans
2–(tri–N–butylstannyl)–3,4–dihydropyran, Pd–catalysed coupling reaction, 6077
3–bromo–6–ethenyltetrahydro–2,2,6–trimethyl–2H–p yran, synthesis, 4257
cis–and *trans*–2–alkenyl–3–hydroxy–tetrahydropyrans, stereocontrolled synthesis, 4747
dehydro dihydropyran, condensation with ketone enolates, 7603
dihydropyran rings, periselective [2,3]Wittig rearrangements, 7353
ethoxy–pyran–4–one synt$hesis, from silyl β–silyloxy–enol ethers, 301
metallated dihydropyran, prep and approach to synthesis of (+)–pederin, 3433
tetrahydropyran compds, anomeric effect and IR ν_{C-D} stretching frequency, 3549
tetrahydropyran–3–carbaldehydes by rearrangement of 5,6–dihydro–4H–1,3–dioxocins, 649
tetrahydropyranoid podand ionophores, stereocontrol of complexation, 4253
total synthesis of isorobustin, 7449

Pyrazines
diketopiperazine formation, suppression by BOP1 reagent in solid–phase peptide sythesis of Boc/Bzl 7363

Pyrazinium salts
3–oxidopyrazinium compd, dipolar cycloaddition, synthesis of 3–methoxybenzyl substituted 3,8–diazabicyclo[3.2.1]octane, 4781

Pyrazoles
1,3,5–triaryl– and –4–carboxylic acid, from azlactone–nitrilimine cycloadducts, 1709
α–aminophosphonic acids, by conversion of α–amino carboxylic acids, 6827
analog of ortho–quinodimethane, generation and cycloaddition reactions, 5197
bis–isopyrazoles, polycyclic cage, azo compounds from, 1125
functionalised aminopyrazolinone and/or iminopyrazolidinone, via ring enlargement of diaziridinone, 5237

Pyrazolidinones
4–[(t–butoxycarbonyl)–pyrazolidin–3–ones, precursor to pyrazolidinone antibacterials, 5567
[3.3.0]pyrazolidinones, new class of antibacterial agents, efficient synth, 2805

Pyrazolines
and pyrroloimidazoles and pyrroles via 1,3–dipolar cycloaddn of imidazolinium azomethine ylides, 2333

Pyrethroids
Δ^1–pyrrolines, synthesis by free–radicals from sulfenylimines, 85

Pyridazines
hexahydropyridazines in cyclodepsipeptide synthesis, 1237

Pyridines
1,2–dihydro–, *N*–glycosides, enantioselective cycloaddition Me acrylate, 1995
1,2–dihydropyridines, stereospecific double glycolisation with OsO_4, synth of (±)–aminoarabinose– and (±)–aminoaltrose derivs, 2139
2,3–pyridine dicarboxylic anhydride, photolysis products, matrix IR search for 2,3–didehydropyridine, 4837
2–alkylsulfinylpyridine, ipso substitution by 2–pyridyllithium, new prep of oligopyridine and bromomethyl derivs, 4625
2–amino–, 1–oxides, by rearrangement, 5–cyanomethyl–2–isoxazolines, 1949
3,4–dehydro–, generation and condensation with amines, ketones and nitrile enolates, 7599
9–hydroxypurine intermeds to antiviral acyclonucleosides, synth, 2185
aminopyridines, synthesis via tin chloride–promoted reactions of β–dicarbonyl compds with nitriles, 3485
and derivs, perfluoroalkylation, 2711
bromomethyl–1,4–dihydropyridine, Nu substitution, 1479
dihydro–, 1,2– and 1,4–, by dithioacetal anion addition to pyridinium ions, 1893
fused pyridines, electrocyclic ring closure of aldehyde N,N–dimethylhydrazones, 5807
fused–, from cyclic lactam acetals and amidines, 131
iodopyridines from bromo– and chloropyridines, 6757
N–hydroxy–2–pyridinethione as source of hydroxyl radicals, 6869
open–chain hydrocarbon pheromone synth 1865
optically active bipyridines in Ni–catalysed enantioselective conjugate addition to enones, 5011
substituted–, new syntheses, 2–(trimethylsilyl)–ethoxymethoxy directed ortho metallation, 4267
tetrahydropyridine derivs, Stevens rearrangement with ring contraction to trisubstituted pyrrolidines, 4351
tetraponerine synth from 2–(2–oxo–alkyl)–pyridines, 1535
vinyl–, by vinylstannane coupling to 2– and 3–halo–, 1857

Pyridinium salts
2,6–di–ortho–tolyipyrid
intramolecular radical addition forming tetrahydroquinolizinium salts, 1625
intramolecular radical–induced substitution, formation of [5,6]– and [6,7]–fused ring systems, 3495

N–fluoropyridinium salts, reaction with carbanions, 7379

Pyridones
4(1H)–pyridones, synthesis by carbonylation of 2–aza–1,3–dienes, 3793
5,6–dihydropyridones as dieno–philes, 1081
radicals from *N*–hydroxy–pyridine–2–thione carbamates, pyrrolidines from, 1675

Pyrimidines
di–2–pyrimidinylthiourea, dynamic structure of oxidation product, 1605
naturally occurring moieties and not substituted with aryl groups, synthesis, 7357
pyrimidinone deoxyribosides, acid hydrolysis, 175
synthesis of–, via nitrogen elimination from triazolo[4,5–d]–pyrimidine, 6103

Pyridinium salts
paraquat binding in acetone soln by porphyrin strapped by dibenzo–crown ether, 4801
pyridinium chlorochromate, oxidation, tetrahydrofuran methanol derivs, synthesis, γ–butyrolactones, 2775

Pyrimidones
5–nitro–2,6–diaminopyrimidin–4–on e N(6)–riboside, clitocine analog, 1423

Pyrolysis
bis(1–propenyl) disulfide, prep of *cis*– and *trans*–2–mercapto–3,4–dimethyl–2,3–dohydrothiophene, 4999
dialkyl diazobenzylphosphonates forming styrenes via Wittig type intermediate, 5061

Pyrones
dihydropyrones, synth via aldol reaction of β–chlorovinyl ketones using dienol borinates, 2213
γ–pyrone containing natural products, biomimetic synthesis, 5619
γ–pyrone–containing natural products, via decomposition of peroniatriols, 5491
optically active aspyrone, convergent synthesis, 7343
tetrapyrrole macrocycle, peripheral substit migration reaction, 2685

Pyrroles
2–acetylpyrroles, N–substituted, leading to indole skeleton, 4613
2–regioselective, acylation of 1–carboxy–alkylpyrroles, 995
3,4–di–t–butylpyrrole, furan, and selenophene, synthesis and characterisation, 4473
3,4–dibromo–1–[tris(1–methylethyl) silyl]–1H–pyrr ole, 6785
3–hydroxypyrrole–2–carboxylates, intramolecular alkylation, formation of 5/5, 5/6,and 5/7 ring systems related to pyrrolidine alkaloids, 4945
6–(3–methylpyrrol–1–yl)– and 9–riboside, zeatin metabolite, synthesis, 1419
N–substsituted–, route via cyclic ethers and prim amines, 2991
nitro–purrole–2–barboxamides, radical anions from, 1299
trikentramine, isolation from *Trikentrion loeve*, X–ray characterisation, 2979
unsymmetrical 3,4–disubstituted–, 6785
via 1,3–dipolar cycloaddn of imidazolinium azomethine ylides, 2333
vicarious nucleophilic substitution, 121

Pyrrolidines
(2*R*,5*R*)–bis(methoxymethyl)pyrrolidine, use in enantioselective iodolactonisation through diastereotopic olefin differentiation as well as face differentiation, 3175
1,2,5–triphenyl–3,4–divinyl–, effect of stereochemistry on reactions with Fe(CO)5, 655
2–alkoxy–5–(dicarboxymethylene)–, by anodic oxidation, 1713
2–benzylidene substituted–, via anionic cyclisation of δ–alkynyl–amines, 5353
2–methoxy–, enantioselective addition organo–Cu reagents, 1775
2–substituted–, via addition of methoxy–formamidines to Grignard reagents, 4723
α–ethynyl–, synthesis, resolution, abs. configuration, 719
aminosugars from dicarbonyl sugars, synthesis of deoxynojirimycin, 6777
dimethyl–, *trans*–2,5–, amide as chiral auxiliary in radical additions, 1679
fused –, *via* radicals from *N*–hydroxypyridine–2–thione carbamates, 1675
N–substsituted–, route via cyclic ethers and prim amines, 2991
natural *trans*–2–butyl–5–pentylpyrrolidine, enantiodivergent total synthesis, 3637
polyhydroxy–ethylpyrrolidines, synthesis from galactose, 469
ring systems, construction via tandem Michael reactions, 3039
trisubstituted–, stereochemically defined, synthesis, enantioselective prep of (+)– and (–)–α–allokainic acid, occurring as (α)–kainic acid in *Diginea simolex*, 4917
trisubstituted–, stereoselective approach, 4351

Pyrrolizidines
conversion of N–alkyl iodo lactams and N–alkyl selenide lactams, 5397
optically active–, ring system, diastereo–selective synthesis via intramolecular ene reaction, 4641

Quinolines
dihydroquinazoline by electro–cyclisation of 1–aryl–1,3–diaza–1,3–butadiene, 903

Quinazolinones
fused–, via aza–Wittig reactions of iminophosphoranes, 6561
1,4–dihydro–4–oxo–quinoline–3–carboxylates, via carbonylative cyclisation, 7175
4–chloroquinolines from 2–halonitrobenzenes, 1093
aminoquinolines, synthesis via tin chloride–promoted reactions of β–dicarbonyl compds with nitriles, 3485
cross–coupling 7–triflyloxy–4–quinolinones with vinylstannanes, 1837
fused–, via aza–Wittig reactions of iminophosphoranes, 6561
tetrahydroquinoline ring, via intramolecular nitrene–olefin addition, approach to virantmycin, 6031
trifluoromethyl substituted–, regiosel synth from trifluoroacetyl acetylenes, 2689

Quinones see also Benzoquinones
aminochromes, rearrangement to 5,6–dihydroxy–indoles, via quinone–methide intermediates, 6095
anthraquinone, phospholipid–bound, incorporation into liposomes, 189
by oxidation of phenols with bis(trifluoro–acetoxy)iodobenzene, 4871
DDQ as catalyst for epoxide alcoholysis, 735
derivs, reduction, route to phenol keto–tautomer equivalents, 6125
Diels–Alder reaction with chiral aryl containing 1–alkoxy–3–trimethylsilyloxy–buta–1,3–dienes, diastereomeric induction, 7233
euxanmodins A, B, anthraquinonyl-xanthones from *Ploiarium* sp., 751
orthoquinones, mediation of MnTPPCl–catalysed epoxidation of olefins with hydrogen peroxide, 6039
tryptamine–4,5–dione, preparation, reactivity, neurotoxicity, 969
[5]–helicene–bis–quinone, simple prep, 3983

Quinoxalines
quinoxaline, reaction with methylcobalt reagents, 514

Radicals and Radical reactions
2,2–dimethyl–5–cyano–4–pentenyl–, 4–*exo*–cyclisation, acceleration of rate, 2975
5–phenylthio–3–pentenyl–, 3–exo–cyclisation, cyclopropane ring formation, 6085
α–sulfonyl–, generation and cyclisation, 6047

acyloxy radicals, generation and chemistry, 949
addition–elimination sequence of–, synthesis of vinylic and cyclic sulfones, 2983
alcoholysis of epoxides via radical cation using DDQ, 735
alkoxyl–, double functionalisation of ring C of cholestane and androstane skeletons, 5921
alkyl–, addition to allylstannanes, approx rate constants, 2861
alkyl–, cyclisation to cyano group, 485
allylation using manganic intermediates, 357
anionic cyclisation of olefinic enones competing with intramolecular [2+2]cycloaddition to form spirocyclic products, 7137
annulation methodology, 2–vinylcyclopentane deriv formed by [3+2] cycloaddition, 4203
arylative amination of aldehydes, 2069
C–C bond formation via alkyl isocyanides and tris(trimethylsilyl)silane, 6013
carbon centered–, alkyl and cycloalkyl xanthates as source, 2565
carbon centered–, sulfinylated and sulfonylated, addition to alkenes and enolethers, 4601
carbon radicals, addition to 4',5'–unsaturated pyrimidine nucleosides, 227
catalytic stereocontrol of cyclisation, 5551
chloroethyldimethylsilyl enol ethers, cyclisation, 1531
cobalt–catalysed cleavage of oxiranes by anilines, radical mechanism, 575
conversion of aromatic halides to aldehydes, 6887
cyclisation allyl and homoallyl a–iodo–esters and amides, macrocyclic di– and tri–lactones, 1121
cyclization *N*–(*o*–bromobenzyl)anilines to phenanthridines by Bu_3SnH, 1881
diastereoselective H–transfer in C–glycoside synth by cleavage phenylsulfonyl deriv with $LiC_{10}H_8$, 1897
diyls(trimethylenemethanes) from diazabicyclo–heptenes, trapping, 1229,1377
fragmentation of derivs of [2+2] photoadducts leading to C–skeletons of interest to terpenoid synthesis, 5985
free–, and electron transfer, formation, unsaturated spiro–γ–lactone, 7539
free–, at carbon between two heteroatoms generation and intramolecular cyclisation under non–reductive conditions, 7035
free–, cyclisation on sugar template, sulfonyl radical as synthetic tool for functionalised glycosides, 3541
glycide–derived radicals, cyclisation, 759
hydroxyl–, N–hydroxy–2–pyridinethione as source, 6869
imines, from sulfenylimines, Δ^1–pyrroline synthesis, 85
iminyl–, derived from sulfenylimines, multiple radical additions, 3545
intramolecular addition to pyridinium salts, 1625
intramolecular radical cyclisation of (bromomethyl)dimethylsilylpropargyl ethers with double and triple bonds, 3555
iodocarbonyls, cyclization to double bonds, Pd–promoted, 933
laser–generated diradicals from 1,8–bis–halomethylnaphthalenes, acenaphthene from, 1727
mediated oxidations, transformation of aldehydes into amides, 7237
methylniobium chlorides, reaction with aldehydes and ketones, 503
organosilicon–, additions to alkenes and carbonyl groups to both monocyclic and bridged bicyclic systems, 5265
oxidation of 3–ethylpentane, Gif^{IV} and GoAgg^{II} methods, 353
oxygen, deleterious effect of; use of 1–hydroxypyridine–2–thione; –trapping by MVK, alkenylcyclopentanes from, 1965
phenyl–, addition of benzyl isocyanides, secondary α–deuterium kinetic isotope effect, 3575
phenylseleno–tosyloxylation of alkynes using TSA, AIBN, and Ph_2Se_2, 1957
phenylthio radicals in 3–vinylcyclohexanone synthesis, 823
phenylthio–dideoxyglycosides, radical reactions with allylstannanes, 1467
photooxygenation of 1,1,2,2–tetraarylcyclopropanes, 681
polymeric nitroxyl, TEMPO units, modifying electrode, 771
pyrrolidines *via* aminyls from *N*–hydroxypyridine–2–thione carbamates, 1675
radical–induced reduction of benzylic alcohols by lithium aluminohydride, 553
radicals in bicyclo[3.2.0]heptane cleavage, 1085
reaction of acetonyltributylstannane with α–(phenylseleno)carbonyl compds, prep of 1,4–dicarbonyl compds, 6669
redox potential of–, and reduction potential of benzylic type halides, correlation between, 5803
SRN1 perfluoroalkylsubstitution in imidazoles, 1279
SRN1 substitution, 4–α–chloroethyl–5 –nitroimidazole, 1269
stannylated α–carbonylvinyl–, cyclisation, prep of α–methylene–δ–valerolactones and α–methylenecyclohexanones, 5039
substitution into cubanes, iodination, 805
tautomerism, azoethane to acetaldehyde–ethylhydrazone, reactivity of $CH_3CH{=}NNC_2H_5$ radical, 6447
telluride addition to olefins, mechanism, 93
tri–2–thienylmethyl–, dimerisation, 2627
vinyl–, generation with seleno–borane and application to cyclisation of enynes, 5927
vinyl–, intermediates from radical cyclisation of (bromomethyl)dimethylsilyl propargyl ethers, conversion to functionalised carbocycles, 4445

Reagents

1,3–dioxolane derivs, new masked lithium bishomoenolates, synthesis of bifunctionalised compds, 3763
1,8–diazafluorenone, detection of α–amino acids and latent fingerprints, 7215
1–phenylsulfonyl–3–iodoethylindole–, for alkylation, 4697
2–(3–lithiopropyl)– and 2–(3–lithiopropyl)–2–methyl–1,3–dioxolane, in synthesis of bifunct–ionalised compds, 3763
2–phenyl–1,3–benzodithiolylium trifluoro–methanesulfonate, use in mild conversion of alcohols into benzoates and benzyl ethers, 3051
9–(4–methoxyphenyl)–xanthen–9–thiol, prep of thiols, 7485
α–hydroxy–aluminium–imines in synthesis of 2–amino alcohols from cyanohydrins, 3481
acetylacetone and pyridine, use in zinc reduction of phenacyl esters of peptide segments, 6539
acyltransfer–, N–methoxy–N–methylamides, source of HCHO, 6269
Al–$NiCl_2$–THF system, reduction of nitroarenes, 4065
alaninol, synthesis of βγ–unsaturated amino alcohols, 7407
alkanethiols from bromoalkanes by $(R_3Sn)_2S/F/H_2O$, 1397
alkynyllithium–, alkylation of triflates, total synthesis of (+)–panaxacol, 4609
allyl–Zn(and Cu)–, reactivity of allenic ethers, and α–metallated allenic ethers, 2879
allylmagnesium bromide, unusual reactivity, 4143
auxiliary modified allylic sulfoxide–, addition to electrophiles and evaluation of chiral aryl auxiliary design, 5409
auxiliary modified–, construction and stereoselection in sulfoxide formation, 5405
bis(triphenylstannyl)telluride for telluration and debromination, 6291
bis–(2,6–di–t–butyl–4–methylphenoxy)–methylaluni num, reduction of quinone derivs, 6125

BOP1–, use in solid–phase peptide sythesis for suppression of diketopiperazine formation in Boc/Bzl 7363
butyl(3–trimethoxysilylpropyl)disulfide, silicon surface modification and protein immobilisation, 5773
C2–symmetric chiral–, 2,6–disubstituted piperidines in (2*R*,6*R*)–(–)–2,6–lupetidine synthesis, 3279
chlorodiisopinocamphenylbdrane–, reduction of acylsilanes, prep of homochiral 1–silyl alcohols, 4677
control by–, in aldol additions of chiral boron enolates to chiral a–amino aldehydes, 3863
diazo transfer–, self catalysing azidotris(diethylamino)phosphoniu m bromide, 4987
diethyl 1–fluoro–1–(phenylsulfonyl)–methanephosphonate carbanion, route to vinyl fluorides, 5449
difluoromethyldiphenylphosphine oxide–, conversion of carbonyl compds to 1,1,difluoroolefins, 5571
dimethylgallium chloride and triflate as activators for glycosidation using glycopyranosyl fluorides, 2435
dinitrogen tetroxide, use in conversion of amides to acids and/or anhydrides, 3893
diphenyltellurium methylide–, for synthesis of oxiranes, 4173
(*E*)–1–(phenylseleno)–2–(trimethylsilyl)ethene, annulation of cyclopentenone, 2917
fluorinating–, Et3N.2HF, for nucleophilic fluorine displacement, 6527
for custom synthesis of N–glycosylated peptides, incorporation of unprotected mono– and disaccharide units, 5889
glycosylating–, methyl 3,4,O–isopropylidene–2–O–(4–methoxyb enzyl)–thio–β–fucopyranoside, synthesis of a–fucosyl oligosaccharides, 4325
Grignard reagents, homologation chloromethyl–magnesium halide intermediates, 937
Grignard–, addition to chiral iminium salts, 797
Horner–Wadsworth–Emmons–, tethered to byrostatins, control of remote enoate geometry, 4703
immobilised thioalkylation–, prep of polystyrene thiosulfonates, 6075
lanthanum trichloride–, for anhydrous thioacetalisation, 5815
lithium iodide trihydrate reduction of 2–O–trifluoromethanesulfonate esters of α–hydroxylactones to 2–deoxylactones, 3785
magnesium monoperoxyphtalate, oxidative ring opening of furans to *cis*–enediones, 7669
metal–graphite–, fragmentation 1–deoxy–1–iodo–2,3,4,5–di–O–isopropylidene pentitols, full set stereoisomeric 1,2–O–iso–propylidene–pent–4–enitols, 3735
modified BOP–, for pept5ide synthesis, 205
(NH_4HF_2–AlF_3) as solid–, for halofluorination of alkenes, 3167
n–BuLi/Na–O–t–Bu, quantitative metallation of 2–substituted 1,3–dithianes at –78°C, 7261
N–isopropyl–N–methyl formamidine–, synth of bioactive amino alcohols, 2157
Nazarov–, phenylsulfinyl and sulfonyl analogs, double Michael cyclisation, 3969
new lipodisaccharide, synth and biocatalyst for esterification of amino acids in polar solvents, 2131
new oxidising copper–, CuO_2H, prep and reactivity, 3891
new selective–, 1,4–benzoquinone for oxidation of alcohols, 4497
new–, Br_2–HMPT–$NaHCO_3$, oxidative esterification of alcohols with aldehydes, 2273
new–, di–1–adamantyl di– and tricarbonate, for exhaustive alkoxycarbonylation if amides and urethanes, 2697
organo–nickel ring, for alkyl iodide to propionic acid, 1257
perfluoroalkyl copper and per–fluoro–alklenedicopper–, reaction with propargyl bromide to perfluorinated allenes and alkynes, 3703
perfluoroalkyl copper–, reaction with propargyl halides, 3699
potassium ferricyanide in place of NMO increases level of induction in asymmetric dihydroxylation of olefins, 2999
(phenyldimethylsilyl)methoxy–methyl chloride and(phenyl-dimethylsilyl)methanol, use for protection of sugar hydroxyls, 2197
PPH_3/CBr_4, use in prep of bromoalkynes from prim alkynes, 3141
reducing agents, unusual behaviour of cyano substituted ozonides, 3299
Reformatsky–, 1,4–addition to 1,3–diaza–1,3–butadienes, 4215
S transfer–, use of sulfur dichloride in synthesis of thiaisoalkanams, 3627
Schwartz'–, *in situ* generation of $Cp_2Zr(H)C1$, 7257
t–butylthionitrate or t–butylthio– nitrite, conversion amino–nucleic acids and amino–heterocycles fluoro–compds, 3019
thallium tristrifluoroacetate, conversion flavanones to flavones, 1459
tin hydride–, soluble in water and carrying 3 methoxyethoxypropyl groups, synthesis, 2957
transfer–, synthesis of bridged cyclic polyenes using new retrosynthetic algorithm as guide, 7069
trifluoromethylating agents, power–variable (trifluoromethyl)dibenzothio– and –selenophenium salt system, 3579
trifluoropyruvic and lactic thioamides from ethyl trifluoroacetoacetate, 6339
trimethylsilyldiazomethane for O–methylation, 5507
trimethylstannylcuprates: $Me_3Sn(R)Cu(CN)Li_2$, via transmetallation route, 7253
triphenylmethanethiol useful for synthesis 1,2–*cis*–1–thioglycoses, 3869
Woodward's K–, synthesis of 2–thiohydantoins of amino acids, 3849
Yamaguchi–, macrolactonisation under acylation conditions,, synthesis of erythonolide, 6367
zinc borohydride in THF, chemoselective reduction of aldehydes, 7663
Zn–Cu–, use in synthesis of natural PGE_1, Δ2–*trans*–PGE_1 and 2,2,3,3–tetradehydro–PGE_1 by two–component coupling, 4481

Rearrangements

1,5–hydrogen shift in aza–1,3–dienes, 397
1,5–,sulfonyl group in 1–sulfenyl–ated 2,4–alkadiene, 4621
2–allyloxyethyl aryl sulfoxides to γδ–unsaturated aldehydes, Hg–free Claisen sequence, 4041
3–hydroxy–, enol ether, to 3–methoxyketone in bridged system, 849
5–cyanomethyl–2–isoxazo
6–glycidylthiopurine to 1–3–thietanyl–6–oxopurine, 1373
allylic 1,3–, 1–alkoxyallyl-phosphonium salts, regiochemistry, reaction 1–alkoxy–2–alkenylenephosphoran es with aldehydes, 2901
allylphosphinic ester–,via allylidene–oxyphosphorane intermediates, formation of C–C bond. 4831
aminochromes to 5,6–dihydroxyindoles, quinone–methide intermediates, 6095
ammonium–hydroxide induced–, of epoxy–acid fragment of carzinophilin, 2669

Arbuzov–, evidence of loss of chirality at phosphonium step, 4443
aza–Claisen–, N–allyamide enolates, 727
aza–di–P–methane–, βγ–unsaturated oxime acetates, photochemical synthesis of pyrethroid insecticides, 2475
bornyl α–azo benzoate into lactam, involvement of intramolecular ionic reaction in (Stetcar) concept, 7633
bridgehead enones, prepby regioselective sulfoxide elimination, 2233
Brook–, cyclic silyl vinyl carbinols, prep of silyl enol ethers, 831
cage diketone monotosylhydrazone, fragmentation of PCUD skeleton, 7479
chiral allylic sulfinate–sulfone–, asymmetric ene reactions of chiral allylic sulfones, 2619
chiral, sulfinyl–α–hydroxyalkyl–cyclopropanes, to cyclobutenes, 239
chlorocyclopropenones to propynoyl chlorides and to –chloropropenoic acids, 1261
Claisen–, 3–atom ring expansion of cyclic ketones, synthesis of (±) precapnelladiene, 6799
Claisen–, γ–hydroxyvinylstannanes to allylstannanes bearing Si and Sn on same carbon, 5829
Claisen–, of allyl phenyl ethers, methylaluminium bis–phenoxide catalyst, 377
Claisen–, organo–tin compds giving esters or amides, 869
cuprous chloride–dioxygen–pyridine system, mechanism of oxidation of prim aliphatic amines to nitriles, 3305
di–tert–butyladamnatanol to iodo–di– t–butyl protoadamantane, NMR signals indicate atrop–isomerism, 4061
Dimroth–, in carbocyclic adenine–guanine conversion, 767
dynemycin, bioreductive alkylation, rearrangement, geometry, 1521
epoxy silyl ethers, stereoselective construction of 3 and 4 contiguous asymmetric centers, 3335
fluoro–Pummerer–, synthesis of b–fluoro–αβ–unsaturated esters and nitriles, 5609
Fries–, and cleavage of esters using aluminium triiodide, 3943
hydride and carbon shifts in cyclobutyl chlorocarbene, 1225
immunosuppressant FK–506 to new ring expanded macrolide, 6477
λ3–phosphinines 2,4,6–tri– and 3,5–di–substituted with diphenylcarbene, 4849
Lossen–type–, N,O–dophosphinoyl–hydroxyamine to phosphoramidic–phosphinic anhydride, 1451
new–, acid promoted conversion of vinylnitrones into N–(γ–keto–alkyl)–N– phenylhydroxylamines, 6089
new–, involving thione S–amide intermediate in reaction of t–butylsulfinamoylacetates with amines, 4453
novel–, macrocyclic trichothecenes, 4401
optically active cyclopropyl allyl esters by Lewis acids and Pd catalysis, 4135
oxidative 1,2–aryl–, of flavanones using thallium *p*–tolyl sulfonate, new route to isoflavones, 2747
Payne–, in erythro and threo dihydroxy– ethyl oxazolidinone, 515
Pd–catalysed oxidative–, propargyl esters, 4181
periselective [2,3]Wittig–, on dihydro– furan and hydropyran rings, 7353
phenyl migration in benzyloxirane/Me3A1 reaction, 811
phloroglucinol polymers, prep of flavan and xanthene comps, 2789
phosphoro(thioperoxic) acids, P–SOH to P–OSH, 473
photochemical Wolff, of β–methoxyacryloyl diazomethane, 1527
pinacol–, theoretical study of migratory aptitudes, 251
reductive coupling–, with metal/Lewis acid under ultrasonic wave irradiation, 4165
spiropentane–methylcyclobutane–, electron–transfer induced divergent pathways, role of CIP and SSIP, 2411
sterically guided–, 3,3–disubstituted b–lactones, construction of cyclo–heptano trans–fused butyrolactones, 6617
substituted allyl phenyl ethers, synthesis of ortho–allyl phenols, chromans and coumarans, 3241
thermal–, 9–benzyl–10–aza–9–thiaphenanthrenes, 7021
thermal–, of α–hydroxy imine with a–allyl or α–propargyl substitution, 2277
thermal–, of N–alkyl–N–nitro–amides, new chemistry of diazoesters, 6009
thermal–, thiabenzenes to thiopyrans, 115
unsym–azetidinone disulfides to 2β–(thio–substituted methyl)penams, 3509
unusual–, of tetracyclo–[10.2.1.02,11.04,9]–pentadecane skeleton, 5357
ursane from *Coleus firskohk* to coleonolic acid, 3467
water promoted Claisen sigmatropic–, using glyco–organic substrates, prep of chiral 4–pentene–1,3–diol, 4147
Wittig–Still–, does it proceed via a metal free carbanion? 4425
[2,3]Wittig–, isopropyl 2'–hetero substitute 2–;alkenyloxyacetates, stereoselectronic control, 2415
[3.3]sigmatropic–, 8–membered thiocarbamates, (*Z*)– or (*E*)–double bonds with conformation control, 5471

Receptors

binding with thromboxane A2, identification of crucial substructural unit, 2677
new chiral–, bis–monensin from naturally occurring monensin ionophore, 7027
new polytopic molecules containing multiple bipyridyl and dibenzo–18–crown–6 units, 5069
potent 5–HT3–, antagonists, synthesis indole isoxazolines, 2445
rigid two–site–, cyclobutane thymine dimers with bis–2,6–diamidopyridine derivs, 2401

Reduction

1,2–3,4 hydride–, enones, mechanistic and stereochemical aspects, 5303
1,5–diselenoniabicyclo[3.3.0]octane bis(hexafluorophosphate), 6375
2–O–trifluoromethanesul
5–p–anilinoadamnatan–2–one, reinvestigation, 4391
α–bromoketones with dibutyltin dihydride, difference of chemoselectivity, 6381
acylsilanes with chlorodiisopino–camphenylborane, prep of homochiral 1–silyl alcohols, 4677
amination of aldehydes by using sodium triacetoxyborohydride, 5595
asymmetric oxazaborolididine– synthesis, key C9–C21 subunit of aplysiatoxins and oscillatoxins, 7587
baker's yeast–, of γ and δ ketosulfones, synthesis of (*S*)–(+)–para–sorbic acid and (*S*)–(+)–2–tridecanol acetate, 5575
borohydride–, α–hydroxy
chemoselective–, aldehydes with zinc borohydride in THF, 7663
Clemmensen–, single electron transfers in zinc–promoted reactions, mechanism, 6081
conformationally controlled, diselenide dication salt, 6375
conjugate–, using [(Ph3P)CuH)6, of polyfunctional αβ–unsaturated carbonyl compds, compatability with halogen, sulfonate, γ–O and S substituents, 3237
diastereoselective–, with baker's yeast, stereochemical control, 3631
dibal–, β–ketosulfoxides, catalytic effect of ZnC12, 6649,6653
electron transfer mediated photo–, αβ–unsaturated ketones, 6793

electroreductive cyclisation, saturation *vs* cyclisation, electrolyte–assisted steroselectionn and control, 2525
enantioselective–, of acylstannanes, 1981, 1985
enantioselective–, 2–acyl–1,2–dithianes using Corey oxaza–borolidine catalyst, 7415
enantioselective–, acetoacetylated Meldrum's acid with fermenting baker's yeast, 7463
enantioselective–, ketones with oxazaborolidines derived from (*R*) and (*S*)–αα–diphenyl–2–piperidine methanol, 2341
endothiopeptides to desoxopeptides, 23
extended π–systems with phenylene–vinylene repeating units, formation of multiply charged anions, 7367
fragmentation of β–furanyl unsaturated ketones, four stereocenters established, 5301
gem–dihalogeno cyclopropanes with iron pentacarbonyl, 4597
hydride–, taxanes, stereochemistry, 1221
isothiocyanates to thioformamidines with tri–n–butyltin hydride, 2467
lithium naphthalenide–1 bis-dimethyl–aminofulvene, 545
metal–ammonia–, O–silylated t–cinnamyl alcohols, 1339
nitroarenes with Al–NiCl2–THF system, 4065
olefins, using benzodiazaborole and asymmetric Rh catalyst, 231
ozonolysis of olefins followed by *in situ* reduction with tin chloride in presence of ethyl diazoacetate, prep of β–keto esters, 4991
quinone derivs, route to phenol keto–tautomer equivalents, 6125
reduction potential of benzylic type halides and redox potential of radicals, correlation betweem, 5803
reduction using CBS/diborane, synthesis of R–(–)–isoproterenol, 601
regio– and stereoselective 1,4–reduction of methylated, cross–conjugated steroidal cyclohexadienones, 3859
selective–, 4H–1,3–thiazine–4–ones, easy access to substituted 6H–1,3–thiazines, 4019
selective–, alkynes to *cis*–alkenes by hydrometallation using [(Ph3P)CuH]6, 2397
stereosel–, acyclic α–bromo esters, 2845
yeast–, synthesis of chiral epoxy–isoprenoids, 4025
zinc–, phenacyl esters of peptide segments using acetylacetone and pyridine, 6539
coupling of phenylthiopentadienyl metals with C–electrophiles, 2327

Regiochemistry
reaction of 1–alkoxy–2–alkenylenephosphoranes with aldehydes, allylic 1,3 rearrangemnent of 1–alkoxyallylphosphonium salts, 2901

Regiocontrol
β–silyloxy–, silyl enol ether formation, 301
directed–, in ring expansion reactions of substituted *trans*–decalone, 2963
rhodium catalysed hydroformylation alkenylphosphines, 2461
synthesis of manno isomer of α–cyclodextrin with O–2 tetradecyl group, 3029

Regioselection
1,4 reductions of methylated, cross–conjugated steroidal cyclohexadienones, 3859
and one–photon–multiple bond isomerisation of hindered poly–cis isomers of retinal, 6957
cycloaddition of cyclopentadiene with α–vinylidene and α–methylene–γ–butyrolactones, 4863
dithioester enolates, 1,2– and 1,4–addition to enones, effect of metal (Li, Ti,A1), 1853
gradual reversal of–, in photoadditions of cyclohexenones with cycloalkene esters of increasing ring size, 4689
photoisomerisation of retinolacetate, 3441
prep of 1,5– and 1,6–dienes, synthesis of *Eudia pavonia* pheromone and gassypure, 2595
substitution SN2' in 1,3– dichloro–propenes using RCu(CN)XnX, 1819
synth of sialosaccharides with Neu5Aca2 to 6 glycosyl linkage, use of Ag–zeolite catalyst for exclusive α–glucosylation, 2825
tetrazole alkylation, mainly at 2–, using cyanoformate esters, 1925
trifluoromethyl substited quinolines, synthesis from trifluoroacetyl acetylenes, 2689

Regiospecificity
2'–deoxyribonucleosides, synthesis improved, 4437
additions to chiral monosubstituted alkene complexes, [η5–C5H5)–Re(NO)–(PPh3)(H2C=CHR)]+BF4 –, 4417

Resins
Kaiser oxime–, synthesis of tyrocidine A, 6121

Resolution
benzhydrilamine–, with anchored amino–alcohol, synthesis, alamethecin analogs, 6355
CBI precursor, and incorporation into CC–1065 analogs, 793
dipalmitoylphosphatidylinositol, monothiophosphate analog, diastereomers, 2015
enzyme mediated optical–, *endo*–norbornene lactone, 7219
enzymic resolution by PPL of *N*–protected–a–aminobutyrolactones, 2037
facile–, planar chiral organometallic alcohols with lipase in organic solvent, 3895
γ–hydroxy stannanes, using lipase hydrolysis of rac acetates, 6387
kinetic–, of (η6–arene) chromium complexes by lipase, 3603
kinetic–, of racemic diene aldehyde Fe(CO)3 complexes and face selective allylboration of enantiotopic group of mesocomplex ,4707
lipase–, simultaneous separation of enantiomers of diasteromers, 3011
lipase–catalysed–, 2–benzylpropanol and 2–benzylpropionic acid, 6797
optical–, (±)–N–acylnorfenfluramine derivs by preferential crystallisation, 2143
optical–, and synthesis of α–ethynyl cyclic amines, 719
optically active phosphaallene of pseudo axial dissymmetry, 2311
sec alcohols, using XAD–8 immobilised lipoprotein lipase, 6403
terpenic allylic alcohols via lipase–catalysed acylation with fatty acid anhydrides, 4875

Resonance
dipolar resonance structures, importance in determination of ground state charge distribution, 2987
resonance energies of 4N+2π–electron systems relative to benzene, estimation by experimental NMR, 5281
resonance energy transfer, basis for design and synthesis of new fluorogeneic HIV protease substrates, 6493

Retinoids
β–globulin–bound retina
retinal, hindered poly–cis isojmers, one–photon–multiple bond isomerisation, 6957
retinoic acids, synthesis from unsaturated carboxylic acid polyenolates, 5791
retinolacetate, regioselective photo–isomerisation, 3441

Rhenium and compounds
complexes of–, bifunctional chelating agent as precursor, 5701

Rhodium and compounds
asymmetric Rh catalyst, use in hydrobroation, 231
catalysed direct coupling of αβ–unsaturated ketone, aldehyde and trialkylsilane to regio—defined aldol derivs, 5331
catalysis carbene generation from α–diazo–β–ketoester, 1807
chiral Rh carboxamides, catalysts for enantioselective cyclopropona-tion, 6613
dissymmetric Rh hydrogenation catalyst, 261

homochiral Rh–carboxylates, catalysed C–H insertion of α–diazo β–ketoesters to cyclopentane derivs, 5173
methyl– reagents, conjugate addition to cyclohexenone, 1553
Rh diacetate, carbene generation from diazoacetic ester, 139
RH–acetate catalysed reactions of 5–diazouracil with nucleophiles, 6965
Rh2(OAc)4 catalysis of cyclisation of diazomalonate esters, 1023
stabilised vinylcarbenoids, anomalous reactivity, 6299
iodinated tyrosine deriv, retention of iodine using aryl azide as photolabel, 2443

Ring transformation
contraction, 2–O–trifluoromethane sulfonates of α–hydroxy–γ–lactones, prep of oxetane carcoxylic esters, 4787
contraction, 3–deoxy–2–O–trifluoromethane–sulfonates of a–hydroxy–γ–lactones to oxetanes, 6927
contraction in cedrane series, promoted by Al, 4457
enlargement of 2–(1–alkenyl)–1–cyclobutyl ketones, prep of 4–acyl–1–cyclohexenes, 6027
enlargement of diaziridinone, pyrazoline–forming reaction with a–metallated nitrile, 5327
expansion, 3–atom ring of cyclic keyones via Claisen rearrangement, synthesis of (+)–precapnelladiene, 6799
expansion, Claisen ring and enantiospecific synthesis of tricyclic nucleus of acetoxycrenulide, 6979
expansion, iodinated tyrosine deriv, retention of iodine using aryl azide as photolabel, 2443
expansion reactions of substituted *trans*–decalone, directed regiocontrol, 2963
expansion, [3.3]sigmatropic, of 8–membered thiocarbamates, (Z) or (E)–double bonds with conformational control, 5471
in reactions of 2–alkylidene–1,3,4–thiadiazolines and selenium analogs, 3571
substituents on rings of any size, definition of axial, equatorial and related terms, 2125

Rotation
internal mobility of resonance stabilised phosphorus ylides, 5753
inversion/rotation barrier of bis(dimethyl malonato)azine, 4265
optical–, of Mosher's acid chloride, 75
restricted – in hypervalent S heterocycles, 1605
restricted, in natural 7–(1–naphthyl)–isoquinoline, 639
restriction in synthetic receptor, increased binding affinity by reducing number of unfavourable conformations, 5121

Ruthenium and compounds
catalyst in allyl–to–vinyl ether isomerisation, 649
diacetate, chiral complex, reduction of hydroxyisopropenyl azetinone, 549
methyl– reagents, conjugate addition to cyclohexenone, 1553
RuO4 catalysed, oxidation of 2,3–epoxynorbomane, 1157

Samarium and compounds
diiodide, reductive elimination of β–hydroxy imidazolyl sulfones, Julia olefin synthesis, 7105
samarium iodide, intramolecular cyclisation of ketones and aldehydes with alkynes, 4765

Sapogenins
acetogenin, squamostatin–A, bis–tetrahydrofuran γ–lactone, 535
acetogenins, structure and isolation of uvariamicin I,II and III from *Uvaria narum*, 4649
new acetogenins, structures of epoxyrollins A and B, 2283
steroidal saponin pachastrelloside A from *Pachastrella genus*, structure, 3321

Schiff bases
enamines/imines, condensation with αβ–diketo–esters, 609

Selenium and compounds
2–alkylidene–1,3,4–thiadiazolines and selenium analogs, ring transformations, 3571
3,4–di–t–butylselenophene, synthesis and characterisation, 4473
α–(phenylseleno)carbonyl compds, reaction with acetonyltributylstannane, prep of 1,4–dicarbonyl compds, 6669
atoms of–, transannular interaction with S atoms in 5H,7H–dibenzo[b,g][1,5]selenathiocin, formation of new heteroatom dication[>Se+–+S<], 2307
benzeneselenenyl fluoride, intermediate in olefin fluorination, 973
benzeneselenenyl tosylate, synth, addition to alkynes, 1957
benzeneselenenyl triflate, cyclisation of terpene alcohols and related polyenols, 6535
benzeneseleninic anhydride, oxidation of serotonin urethane to *ortho*–quinone, 969
catalysis, new synthesis of carbonothioates from alcohols, Co, S and alkyl halides, 4773
crystalline sodium seleno–carboxylates, negative charge on Se atoms, 3587
diphenyl diselenide, photo–initiated addition to allenes, 5931
phenylselenoacetals, stereoselective R–Li cleavage, 67
phenylselenoacetals, stereoselective R–Li cleavage, 67
phenylselenofluorination of olefins, 663
selenenamides, synthesis *via* chloramines, 873
selenium–stabilised carbon electrophiles, reaction with allyltrimethylsilane, 4363
selenols, oxidation to diselenides, 5007
selenophosphoryl groups, oxygenation, use of trifluoroacetic anhydride, 4081
selenophosphoryl groups, oxygenation, use of trifluoroacetic anhydride, 4081
synthesis of naphtho[2,3–b]–furan–4,9–diones, 6873

Selenium halogen compounds
fluoroselenenylation of olefins, use of benzeneselenenylfluoride equiv *in situ* generated with XeF_2–$(PhSe)_2$ in CH_2Cl_2, 3583
phenylselenofluoration of alkynes, 2127
trifluoromethylating agents, power–variable (trifluoromethyl)dibenzothio– and –selenophenium salt system, 3579

Siderophores
phytosiderophore mugineic acid, g–azetidinyl–β–hydroxy–α–amino acid moiety, new stereoselective synthesis, 5041

Silicon and compounds
(Z)–vinylsilane allylic alcohol, via 1,4–O!sp^2C rearrangement of α silyl ether precursor, 6137
1–(pentamethyldisilanyl)–3–(trimethylsilyloxy)–1 – alkynes, rearrangement, prep of 1,1–bis-silylallenes, 5607
1–lithium–1–(trimethylsilyl)–3–methyl–1–butene, addition to aldehydes, prep of steroidal 22α–allylic alcohols, 4937
2,5–disilylation with trimethylchlorosilane, orthofunctionalisation of fluoro– and ethylbenzene, 6179
2–trimethylsilyl ethyl bromoacetate for bridging group attachment in solid–phase peptide synth, 2003
acylsilane phenylhydrazones, reaction with phosphorus trichloride, 6935
acylsilanes ($RCOSiMe_3$) by rearr. a–silylated phenylsulfonyloxiranes, 1877
acylsilanes, prep of benzocyclobutenones, 2713
acylsilanes, reduction with chloro–diisopinocamphenylborane, prep of homochiral 1–silyl alcohols, 4677
alkynylsilanes to *cis*–vinylsilanes via hydroboration, 5113
allyl, benzyl and propargyl silanes via Suzuki reaction, 4981
allylic alcohols, catalytic intramolecular hydrosilation 7333

allylic silane in cyclisation reaction, 51
allylsilanes, reaction with aldehydo–aldose 2,3–O–isopropyl– idene derivs, 5909
allyltrimethylsilane, kinetics of [2+2] cycloaddn with 2,3–bis(trifluoromethyl)–ethylene–1,2–dicarbonit rile, 2557
allyltrimethylsilane, reaction with selenium–stabilised carbon electrophiles, 4363
allyltrimethylsilane, [2+2] cycloaddn with 2,3–bis(trifluoromethyl)ethylene–1,2–dicarbonit rile, 2553
aryl(chloromethyl)diphenylsilanes, fluoride–promoted aryl migration, 1089
β–silyloxy–, silyl enol ethers, in pyran–4–one synthesis, 301
bis–trimethylsilylated acetate, isomers, 209
chloroethyldimethylsilyl enol ethers, radical cyclisation, 1531
cyanotrimethylsilane reaction with oxirane under $Yb(CN)_3$ catalysis, 6209
cyanotrimethylsilane, $Yb(CN)_3$–catalysed reaction with aziridines, synthesis of optically pure β–amino nitriles, 6379
cyclopentanoid allylsilanes in synthesis of di–and tri–quinanes based on ene reaction of activated 1,6–diene with homoallylsilane as ene donor, 3461
cyclopentanoid allylsilanes synthesis, application to stereoselective synthesis of (±)–hirsutene, 3465
diphenylsilane as H–donor and triethylborane–air as initiator, deoxygenation of prim and sec alcohols, 4681
hexamethyldisilane, reaction with dimesitylketene and MeLi, 555
hindered siliranes, KF activated alcoholysis, 3987
hindered siliranes, KF activated alcoholysis, 3987
hydrosilylation of acetylenic alcohols, 1051
hypervalent silicon hydride, use in access to N–functionalised formamido and thioformamido compds, 2585
N–bis–trimethylsilylmethyl β–lactams, intramolecular Peterson olefination to oxa–cephems, 1921
optically active 2–substituted 4–(trimethyl–silyl)cyclopentanones, use in synthesis of (–)–massoialactone and (+)–β–cuparenone, 4761
organo compds of–, coupling with enol and aryl triflates in presence of Pd catalyst and fluoride ion, 2719
organosilicon radical induced reactions, 5265
oxadisiliranes, singlet oxygenation, synthesis and crystal structure of 1,2,4,3,5–trioxadisilolanes, 4177
oxazoles from acetylsilanes, $MeCOSiMe_3$, *via* silylated cyanohydrin and RLi reaction, 1945
pentasilacycloheptyne, synthesis and structure, 3597
phenylsilanes with trimethyl–ethylenediamino group on Si, selective *ortho* lithiation, 2925
selective cleavage t–$BuPh_2Si$– in presence of t–$BuMe_2Si$–ethers , NaH in HMPA, 1669
Sila–Cope elimination in α tetra–hydropyridine *N*–oxide, 1865
silacyclobutane, base induced reaction with aldehyde or epoxide, 6059
silacyclopentanes, via reaction of silacyclobutane with lithium carbenoids, 6055
silicon directed Mukaiyama–Michael tandem reaction of enol-silanes with enones, strategy for 6– membered ring cyclisation, 7273
silyl anions, reaction with dimesitylketene, 555
silyl enol ethers by Brook rearrangement of cyclic silyl vinyl carbinols, 831
silyl ether exchange, in alcohol deprotection, 567
silylation, lithiated (Z)–1–meyhoxy–1–buten–3–yne, use in prep of 1–(trialkylsilyl)–1,3–diynes and 1,4–bis–silyl–1,3–butadiynes, 6815
stereoelectronic effects in intramol cyclization allyltrimethylsilanes to acetal groups, 2063
surface modification and protein immobilisation, via butyl(3–trimethoxysilylpropyl)disulfide, 5773
trialkylsilane, αβ –unsaturated ketone and aldehyde, direct coupling to regio–defined aldol derivs, 5331
triethoxysilane, heterogeneous Pd–catalysed hydrogenation of water–soluble alkynes and alkenes, 4719
trimethylsilane, reaction with iodosobenzene, prep of mixed iodonium sulfonates, 4821
trimethylsilyl 1 –(*p*–tolylsulfinyl) ethene, fluoride–catalysed coupling with aldehydes, 673
trimethylsilyl aryl ethers, cleavage of epoxides by, 1722
trimethylsilyl azide/Pd for azide replacement of allylic ester group, 527
trimethylsilyl chloride, stereo effects on conjugate addition of organo–Cu reagents, 345
trimethylsilyl dienes from allylidene phosphoranes, 543
trimethylsilyl enolates, coupling reactions with benzylic acid allylic sulfides, 265
trimethylsilyl epoxides, prep of azido–alkenes, 1335
trimethylsilyl olefin, ozonolysis, 1799
tris(trimethylsilyl)silane and alkyl isocyanides in C–C bond formation, 6013
vinylsilanes, conversion to vinyl halides with xenon difluoride and metal halides, route to 5–(2–halovinyl)pyrimidine nucleosides, 5633
[3.1.1]silapropellane, synthesis and reaction, 4185

Silicon halogen compounds
chlorotrimethylsilane–sodium nitrite or nitrate, deoximation of oximes, 6677

Silver and compounds
Ag+ ion, high–binding and transporting selectivity, synthesis of double–armed diazacrown ethers, 3923
oligonucleotide synthesis, modified resin for, 81
oligonucleotide synthesis, modified resin for, 81

Solvents
and not Pd oxidation state determines successful coupling of iodo–nucleosides with terminal alkynes 3731
effect on ground–state versus transition–state stabilisation by metal ions, contracting metal ion behaviour in tetraglyme and ethanol for nucleophilic displacement at phosphorus centre, 6513
effect on stereoselectivity of aldol reactions is specific stoichiometric binding of tetrahydrofuran to chiral titanium enolate 4699
effect on synthesis of acetic acid, from methyl formate, 3887
effects on solvolysis of 1,2,2–tris–(*p*–methoxyphenyl)vinyl tosylate, 7039
organic–, kinetic Bronsted basicity scale provided by racemisation of optically active alkyltropylium ions via intermolecular prototropy, 4057
organic–, kinetic Bronsted basicity scale, racemisation of optically active alkyltropylium ions via intermolecular prototropy, 4057
water immiscible–, measurement of pH by water insoluble indicators, 5799
water promoted Claisen sigmatropic rearrangement using glyco–organic substrates, prep of chiral 4–pentene–1,3–diol, 4147

Solvolysis
1,2,2–tris–(*p*–methoxyphenyl)vinyl tosylate, solvent effects, 7039
iodonium promoted–, disarmed thioglycosides, 4313
N–acetoxy–N–alkoxybenzamides, nitrenium ion formation, 5377
N–arylmethyladenines, photoremovable N–arylmethyl protecting group for N–containing compds, 5757

tert benzylic chlorides, failure of linear correlation of log$k$ with Y_{Adcl}, a new Y scale based on 2–aryl–2–chloroadamantanes, 3611

Spiro compounds
(2*S*,3*R*)–1–oxa–2,8–dimethyl–3–oxo–8–azaspiro[4.5] decane, muscarine analog, 5733
aza–spirobicyclic system of discorhabdin C, prep via intramolecular phenolate alkylation, 3845
bis–spiroacetal functionalised compds, synthesis, 3043
chiral spirocyclic 1,3oxazine–4,6–diones as synthons for enantiomerically pure compds, 3605
lactams, by cyclization allylic b–ketoamides with NIS, 1427
methylenecyclopropane, carbocyclic spiro–type derivs, synthesis, 3609
new spirocephams, synthesis and structure elucidation, 7141
spiroannulation and alkylation of 3–bromo–2–cyclo alken–1–ones, 4341
spiroketals, unsaturated, allylic oxidation, 7509
spiropentane–methylcyclobutane rearrangement, electron–transfer induced divergent pathways, role of CIP and SSIP, 2411
spiropyrans of 2–oxaindan series, separation and transformations of enantiomers, 6335
synthesis of *Andrena haemorrhoa* pheromone components, TosMIC in prep of spiroacetals, 6217
unsaturated spiro–γ–lactone, formation, dissociative reduction, bromoacetates, 7539
unsaturated spiroacetals, new synthesis from 2–benzenesulfonyl–tetrahydropyrans, reassignment of ^{1}H and ^{13}C resonances of avermectin B_{1a}, 3445

Squalene
(3*S*)–2,3–epoxysqualene, vinyl oxirane analog, potential inactivator for oxidosqualene cyclases, 2097

Stereochemistry
absolute–, and synthesis of LY248686, 7101
absolute–, rubiginones A_1,A_2, B_1, B_2, C_1 and C_2 by NMR, 7473
asymmetric hydrogenation of unsaturated carboxylic acids catalysed by BINAP–Ru dicarboxylate complexes, 7189
C(8)–, of two epimers of hepoxilin A_3, 2113
cleavage tetrahydrofurans to 1,4–diols, anchimeric assistance, 1885
controlled by phenyldimethylsilyl group, in synthesiss of esterase inhibitor tetrahydrolipstatin, 3645
coupling of phenylthiopent$_3$dienyl metals with C–electrophiles, 2327
course of benzyloxychlorocarbene fragmentation, 4715
dependent NMR chemical shift correlations in 1,3–diol acetonides, sterochemistry of propionate–derived polyols, 7099
epoxide–, affect in the N–extrusion from *exo* and *endo*–6,7–diazo–3–oxotricyclo[3.2.2.0^{2,4}]non6–ene, 5129
ichthyotoxic diacylglycerols from *Umbraculum mediterraneum* and *Doris verrucosa*, 6093
intramolecular [4+3] cycloaddition, effect of allyl cation, 5981
Michael addition of phenylacetic acid dialkylamide and ester enolates to Z–methyl cinnamate, 5649
of double bond, assignment by $^3J_{CH}$ values, 157
polyol–acids, NMR determination, general strategy, 381
pseudolarolide–H from *Pseudolarix kaempferi*, 3413
revision of bioactive dihydroxy–eicosanoid from *Farlowia mollis*, 2971
S–Li and Sn–Li exchange reactions, 2727
sesquiterpenoid 14–hydroxy–9–epi–β–caryophyllene, 4069
substituents, control in substrate–directed synthesis of substituted 2–azaadamantanes, 2949
thermodynamic control, synthesis of 1–oxaquinolizidine skeletal portion of xestospongin A, 4281
triterpenoids, hancokinol from *Cynanchum hancokianum*, 5315

Stereocontrol
3–deoxy–D–manno–2–octulosonic acid containing disaccharides, 5765
4–,5–,and 6–*exo*–*dig*, cyclizations of w–lithicalkyl acetylenes, 627
addition of carbon radicals to 4',5'–unsaturated pyrimidine nucleosides, 227
alkylation and aldol reaction with chiral β–lactam, 977
complexation in tetrahydropyranoid podand ionophores, 4253
diastereoselective reduction with baker's yeast, 3631
electroreductive cyclisation, saturation *vs* cyclisation, 2525
ganglio–ganglioside GM1b, total synthesis, 385
ganglio–ganglioside synthesis of IV^{4}Ga1NAcbGM1b, 1435
in type 2 intramolecular Diels–Alder cycloadditions using disposable tethers, 5885
phytoalexin elicitor–active b–D–glucohexaoside and β–D–gluconoaoside, syntheses, 3179
radical catalysed cyclisation, 5551
rhodium catalysed hydroformylation alkenylphosphines, 2461
ring cleavage of sulfonyl 7–oxabicyclo[2.2.1]heptenes, 1475
stereoelectronic effects in intramol cyclization allyltrimethylsilanes to acetal groups, 2063
steric hindrance and chelation, in organocopper additions, 345
synthesis of 2,6–dideoxy–α–glycosides, use of 2,6–anhydro–2–thio sugar, 3339
synthesis of manno isomer of a–cyclodextrin with O–2 tetradecyl group, 3029

Stereoisomerism
restricted rotation in N–substituted 2,6–di–*ortho* tolylpyridinium cations, molecular design identification of isomers, 5645

Stereoselection
(±)–hirsutene, synthesis via application of cyclopentanoid allylsilanes synthesis, 3465
(+)–castanospermine, synthesis, 4321
1,4 reductions of methylated, cross–conjugated steroidal cyclohexadienones, 3859
addition of furyllithium to N,N–protected D–alaninals, 3797
aldol reaction of β–chlorovinyl ketones using dienol borinates, synth of dihydropyrones, 2213
amino aldehyde–ene reaction, route to β–amino alcohols, 3909
and auxiliary modified reagents in sulfoxide formation, 5405
concise–, synthesis of picenadol, 5401
construction, *E*– and Z–phenylthio substituted olefins, 2541
cyclic carbamates from t–butyl–dimethylsilyl carbamates, Pd–catalysed S_{EN} reactions, 5339
cycloadditions to 7–substituted norbornadienes, theory of rates and stereoselectivities, 7289
direct synth of (±)–14–deoxy–isoamijiol, 2239
electroreductive cyclisation, saturation *vs* cyclisation, 2525
enhanced by added lithium chloride, enolate–imine condensation, lithium dianion of 3–hydroxy–butanoate and N–acylaldimines, 7631
epoxidation of allylsilanes, 1055, 1059
homoallylic alcohol, synth via sulfone α–carbanion–mediated coupling, 2631
intramolecular diyl (trimethyl–enemethane) trapping, 1377
intramolecular ester enolate alkylation, construction of steroidal *trans*–hydrindanes, 4027
intramolecular ester enolate alkylation, construction of steroidal *trans*–hydrindanes, 4027
isomeric (*meso*–, *rac*–) 1,2,6,7–cyclodeca–tetraenes from stereoisomeric 1,5–cyclooctadiene/CBr_2 adducts, 1841
lithium trialkylalkynylborates, allylation by allyl carbonate in presence of $Pd(PPh_3)_4$, 2405

malonate Michael addition to cyclopent–3–ene–1,2–dione using (–)–ephedrine cyclic lactam–lactone, 2029
Michael addn α–lithiated phosphonates to αβ–unsaturated esters, 2423
new synth of HR 780 HMG–COA reductase inhibitor, 2545
new synthesis of γ–azetidinyl–β–hydroxy–α–amino acid moiety of mugineic acid, 5041
of osmium tetroxide oxidation of ring A unsaturated gibberellin derivs, effect of two allylic substituents, 6437
pepidase inhibitors, synthesis of key constituents statine and (3*S*,4*S*)4–amino–3–hydroxy–5–phenyl pentanoic acid, 7359
prep of 1,5– and 1,6–dienes, synths of *Eudia pavonia* pheromone and gossyplure, 2595
prep of N–acylpiperidines via catalytic iron–mediated ene carbocyclisation of trienes, 2865
R–Li cleavage of phenylselenoacetals, 67
reduction of acyclic α–bromo esters, 2845
remote substituent effects on cycloaddition of hexachloro–cyclopentadiene to 7–substituted norbornadienes, 7285
synth of optically active α–methyl esters, 2149
synth of sialosaccharides with Neu5Aca2 to 6 glycosyl linkage, use of Ag–zeolite catalyst for exclusive α–glycosyation, 2825
synthesis of (9*Z*,11*Z*) tetraponerines T4 and T8, 4543
synthesis of sarcophytol A, 3317
synthesis, 9R,12R,13S–trihydroxyocta–deca–10E,15Z–dienoic acid, 1783
tetracyclic C14 ginkolide, synthesis, 3995
trans–addition of benzeneselenenyl tosylate to alkynes, 1957
trans–allylic amines, synthesis, 6819

Stereospecificity
(–)–*erythro*– and (+)–*threo*–4–fluoroglutamic acid, synthesis and X–ray diffraction structures, 7403
functionalisation, (*R*)–(–)–1,1'–bi–2– naphthol triflate, 6321
hydroxylation of 1,8–cineole using microbial biocatalyst, 2833
methylphosphonate dinucleotide synthesis, 855
reduction, 3–benzyloxy– 3–hydroxyethyl–azetidin–2–ones to 3–spiro–epoxy–azetidin–2–ones, 3249
sec amines, synthesis from alcohols by Mitsunobu reaction, 3417
synth of dihydrofuran analog of leukotriene A4, 2089
synthesis, 3–aryl–5–(1',2'–dihydroxyethyl), (±)–*erythro*–and *threo*–, oxazolidin–2–ones, 515

Steric effects
bornyl α–azo benzoate into lactam, involvement of itramolecular ionic reaction in (Stetcar) concept, 7633
compression, proton and C–13 NMR effects, 497
steric control, hydrolytic–cleavage of amino acid esters responding to ionic strength, 5335
steric hindrance and chelation, in organocopper additions, 345

Steroids and sterols
(20*R*)–20–hydroxy–20–isoxazolinyls teroids, dehydration, synthesis of 20–isosteroidal side–chain, 7065
1,11–epithio and 1,11–epoxy steroids, convergent synthesis, 4355
1a,25–dihydroxyvitamin D3, via 25–hydroxy Windaus–Grundmann ketone using *o*–quinodimethane strategy, 6205
2–methyl–, 3–methyl– and 6–methyltriaromatic steroid hydrocarbons in geological samples, 3937
22a–allylic alcohols, synthesis via 22–aldehydes and 1–silyl–1–iodo–1–alkenes, route to side–chain construction of brassinolide, 4937
24–epibrassinolide, key intermediate, synthesis of (22*E*,24*R*)–5a–ergosta–2,22–dien–6–one, 3941
3β–toluene–*p*–sulfonoxy–(*Z*)–pregna–5,17(20)–diene ene reaction, synthesis of (20*S*)–6β–methoxy–3α,5–cyclo–5α–pregnane–20–carb oxyaldehyde, 6227
androst–4–en–3,17–dione, reaction with cumene hydroperoxide, 6223
bridged at C(1)–C(11), route via carbenoid route, 6171
cholestane and androstane skeletons, double functionalisation of ring C by alkoxyl radical, 5921
corticosteroid side–chain synthesis, 1889
estrone methyl ether and 7–alkylated deriv by conjugate addition of alkenylcopper–phosphine complexes to enone, 3313
hydrocortisone acetate, synthesis starting from 3–methoxy–androst–3,5,9(11)–triene–3,17–dione, 3669
iodide substitution by propionic acid, using organo–Ni reagent, 1257
marine sterols, biosynthesis, use of sponge cell–free extracts from *Aplysina fistularis*, 5421
marine sterols, side chain dealkylation using cell–free extracts *Demospongiae* and *Hexactinellida*, 5425
methylated, cross–conjugated steroidal cyclohexadienones, regio– and stereoselective 1,4–reductions, 3859
optically active 13β–methyl 14β–hydroxy steroid via base–catalysed reactions, 3961
steroidal ketones, reduction and epimerisation of distal carbonyl groups, intramolecular energy transfer control of multiplicity, 5865
trans–hydrindanes, stereoselective construction via intramolecular ester enolate alkylation, 4027
trans–hydrindanes, stereoselective construction via intramolecular ester enolate alkylation, 4027

Strain
tricyclo[1.1.1.0]pentane, NMR J values and hybridisation, 171

Structure–Activity relationship
cyclic hexadepsipeptide after selective modification of L–156,602, 4711

Substituent effects
1–aryl group of η5–1–aryl-cyclohexadienyl complexes, influence in alkylation reactions, 3401
allylic alkoxy–substituent, magnitude of stereodirecting effect on amidomercuration cyclisation, 6765
allylic–, on stereoselectivity of osmium tetroxide oxidation of ring A unsaturated gibberellin derivs, 6437
halogen, sulfonate, γ–O and S substituents, compatability with conjugate reduction of polyfunctional αβ–unsaturated carbonyl compds using [(Ph3P)CuH]6, 3237
naphthalenophanes, photocycloadns of vinylnaphthalenes, effect of tethers between naphthalene rings and substits at vinyl groups, 2911
on micellar enantioselective hydrolysis of amino acid esters, 5311
photodimerisation of amphiphilic anthracenes, reactions in monolayer assemblies and in solutions, 6043
remote–, diastereoselective effect on enolate alkylations, 4569
silyl groups steric effect on lithium and titanium mediated aldol reactions, 6001
size of N–alkyl group, affect on intramolecular photo reactions of N–alkyl–5–phenyl–4–penten–1–amines, 5293
stereochemistry of–, control in substrate–directed synthesis of substituted 2–azaadamantanes, 2949
substituents on rings of any size, definition of axial, equatorial and related terms, 2125

Substitution reactions
α–, amines, in N–methoxycarbonyl–a–*t*–butyldioxyamines, 7475
α–sulfonylalkyl lithiums, *cine*–substn on reaction with chlorotoluene–Cr(CO)3, 2011
Al–promoted nucleophilic–, on 2–*endo*–acetamido–2–*exo*–methoxynorbornene, synthesis of 2–*exo*–substituted 2–*endo*–aminonorbornenes, 5345

allylic carbonate–organo–Cu SN2i reactions, 1869
allylic–, Pd–catalysed of 1–vinylcyclopropyl and cyclopropylidene–ethyl esters with nucleophiles, 4593
chiral recognition in SN2–, of t–butyl 2–bromopropionate with enolate derived from [(η5–C5H5)–Fe(CO)(PPh3)COCH3], 4067
cine–, of fused chlorocyclobutanones by N, S and C nucleophiles via oxyallyl cations, 2181
intramolecular radical–induced–, pyridinium rings, formation of [5,6]– and [6,7]–fused ring systems, 3495
ipso–, 2–alkylsulfinylpyridine by 2–pyridyllithium, new prep of oligopyridine and bromomethyl derivs, 4625
nitroalkyl–dehalogenation (SRN1) in chloroalkyl nitroimidazole, 1269
nucleophilic–, of bromides or methanesulfonates using Et3N.2HF, syntheses of fluoro compds, 6527
nucleophilic–, process, analysis by cubic reaction coordinate diagram, 3199
nucleophilic–, vicarious, in nitropyrroles, 121
polyether podand groups in anthraquinones, 55
regioselective aromatic nucleophilic–, solvent assisted, reaction acetanilide with nitrobenzene in DMSO, 3217
SN2'mechanism in reactions of 3–O–acetyl–2–C–*p*–totlysulfonyl–D–arabino– and –D–ribo–hex–1–enitol derivs, 3749
SN2–, chiral recognition, t–butyl 2–bromo–propionate with enolate derived from [(η5–C5H5)Fe–(CO)(PPh3)COCH3], 4067
SN2i –, 1,3–dichloropropenes, using RCu(CN)ZnX, 1829
SRN1–, in imidazo[1,2–a]pyridine series, 3013
synth of azaanthraquinone with substits in benzene and pyridine rings, 2569

Sulfenic acid and derivatives
2–benzothiazolesulfenamide, imine formation from, 85
inaccessible sulphenyl chlorides, phthalimidosulphenyl chloride as synthetic equivalent, 6213
sulfenylimine derived iminyl radicals, multiple radical additions, 3545

Sulfides see also Disulfides
alkynylsulfides, prep of α–functionalised β–iodovinylsulfides using IPy2BF4, 7375
bis(*o*–arylmercaptophenyl)sulfides, synthesis, 5631
diaryl sulfides, symmetrical and unsymmetrical, 5685
diastereoselective oxidation to sulfoxides with potassium peroxy–monosulfate, 3685
oxidation of–, by heme–undecapeptide microperoxidase–11 in presence of H2O2, 3163
oxidative fluorination of sulfides in presence of Et3N.3HF, 2287
tellurium dioxide catalysed selective oxidation to sulfoxides with H2O2, 2893
vinyl sulfides and ketene S,S–acetals, [2+2] cycloaddn with 2,3–bis(trifluoromethyl)–ethylene–1,2–dicarbonitrile, 2561
vinyl sulfides, reaction with aldehydo–aldose 2,3–O–isopropylidene derivs, 5909

Sulfites
cyclic–, of syn–2,3–dihydroxy esters, short route to β–lactams, 4317

Sulfinyl compounds
2–phenylsulfinylethanol, alkylation, *syn*–diastereomer is major product, 2895
phenylsulfinyl analogs of Nazarov reagent, double Michael cyclisation, 3969

Sulfonamides
alkylation, hydroxyalkylation, α to S *via* camphor sulfonylimine dianions, 1653
N–sulfinylbenzene sulfonamide, cycloaddition with myrcene and epoxy myrcene, synthesis of adduct with one S–atom at C–10, 7007
substituted ethynesulfonamides, simple synthesis, 3875

Sulfones
3–phenylsulfonyl–, sulfolenes, alkylation, 1035
α–sulfonylalkyl lithiums, *cine*–substn on reaction with chlorotoluene–Cr(CO)3, 2011
allylic–, access from allylic nitro compds, 7429
β–hydroxy imidazolyl sulfones, reductive elimination by samarium diiodide, Julia olefin synthesis, 7105
chiral allylic–, asymmetric ene reactions via chiral allylic sulfinate–sulfone rearr, 2619
chloromethyl, substitution into nitropyrroles, 121
cleavage phenylsulfonyl glycoside with LiC10H8, 1897
cyclic–, regioselectivity in formation from 4–and 5–alkenesulphonyl chlorides, 6433
E–γ–hydroxy–αβ–unsaturated sulfones, synth from aldehydes, 2487
epoxy–, rearrangement and desulfonylation, 723
γ and δ ketosulfones, baker's yeast reductions, synthesis of (*S*)–(+)–parasorbic acid and (*S*)–(+)–2–tridecanol acetate, 5575
glycosides, reactivity to photo–halogenation sulfoxide, sulfone, 1133
hydroxycyclohex–1–enyl–, from 7–oxabicyclo[2.2.1]heptenes, 1475
phenylsulfonyl oxiranes, synth, silylation, rearr, 1877
sulfone α–carbanion–mediated coupling, stereosel synth of homoallylic alcohol, 2631
vinylic and cyclic–, synthesis via radical addition–elimination sequence, 2983

Sulfonic acid and derivatives
methane and ethanesulfonate esters, olefination of ketones, 981
sulfonate esters, generation of sulfonyl radicals, 2457
triflic anhydride, for dehydr formamides to isocyanides, 2047

Sulfonium salts
dimethyl(methylthio)sulfonium fluoroborate cyclisation of dithioacetals upon indole 3–position to give *Strychnos*–type pentacycles, 3453
thiolanes, dissymmetric prep of sulfur ylids, 35
thiolanes, dissymmetric prep of sulfur ylids, 35

Sulfonyl compounds
2–sulfonyloxy esters, prep of 2–hydrazinyl esters in high optical purity, 2953
4– and 5–alkenesulphonyl chlorides, regioselectivity in formation of cyclic sulfones, 6433
bis(tert–butylsulfonyl)acetylene, prep and Diels–Alder reaction with 1,3–dienes, 2173
sulfonyl analogs of Nazarov reagent, double Michael cyclisation, 3969
sulfonyl analogs of Nazarov reagent, double Michael cyclisation, 3969
sulfonyl radicals, generation from sulfonate esters, 2457

Sulfoxides
(–)–1–chlorobutyl *p*–tolyl sulfoxide, synthesis of both enantiomers of α–hydroxycarboxylic amides and esters, 3567
(*S*)–isopropyl phenyl–, inclusion by solid (*R*)–phenylglycyl–(*R*)–phenylglycine, 3331
(*S*)–lithiomethyl 1–naphthyl sulfoxide, enantioselective addition of ketones, 5349
2–allyloxyethyl aryl–, prep and rearrangement, Hg–free Claisen sequence, 4041
auxiliary–modified allylic–, addition to electrophiles with improved regio– and diastereoselectivity, 5409
β–ketosulfoxides, dibal reduction, catalytic effect of ZnCl2, 6649, 6653
β–nitro–αβ–unsat sulfoxide, addn–elimin strategy for asymmetric induction, 2419
dehydration by *p*–TSA to vinylthioethers, 115

diallyl sulfoxides, source of thioacrolein for Diels–Alder trapping, 5003
diastereoselective oxidation of sulfides with potassium peroxymonosulfate, 3685
prep and rearrangment of bridgehead enones, 2233
reactivity to photohalogenation sulfoxide, sulfone, glycosides, 1133
stereoselection and construction of auxiliary modified reagents, 5405
via tellurium dioxide catalysed selective oxidation of sulfides with H_2O_2, 2893
vinyl–, Pummerer reactions, synthesis of γ–hydroxy–αβ–unsaturated esters and α–hydroxyketones, 6441

Sulphoximes
N–acyl–(*E*)–vinyl–, dienyl–, and enynyl–sulfoximes, stereospecific synthesis, 5853

Sulfur compounds
comps with thiol, sulfide and sulfoxide attached to chiral auxiliary fragment, 5405,5409
diethylaminosulfur trifluoride, action on *trans*–4–amido–3–chromanols, prep of *cis*–amidoalcohols via oxazolines, 3649
heptathiocane deriv, structure, 5457
hypervalent (12–S–6), dichlorodiazapersulfurane in bridged system, 1019
hypervalent S heterocycles, restricted rotation, 1605
sulfinylated carbon centered radicals, addition of enolethers and alkenes, 4601
sulfur dichloride as S transfer reagent in synthesis of thiaisoalkanams, 3627
sulfurisation, 1,4,7,10–tetraarylcyclododeca–1,2,3,7,8,9–hexaenes, 7641
transannular interaction with Se in 5*H*,7*H*–dibenzo[*b*,*g*][1,5]–selenathiocin, formation of dication [>Se⁺–⁺S<], 2307

Sultams
bornanesultam enolates in chiral synthesis α–amino– and α–hydroxylamino–acids, 991
chiral toluene–2–α–sultam auxiliaries, asymmetric Diels–Alder reactions of N–enoyl derivs with 1,3–dienes, 5015
chiral toluene–2–α–sultam auxiliaries, asymmetric alkylations, acylations and aldolisations of N–acyl derivs, 5019
enantiomerically pure (*R*)– and (*S*)–ethyl–2,1'–sultam, prep and structure, 4117

Surfactants
imidazole ligands in non–ionic micelles, ester hydrolysis catalysed by Cu^{2+} complexes, rate enhancing multi–site interactions, 7023
long–chain–, synthesis and hydrolysis, 449
trihydroxycarboxylates bearing a long–chain alkyl acetal group, prep from glucono–1,5–lactone, 5939
vesicular–, *p*–nitrophenol–functionalised, sensitive, reversible and continuous reporters of pH, 2377

Tannins
condensed–, with 2,3–*trans*–(–)–catechin terminal units, 2059
dimeric–, woodfruticosin, isolation, structure, 393

Tautomerism
7–methylbicyclo[5.3.0]–decatrien–8–ones, in equilibrium with tricyclonorcaradienones, 4657
azoethane to acetaldehyde–ethylhydrazone, reactivity $CH_3CH{=}NNC_2H_5$ radical, 6447
ring–chain–, in 5,6–dihydro–2–hydroxy–2,3–dimethyl–2H–1,4–oxazine, 4211
ring–chain–, of thiocarbonylhydrazones, 3927

Technetium and compounds
complexes, bifunctional chelating agent as precursor, 5701

Tellurium and compounds
bis(triphenylstannyl)telluride for telluration and debromination, 6291
crystalline sodium telluro–carboxylates, negative charge on Te atoms, 3587
sodium hydrogen telluride addition to double bonds, 93
telluride–mediated conversion of rac *E*–allylic alcohols to homochiral *Z*–allylic alcohols, transposition of prim and sec allylic alcohols via glycidol derivs, 5603
tellurium dioxide catalysed selective oxidation of sulfides to sulfoxides with H_2O_2, 2893

Terpenoids
acyclic monoterpenol, isolation from *Lasius meridionalis*, 5559
application of reaction of functionalised 1,n–dicarbanions with αα'–methyallyl dihalides to give latent cycloalkenones, 3965
artemisinin, stereoselective synthesis, 755
camphor sulfonylimines, dianions from, reactivity to E^+, 1653
diterpenoid, halimedatrial, synthesis, absolute config., 1573
diterpenoid, valparene with new carbon skeleton, 4501
diterpenoids, 1–epi and 7–epi coleonols (forskolins) and 6,7–epoxy–6,7–dideoxycoleonol, synthesis using Mitsunobu reaction, 7493
diterpenoids, brominated, biogenetic–type, synthesis of (±)–aplysiadiol from *Aplysia kurodai*, 7157
diterpenoids, clerodane, approach via synthesis of tricyclo[6.2.2.–01,6]dodeca–6,9–dienes, 5297
diterpenoids, dolastane skeleton, construction via intramolecular Sakurai reaction, total synth of (±)–14–deoxyisoamijiol, 2239
diterpenoids, forskolin intermediate synthesis, 39
diterpenoids, kalihinene and isokalihinol cytotoxic isonitriles from *Acanthella klethra*, 3599
diterpenoids, new synthesis of 12–O–methyl royleanone, use of vinyl Cr–complexes, 5221
diterpenoids, quinone (±)–royleanone, synthesis via maleoylcobalt technology, 3723
diterpenoids, sarcophytol A, stereo– and enantioselective synthesis, 3317
diterpenoids, synth of (±)–dihydroxy–serrulactic acid (arene)chromium complexes, 2319
diterpenoids, tiglianes and daphnanes, synthesis of ABC ring system by zirconium–mediated intramolecular enyne carbocyclisation, 3691
diterpenoids, total synth of (±)–crassin acetate methyl ether, 2393
diterpenoids, tricyclic spata–13–(15),17–diene, synthesis, 635
diterpenoids, tricyclic nucleus of acetoxycrenulide, Claisen ring expansion and synthesis, 6979
diterpenoids, tricyclic valparalone with new carbon skeleton, 5665
diterpenoids, tubiporein, coral lactone, 689
fastiligin–C, approach to synthesis by fused furan, 1977
furano diterpenoid tobagolide, pseudopterane from coral, structure, 465
furanosesquiterpenoids, dihydropallescensin D, synthesis, 59
furanosesquiterpenoids, route using siloxyfuran building block, synthesis of freelingnite and dehydrolasiosperman, 5741
heptanortriterpenoid, structure and isolation of entilins A and B from *Entandrophragma litile*, 4505
metabolite of *Streptomyces aeriouvifer*, biosynthetic studies of naphterpin, 6025
monoterpenoids α–geraniol, α–neroi, α–linalool, cyclization by $BF_3.Et_2O$, 1187
monoterpenoids, mintlactone and isomintlactone from αβ–unsaturated esters, 6789
monoterpenoids, natural (+)–bakuchiol, enantiocontrolled synthesis, 3325
monoterpenoids, paeoniiactones A, B and C, stereoselective synthesis, 5973
monoterpenoids, paeonilactones A, B and C, stereoselective synthesis, 5973
neolemnanyl acetate, synthesis, 51

periplanones, nomenclature and activity, 1747
pseudopterosins, new enantiospecific route, 3857
quadrone intermediate, electrochemical synthesis, 485
seco– and seconorsesquiterpenoids with cyclopropane ring from *Anthopleura uchida*, structures and toxicity, 2617
sesquiterpenoid isonitrile 9–iso–cyanopupukeanane and its C–9 epimer, co–occurrence in *Phyllidia bourguini*, 5623
sesquiterpenoids, (+)–8α,9–secoartemisinin synthesis, 1799
sesquiterpenoids, 14–hydroxy–9–epi–β–caryophyllene, stereochemistry, 4069
sesquiterpenoids, 3–oxopatchouli alcohol, 5–oxo–7–hydroxy–13– norcyclo– seychellene, 6–methoxy–4,12–dihydro– 13–norcyclo–seychellene and patchouli alcohol, 6839
sesquiterpenoids, 7–β–hydroxy–eudesmanolides, partial synthesis, 5795
sesquiterpenoids, aristolochene, (–)–form from (+)–valencene; that from *Aspergillus terreus* is (+)– by cd, 1943
sesquiterpenoids, cedrane series, Al–promoted ring contraction, 4457
sesquiterpenoids, conversion of (+)–valencene into (–)–aristolochene, 1943
sesquiterpenoids, eudesmanes, brominative lactonisation, 3071
sesquiterpenoids, illicinolide A, structure and isolation from *Illicium tashiroi*, 5621
sesquiterpenoids, neurotrophic neolignan, clovanemagnolol, structure *and* isolation from *Magnolia obovata*, 4477
sesquiterpenoids, palmosalides A–C, from octocoral *Coelogorgonia palmosa*, 1973
sesquiterpenoids, pinguisanes, synthesis, 4343
sesquiterpenoids, robustadial and euglobal skeleton, unactivated terpenes as 2π components in hetero Diels–Alder reactions, 6629
sesquiterpenoids, triquinane, synthesis of (±)–pentalenene using electro–method as key step, 7167
sesquiterpenoids,synthesis of (3R)–nerolidol, 7553
sesterpenoids, arene–olefin cycloaddn, total synth of (–)–retigeranic acid, 2517
substituted bicycloundecanones, prep via [3+2] intramolecular dipolar cycloaddition of carbonyl ylides, 6769
taxanes, hydride reduction, stereochemistry, 1221
terpenic allylic alcohols, lipase–catalysed acylation by fatty acid anhydrides, 4875
tetranortriterpenoids, dimeric mahagonin from *Swietenia mahagoni*, 5943
tetranotriterpenoid,azadirachtin, synthesis of intermediate, 431
triterpane family, structure and isolation of *cis,cis,trans*–bicadinane from crude oils, 4645
triterpenoids, chiratenol, from *Swertia chiurata*, 7649
triterpenoids, dimers from *Maytenus ilicifolia*, 6881
triterpenoids, hancokinol from *Cynanchum hancokianum*, 5315
triterpenoids, hopane series, conversion to isomers of geochemical significance, 7445
triterpenoids, new skeleton from *Raspaciona aculeata*, structure of raspacionin, 6565
triterpenoids, peracid oxidation of hopane skeleton, 6523
triterpenoids, pseudolarolide–H from *Pseudolarix kaempferi*, structure and stereochemistry, 3413
triterpenoids, ursane from *Coleus firskohk*, rearrangement to coleonolic acid, 3467

Tetrazines
1,2,4,5–tetrazines, inverse type Diels–Alder reactions with dienophiles, steric and electronic effects, 6851

Tetrazoles
1–phenyltetrazole–5–thione, leaving group in alkylation, Ag–triflate promoted, 265
3–amino–nocardicinic acid analog, 1755
alkylation to 1– and 2–alkyl derivs using cyanoformate esters, 1925

Thallium and compounds
salts, effect on Pd catalysed tandem cyclisation–anion capture processes, 6573
thallium *p*–tolyl sulfonate, use in oxidative 1,2–aryl rearr of flavanones, new route to isoflavones, 2747

Theoretical calculations
"transition state models", empirically optimized, 5085
ab initio SCF MO, migratory aptitude in pinacol rearrangement, 251
AMI–, evaluation of transition states in intramolecular oxetane/oxolane ring formation, 4777
conformational control of additions to bicyclo[m.1.0.]alkan–2–ones, validation of Wizard technique, 6811
hydride transfer from alcohol to ketone, calculation of reaction pathway and energetics, 459
MM2–, hyperstability of roofed polyquinane rings with *trans* double bonds, 4219
MM2–, hyperstability of roofed polyquinane rings with *trans* double bonds, 4219
molecular mechanics, analysis of Norrish type II reactions for cyclodecanone, 5709
new spirocephams, synthesis and structure elucidation, 7141
quaternary centres, effects on conformation, 6717
study of the Barbier reaction, 7619
tetrahydroxynaphthalene in alkali, most stable ionic form a nonsymmetrical keto–tautomer trianion, 5905

Thermochemistry
thermodynamics, formation pyridinium ylids, 6287
thermolysis, synthesis of enethiolisable a–oxothiones, 6183

Thiadiazolines
2–alkylidene–1,3,4–thiadiazolines, ring transformations, 3571

Thiafulvalenes
tetrathiafulvalene from 1,3–dithiolium ions, 1007
tetrathiafulvalene moieties, incorporation into P–macrocycles, 6343
tetrathiafulvalene, acetylenic analogs, prep of 2–butyne–1,4–diylidene–2,2'bis(1,3–dithiole), 7311
tetrathiafulvalene, acetylenic analogs, π donor properties and synthesis mediated by alkynes–hexacarbonyldicobalt complexes, 7307

Thiazines
4H–1,3–thiazine–4–ones, selective reduction, easy access to substituted 6H–1,3–thiazines, 4019

Thiazoles
2,2i–bithiazoles, quaternary and bridged biquaternary salts, 1539
2–acetylthiazole and D–arabinose, new route to 3–deoxy–D–manno–2–octulosonic acid, 4513

Thiazolidines
derivs of 3–aryl–3–trifluoro–methyldiazirines for prep of fluorescent or ^{35}S–radiolabelled photaffinity probes, 2093

Thiazolines
derivs of 3–aryl–3–trifluoromethyldiazirines for prep of fluorescent or ^{35}S–radiolabelled photaffinity probes, 2093

Thiins
synthesis of–, and new 2–morpholinobutadiene derivs, reaction of heterocumulenes with 2–morpholinobutadienes, 5237

Thioacetals
α–keto and α–hydroxythioacetals, anodic oxidation, regeneration of α–diones, α–ketols and chiral synthons, 2599

dithioacetals, dimethyl(methylthio)sulfonium fluoroborate induced cyclisation upon indole 3–position to give *Strychnos*–type pentacycles, 3453
endocyclic ketene dithioacetals via acetalisation of β–hydroxy–dithioesters, synthesis of 4–alkylthio–Δ4–1,3–oxathianes, 6961
O–trifylthioketene acetal, addition of thiols and organocuprates, synthesis of protected penem derivs, 3291
oxoketene di–, use in carbonyl transpositions, 1763
tartraldehyde mono–, prep of amino–deoxy–sugars, 1195
thioacetalisation, anhydrous lanthamum trichloride as reagent, 5815

Thioalkynes
bis(R–thio)acetylenes, versatile synth, 2169

Thiocarbamates
8–membered–, [3.3]sigmatropic ring expansion, (*Z*)– or (*E*)–double bonds with conformational control, 5471
allyl dithiocarbamate as new β–acyl vinyl– and β–halomethyl vinyl–anion equivalent, 4155
allyl dithiocarbamate as new β–acyl vinyl– and β–halomethyl vinyl–anion equivalent, 4155
allyl dithiocarbamate, transformation of aldehydes into 4–oxygenated 2–alkenals, 4155

Thiocarbohydrazones
thiocarbohydrazones, ring–chain tautomerism, 3927

Thiocarbonyl compounds
2–thioxo–1–imidazolidine carboxamides, from 2–oxo–1–imidazolidinethiocarbonyl chloride, 6763
3–arylidene–4–isothiochromanones, reaction with diarylnitilimines, prep of new thiadiaza–phenanthrene, 4145
3–arylidene–4–isothiochromanones, reaction with diarylnitilimines, prep of new thiadiaza–phenanthrene, 4145
β–hydroxydithioesters, acetalisation, formation of endocyclic ketene dithioacetals, synthesis of 4–alkylthio–Δ4–1,3–oxathianes, 6961
chiral α–thioaldehydes, addition silylketene acetal, 6733
chiral thiomethylketones, diastereofacial or differential reaction with organometallics, 5479
dithiocarbonate group transfer in radical chain reactions, 2565
dithioester enolates, addition to enones, effect of metal (Li, Ti, Al), 1853
γ–thiobutyrolactone, benzaldehye anomaly in stereosel aldol reaction, 2453
optically active α–alkyl thioglycollic acid, synthesis, 257
S–alkyl carbonothioates, new selenium catalysed synthesis from alcohols, Co, S and alkyl halides, 4773
thicaldehydes, reaction with butadienes, 115
thiooxamates, synthesis involving thione S–imide intermediate in reaction of t–butylsulfinamoyl–acetates with amines, 4453
trifluoropyruvic and lactic thioamide, introduction trifluoromenthyl groups, 6339

Thiocyanates
reaction with 2–morpholino–butadienes, synthesis of thiins and new 2–morpholinobutadiene derivs, 5237
thiocyanation of 3–alkylindoles, access to 2–isothiocyano derivs, 7229

Thioethers
polyaryl–, synthesis of *bis(o*–arylmercapto–phenyl)sulfides, 5631
selectivity in TiO_2–mediated photocatalytic oxidation, 4533

Thioformamidines
by reduction of isothiocyanates with tri–n–butyltin hydride, 2467

Thioglycosides
aryl thioglycosides, anodic glycosylation, 5761
disaccharide synthesis, iodonium dicollidine perchlorate promoted, 275
disarmed–, iodonium promoted reactions, 4313
phenylthio–glucopyranoside, sulfoxide, sulfone, photo–bromination (NBS), 1133

Thiohydantoins
2–thiohydantoins of amino acids, synthesis using Woodward's reagent K, 3849

Thiols
addition to O–trifylthioketene acetal, synthesis of protected penem derivs, 3291
conversion to disulfides, activation and synthetic applications of thiostannanes, 3591
prep via 9–(4–methoxyphenyl)–xanthen–9–thiol, reagent, 7485
thiol acetates, conversion to disulfides, activation and synthetic applications of thiostannanes, 3595
thiols, oxidation to disulfides, 5007
triphenylmethanethiol a useful reagent for synthesis 1,2–*cis*–1–thioglycoses, 3869

Thiopeptides
endothiopeptides, reduction to desoxopeptides, 23
L–2–thiol–histidine, introduction of conformational constraints into peptides via thioether linkage, 2837

Thiophenes
3–phenylsulfonyl–, sulfolenes, alkylation, 1035
cis– and *trans*–2–mercapto–3,4–dimethyl–2,3–dihydrothiophene via pyrolysis of bis(1–propenyl) disulfide, 4999
N,5–dilithiothiophene sulfonamide, reaction with (N–methyl–N–methoxy)methoxyacetamide, side reaction, 6269
new compds with large second order optical non–linearities, synthesis, 4743
thienylmethylcopper–zinc complexes, 2– and 3–, substitution in dichloropropenes, 1829
thiophene 1,1–dioxides, oxidation of thiophene derivs with dimethyldioxirane, 5955
trifluoromethylating agents, power–variable (trifluoromethyl)dibenzothiophenium salt system, 3579

Thiophosphates
monothiophosphate analog, dipalmitoyl–phosphatidylinositol diasteeomers, 2015
p^1,p^4–dithiophosphate analogs of diadenosyl 5',5'''– p^1,p^4–tetraphosphate, synthesis, separation and identification of diastereo–isomers, 4371
thiophosphoenol pyruvate derivs, 1557

Thiophosphoryl compounds
thiophosphoryl groups, oxygenation, use of trifluoroacetic anhydride, 4081
3,4–dihydro–2H–thiopyrans, prep from diallyl sulfoxide and dienophiles, 5003

Thiopyrans
trialkylsilyloxy–2*H*–thiopyrans, reactions with dienophiles, 845
via thiabenzenes rearrangement, 115

Thiostannanes
activation and synthetic applications of–, conversion of thiols to disulfides, 3591
activation and synthetic applications of–, conversion of thiol acetates to disulfides, 3595

Thiosugars
1,2–*cis*–1–thioglycoses, triphenylmethanethiol a useful reagent for synthesis, 3869
2,6–anhydro–2–thio sugar, stereocontrolled synthesis of 2,6–dideoxy–α–glycosides, 3339
2,6–anhydro–2–thioglycopyranosyl fluoride for glycosylation, 6361
6–thio–2,5–dideoxy–3–homo–aldohexofuranose, nucleoside analogues, 335
thiosugar moiety of esperamicin A_1, single crystal x–ray structure, 6149

Thioureas
containing nido–carborate, synthesis, 4003

Thromboxanes
A_2 mimic, stereospecific synth of 9a,10a–epoxyprostanoic acid deriv, 2677
thromboxane A_2, potent antagonist, synthesis, 3833

Tin and compounds
α–hydroxyalkyl stannanes, prep, uses, 1985
acetonyltributylstannane, reaction with α–(phenylseleno)carbonyl compds, prep of 1,4–dicarbonyl compds, 6669
acylstannanes, enantioselective reduction, 1981, 1985
alkenyltributylstannane, coupling to iodoalkenes, Pd–catalysed, 307
alkyl –(tributylstannyl)vinyl) ethers, Pd–catalysed coupling to enol triflates, 1889
allyl– reactions with protected α–aminoaldehydes, 1803
allylstannanes, addition to alkyl radicals, approx rate constants, 2861
allyltin reagents, applied to penicillin derived azetidinones, 5693
δ–alkoxyallylstannanes, reaction with aldehydes, induced by tin chloride, 6239
delta effect of–, second sphere hyperconjugation in cyclohexanes, 3841
dibutyltin diazide, ring–opening of epoxides, 221
dibutyltin dihydride, reduction a–bromoketones with difference of selectivity, 6381
dibutyltin ditriflate, Lewis acid catalyst, 1581
dibutyltin oxide, catalyst in ribonucleoside silylation, 1613
γ–(phenylthio)–allyl and allenylstannanes, coupling with trimethylsilyl enol ethers in presence of tin, 6685
γ–hydroxyvinylstannanes, simple prep, 3105
γ–hydroxyvinylstannanes, Claisen rearrangement to allylstannanes bearing Si and Sn on same carbon, 5829
hexamethyldistannane, arene–arene bond formation by, $Pd(PPh_3)_4$–catalysis, 161
hydrostannation of C–C triple bonds, use of Pd catalysis, 6621
optically active a–hydroxystannanes via hydrolysis using lipase, 6407
optically active γ–hydroxystannanes via hydrolysis using lipase, 6387
organo–tin compds, Claisen rearrangement, 869
organostannanes, cross coupling with halocyclobutenediones, synthesis of cyclobutenediones, 4293
organostannanes, Pd catalysed cross–coupling with phenol triflates, synth of resorcinol dimethyl ethers, 2357
stannanes, Pd–catalysed coupling with anthraquinone triflates, synthesis of anthraquinone derivs, 5189
stannylene directed selective acylation of open–chain L–arabinose derivs, 2759
tin chloride–promoted reactions with β–dicarbonyl compds, synthesis of aminopyridines and aminoquinolines, 3485
tin substituted β–lactams, prep as intermediates as source of homoenolate anions, 4927
tri–n–butyltin hydride, reduction of isothiocyanates to thioformamidines, 2467
trialkylstannyl cycloalkenes, N–, O–functionalised; R_3SnLi, R_3SnCu reagents, 1837
tributylstannane, in imine free–radical production, 85
tributylstannyllithium, elimination of Cl–OMe from 4–chloro–crotonaldehyde acetals, 691
tributyltin hydride, for cyclization N–(*o*–bromobenzyl)anilines to phenanthridines, 1881
tributyltin oxide, selective acylation using, 169
trimethylstannyl methyl cuprates, uses, 165
trimethylstannylcuprates: $Me_3Sn(R)Cu(CN)Li_2$, via transmetallation route, 7253

Titanium and compounds
mediated aldol reactions, steric influence of silyl groups, 6001
mediated aldol reactions; steric influence of silyl groups, 6001
$TiCl_4$(cat)/Al bimetal, allylation of imines, 3023
$TiCl_4$–catalysed condensation of aldehyde with trimethylsilyl ester enolate, 217
TiO_2–mediated photocatalytic oxidation of thioethers, selectivity, 4533

Toxins
(+)–pederin, metallated dihydropyran approach to synthesis, 3433
(+)–ptilacaylin from *Ptilocaulis spiculifer*, synthesis, 4759
(–)–tetrodotoxin, synthesis of guanidinium part via Overman rearrangement as key step, 3327
acromelic acid C, new toxic constituent of *Clitocybe acromelalga*, structure, 3901
aflatoxin M_2 precursor, photochemical synthesis, 1819
aplysiatoxins and oscillatoxins, synthesis, key C_9–C_{21} subunit, 7587
chiriquitoxin from *Atelopus chiriiquiensis*, structure, 3187
cyanobacterial hepatotoxins, synthesis of Adda moiety, 2043
isoquinoline fungal derivs pyrenoline–A and –B structure and isolation from *Pyrenophora teres*, 2117
new cytotoxic alkaloid, aplaminone and neoaplaminone sulfate from *Aplysia kurodai*, 4911

Transannular reactions
acetylene dimerisation to fused cyclobutadiene–Co–Cp complex, 1845
hypervalent sulfur–bridged diaza–metacyclophane, 1019
iodination of 1–acetoxy–2,3–epoxy–cyclododeca–5,9–diene, 1633
iodination of 2,3–epoxycyclo–oct–5–en–1–ols, 1629

Transfer reactions
boronate esters and terminal alkenes, three–carbon homologated, simple synthesis via nucleophilic displacement in α–haloallylboronate ester, 7115
chirality–, L–valine to homoallylamine, 3023
dithiocarbonate group transfer in radical chain reactions, 2565
hydride ion from formate and phenyl from PhZnCl, addition of thallium salts promotes cyclisation–anion capture at expense of direct capture, 6573
synthesis of bridged cyclic polyenes using retrosynthetic algorithm as guide, 7069

Transition metals
ligands for–, synth of 2,3–diphenyl– and 2,3,6,7–tetraphenyl–hexa–azatriphenylene, 2573
mediated by–, functionalisation, (*R*)–(–)–1,1'–bi–2–naphthol triflate, 6321
methyliron and methylcobalt, reactivity, 507, 511
methylniobium chlorides, radical reactivity, 503
selective recognition by polyethers bearing bipyridines, and molecular chirality of pseudocrown structure in Cu complex, 6543
stereospecific functionalisation, (*R*)–(–)–1,1'–bi–2–naphthol triflate, 6321
transition metal carboxylates(high oxidation state) as acylating agents, 7281

Transition states
"transition state models", empirically optimized, 5085
mimicing peptidic α–hydroxy–phosphinyl moiety, C–terminal modification, 5591
mimics of enzyme transition states, peptide hydrolysis, 217, 961
new class of analog renin inhibitors, prep of peptidic α–hydroxy phosphonates, 5587
two possible–, evaluation by AMI calculations in intramolecular oxetane/oxolane ring formation, 4777

Transmetallation
transmetallation route to mixed trimethylstannylcuprates: $Me_3Sn(R)Cu(CN)Li_2$, 7253

Trapping rections
first [14]annulyne with benzyne–like reactivity, fast route to annelated bridged annulenes, 5277
hydroxylic–, fragmentation alkyl α(oxyimino)benzyl phosphonates, 6281
intramolecular–, triplet diyls (trimethylene–methanes), 1229

Triazines
1–aryl–3,3–dialkyltriazines, conversion to phenols and ^{18}O–labelled phenols, 4409
2–methyl–1,2,3–triazinium iodide and dihydro deriv, reaction with potassium superoxide give same products, 7193
5–halo–1,2,3–, reaction with superoxide, synth of 5–hydroxy–1,2,3–triazines, 2429

Triazinium salts
1–ethyl–1,2,4–triazinium salts, dimerisation into 4α,4β,9,10–tetrahydro–1,3,6,8,8α,10α–hexaazaphenanthrenes, 7665

Triazoles
1–arenesulfonyl–3–nitro–1,2,4–, peptide condensing reagent, 1915
3–nitro–1–mesitylenesulfonyl–, as esterification reagent, 1701
by cycloaddition of nitrile imines to 1–azetines, 127

Triazolines
triazolinedione, reactions with alkenes, geminal selectivity, 5775
triazolinediones, comparison of ene reaction with singlet oxygen and with alkyl substituted tetra–methylethylenes, 6759

Triazones
tetrahydro–1,3,5–triazin–2–one, use in protection of prim amines, 2109

Tricothecenes
macrocyclic–, novel rearrangements, 4401

Trienes
(3*E*,5*Z*)–1,3,5–undecatriene, two new stereoselective syntheses, 5749
(3Z,6Z,9Z)–3,6,9–nonadecatriene, pheromone of *Boarmia selenaria*, synthesis, 1895
(*Z*,*E*)–9,11,13–tetradecatrien–1–yl acetate and aldehyde, sex pheromone components of *Stenoma cecropia* and *Ectomyelois ceratoniae*, synth, 2295
1–phospha–4,4–diarylbutatriene, dimerisation to 2,4–dialenyl–1,3–diphosphetane, 4429
catalytic iron–mediated ene carbocyclisation, stereosel prep of N–acylpiperidines, 2865
electron deficient cyclpheptatrienes, activation by tricarbonyliron complexation, 6711
pyranose–, intramolecular Diels–Alder reactions, stereosel access to bis–annulated pyranosides, 2301
silyl acetal triene, Diels–Alder reaction, strategy for regio–and stereocontrol in [4+2] cycloadditions, 6585

Troponoids
cyclotetrachromotropylene, calixarene analog, complexation aromatic hydrocarbons, 1911
optically active alkyltropylium ions, racemisation via intermolecular prototropy provides scale for kinetic Bronsted basicity of organic solvents, 4057
tropothione, [8+2] cycloaddition with diphenylketene to form an enethiol lactone, 4169
tropylium ion, Diels–Alder reactions, empirical force field study, 2255

Trioxanes
1,2,4–trioxanes, via β–hydroxy–hydroperoxides, 6901

Ultrasound
N,N–dialkyl–, carboxamides, alkali–metal dealkylation, 941
organic sonochemistry, new interpretation and consequences, 4125
organic sonschemistry, new fundamental approach, 4129
ultrasonic wave irradiation, reductive coupling–rearrangement of benzophenones with metal/Lewis acid, 4165

Uracils
1–(3'–azido–2',3',5'–trideoxy–b–D–allofuranosyl) thymine, side–chain homolog of 3'–azido– 3'– deoxy–thymidine, synthesis, 4007
5–diazouracil, thermal and rhodium acetate catalysed reactions with nucleophiles, 6965
cyclobutane thymine dimers, as rigid two–site receptors, with bis–2,6–diamidopyridine derivs, 2401

Ureas
fragile 2'–deoxyribosylurea residue, insertion into oligodeoxy–nucleotides, 5745

Urethanes
di–1–adamantyl di– and tricarbonate for exhaustive alkoxycarbonylation, 2697
Hofmann degradation to amides, 1559
sec or t–urethane, Mitsunobu coupling with a phenolic ester, inversion products, 5253

Uridines
2'–deoxy–2'–mercaptouridine, conversion to 3'–O–alkyl–2'–deoxyuridine, 7483
C–6 substituted analog of–, intramolecular 1,3–dipolar cycloaddition, 5543

Uridylates
α–anomeric–, nuclease resistant, solid phase synthesis as potential antisense agents, 3537

Vaccines
synthetic–, synth of multivalent Tn antigen cluster–lysyllysine conjugates, 2673

Vanadium and compounds
vanadyl petroporphyrins from Moroccan shales, 1751
$VO(OR)Cl_2$ treatment of 2–phenylglycine derivs under O_2 gave ethyl benzoate and ethyl phenylglyoxylate, 3917

Vinylation
Pd catalysed C–8–, of adenosine, 2'–deoxyadenosine and 2',3'–dideoxyadenosine nucleosides, 5877

Viruses
poliovirus and rhinovirus 3–C–proteinases, spiro indolinone beta–lactam inhibitors, 7277

Vitamins
1–a–hydroxy–provitamin D_3, synthesis, 4333
1a,25–dihydroxy–nor–, D_3, *via* 1a–hydroxycyclovitamin, 1823
carnitine, new, short synthesis of both enantiomers, 7323
D ring synthons of D_3 by reductive cleavage of norbornan–6–one–2–carboxylates, 4899
D, biomimetic oxidation by Fe–S protein model cluster and dioxygen system, 4903
E and mevalolactone, convergent enantiocontrolled route from (*S*)–O–benzylglycidol, 3619
E–, synthesis of intermediate phytone, 5161
retinolacetate, regioselective photo–isomerisation, 3441
vitamin B_{12}, intermediates in biosynthetic pathway of *Propionibacterium shermanii*, 6163
vitamin D metabolites, synthons for A–ring, 1577
vitamin D_3, active metabolite, synthesis of 25–hydroxy Windaus–Grundmann ketone, 6205

X–ray crystallography
(–)–*erythro*–and (+)–*threo*–4–fluoroglutamic acid, X–ray diffraction structures, 7403
1,2,3,4,5,6,7,8,9–nonathiacycloundec–10–ene, formation and molecular structure, 5323
1–(β–chlorovinyl)–, phosphirenium ion, 2–benzyl–1,2,3,4–tetrahydro–6–hydroxy–8–methoxy– 1,3–dimethyl–, isoquinoline, B.HBr, 643
3–oxabicyclo–[5.3.1]deca–1–(10),7(8)–(ZZ)–diene–10–carboxylic acid, 6843
amidocubanes, reaction with thionyl chloride to give secocubanes, 4835
aspirochlorine A30641, synthetic studies, 4297

chiral model Cu complexes, structure and synthesis, 712
clathrate of EtOAc in an octahydro–bisepoxy–tribenzodicyclooctene, 1825
crystal structure of 1,2,4,3,5–trioxadisilolanes, 4177
diethylammonium croconate, no molecular dimensions, 1797
first chlorine–containing shikimate–related metabolite from fungi, 4605
heptathiocane deriv, structure, 5457
illicinolide A, structure and isolation from *Illicium tashiroi*, 5621
intramolecular 1,3–dipolar cycloaddition of C–6 substituted uridine analog, 5543
isoquinoline fungal derivs pyrenoline–A and –B isolation from *Pyrenophora teres*, 2117
kalihinene and isokalihinol cytotoxic isonitriles from *Acanthella klethra*, 3599
optically active aspyrone, convergent synthesis, 7343
oxabicyclooctanone transformations, electrocyclic opening involving fused cyclobutanols, 5669
pentasilacycloheptyne, synthesis and structure, 3597
pyrrole deriv trikentramine, 2979
seco–dodecahedradiene and isododecahedrane, molecular structures, 5459
serotonin and norepinephrine uptake inhibitor. asymmetric synthesis of LY248686, 7101
single crystal x–ray structure of thiosugar moiety of esperamicin A_1, 6149
stereochemistry and structure of pseudolarolide–H from *Pseudolarix kaempferi*, 3413
structure and hydrocarbon soln behaviour of tetrameric 2,2–bis(methoxymethyl)–1–propyllithium, 2641
structure of 1,6–imino–8,13–oxido[14]annulene, 999
structure of propargyl AZT analog, 597
substituted chalcones, epoxidation to chiral epoxyketones and conversion to phenyl glycidic esters, 6501
tetramethyl[4,4]paracyclophadione, structure in solution, 6689
tribromobenzobicyclo[3.2.1]octadiene, 2345
triterpenoid skeleton from *Raspaciona aculeata*, structure of raspacionin, 6565
triterpenoids, hancokinol from *Cynanchum hancokianum*, 5315

Xanthenes
xanthate esters of alcohols, reactions with triethylsilane, yields deoxygenated hydrocarbons, 5093
9–(4–methoxyphenyl)–xanthen–9–thiol, reagent for prep of thiols, 7485
methyl xanthates and thiocarbonyl derivs, tin hydride reduction, mechanism of deoxygenation of sec alcohols, 3991
ploiarixanthone, bixanthone from *Ploiarium* sp., 751
prep via phloroglucinol polymers, 2789

Xenon and compounds
Xe F_2 mediated radical process,introduction of halonitromethyl framework into arenes, 4799
xenon difluoride and metal salts, conversion of vinylsilanes to vinyl halides, route to 5–(2–halovinyl)pyrimidine nucleosides, 5633
xenon fluorosulfates and their Ad_E–reactions with olefins, 5225

Ylides
azomethine–, reactivity due to electronic effects, route to 5–alkylidene–3–oxazolines, 3343
azomethine–, with chiral electron–deficient olefinic dipolarophile, asymmetric 1,3–dipolar cycloaddition, 3633
carbonyl ylides, [3+2] dipolar cycloaddition, prep of substituted bicycloundecanones, 6769
diphenyltellurium methylide–, for synthesis of oxiranes, 4173
epoxidation, synthesis of vinyl epoxides from aldehydes catalysed by diisobutyl telluride, 7657
phosphonium–, reaction with ethinyl–triphenylphosphonium salts, 3301
pyridinium–, formation from carbenes, 6287
resonance stabilised phosphorus–, internal mobility, 5753
selective oxidation using potassium peroxymonosulfate, formation of vicinal tricarbonyl compds, 5205
sulfonium–, isolable thiabenzene, rearranged to thiopyrans, 115
sulfur–, reaction with diazaarsoles, prep of arsirane, 7607
sulfur–, from dissymmetric thiolanes, 35

Zeolites
Ag–zeolite catalyst for exclusive a–glycosylation in stereo and regiosel synth of silosaccharides with Neu5Aca2 to 6 glycosyl linkage, 2825
pentasils and faujasites, Tl–exchanged, phosphorescence of included stilbene, 1097

Zinc and compounds
(Z)–vinylzincate, conjugate addition involving kinetic resolution and enantioface selection, chiral prostaglandins syntheses, 7349
α–butoxyvinylzinc chloride, Pd–catalysed coupling to enol triflates, 1889
alkylzinc chlorides, Pd–catalysed reaction with β–bromovinylboronic esters, 247
alkynylzinc compds, trialkylsilyl triflate promoted addition of αβ–enones, 7627
arylzinc iodides, new prep by conversion of functionalised aromatic iodides, 4413
β–phosphonylalkyl–, synthesis, conjugate addition to enones,1833
copper–zinc reagents RCu(CN)ZnX, substitution in 1,3–dichloropropenes, 1829
diethylzinc, asymmetric catalytic alkylation of aldehydes in presence of N–isopropylephedrine, enatioselectivity depends on Et_2–Zn:RCHO, 5185
reduction of phenacyl esters of peptide segments using acetylacetone and pyridine, 6539
$ZnCl_2$, catalytic effect during dibal reduction of β–ketosulfoxides, 6649,6653

Zirconium and compounds
hydrozirconisation of alkynes, *in situ* generation of $Cp_2Zr(H)Cl$, 7257
zirconocene–benzdiyne equivalent, synthesis and reactions, 5563

Zwitterions
formation and [4+2]cycloaddn as competing pathways in reaction of olefins with 1,2–bis(N,N–dimethylamino)–1,3–butadiene, 2265

Organism Index 1990

Acanthella idethra, isolation of cytotoxic isonitriles, kalihinene and isokalihinol, 3599
Alexa leiopetalla, synthesis of castanospermine ermine esters, 2829
Aloe ferox, isolation and structure of feroxidin, 3077
Amanthia convulata, control of remote enoate geometry in bryostatins, 4703
Amaryllidaceae, alkaloids, organometallic approach to aryl–substituted cyclohexadienyl complex intermediates, 3401
Andrena haemorrhoa, synthesis of pheromone components, TosMIC in prep of spiroacetals, 6217
Annona squamosa, isolation of squamostatin–A, 535
Anthoceros punctatus, isolation and structure of new lignans, megacerotonic acid and anthocerotonic acid, 4159
Anthopleura uchida, isolation of seco– and seconorsesquiterpenoids with cyclopropane ring, 2617
Aplysina fistularis, sterols, use of sponge cell–free extracts, 5421
Aplysia kurodai, aplysia pyranoids A and B, total synthesis, 4257
Aplysia kurodai, brominated diterpenoids, biogenetic–type synthesis of (±)–aplysiadiol, 7157
Aplysia kurodai, fatty acid metabolite aplydilactone, 4907
Aplysia kurodai, isolation of new cytotoxic aplaminone and neoaplaminone sulfate, 4911
Artemesia annua, elaboration of 1,2,4–trioxanes from β–hydroxy–hydroperoxides, 6901
Artemesia annua, stereoselective synthesis of artemisinin, 755
Aspergillus avenaceaus, stereoselective synthesis of Avenociolide from D–glucose, 4931
Aspergillus niger, malformin A2, structure and spectroscopic analysis of A1, metabolites, 4337
Aspergillus sp., convergent synthesis of optically active aspyrone, 7343
Aspergillus sp., synthetic studies on aspirochlorine (A30641), 4297
Atelopus chiriquiensis, structure of chiriquitoxin, 3187
Azadirachta indica, chemistry of insect antifeedants, 431
Azadirachta indica, prep of optically pure related hydroxyacetal epoxide of azadirachtin, 3437
Bacillus brevis, synthesis of tyrocidine A using oxime resin for peptide chain assembly and cyclisation, 6121
Bacillus cereus hydroxylates, new bacterial catalyst, 2833
Bacillus megaterium, oxetane–2–carboxylic esters, chemistry, 4787
Bacillus megaterium, short synthesis of (±)–oxetanocin, 5445
Bacillus pulvifaciens, revision of structure and synthesis of galantin 1, 3181
Baicalospongia bacillifera, *trans*–olefinic very–long–chain fatty acids in lipids, 4367
Boarmia selenaria, sex pheromone component, identification and enantioselective synthesis of (*Z,Z*)–6,9–*cis*–3*S*,4*R*)–epoxynonadecadiene, 4923
Boarmia selenaria, synthesis of pheromone, 1865
Bugula neretina, control of remote enoate geometry in bryostatins, 4703
Bursatella sp., stereochemistry and synthesis of bursatellin, 572
Calderiella group, synthesis of caldose, calditol and 4–deoxycalditol stereoisomers, 1717
Calystegia sepium, isolation of three new alkaloids, 3879
Calystegia sepium roots, synthetic studies on 1–hydroxy nortropane system, approach to calystegines, 3883
Castanospermum australe, stereospecific synthesis of (+)–castanospermine, 4321
Castanospermum australe, synthesis of castanospermine ermine esters, 2829
Centaurea incana, aplotaxene, isolation and total synthesis, 7615
Centrocerus clavalatum, synthesis of α–kainic and α–allokainic acids, 6877
Clitoria ternatea flowers, structure of ternatin 2921
Cochliobolus lunatus, first chlorine–containing shikimate–related metabolite from fungi, 4605
Coleus forskoklin. isolation of coleonolic acid, 3467
Coleus forskolin, synthesis of key intermediate of forskolin, 39
Coleus firskohk, triterpenoids, rearrangement of ursane to coleonolic acid, 3461
Coleus forskohlii, 1,epi and 7–epi coleonols and 6,7–epoxy–6,7–dideoxycoleonal, synthesis using Mitsunobu reaction, 7493
Constantinea simplex, new cyclopropyl hydroxy–eicosanoids, isolation and structure of constanolactones A and B, 2995
Corydalis decumbens, decumbensine, synthesis, 3711
Crambe crambe, structures and isolation of two new guanidine alkaloids, 6531
Crinum sp., syntheses of ungerimine and hippadine,1523
Cruciferae family, first synthesis of *alpha* glucosinolates, 3867
Cryptophlebia leucotreta, pheromonal attraction inhibited by 7–vinyldecyl acetate, 5771
Cynanchum hancokianum, isolation of triterpenoid hancokinol, 5315
Demospongiae sp., side chain of marine sterols, dealkylation using cell–free extracts, 5425
Dendrobates histrionicus, enantio–divergent total synthesis of natural *trans*–2–butyl–5–pentylpyrrolidine, 3637
Dendrotonus brevicomis, construction of (+)–exo–brevicomin, 867
Dermocybe canaria, isolation of dermocanarins,unique lactones, 3505
Derris spruceana, total synthesis of isorobustin, 7449
Dichapetalum toxicarium seeds, identification, *threo*–18–fluoro–9,10–dihydroxystearic acid, 7661
Dictyotacea family, tricyclic nucleus of acetoxycrenulide, enantiospecific synthesis and Claisen ring expansion, 6979
Didemnum sp., synthesis of asciddemin, 4375
Diginea simplex, enantioselective synthesis of (+)– and (–)–α–allokainic acid, 4917
Digenea simplex, synthesis of a–kainic and α–allokainic acids, 6877
Dilophus marginatus, total synthesis of (13Z)–spata–13(15),17–diene and formal synthesis of spatol, 635

Discoderma calyx, isolation of bioactive metabolite, approach to synthesis of calyculin A spiroketal, 6129
Doris verrucosa, stereochemistry of ichthyotoxic diacylglycerols, 6093
Drosophila mulleri, synthesis of (*S*)-(+)-tridecanol acetate, 5575
Encomis bicolor, synthesis of (*R*)-and (*S*)-5,7,0-dimethyleucomol, 6823
Ectomyelois ceratoniae, sex components, stereospecific synthesis of (*Z,E*)-9,11,13-tetradecatrien-1-yl acetate and aldehyde, 2295
Entandrophragma utile, structure and isolation of entilins A and B 4505
Enterobacteria, approach to 3-deoxy-D-manno-2-octulosonic acid containing disaccharides, 5765
Eremophila freelingii, short route to synthesis of freelingnite and dehydrolasiosperman using siloxyfuran building block, 5741
Eremophila serrulate, synthesis of (±)-dihydroxyserrulatic acid, 2319
Escherichia coli, B/ft7-A cells containing tryptophanase, prep of α-deuterated L-amino acids, 7051
Eucalyptus grandis, formation of cyclic peroxides, 2425
Eudia pavonia, syntheses of pheromone and gassypure, 2595
Eudistoma rigida, isolation of rigidin with calmodulin antagonistic activity, 4617
Farlowia mollis, synthesis and stereochemicl revision of bioactive dihydroxyeicosanoid, 2971
Fascaplysinopsis, synthesis of fascapylsin, 238
Fukuyuki genus, stereoselective synthesis of (11*R*),12*S*,13*S*)-trihydroxy-(9*Z*,15*Z*)-octadecadienoic acid, 4349
Fumaria vailantii, (+)-egenine, synthesis by carbonyl addition, 3711
Fusarium graminearum, (-)-zearalenone, total synthesis, 3641
Gelsemium alkaloids, first construction of gelsedine skelton, 5483
Gelsemium sp., synthetic studies on gelsedine alkaloids, 1287
Halimeda sp., total synthesis of (+)-halimedatrial,1573
Halimium viscosum, valparene, tricyclic hydrocarbon with new carbon skeleton, 4501
Halium viscosum, valparolone, tricyclicic diterpene ketone, isolation and structure, 5665
Hericium erinaceum, isolation of hericenone A and B,373
Hexactinellida sp. side chain of marine sterols, dealkylation using cell-free extracts, 5425
Illicium tashiroi, sesquiterpenoids, structure and isolation of illicinolide A, 5621
Innula royleana, (±)-royleanone, synthesis via maleoylcobalt technology, 3723
Ips paraconfusus, synthesis of ipsenol and ipsdienol, 455
Lampteromyces japonicus, synthesis of lampteroflavin, 717
Lasius medionalis, new acyclic monoterpenol isolated from mandibular glands, 5559
Latrunculia genus, discorhabdin C, prep of aza-spirobicyclic system, 3845
Laurencia nipponica, structure of laureoxanyne a new nonisoprenoid C_{15} enyne, 4895
Lemnalis africana, (±)-neolemnanyl acetate, direct synthesis, 51
Lippia dulcis, stereospecific synthesis of (±)-herandulcin and congeners, 1409
Lolium temulentum, new gibberellin A_{35} and 11-hydroxygibberellin A_7, synthesis of methyl esters, 423
Lubomirskia baicalensis, *trans*-olefinic very-long-chain fatty acids in lipids, 4367
Lycium halimifolium, isolation of glucosidic precursor of damascenone, 6521
Lygodium japonicum, gametophytes, gibberellin-derived antheridiogen, synthesis of GA_{73} methyl ester, 6235
Lyngbya majuscula, stereoselective synthesis of malyngic acid, 1783
Magnolia obovata, structure and isolation of neurotrophic neolignan, clovanemagnolol, 4477
Marsendia condurango, new stereospecific synthesis of conduritol-F and conduritol-B, 1323
Matsucoccus feytandi, identification of sex pheromone, 6633
Maytenus ilicifolia, new triterpene dimers, 6881
Megaceros flagellaris, isolation and structure of new lignans, mega-cerotonic acid and anthocerotonic acid, 4159
Micromonospora echinospora, synthesis of subunited of calichemicins, 4113
Molgula manhattensis, blood pigments, synthesis of tunichromes Mn-1 and Mn-2 7119
Monochaetia dimorphospora, papulacandins and chaetiacandin, synthesis of basic skeleton by arylation of 1-tributylstannyl glycals, 5165
Monocillium nordinii, monocillin IV dimethyl ether, synthesis, 6445
Monomorium latinode, synthesis of *trans*-2-butyl-5-pentylpyrrolidine, 3637
Monomorium pharaonis, alternative enantioselective total synthesis of (+)-monomorine 1, 5065
Monomorium pharaonis, synthesis of *trans*-2-butyl-5-pentylpyrrolidine, 3637
Morus sp., synthesis of 2 aryl-3(2H)-benzofu5ranones, 6637
Murraya gleniei root, isolation of indole dimer, 5217
Nanophyton erinaceum, synthesis of (2*R*,6*R*)-(-)-2,6-lupetidine, 3279
Nicotiana sp. nicotine synthase, catalysis and formation of (*S*)-nicotine from nicotinic acid and 1-methyl-D'-pyrrolinium chloride, 6295
Olatynereis dumerilii, identification and synthesis of potential sex pheromone, 5613
Ophiorrhiza pumila, first natural glycocamptothecin, chaboside, 5169
Ophiorrhiza pumila, isolation of ionone glucoside, inamoside, 5169
Pachastrella genus, structure of pachastrelloside, 3321
Paederus fuscipes, synthesis of (+)-pederin, 3433
Paeonia albiflora, stereoselective synthesis of paeonilactones A, B and C, 5973
Papaver somniferum, cytosolic $NADPH_2$ dependent enzyme, purification and characterisation, 4855,
Papaver somniferum, thebaine, incorporation of (*S*)-and (*R*)-reticuline, fate of C-1 hydrogen, 4853
Papularia sphaerosperma, papulacandins and chaetiacandin, synthesis of basic skeleton by arylation of 1-tributylstannyl glycals, 5165
Paramacrolobium caeruleum, isolation of 6-hydroxy-7,9-octadecadiynoic acid, 7227
Pectinophora gossypiella, synthesis of carbocyclic clitocine, 279
Penicillium funiculosum, synthesis of all-*cis* cyclopentanetetrol moiety, of funiculosin, 6557
Penicillium paraherquei, isolation of paraherquamide, synthesis of 2H-1,5-benzodioxepin ring system, 6325
Penicillium pedemontanum ifo, isolation of new metabolite epicitreoviridinol, biomimetic synthesis of citreoviridin-type compds, 5503
Penicillium sp.,(-)-methy-l 5-lactyl-shikimate lactone, enantioselective synthesis, 183
Periplaneta americana, synthesis of periplanone B, 4037
Peronia peronii, peroniatriols, decomposition to γ-pyrone derivs, 5491
Phellinus sp., total synthesis of cyclophellitol,1171
Phyllidia bourhuini, co-occurrence of 9-isocyanopupukeanane and its C-9 epimer, 5623
Phylomedusa genus, dermorphin, amino acid sequence of N-terminal tetrapeptide amide, 619
Piscidia erythrina, root bark first naturally occurring aminoisoflavone, 6667
Plakortis sp., isolation of plakinidines, 3271
Plasmodium falciparum, synthesis of (+)-8a,9-secoartemisinin and related analogs, 1799
Ploiarum alternifolium, isolation of metabolites ploiarixanthone and euxanmodin A and B, 751

Polyandrocarpa sp., isolation of polyandrocarpamides, 2521
Polycarpa auzata, *isolation of* polycarpamines A–E, 2389
Propionibacterium shermanii, intermediates in biosynthetic pathway of vitamin B_{12}, 6163
Pseudaxinissa cantharella, synthesis of a potential precursor of RP49532, 3871
Streptomyces citricolor, aristeromycin, intermediacy of 4b–hydroxymethyl–la,2a,3a–trihydroxycyclopentan etriol, 7549
Streptomyces longisporoflavus, tetrahydrofuran fragment, tetronasin, synthesis, 7637
Swertia chiurata, structure, triterpenoid chiratenol, 7649
Pseudaxinyssa sp., isolation of geodiamolides C to F, new cyclodepspertides, 489
Pseudolarix kaempferi, structure and stereochemistry of pseudolarolide–H, 3413
Pseudomonas fluorescens, pyoverdins, 3,4,5,6–tetrahydro–pyrimidine–based amino acids, 7611
Pseudomonas putida, oxidation of naphthalene derivatives, 13
Pseudomonas sp., lipase catalysed alcoholysis of flavone acetates in organic solvent, 7371
Pseudomonas sp., lipase, regioselective acylation of 3'–OH groups of 2'–deoxy–5–fluorouridine and 2'–deoxy–5–trifluoromethyluridine, 7327
Pseudomonas syringae, structure of syringomycin, 1589
Pseudomonas syringae, structures of syringostatins A and B, 695
Pseudophryne coriacea, isolation and total synthesis of (±)–pseudophrynaminol, 2681
Pseudophyrne coriacea, (±)–pseudophrynamine A, total synthesis, 5661
Pseudoplexaura porosa, total synthesis of (±)–crassin acetate methyl ether, 2393
Pseudopterogorgia acerosa, structure of tobagolide, 465
Pseudopterogorgia elisabethae, synthesis of (±)–dihydroxyserrulatic acid, 2319
Pseudopterogorgia genus, furanocembranolide interconversions, 6505
Psoralla coryifolia, synthesis of (+)–bakuchiol, 3325
Ptilocaulis sp., total synthesis of (+)–ptilocaulin, 4759
Puccinia coronata phytoalexins of oat leaves, 2647
Raspaciona aculeata, triterpenoids, new skeleton, structure of raspacionin, 6565
Rauwolfia serpentina, ajmaline, biotransformation in cell cultures of alkaloids raumacline and $N_{(b)}$–methylraumacline, 6693
Rauwolfia serpentina, cell cultures, biotransformation of alkaloids raumacline and $N_{(b)}$–methylraumacline, 6693
Rauwolfia serpentina, isolation of new indole alkaloids raumacline and $N_{(b)}$–methylraumacline, 6693
Reniera sp.,stereocontrolled total synthesis of (±)–renieramycin A, 5989
Rollinia ulei, isolation and structure of epoxyrollins A and B, 2283
Ruditapes philippinarum, isolation of chlorophyllone A, 1165
Saccharomyces, action on oximes and derivs, synthesis of amines, 5555
Saccharomyces cerevisiae, catalysis, cycloaddition of nitrile oxides to cinnamic exters, 899
Saccharomyces cerevisiae, fermenting, enantioselective reduction of acetoecetylated Meldrum's acid, 7463
Saccharomyces cerevisiae, highly enantioselective reduction of acetoacetylated Meldrum's acid, 7463
Saccharomyces cerevisiae, reduction of 2–allyl acetoacetic ester, 1159
Saccharomyces cerevisiae, reduction of b–keto esters, additives modifying chiral induction, 267
Sapium japonicum, (–)–methyl enantioselective synthesis of antifungal principle, 8–hydroxy–octa–5,6–dienoate, 4279
Sarcophyton glaucum, total synthesis of sarcophytol–A, 3317
Sceletium alkaloids, organometallic approach to aryl–substituted cyclohexadienyl complex intermediates, 3401
Solenopsis punctaticeps, synthesis of *trans*–2–butyl–5–pentylpyrrolidine, 3637
Sorbus aucuparia, synthesis of (*S*)–(+)–parasorbic acid, 5575
Staphloccus carnosus, aldolase as catalyst for enzymatic aldol reactions, 7123
Stelletta sp, structure and isolation of antifungal alkaloid stellettamide, 4163
Stenoma cecropia sex components, stereospecific synthesis of (*Z,E*)–9,11,13–tetradecatrien–1–yl acetate and aldehyde, 2295
Streptomyces aburaviensis, related soil actinomycetes, isolation and total synthesis of (±)–ebelactone A, esterase inhibitor, 7513
Streptomyces aeriouvifer metabolite, biosynthetic studies of naphterpin, 6025
Streptomyces avermitilis, synthesis of hexahydrobenzofuran subunit of avermectins and milbemycins, 3563
Streptomyces griseolus, sinefungin, synthesis of related adenine nyucleosides, 7003
Streptomyces griseorubiginosus, rubiginones absolute configuration and photo–induced oxidation of C1 hydroxyl to ketone, 7473
Streptomyces griseorubiginosus, synthesis of biphenomycin analogs, 6581
Streptomyces hygroscopicus, synthesis of hexahydrobenzofuran subunit of avermectins and milbemycins, 3563
Streptomyces melanovinaceus, synthesis of advanced quinocarcin imtermediate from L–glutamic acid, 2105
Streptomyces ramulosus, total synthesis of (–)–acetomycin, 2609
Streptomyces sahachiroi, efficient synthesis of epoxide containing fragment 4 of carzinophilin, 2669
Streptomyces species, covalent alkylation of DNA by duocarmycin A, identification of abasic site structure, 7197
Streptomyces sp., *dl*–duocarmycin, total synthesis, 6699
Streptomyces sp., selective semisynthetic modification of L–156,602 cyclic hexadepsipeptide, 4711
Streptomyces sp., total synthesis of *dl*–duocarmycin A, 6699
Streptomyces tsukubaensis, agent FK–506, construction of tricarbonyl moiety, 1439
Streptomyces tsukubaensis, immuno–suppressant FK–506, rearrangement, 6477
Streptomyces tsukubaensis, synthesis of cyclohexyl fragment of FK–506, 3007
Streptoverticillium blastmyceticum, biosynthesis of (–)–indolactam V, 101
Streptoverticillium blastmyceticum, new congener (–)–indolactam of indole alkaloid tumor promoter teleocidins, isolation and biosynthesis, 7337
Strychnos alkaloids, synthesis of tubifolidine and tubifoline, 5089
Strychnos dinklagei, synthesis and isolation of 5–methyl–6H–pyrido–[4,3–b]carbazole–11–methanol, 5845
Strychnos family, oxindole alkaloids, new synthesis of isopteropodine and pteropodine, 4557
Strychnos, indole alkaloids, 3453
Swartschewskia papyracea, *trans*–olefinic very–long–chain fatty acids in lipids, 4367
Swietenia mahagoni, tetranortriterpenoids, isolation of dimeric mahagonin, 5943
Thaummetopoea pityocampa, silicon analog of female sex pheromone, 2739
Tolypothrix conglutinata, isolation, total synthesis and configuration of nonamethoxy–1–pentacosene, 2915
Trichoderma viride, cell wall xyloglucan, total synthesis of nonasaccharide repeating unit, 3035
Trikentrion loeve, isolation and X–ray characterisation of trikentramine, 2979

Triphophyllum peltatum, structure of dioncophylline A and O–methyl triphyophylline, 639
Triphophyllum peltatum, total synthesis of (–)–dioncophylline, 643
Trypanosoma brucei, glycophosphatidyl inositol anchor, stereocontrolled approach to synthesis of glycoheptaosyl core, 2439
Tubopora sp., isolation of tubiporein, 689
Umbraculum mediterraneum, ischthyotoxic diacylglycerol, umbraculumin A, synthesis and absolute configuration, 5843
Umbraculum mediterraneum, stereochemistry of ichthyotoxic diacylglycerols, 6093
Uvaria narum, structure and isolation of uvariamicin I,II and III, 4649
Vinca minor, alternative synthesis of vonoxine, 747
Woodfordia fruticosa, isolation of woodfructicosin, an inhibitor of topoisomerase II, 393

Author Index 1990

Abbas S. A. see Thomas R. L. 2825
Abd-El-Aziz A. S. see Lautens M. 3253
Abdallah M. A. see Demange P. 7611
Abdel-Magid A. F. Maryanoff C. A. and **Carson K. G.** Reductive amination of aldehydes and ketones by using sodium triacetoxyborohydride 5595
Abdel-Wahab A. A. see Fox M. A. 4533
Abe H. see Fuji K. 2419
Abe H. see Tamao K. 2925
Abe J. see Hiroi K. 3623
Abel T. see Kauffmann T. 503
Abikco A. see Lowenthal R. E. 6005
Abouelfida A. Pradère J.-P. Roze J. C. and **Jubault M.** Selective reduction of 4H-1,3-thiazine-4-ones: easy access to substituted 6H-1,3-thiazines 4019
About-Jaudet E. Barton D. H. R. Csuhai E. and **Ozbalik N.** The effect of ligand variation on the rate of cyclododecane oxidation under modified GoAgg[II] conditions 1657
Abraham H. see Stella L. 2603
Achiwa K. see Morimoto T. 261
AchyuthaRao S. Tucker C. E. and **Knochel P.** Preparation of functionalized zinc and copper organometallics containing sulfur functionalities at the alpha or gamma position 7575
Aclinou P. see Cossy J. 7615
Adam W. and **Finzel R.** UV-laser photochemistry: retro-cleavage in the benzophenone-sensitized photolysis of Δ^3-1,3,4-oxadiazolines into diazoalkanes 863
Adam W. and **Wang X.** Photooxygenation of 1,2-bis(silyloxy)cycloalkenes 1245
Adam W. Hadjiarapoglou L. and **Klicic J.** Dimethyldioxirane epoxidation of enol phosphates 6517
Adam W. Hadjiarapoglou L. and **Nestler B.** Dimethyldioxirane epoxidation of α, β-unsaturated ketones, acids and esters 331
Adam W. Kades E. and **Wang X.** Photooxygenation of 3- and 2-silyloxybenzofurans: rearrangement of dioxetanes via α-silylperoxy ketones to ketoester cleavage products 2259
Adams J. P. Bowler J. Collins M. A. Jones D. N. and **Swallow S.** Short convergent syntheses of 1,11-epithio and 1,11-epoxy steroids 4355
Adib A. see Solladié-Cavallo A. 6649
Agami C. Couty F. Daran J.-C. Prince B. and **Puchot C.** A new chiral glycine-cation equivalent. Asymmetric synthesis of optically pure β-amino alcohols and α-amino esters 2889
Ageta H. see Chakravarty A. K. 7649
Aggarwal V. K. Davies I. W. Maddock J. Mahon M. F. and **Molloy K. C.** Additions of aldehydes to metallated *trans*-1,3-dithiane-S,S-dioxide under conditions of kinetic and thermodynamic control 135
Agnel G. and **Malacria M.** Chemoselectivity of the intramolecular radical addition between triple and double bond 3555
Agnel G. see Journet M. 4445
Agosta W. C. see Margaretha P. 3245
Agrawal S. and **Tang J.-Y.** Efficient synthesis of oligoribonucleotide and its phosphorothioate analogue using H-phosphonate approach 7541
Agrawal S. and **Tang J.-Y.** Site-specific funtionalization of oligodeoxynucleotides for non-radioactive labelling 1543
Ahmad S. see Guy A. 5745
Aimi N. Hoshino H. Nishimura M. Sakai S. and **Haginiwa J.** Chaboside, first natural glycocamptothecin found from *Ophiorrhiza pumila* 5169
Aimi N. see Polz L. 6693
Aimi N. see Takayama H. 1287
Aimi N. see Takayama H. 5483
Aizpurua J. M. see Palomo C. 1921
Aizpurua J. M. see Palomo C. 2209
Aizpurua J. M. see Palomo C. 6425

Aizpurua J. M. see Palomo C. 6429
Aizpuura J. M. see Palomo C. 2205
Akaishi R. see Fujihara H. 6375
Akasaka T. Misawa Y. and **Ando W.** Reaction of singlet oxygen with alkenylidenecyclopropanes: implication for a peroxyallyl intermediate 1173
Akasaka T. see Ando W. 4177
Akgün E. see Georg G. I. 3267
Akiba K. see Ohkata K. 1605
Akita H. Yamada H. Matsukura H. Nakata T. and **Oishi T.** Total synthesis of the aglycone of venturicidines A and B - I. Synthesis of C_1-C_{14} segment. 1731
Akita H. Yamada H. Matukura H. Nakata T. and **Oishi T.** Total synthesis of the aglycone of venturicidins A and B - II 1735
Akiyama N. see Nakata M. 1585
Akiyama T. Takechi N. and **Ozaki S.** Chiral synthesis of D-*myo*-inositol 1-phosphate starting from L-quebrachitol 1433
Akkaya E. U. see Chung Y. 5413
Aknin M. Miralles J. Kornprobst J.-M. Faure R. Gaydou E.-M. Boury-Esnault N. Kato Y. and **Ciardy J.** Trikentramine' an unusual pyrrole derivative from the sponge *Trikentrion loeve* Carter 2979
Aksela R. see Oehlschlager A. C. 165
Aksela R. see Oehlschlager A. C. 2794
Al Neirabeyeh M. and **Pujol M. D.** New oxidative esterification of alcohols with aldehydes by the Br_2-HMPT-$NaHCO_3$ 2273
Alami M. see Cahiez G. 7423
Alami M. see Cahiez G. 7425
Alanine A. I. D. Fishwick C. W. G. and **Szantay, Jr. C.** Corrigendum 5674
Alard P. see Genêt J. P. 515
Alazard J. P. see Carité C. 7011
Albericio F. see Gairí M. 7363
Albericio F. see Jorba X. 1915
Albizati K. F. see Martin V. A. 301
Albizati K. F. see Murray D. H. 4109
Albrecht P. see Lichtfouse E. 3937
Albrecht P. see Verne-Mismer J. 1751
Alcalde B. González Rubio R. Plumet J. and **Rodríguez-Campos I. M.** Anatomy of the species tautomeric process: the ring-chain tautomerism in 5,6-dihydro-2-hydroxy-2,3-dimethyl-2*H*-1,4-oxazine 4211
Alcalde B. Plumet J. Rodríguez-López J. and **Sánchez-Cantalejo Y. M.** A novel synthetic approach to α-alkylidene-β-lactams 2493
Alder R. W. Maunder C. M. and **Orpen A. G.** The conformational effects of quaternary centres 6717
Aldous D. J. see Baldwin J. E. 2051
Alekseyev V. V. see Zelenin K. N. 3927
Alexakis A. Hanaïzi J. Jachiet D. Normant J.-F. and **Toupet L.** Unusual 1,2-migration in organoaluminium chemistry, promoted by BF_3. OEt_2 1271
Alexakis A. Sedrani R. and **Mangeney P.** Stereochemical effects of trimethylsilyl chloride (TMSCl) on the conjugate addition of organocopper reagents 345
Alexakis A. see Normant J.-F. 2879
Alexeev S. G. see Chupakhin O. N. 7665
Ali M. H. see Collins P. M. 4517
Ali S. M. Ramesh K. and **Borchardt R. T.** Efficient enantioselective syntheses of carbocyclic nucleoside and prostaglandin synthons 1509
Alías A. see Molina P. 6219
Alker D. and **Swanson A. G.** Formation, synthetic utility and structure elucidation of a 2-bromomethyl 1,4-dihydropyridine 1479
Alks V. and **Sufrin J. R.** Improved synthetic access to the β, γ-enol ether amino acids, L-2-amino-4-methoxy-*trans*-but-3-enoic acid and L-2-amino-4-methoxy-*cis*-but-3-enoic acid 5257
Allen E. E. See Williams D. R. 6769
Allen T. M. see de Silva E. D. 489
Allenmark S. A useful reagent for derivatization of amino acids 1455
Allmang G. see Mignani G. 5161
Allmendinger T. Felder E. and **Hugerbühler E.** Fluoroolefin dipeptide isosteres-II. Enantioselective synthesis of both antipodes of the Phe-Gly dipeptide mimic 7301
Allmendinger T. Furet P. and **Hungerbühler E.** Fluoroolefin dipeptide isosteres-I. The synthesis of Glyψ(CF=CH)Gly and racemic Pheψ(CF=CH)Gly 7297
Allway P. A. Sutherland J. K. and **Joule J. A.** A synthesis of (±)-7-methoxycarbonyl-2-(3-methoxyphenylmethylidene)-8-methyl-3,8-diazabicyclo[3.2.1]octan-4-one using dipolar cycloaddition to a 3-oxidopyrazinium 4781
Almadhoun A. see Goldschmidt Z. 6711
Alonso C. A. see Urones J. G. 4501
Alonso C. A. see Urones J. G. 5665
Alpegiani M. Giudici F. Perrone E. and **Borghi D.** Rearrangement of *unsym*-azetidinone disulphides to 2β-(thio-substituted methyl)penams 3509
Alper H. see Lee J.-T. 1941
Alper H. see Lee J.-T. 4101
Alvarez E. Díaz M. T. Rodríguez M. L. and **Martín J. D.** Tricyclic oxonium-directed addition: regiochemistry and stereochemistry of the iodination reactions in 2,3-epoxy cyclooct-5-en-1-ols and 2,3-epoxy-5-en-1-one 1629
Alvarez E. see Zárraga M. 1633
Alvarez M. Salas M. de Veciana A. Lavilla R. and **Bosch J.** Nucleophilic addition of indole-2-acetic ester enolates to *N*-alkylpyridinium salts. A formal synthesis of the *Strychnos* alkaloids tubifolidine and tubifoline

5089
Alvarez M. see Amat M. 3453
Alvernhe G. see Saluzzo C. 663
Alvernhe G. see Saluzzo C. 2127
Amat M. Alvarez M. Bonjoch J. Casamitjana N. Gràcia J. Lavilla R. Garcías X. and **Bosch J.** Dimethyl(methylthio)sulfonium fluoroborate induced cyclization of dithioacetals upon 2,3-disubstituted indoles 3453
Ambrus G. see Toró A. 3475
Ammon H. L. see Bashir-Hashemi A. 4835
Amodeo R. Baciocchi E. Crescenzi M. and **Lanzalunga O.** Selectivity and mechanism in the microsomal benzylic hydroxylation 3477
Amorín G. see Nudelman N. S. 2533
Amoroso R. Cardillo G. and **Tomasini C.** Synthesis of L and Dα-amino acids from chiral amidals 6413
Ampadu-Nyarko F. see McDonald C. E. 6283
Anand N. see Jain S. 131
Anastasiou D. and **Jackson W. R.** A new synthesis of piperidinones from rhodium catalysed reactions of unsaturated amines with hydrogen and carbon monoxide 4795
Andersen M. W. see McGarvey G. J. 4569
Anderson C. L. see Soderquist J. A. 4677
Anderson D. W. Campbell M. M. and **Malik M.** Tetrazolyl peptides and the tetrazole analogue of 3-aminonocardicinic acid
Anderson D. W. Campbell M. M. and **Malik M.** Tetrazolyl peptides and the tetrazole analogue of 3-aminonocardicinic acid 1755
Anderson D. W. Campbell M. M. Malik M. Prahsad M. and **Wightman R. H.** Phosphonopeptides and 3-aminophosphononocardicinic acid 1759
Anderson J. C. and **Ley S. V.** Chemistry of insect antifeedants from *Azadirachta indica* - VI. Synthesis of an optically pure acetal intermediate for potential use in the synthesis of azadirachtin and novel antifeedants 431
Anderson J. C. and **Ley S. V.** Chemistry of insect antifeedants from *Azadirachta indica* - VII. Preparation of an optically pure hydroxyacetal epoxide related to azadirachtin 3437
Anderson R. C. See Bajwa J. S. 6973
Anderson R. J. see de Silva E. D. 489
Anderson W. K. Coburn R. A. Gopalsamy A. and **Howe T. J.** A facile selective acylation of castanospermine 169
Anderson W. K. see Lee H. 4405
Ando H. see Nishinaga A. 3171
Ando M. see Kawagishi H. 373
Ando M. see Nemoto H. 6205
Ando W. Igarashi Y. Kabe Y. and **Tokitoh N.** Synthesis and reaction of [3.1.1]trisilapropellane 4185
Ando W. Kako M. Akasaka T. and **Kabe Y.** Singlet oxygenation of oxadisilliranes. Syntheses and crystal structure of 1,2,4,3,5-trioxadisililolanes 4177
Ando W. Nakayama N. Kabe Y. and **Shimizu T.** Synthesis and structure of pentasilacycloheptyne 3597
Ando W. see Akasaka T. 1173
Ando W. see Tokitoh N. 3571
Ando W. see Tokitoh N. 5323
Ando W. see Tokitoh N. 7641
Andreu D. see Crusi E. 4191
Andrus A. see Vu H. 7269
Anet F. A. L. A general definition of axial, equatorial and related terms for substituents on rings of any size 2125
Angell P. T. see Anzeveno P. B. 4321
Anil Kumar M. see Ravindranathan T. 755
Aniss K. see Rose-Munch F. 6351
Anker D. see Saluzzo C. 663
Anker D. see Saluzzo C. 2127
Annunziata R. Cinquini M. Cozzi F. and **Cozzi P. G.** Diastereoselective addition of a silylketene acetal to chiral α-thioaldehydes 6733
Anosike P. see Hondrogiannis G. 5433
Anslyn E. V. see Huang C.-Y. 7411
Antholne G. see Hosay T. 873
Anthony I. J. Kang Y. B. and **Wege D.** Heterocyclic cycloproparenes: approaches to the cyclopropa[c]-thiophene system 1315
Antonsson T. and **Vogel P.** Regioselectivity of 7-oxabicyclo[2.2.1]hepta-2,5-deine-phenol rearrangement as a function of the acid promoter. Stereoselective synthesis of 1,2,3,4-tetrahydro-2-hydroxynaphthalen-2-yl methyl ketones 89
Antunes O. A. C. see Genet J. P. 3133
Anzai T. see Hiroi K. 239
Anzeveno P. B. and **Creemer L. J.** Efficient synthesis of (+)-norjirimycin and (+)-1-deoxynojirimycin 2085
Anzeveno P. B. Angell P. T. Creemer L. J. and **Whalon M. R.** An efficient, highly stereoselective synthesis of (+)-castanospermine 4321
Aoki Y. and **Kuwajima I.** A catalytic role of Cu(II)for conjugate addition of Grignard reagents. A completely different behavior from organocuprates 7457
Aoki Y. see Sakata H. 1161
Aoyama M. See Hara S. 247
Aoyama T. and **Shioiri T.** Trimethylsilyldiazomethane: a convenient reagent for the O-methylation of alcohols 5507
Aoyama Y. Onishi H. and **Tanaka Y.** Preparation of an intramolecular adenine-thymine base pair 1177
Aoyama Y. see Tanaka Y. 6193
Aplin R. T. see Fleet G.W.J.405
Appelman E. H. See Michalski T. J. 6847
Aprahamian S. L. and **Shechter H.** Electronic effects and mechanisticfeatures in the rearrangement displacement reactionsofaryl(chloromethyl) diphenylsilanes with fluoride ion 1089
Arai H. see Torisawa Y. 3195
Arai K. see Nakatani K. 2323
Arai M. see Irie K. 101
Arai M. see Irie K. 7337

Arasappan A. see O'Donnell M. J. 157
Arcadi A. Bernocchi E. Cacchi S. Cagliotl L. and **Marinelli F.** An efficient route for the stereoselective conversion of ketones into three-carbons homologated primary *E*-allylamina: the palladium-catalysed reaction of vinyl triflates with N,N-di-*tert*-butoxycarbonyl-N-allylamine 2463
Archavlis A. see Fotiadu F. 4859
Archer S. see Modi S. P. 5845
Arduini A. Pochini A. Rizzi A. Sicuri A. R. and **Ungaro R.** A novel synthesis of *p*-phenylcalix[4]arenes via tetraiodo derivatives 4653
Arimoto H. Nishiyama S. and **Yamamura S.** Mild conditions for cyclization of β-triketides to the corresponding γ-pyrones carrying adjacent chiral centers toward biomimetic synthesis of fully substituted γ-pyrone-containing natural products 5619
Arimoto H. Nishiyama S. and **Yamamura S.** Synthetic studies on fully substituted γ-pyrone-containing natural products: synthesis of γ-pyrone derivatives obtained by decomposition of peroniatriols 5491
Arison B. H. see Ok H. 6477
Arjona O. Fernández de la Pradilla R. Mallo A. Plumet J. and **Viso A.** Regio- and stereocontrolled synthesis of hydroxycyclohexenyl sulfones from oxanorbornenes 1475
Armesto D. Gallego M. G. and **Horspool W. M.** The photochemical synthesis of potential pyrethroid components by the aza-di-π-methane rearrangement of α, β-unsaturated oxime acetates 2475
Armour H. K. see Blaszczak L. C. 5693
Armspach D. see Bisseret P. 6523
Armstrong R. W. see England P. 2669
Arques A. see Molina P. 6219
Arrieta A. see Palomo C. 6429
Arsequell G. Camps F. Fabriàs G. and **Guerrero A.** Sila-pheromones: silicon analogues of the female sex pheromone of the processionary moth *Thaumetopoea pityocampa* 2739
Asai A. see Sugiyama H. 7197
Asakura T. see Yoshifuji M. 2311
Asaoka M. Hayashibe S. Sonoda S. and **Takei H.** Synthesis and utilization of optically active 2-substituted 4-(trimethylsilyl)cyclopentanones: synthesis of (-)-massoialactone and (+)-β-cuparenone 4761
Asaoka M. Sakurai M. and **Takei H.** Total synthesis of (+)-ptilocaulin 4759
Asato A. E. see Liu X. 4841
Ashok B. see Rama Rao A. V. 271
Ashwood M. S. see Collins P. M. 2055
Askew B. C. The design and synthesis of macrobicyclic hosts featuring convergent functional groups 4245
Asokan C. V. see Chandrasekharam M. 1763
Asseline U. and **Thuong N. T.** New solid-phase for automated synthesis of oligonucleotides containing an amino-alkyl linker at their 3'-end 81
Asseline U. see Gottikh M. 6657
Assi L. A. see Bringmann G. 639
Astles P. C. see Paquette L. A. 6505
Atsuumi S. Nakano M. Koike Y. Tanaka S. Ohkubo M. Yonezawa T. Funabashi H. Hashimoto J. and **Morishima H.** An efficient enantioselective preparation of 2-substituted-3-hydroxypropionic acids via chemoenzymatic reaction 1601
Atsuumi S. see Nakano M. 1569
Attwood M. R. Carr M. G. and **Jordan S.** A new synthetic equivalent of the glutamic acid γ-anion and its application to the synthesis of S-(+)-γ-carboxyglutamic acid 283
Aubé J. and **Hammond M.** Directed regiochemical control in the ring expansion reactions of a substituted *trans*-decalone 2963
Aubry N. Plante R. and **Déziel R.** A simple synthesis of γ- and δ-keto α-amino acid derivatives 6311
Augé J. see Lubineau A. 4147
Aumelas A. see Rodriguez M. 5153
Aurell M. J. Parra M. Tortajada A. Gil S. and **Mestres R.** Polyenolates of unsaturated carboxylic acids in synthesis. A straightforward synthesis of retinoic acids 5791
Aurrekoetxea N. see Palomo C. 2205
Aurrekoetxea N. see Palomo C. 2209
Aurrekoetxea N. see Palomo C. 6425
Aurrekoetxea N. see Palomo C. 6429
Austin R. E. see Martin S. F. 4731
Avalos M. Babiano R. García-Verdugo C. Jiménez J. L. and **Palacios J. C.** Reduction of isothiocyanates to thioformamides with tri-*n*-butyltinhydride 2467
Avery M. A. Chong W. K. M. and **Detre G.** Synthesis of (+)-8*a*,9-secoartemisinin and related analogs 1799
Awasthi A. K. see Moriarty R. M. 5877
Axenrod T. see Bashir-Hashemi A. 4835
Aye M. see Fukuzawa A. 4895
Ayotte C. see Gravel D. 63
Ayyangar N. R. Naik S. N. and **Srinivasan K. V.** A novel reaction of acetanilide with nitrobenzene in DMSO - an unusual solvent assisted regioselective aromatic nucleophilic substitution 3217
Ayyangar N. R. see Kasar R. A. 6445
Ayyangar N. R. see Narayana Rao M. 3343
Ayyangar N. R. see Sonawane H. R. 7495
Aznar F. see Barluenga J. 5237
Azuma T. see Shishido K. 219

Baader E. see Wess G. 2545
Baba A. see Shibata I. 6381
Baba N. and **Souflaui M.** Cycloaddition dipolaire 1,3 des 4-arylidéne oxazol-5-ones avec la

diphénylnitrilimine 1709
Babiano R. see Avalos M. 2467
Babirad S. A. see Sakan K. 3687
Bac N. V. see Langlois Y. 1865
Bac N. V. see Langlois Y. 6450
Bacigaluppo J. A. see Colombo M. I. 39
Baciocchi E. see Amodeo R. 3477
Back T. G. and **Muralidharan K. R.** Benzeneselenenyl *p*-toluenesulfonate: formation and electrophilic addition to acetylenes 1957
Backenstrass F. Streith J. and **Tschamber T.** Stereospecific double glycolisation of 1,2-dihydropyridines OsO_4. Synthesis of (±) aminoarabinose- and of (±) aminoaltrose derivatives 2139
Backinowsky L. V. see Olsufyeva E. N. 4805
Bäckvall J.-E. see Nájera C. 4199
Baden D. G. see Mende T. J. 5307
Badri M. Majoral J. P. Gonce F. Caminade A.-M. Salle M. and **Gorgues A.** First phosphorus macrocycles incorporating tetrathiafulvalene (TTF) moieties 6343
Baharmast B. see Barlet R. 3553
Bahr N. see Beckmann E. 1125
Bai D. Bo Y. and **Zhou Q.** A facile and efficient method for macrolactamization 2161
Baldoo K. E. and **Lever S. Z.** Design and synthesis of a versatile precursor to neutral technetium and rhenium complexes 5701
Bailey M. D. See Cory R. M. 6839
Bailey M. Marko I. E. Ollis W. D. and **Rasmussen P. R.** Stereoselective epoxidation of hydroxyenones. The synthesis of the sidechain of clerocidin 4509
Bailey W. F. and **Khanolkar A. D.** Formation of a *trans*-bicyclo[3.3.0.]octane by tandem anionic cyclization: evidence for the highly stereoselective irreversible nature of 5-hexen-1-yllithium cyclizations 5993
Bailey W. F. and **Ovaska T. V.** Intramolecular addition of alkyllithiums to acetylenes: regiospecific 4-,5-, and 6-*exo-dig* cyclizations 627
Bains S. see Patrick T. B. 179
Bajwa J. S. and **Anderson R. C.** Regiospecific O-alkylation of β-tetronic acids under Mitsunobu reaction conditions 6973
Baker B. J. see Kerr R. G. 5425
Baker F. see Durette P. L. 1237
Baker R. see Brimble M. A. 3043
Baker R. see Swain C. J. 2445
Baker S. R. see Kant J. 3389
Bakshi R. K. see Corey E. J. 611
Balaban A. T. see Uncuta C. 5645
Balaban T.-S. see Uncuta C. 5645
Balasubramaniam R. P. see Lash T. D. 7545
Balasubramanian K. K. see Subramanian R. S. 2201
Balasubramanian K. K. see Sumathi T. 3775
Balavoine G. Barton D. H. R. Boivin J. and **Gref A.** On the oxidation of saturated hydrocarbons with H_2O_2 in the presence of iron(II)-picolinate or iron(II)-1,10 phenanthroline 2-carboxylate 659
Balavoine G. Gref A. Fischer J.-C. and **Lubineau A.** Anodic glycosylation from aryl thioglycosides 5761
Balavoine G. see Barton D. H. R. 353
Balci M. see Çakmak O. 2345
Balci M. see Çakmak O. 2349
Balci M. see Goldschmidt Z. 6711
Balci M. see Seçen H. 1323
Balczewski P. Mallon M. K. J. Street J. D. and **Joule J. A.** A synthesis of aaptamine from 6,7-dimethoxy-1-methylisoquinoline 569
Baldwin J. E. Aldous D. J. and **O'Neil I. A.** A new and mild procedure for the preparation of vinyl formamides from thiooximes 2051
Baldwin J. E. and **O'Neil I. A.** The preparation of epoxy isonitriles (isocyanooxiranes) 2047
Baldwin J. E. and **Pitlik J.** 1,3-Dipolar cycloadditions of 3-methylenecephams with diazoalkanes 2483
Baldwin J. E. Lowe C. and **Schofield C. J.** The synthesis of potential γ-lactam antibiotics containing a cycloserine nucleus 2211
Ball R. G. see Kozikowski A. P. 5869
Ball R. G. see Ok H. 6477
Ballester P. Capó M. and **Saá J. M.** Prenylation of aromatics. Lithium-ammonia reduction of O-silylated tertiary cinnamyl alcohols 1339
Balme G. see Fournet G. 5147
Baltas M. Cazaux L. de Bilc A. Gorrichon L. and **Tisnes P.** Synthesis of thiooxamates from *t*-butyl sulfinamoyl acetates. Occurrence of a new rearrangement involving a thione S-imide intermediate 4453
Banfi L. see Guanti G. 6421
Bang S. H. See Corcoran R. C. 6757
Bannard R. A. B. see Buncel E. 6513
Banno H. see Maruoka K. 377
Bannwarth W. see Jorba X. 1915
Baranne-Lafont J. see Capdevielle P. 3305
Baranovsky A. See Khripach V. 7065
Barbry D. see Hasiak B. 5769
Barceló D. see Sánchez-Baeza F. 3359
Barco A. Benetti S. Casolari A. Pollini G. P. and **Spalluto G.** Enantioselective synthesis of (+)- and (-)-α-allokainic acid 4917
Barco A. Benetti S. Casolari A. Pollini G. P. and **Spalluto G.** Tandem Michael reactions for the construction of pyrrolidine and piperidine ring systems 3039
Bardella F. Girait E. and **Pedroso E.** Polystyrene-supported synthesis by the phosphite triester approach: an alternative for the large scale synthesis of small oligodeoxyribonucleotides 6231
Bargon J. Kandels J. Kating P. Thomas A. and **Woelk K.** NMR-detection of intermediates during homogeneous hydrogenation of dienes

using parahydrogen 5721
Barker A. J. Campbell M. M. and **Jenkins M. J.** A concise synthesis of penems 4359
Barker P. L. see Durette P. L. 1237
Barlaam B. Boivin J. and **Zard S. Z.** A practical access to allylic sulphones and lactones from allylic nitro compounds 7429
Barlet R. Baharmast B. and **Vidal M.** Nouvelles réactions d'ouverture basique en série halogénocyclopropanique fonctionnalisée 3553
Barluenga J. Aznar F. Valdés C. and **López Ortiz F.** Reactivity of 2-morpholinobutadienes with heterocumulenes: stereoselective synthesis of thiins and new 2-morpholinobutadiene derivatives 5237
Barluenga J. Campos P. J. López F. Llorente I. and **Rodríguez M. A.** Iodofunctionalization of alkynylsulfides with IPy_2BF_4 7375
Barluenga J. Carlón R. P. González F. J. and **Fustero S.** Synthesis of 4(1*H*)-pyridones by carbonylation of 2-aza-1,3-dienes 3793
Barluenga J. Ferrero M. and **Palacios F.** A simple and efficient 'one-pot' synthesis of 2-aza-1,3-butadienes from *N*-vinylic λ^5-phosphazenes 3497
Barluenga J. Merino I. and **Palacios F.** A simple and efficient synthesis of 2-amino-1,3-butadienes from β-enamino phosphonium salts 6713
Barluenga J. Rodríguez M. A. and **Campos P. J.** Synthesis of 2-functionalized 1-chloro-1-iodo-1-alkenes from 1-chloro-1-alkynes and IPy_2BF_4 2751
Barluenga J. Rodríguez M. A. González J. M. and **Campos P. J.** Iodo-carbofunctionalization of alkynes with aromatic rings and IPy_2BF_4 4207
Barluenga J. see **González F. J.** and **Fustero S.** Unactivated 2-aza-1,3-dienes: halogenation and face selectivity in Diels-Alder reactions 397
Barluenga J. Tomás M. Suárez-Sobrino A. and **Rubio E.** A facile and versatile synthesis of heteropolycyclic compounds from 4-amino-1-azabutadienes via Friedel-Crafts cyclization of their heterocyclic derivatives 2189
Barner B. A. and **Mani R. S.** Corrigenda 1786
Barnes C. L. see Harmata M. 1825
Barnes C. L. see Harmata M. 5981
Barnes D. see Gibbs D. E. 5555
Barnes J. L. See Thompson W. J. 6819
Barney C. L. Huber E. W. and **McCarthy J. R.** A convenient synthesis of hindered amines and α-trifluoromethylamines from ketones 5547
Barney C. L. see McCarthy J. R. 973
Barr D. A. Dorrity M. J. Grigg R. Malone J. F. Montgomery J. Rajviroongit S. and **Stevenson P.** Metal ion catalysed asymmetric 1,3-dipolar cycloaddition reactions of imines of -amino esters 6569
Barragan A. see Barrero A. F. 4069
Barrero A. F. Oltra J. E. and **Barragán A.** Evidences about the stereochemistry of 14-hydroxy-9-*epi*- -caryophyllene 4069
Barret R. and **Daudon M.** Oxidation of phenols to quinones by bis(trifluoroacetoxy)iodobenzene 4871
Barret R. see Nebois P. 2569
Barrett S. D. see Chen H. G. 1829
Barrio J. R. see Namavari M. 4973
Barrio J. R. see Satyamurthy N. 4409
Barrish J. C. Wovkulich P. M. Tang P. C. Batcho A. D. and **Uskokovi´c M. R.** An approach to the synthesis of the hexahydronaphthalene unit of pravastatin 2235
Barron A. R see Power M. B. 323
Bartels-Hardege H. see Zeeck E. 5613
Barth F. and **O-Yang C.** Radical cyclizations of α-fluoro-α-iodo and α-iodo esters and amides 1121
Bartley D. W. and **Kodadek T. J.** Catalysis of Diels-Alder reactions by metalloporphyrins 6303
Bartmann W. see Wess G. 2545
Bartoli G. Bosco M. Dalpozzo R. and **Marcantoni E.** Reactivity of acylsilane phenylhydrazones with phosphorus trichloride 6935
Bartoli G. Petrini M. Marcantoni E. Bosco M. and **Dalpozzo R.** A new rearrangement of nitrones: acid promoted conversion of vinylnitrones into *N*-(γ-ketoalkyl)-*N*-phenylhydroxylamines 6089
Bartoli J.-F. see Carrier M.-N. 6645
Bartoli M.-H. see Jossang A. 1861
Barton D. H. R. and **Ramesh M.** Generation and fate of nondecarboxylating acyloxy radicals derived from the photolysis of acyl derivatives of *N*-hydroxy-2-thiopyridone 949
Barton D. H. R. and **Sarma J. C.** Further studies on carbon-carbon bond formation based on the radical reactions of acyl derivatives of *N*-hydroxy-2-thiopyridone 1965
Barton D. H. R. Bohé L. and **Lusinchi X.** The addition of sodium hydrogen telluride to unactivated carbon-carbon double bonds 93
Barton D. H. R. Csuhai E. and **Ozbalik N.** Gif-type oxidation systems. Evidence for a second intermediate between saturated hydrocarbon and ketone 2817
Barton D. H. R. Csuhai E. Doller D. Ozbalik N. and **Senglet N.** Comparison of Gif-type reactivity towards alkanes with standard radical reaction selectivity. Gif oxidation of *n*-butane and propane 3097
Barton D. H. R. Doller D. Ozbalik N. Balavoine G. Gref A. and **Bolvin J.** On the oxidation of 3-ethylpentane under Gif and

Gif-Orsay conditions 353
Barton D. H. R. Donnelly D. M. X. Finet J.-P. and Guiry P. J. Total synthesis of isorobustin 7449
Barton D. H. R. Donnelly D. M. X. Finet J.-P. Guiry P. J. and Kielty J. M. Synthesis of 2-aryl-3(2*H*)-benzofuranones 6637
Barton D. H. R. Jang D. O. and Jaszberenyi J. C. On the mechanism of deoxygenation of secondary alcohols by tin hydride reduction of methyl xanthates and other thiocarbonyl derivatives 3991
Barton D. H. R. Jang D. O. and Jaszberenyi J. Cs. An improved radical chain procedure for the deoxygenation of secondary and primary alcohols using diphenylsilane as hydrogen atom donor and triethylborane-air as initiator 4681
Barton D. H. R. Langlois P. Okano T. and Ozbalik N. An unusual synthesis of malonates 325
Barton D. H. R. see About-Jaudet E. 1657
Barton D. H. R. see Balavoine G. 659
Barua N. C. see Sarmah P. 4065
Basabe P. see Urones J. G. 4501
Basabe P. see Urones J. G. 5665
Basavaiah D. Gowriswari V. V. L. Sarma P. K. S. and Rao P. D. Chiral acrylates as substrates in Baylis-Hillman reaction 1621
Basavaiah D. Rama Krishna P. and Bharathi T. K. Convenient enantioselective hydrolysis of racemic *trans*-1-acetoxy-2-aryloxycyclohexanes by crude pig liver acetone powder (PLAP) 4347
Bashir-Hashemi A. Dave P. R. Ammon H. L. and Axenrod T. Novel reaction amidocubanes with thionyl chloride; secocubanes 4835
Baskaran S. and Chandrasekaran S. Oxidation of tetrahydrofuran methanol derivatives with pyridinium chlorochromate: a facile synthesis of γ-butyrolactones 2775
Bastos M. see Knapp S. 2109
Batchelor M. J. see Forrow N. J. 3493
Batcho A. D. see Barish J. C. 2235
Bateman A. see Demange P. 7611
Batta G. see Herczegh P. 1195
Battioni P. see Carrier M.-N. 6645
Baud M. V. Chavis C. Lucas M. and Imbach J.-L. Improved procedure for the regiospecific synthesis of 2'-deoxy-ribonucleosides 4437
Baudin J.-B. Julia S. A. Ruel O. and Wang Y. Unusual lithiation of 4-(1',2'-alkadienesulphinyl)-morpholines. Preparation of substituted propargylic sulphinamides and their hydrolytic desulphinylation into the corresponding allenes 213
Baumstark A. L. Graham S. S. and Boykin D. W. ^{17}O NMR spectroscopy: geometric effects on geometric intramolecular hydrogen bonding in rigid carbonyl systems 957
Baures P. W. Eggleston D. S. Flisak J. R. Gombatz K. Lantos I. Mendelson W. and Remich J. J. An efficient asymmetric synthesis of substituted phenyl glycidic esters 6501
Baxter E. W. See Reitz A. B. 6777
Baxter S. G. see Weissman S. A. 819
Beattie T. R. see Ok H. 6477
Beau J.-M. see Dubois E. 5165
Beaucourt J.-P. see Pinsard P. 1137
Beaucourt J.-P. see Pinsard P. 1141
Beauhaire J. see Ducrot P.-H. 3883
Beck G. Bergmann A. Keßeler K. and Wess G. Synthesis of a new flavonoid-antioxidant 7293
Beck G. see Wess G. 2545
Becker D. Cyjon R. Cossé A. Moore I. Kimmel T. and Wysoki M. Identification and enantioselective synthesis of (*Z,Z*)-6,9-*cis*-3*S*,4*R*-epoxynonadecadiene, the major sex pheromone component of *boarmia selenaria* 4923
Beckmann E. Bahr N. Prinzbach H. and Rihs G. Synthesis, X-ray structural analysis and photochemistry of novel *syn*-periplanar bis-azo-skeletons 1125
Beeley L. J. and Rockell C. J. M. Novel 1-substituted-2,3-dihydro-1H-isoindoles: synthesis via Meyers' methodology 417
Beer P. D. see Kocian O. 5069
Behar V. see Dauben W. G. 3241
Beight D. W. see Flynn G. A. 815
Bel Rhlid R. see Martre A.-M. 2599
Belair N. see De Jeso B. 653
Belikov V. M. See Faleev N. G. 7051
Bell L. T. see Gammill R. B. 5301
Bell L. T. see Gammill R. B. 5303
Bellamy F. D. Bondoux M. and Dodey P. A new, short and efficient synthesis of both enantiomers of carnitine 7323
Bellamy F. see Stoller A. 361
Bellamy F. see Stoller A. 5035
Bellan J. see Rauzy K. 4463
Bellanger N. see Lubineau A. 4147
Bellassoued M. and Gaudemar M. Reinvestigation of the reaction of lithium trimethylsilyl acetate enolate with chlorotrimethylsilane 209
Bellassoued M. see Gaudemar M. 349
Bel'zecki C. see Maciejewski S. 1901
Benbow J. W. See Williams D. R. 6769
Benbow J. W. see Williams D. R. 5881
Bencheqroun M. see Solladié-Cavallo A. 2157
Bénéchie M. see Skrydstrup T. 7145
Bénéchie M. see Skrydstrup T. 7145
Benetti S. see Barco A. 3039
Benetti S. see Barco A. 4917
Benhamza R. see Tronchet J. M. J. 531
Bennani Y. L. see Hanessian S. 6461

Bennani Y. L. see Hanessian S. 6465
Bennasar M.-L. Zulaica E. Jiménez J.-M. and **Bosch J.** An alternative synthesis of the indole alkaloid vinoxine 747
Bennasar M.-L. Zulaica E. Torrens A. Pérez A. and **Bosch J.** Nucleophilic addition of 2-indolylacyl anion equivalents to *N*-alkylpyridinium salts 1893
Benner S. A. see Schneider K. C. 335
Bennetau B. Krempp M. Dunogues J. and **Ratton S.** Une voie originale et sélective de fonctionnalisation en position *ortho* du fluoro- ou de l'éthylbenzène 6179
Bennett G. J. Lee H.-H. and **Lowrey T. K.** Novel metabolites from *Ploiarium alternifolium:* a bixanthone and two anthraquinonylxanthones 751
Bennett, III R. B. and **Cha J. K.** An enantioselective synthesis of (+)-crotanecine by an intramolecular azide 1,3-dipolar cycloaddition 5437
Benvegnu T. Martelli J. Grée R. and **Toupet L.** Diels-Alder reactions on linear polyenes, selectively protected as their tricarbonyl-iron complexes 3145
Berber M. D. see Medforth C. J. 3719
Bergman R. Nilsson B. and **Wickberg B.** A facile synthesis of 1,4-diketones 2783
Bergmann A. see Beck G. 7293
Bergmann A. see Wess G. 2545
Bergmeier S. C. see Heidt P. C. 5441
Bergstraßer U. see Ehle M. 3429
Berlel H. see Jossang A. 1861
Berlin W. K. see Tagliaferri F. 1105
Berlin W. K. Wang S.-N. and **Shen T. Y.** Glycosyl-inositol derivatives - II. Synthesis of 2-amino-2-deoxy-D-galactosyl-α-1,3-D-*chiro*-inositol 1109
Berlinck R. G. S. Braekman J. C. Daloze D. Hallenga K. Ottinger R. Bruno I. and **Riccio R.** Two new guanidine alkaloids from the Mediterranean sponge *Crambe crambe* 6531
Berman J. see Green M. 5851
Bernardi A. Cardani S. Carugo O. Colombo L. Scolastico C. and **Villa R.** Norephedrine derived 2-methoxy oxazolidines as chiral formyl cation equivalents 2779
Bernardi A. Micheli F. Potenza D. Scolastico C. and **Villa R.** Stereoselective synthesis of satin analogues 4949
Bernardinelli G. See Oppolzer W. 6995
Bernardinelli G. see Oppolzer W. 4117
Bernardinelli G. see Tronchet J. M. J. 531
Bernocchi E. see Arcadi A. 2463
Bernotas R. C. A short, versatile approach to polyhydroxylated pyrrolidines utilizing a reductive elimination-reductive amination as key step 469
Bernotas R. C. Papandreou G. Urbach J. and **Ganem B.** A new family of five-carbon iminoalditols which are potent glycosidase inhibitors 3393
Berryhill S. R. and **Breitenbucher J. G.** Allylic coupling between electrophilic molybdenum and nucleophilic iron allyl complexes 1671
Bertounesque E. Florent J.-C. and **Monneret C.** Anthracyclinones-VI. Diastereoselective synthesis of 7,10-dihydroxy-4-demethoxy-anthracyclinones 7153
Bertrand M. P. see Nouguier R. 3541
Bestmann H. J. and **Kisielowski L.** Reaktionen von Ethinyltriphenylphosphoniumsalzen mit Phosphoniumyliden 3301
Beurskens G. see de Bie J. F. M. 7233
Bewersdorf M. see Hoffmann R. W. 67
Bey P. see Burkhart J. P. 1385
Bey P. see Flynn G. A. 815
Bezuidenhoudt B. C. B. see Steynberg P. J. 2059
Bhalerao U. T. see Jayathirtha Rao V. 3441
Bhalerao U. T. see Pandey G. 1199
Bhalerao U. T. see Pandey G. 3771
Bhalerao U. T. see Pandey G. 5373
Bhanumathi N. see Rama Rao K. 899
Bhanumathi N. see Rama Rao K. 3201
Bhanumathi N. see Rama Rao K. 5959
Bharathi T. K. see Basavaiah D. 4347
Bhattacharya A. see Saha G. 1483
Bhawal B. M. see Khanapure S. P. 2869
Bhawal B. M. see Khanapure S. P. 5098
Bhide R. Mortezaei R. Scilimati A. and **Sih C. J.** A chemoenzymatic synthesis of (+)-castanospermine 4827
Bhushan V. see Kelly T. R. 161
Bida G. T. see Satyamurthy N. 4409
Bied-Charreton C. see Robic N. 4739
Bied-Charreton C. see Salmon L. 519
Biehl E. R. see Khanapure S. P. 2869
Biehl E. R. see Khanapure S. P. 5098
Bienert M. see Schellenberger V. 7305
Biggadike K. see Borthwick A. D. 767
Biktimirov R. Kh. see Kasatkin A. N. 4915
Bina S. See Warrener R. N. 7073
Bird C. W. and **Hormozi N.** The scope of a new approach to tetrahydrooxepanol synthesis 3501
Birgersson C. see Tanner D. 1903
Birkinshaw T. N. See Oppolzer W. 6995
Bisaha S. N. see Melnick M. J. 961
Bischof E. W. and **Mattay J.** Radical anionic cyclization reactions via photochemically induced electron transfer 7137
Biskupic S. see Stasko A. 5737

Bisseret P. and **Rohmer M.** Bromine, *N*-bromosuccinimide and sulphur induced isomerizations in the hopane series 7445
Bisseret P. Armspach D. Neunlist S. and **Rohmer M.** Oxidation of the triterpenic hopane skeleton by peracids 6523
Bit R. A. see Davis P. D. 2353
Bit R. A. see Davis P. D. 5201
Bittler D. see Künzer H. 6171
Bittner S. see Gimbert Y. 1007
Bjergarde K. see Dahl B. H. 3489
Black T. H. McDermott T. S. and **Eisenbeis S. A.** Sterically guided rearrangement of 3,3-disubstituted β-lactones. A rapid construction of cycloheptano *trans*-fused butyrolactones 6617
Blackburn B. K. see Gilbert J. C. 4727
Blackburn B. K. see Shibata T. 3817
Blackburn G. M. and **Guo M.-J.** Chemical synthesis, separation and identification of diastereoisomers of P^1,P^4-dithio-5',5"'-diadenosyl P^1,P^4-tetrahposphate and its P^2,P^3-methylene analogues 4371
Blackburn G. M. Guo M.-J. Langston S. P. and **Taylor G. E.** Novel phosphonate and thiophosphate analogues of AP_3A, diadenosine 5',5"'-P^1,P^3-triphosphate 5637
Blagg J. see Oppolzer W. 5015
Blanc-Muesser M. Driguez H. Joseph B. Viaud M. C. and **Rollin P.** First synthesis of *alpha* glucosinolates 3867
Blanc-Muesser M. Vigne L. and **Driguez H.** Triphenylmethanethiol. An useful reagent in the synthesis of 1,2-*cis*-1-thioglycoses 3869
Blanchard P. See Mouna A. M. 7003
Blankemeyer-Menge B. Nimtz M. and **Frank R.** An efficient method for anchoring Fmoc-amino acids to hydroxylfunctionalised solid supports 1701
Blase F. R. see Swindell C. S. 5405
Blase F. R. see Swindell C. S. 5409
Blaszczak L. C. Armour H. K. and **Halligan N. G.** Allyltin reagents. A general approach to carbon-carbon bond formation applied to penicillin derived azetidinones - I 5693
Blizzard T. A. Mrozik H. Preiser F. A. and **Fisher M. H.** Synthesis, reactivity and bioactivity of avermectin B_1-3,4-oxide 4965
Bloch R. and **Perfetti M.-T.** An efficient synthesis of 13(*S*)-hydroxy-9*Z*,11*E*-octadecadienoic (coriolic) acid 2577
Block E. and **Zhao S. H.** Diallyl sulfoxide: a convenient source of thioacrolein for Diels-Alder trapping 5003
Block E. and **Zhao S. H.** Onion essential oil chemistry. *Cis*- and *trans*-2-mercapto-3,4-dimethyl-2,3-dihydrothiophene from pyrolysis of bis(1-propenyl) disulfide 4999
Blondeau D. see Doise M. 1155
Bloodworth A. J. and **Spencer M. D.** Polar and radical bicyclizations of cyclo-oct-3-en-1-yl hydroperoxide to afford 2-functionalised-8,9-dioxabicyclo[5.2.1]decanes 5513
Bloodworth A. J. and **Tallant N. A.** Chloroalkyl 1,2-dioxolanes from unsaturated hydroperoxides and *t*-butyl hypochlorite 7077
Blumenthal E. M. see Tong M. K. 1683
Bo Y. see Bai D. 2161
Boatman, Jr. P. D. See Walkup R. D. 6961
Boatman, Jr., P. D. see Walkup R. D. 7587
Bobek M. see Sharma M. 5839
Boche G. see Meier C. 1685
Boche G. see Meier C. 1693
Boche G. see Ulbrich R. 1689
Bock K. See Jansson A. M. 6991
Bock K. See Meldal M. 6987
Bock K. see Wess G. 2545
Bode H. E. Sowell C. G. and **Little R. D.** Electrolyte-assisted stereoselection and control of cyclization versu saturation in electroreductive cyclizations 2525
Bodenteich M. and **Marquez V. E.** Synthesis of (±)-psicoplanocin A. A carbocyclic nucleoside combining the structural features of psicofuranine and neplanocin A 5977
Boeykens M. see De Kimpe N. 2771
Boger D. L. and **Ishizaki T.** Resolution of a CBI precursor and incorporation into the synthesis of (+)-CBI, (+)-CBI-CDPI$_1$, (+)-CBI-CDPI$_2$: enhanced functional analogs of (+)-CC-1065. A critical appraisal of a proposed relationship between electrophile reactivity, DNA binding properties, and cytotoxic potency 793
Boger J. see Durette P. L. 1237
Boger J. see Goulet M. T. 4845
Bohé L. see Barton D. H. R. 93
Böhmer V. see Kraft D. 4941
Böhmer V. see Tabatabai M. 3295
Boisvert L. see Guindon Y. 2845
Boivin J. Crepon E. and **Zard S. Z.** N-Hydroxy-2-pyridinethione, a mild and convenient source of hydroxyl radicals 6869
Boivin J. da Silva E. G. Ourisson and **Zard S. Z.** Proof of a radical transannular hydrogen migration in the longifolene series 2501
Boivin J. Fouquet E. and **Zard S. Z.** Cyclisation of imine radicals derived from sulphenylimines: a simple access to Δ^1-pyrrolines 85
Boivin J. Fouquet E. and **Zard S. Z.** Multiple radical additions starting with iminyl radicals derived from sulphenylimines 3545
Boivin J. Gaudin D. Labrecque D. and **Jankowski K.** Gif oxidation of some alicyclic amines 2281
Boivin J. see Balavoine G. 659
Boivin J. see Barlaam B. 7429
Boivin J. see Barton D. H. R. 353
Boland W. see Skuballa N. 497
Bolm C. and **Ewald M.** Optically active bipyridines in nickel catalyzed enantioselective conjugate addition to enones 5011
Bolsterli J. J. see Estermann H.

445
Bonar-Law R. P. Davis A. P. and **Dorgan B. J.** The 'benzostabase' protecting group for primary amines; application to aromatic amines 6721
Bonar-Law R. P. Davis A. P. Dorgan B. J. Reetz M. T. and **Wehrsig A.** The'benzostabase' protecting group for primary amines; application to aliphatic amines 6725
Bondoux M. see Bellamy F. D. 7323
Bondy S. S. see Durette P. L. 1237
Bonin M. Grierson D. S. Monneret C. and **Florent J.-C.** Determination of the anomeric configuration of 1-cyano-$\Delta^{2,3}$-unsaturated sugars from $J_{C(1)-H}$ coupling values 2885
Bonini C. Di Fabio R. Mecozzi S. and **Righi G.** One pot cyclization of epoxyolefins to substituted cycloalkanols via free radicals 5369
Bonjoch J. Casamitjana N. Gràcia J. Ubeda M.-C. and **Bosch J.** The Fischer indolization of 2-azabicyclo[3.3.1]nonan-7-ones. A new entry to the dascarpidan ring system 2449
Bonjoch J. see Amat M. 3453
Bonnett R. see Mironov A. F. 6409
Boons G. J. P. H. Elie C. J. J. van der Marel G. A and **van Boom J. H.** Use of (phenyldimethylsilyl)methoxymethyl and (phenyldimethylsilyl)methyl ethers as protecting groups for sugar hydroxyls 2197
Boquel P. and **Chapleur Y.** A new strategy for the synthesis of mevinic acid analogues 1869
Borchardt R. T. see Ali S. M. 1509
Borghi D. see Giudici F. 3509
Borthwick A. D. Biggadike K. Holman S. and **Mo C. L.** Enantiospecific synthesis of the potent anti-herpetic carbocyclic 9-(2'-deoxy-2'-fluoro-β-D-arabinofuranosyl)guanine (+)C-AFG from aristeromycin 767
Borthwick A. D. Caddick S. and **Parsons P. J.** 1,5 Allylic abstraction cyslization: a new route to five membered carbocycles 6911
Boruah R. C. see Konwar D. 1063
Boruah R. C. see Mahajan A. R. 3943
Bosch J. see Alvarez M. 5089
Bosch J. see Amat M. 3453
Bosch J. see Bennasar M.-L. 747
Bosch J. see Bennasar M.-L. 1893
Bosch J. see Bonjoch J. 2449
Bosco M. See Bartoli G. 6935
Bosco M. see Bartoli G. 6089
Bose A. K. Tabei K. and **Raju V. S.** TLC-CIMS: a highly efficient mass spectral technique for synthetic organic chemists 1661
Bose D. S. and **Thurston D. E.** Boron trifluoride promoted cleavage of benzyl carbamates 6903
Bosold F. see Ulbrich R. 1689
Boss K. R. see Evans K. L. 6753
Bou V. and **Vilarrasa J.** New synthetic 'tricks'. Trimethylsilyl triflate mediated cleavage of hindered silyl ethers 567
Bouaziz R. see Coquerel G. 2143
Bouchard H. and **Lallemand J. Y.** A simple access to a *trans*-decalin epoxydiacetate, a model of Clerodin 5151
Bouchu D. see Lilo B. 887
Boudjouk P. see Kumarathasan R. 3987
Bouhroum S. and **Vottero P. J. A.** Déprotection régiosélective de D-glycals chloroacétylés par l'acétate d'hydrazine 7441
Boukouvalas J. see Jefford C. W. 995
Bourdieu C. see Quin L. D. 6473
Bourdon F. Ripoll J.-L. and **Vallée Y.** Synthesis of enanthiolisable α-oxothiones by flash vacuum thermolysis 6183
Bourguignon J. J. see Schmitt M. 2145
Boury-Esnault N. see Aknin M. 2979
Bovin A. N. Chekhlov A. N. and **Tsvetkov E. N.** A simple synthesis of dimeric 2,2-disubstituted 1,3,2-benzoxazaphospholes from phosphoryl P^{IV}-compounds 5361
Bowler J. see Adams J. P. 4355
Bowles S. Campbell M. M. Sainsbury M. and **Davies G. M.** Corrigendum 2650
Bowman M. K. See Michalski T. J. 6847
Bowman Mertes K. see Wang B. 5543
Bowman W. R. see Symons M. C. R. 3221
Boyd E. A. Corless M. James K. and **Regan A. C.** A versatile route to substituted phosphinic acids 2933
Boyd V. L. Hawke D. H. and **Geiser T. G.** Synthesis of the 2-thiohydantoins of amino acids using Woodward's reagent K 3849
Boykin D. W. see Baumstark A. L. 957
Bradbury R. H. see Moss W. O. 5653
Bradshaw J. S. Krakowiak K. E. Izatt R. M. and **Zamecka-Krakowiak D. J.** New high yield syntheses of cyclams using the crab-like cyclizationreaction 1077
Braekman J. C. see Berlinck R. G. S. 6531
Brahma R. see McLoughlin J. I. 1377
Brahms J. C. and **Dailey W. P.** Flash vacuum pyrolysis of 2-diazo-8-oxabicyclo[3.2.1]oct-6-en-3-ones. A new method for the preparation of propadienones 1381
Brandes B. D. see Doyle M. P. 6613
Brandi A. see Cicchi S. 3351
Brandt E. V. see Cronjé A. 3789
Bräunlich G. see Schönecker B. 1257
Bray A. M. Maeji N. J. and **Geysen H. M.** The simultaneous multiple production of solution phase peptides; assessment of the Geysen method of simultaneous peptide synthesis 5811
Breau L. Ogilvie W. W. and **Durst T.** Preparation of optically active stilbene oxides via sulfonium salts

derived from C_2 symmetric thiolanes 35
Bredenkamp M. W. Holzapfel C. W. and Swanepoel A. D. Stannylene directed selective acylation of some open-chain L-arabinose derivatives 2759
Bregar Z. see Zupan M. 3357
Breitenbach R. see Urban F. J. 4421
Breitenbucher J. G. see Berryhill S. R. 1671
Brel V. K. Koz'min A. S. Martynov I. V. Uvarov V. I. Zefirov N. S. Zhdankin V. V. and Stang P. J. Introduction of the halonitromethyl framework into aromatic rings via a XeF_2 mediated radical process 4799
Brel V. K. Koz'min A. S. Uvarov V. I. Zefirov N. S. Zhdankin V. V. and Stang P. J. Xenon fluorosulfates and their Ad_E-reactions with olefins 5225
Brenna E. see Palmisano G. 7229
Breslow R. and Chung S. Additional flexibility solves the leaving group problem in cyclodextrin acylation 631
Breslow R. see Light J. 2957
Brestensky D. M. see Koenig T. M. 3237
Breuer E. see Quin L. D. 6281
Breuilles P. and Uguen D. Synthesis with manganic salts - IV. Free radical Trost allylation 357
Bridle J. H. see Halton B. 1313
Brienne M.-J. see Coquerel G. 2143
Brienne M.-J. see Leclercq M. 3875
Brigas A. F. and Johnstone R. A. W. Metal-assisted reactions - XX. Catalytic transfer hydrogenolysis of phenolic C-O bonds 5789
Brigaud T. and Laurent E. Oxidative fluorination of sulfides in presence of $Et_3N.3HF$ 2287
Brimble M. A. Edmonds M. K. and Williams G. M. Allylic oxidation of unsaturated spiroketals 7509
Brimble M. A. Williams G. M. Baker R. and James M. Synthesis of a functionalised bis-spiroacetal 3043
Brinen L. S. see West R. R. 3271
Brinen L. see Fusetani N. 3599
Bringmann G. Jansen J. R. Reuscher H. Rübenacker M. Peters K. and von Schnering H. G. First total synthesis of (-)-dioncophylline A ('triphyophylline') and of selected stereoisomers: complete (revised) stereostructure 643
Bringmann G. Rübenacker M. Jansen J. R. Scheutzow D. and Assi L. A. On the structure of the dioncophyllaceae alkaloids dioncophylline A ('triphyophylline') and '*O*-methyl-triphyophylline' 639
Brockamp H. P. and Kula M. R. *Staphylococcus carnosus* aldolase as catalyst for enzymatic aldol reactions 7123
Bronk B. S. see Cochran J. C. 6621
Brosa C. see Ferrer J. C. 3941
Brown A. G. and Edwards P. D. Synthesis of analogues of the biphenomycin antibiotics 6581
Brown A. G. see Crimmin M. J. 2017
Brown A. G. see Crimmin M. J. 2021
Brown B. B. see Roush W. R. 6509
Brown H. C. and Randad R. S. *B*-2'-isoprenyldiisopinocampheylborane: an efficient reagent for the chiral isoprenylation of aldehydes. A convenient route to both enantiomers of ipsenol and ipsdienol 455
Brown H. C. and Rangaishenvi M. V. A simple procedure for the synthesis of three-carbon homologated boronate esters and terminal alkenes via nucleophilic displacement in α-haloallylboronate ester 7115
Brown H. C. and Rangaishenvi M. V. Successful application of α-haloallyllithium for a simple, convenient preparation of α-haloallylboronate ester 7113
Brown L. Halling P. J. Johnston G. A. Suckling C. J. and Vallvety R. H. see Water insoluble indicators for the measurement of pH in water immiscible solvents 5799
Brown M. F. see Harvey D. F. 2529
Brown R. T. and Ford M. J. Asymmetric total synthesis from cyclopentene-1,2-diones: characterisation of a diasteromerically pure Michael adduct 2029
Brown R. T. and Ford M. J. Asymmetric total synthesis of alkaloids and seco-iridoids 2033
Brückner R. and Huisgen R. 2,2-Bis(trifluoromethyl)ethylene-1,1-dicarbonitrile and styrenes; the concertedness of the [2 + 4] cycloaddition 7133
Bruckner R. and Huisgen R. [2+2]Cycloadditions of 2,2-bis(trifluoromethyl)ethylene-1,1-dicarbonitrile with vinyl sulfides and ketene S,S-acetals 2561
Brückner R. and Huisgen R. Kinetics of [2+2]cycloadditions of 2,2-bis(trifluoromethyl)ethylene1,1-dicarbonitrile with enol ethers, 1,1-dimethylbutadiene and allyltrimethylsilane 2557
Brückner R. Huisgen R. and Schmid J. 2,2-Bis(trifluoromethyl)ethylene-1,1-dicarbonitrile and styrenes; a dichotomy of cycloaddition pathways 7129
Brückner R. see Huisgen R. 2553
Brückner R. see Kruse B. 4425
Brun P. see Reyne F. 4597
Brun P. see Tenaglia A. 4457
Bruneau C. see Fournier J. 1721
Bruneau P. Hennequin L. F. Quéré L. Scherrmann M. C. and Siret P. J. Synthesis and structure elucidation of new spirocephams 7141
Bruno I. see Berlinck R. G. S. 6531
Bruzik K. S. see Salamonczyk G. M. 2015
Buchardt O. see Henriksen U. 2443
Buchmann B. Skuballa W. and Vorbrüggen H. Synthesis of a chemically and metabolically stable and biologically potent PGD_2-

analogue 3425
Buchwald S. L. see Hsu D. P. 5563
Buechler D. see Shapiro G. 5733
Bujons J. Camps F. and **Messeguer A.** Use of dimethyldioxirane in the preparation of highly reactive compounds: first direct epoxidation of precocenes 5235
Bulpin A. Masson S. and **Sene A.** Reaction of trialkyl phosphites withphosphonodithioformates: access to substituted methylene bis-phosphonates via stabilized ylids 1151
Buncel E. Dunn E. J. van Truong Ng. Bannard R. A. B. and **Purdon J. G.** Solvent effect on ground-state versus transition-state stabilization by metal ions. Contrasting metal ion behaviour in tetraglyme and ethanol for nucleophilic displacement at a phosphorus centre 6513
Buntel C. J. see Dittami J. P. 3821
Bunz U. and **Szeimies G.** Reduction of [1.1.1]propellane with lithium 4,4'-di-*t*-butylbiphenyl:bicyclo[1.1.1]pent-1,3-diyldilithium 651
Buono G. see Fotiadu F. 77
Buono G. see Fotiadu F. 4859
Buono G. see Fotiadu F. 4863
Bureau R. and **Joucla M.** Flash vacucum thermolysis of 2-isopropyl oxazolines. Mechanism of the tautomerism between azomethine ylid aziridine and enamine 6017
Burger B. V. le Roux M. Mackenroth W. M. Spies H. S. C. and **Hofmeyr J. H.** 7-Vinyldecyl acetate, novel inhibitor of pheromonal attraction in the false codling moth, *Cryptophlebia leucotreta* 5771
Burger J. F. W. see Cronjé A. 3789
Burger J. F. W. see Hundt A. F. 5073
Burger J. F. W. see Steynberg P. J. 2059
Burger U. Thorel P.-J. and **Schaller J.-P.** Benz[F]indene and its Katz reaction 3155
Burgess K. and **Henderson I.** A new approach to swainsonine and castanospermine analogues 6949
Burke S. D. Porter W. J. Rancourt J. and **Kaltenbach R. F.** Chiral synthetic macrodiolide and macrotriolide ionophores with C_2- and C_3-symmetry 5285
Burkhart J. P. Peet N. P. and **Bey P.** A novel method for the preparation of peptidyl α-keto esters 1385
Burnouf C. see Ghini A. A. 2301
Burns B. Coates B. Neeson S. and **Stevenson P. J.** Stereoselective approaches to trisubstituted pyrrolidines 4351
Burrell G. Evans J. M. Jones G. E. and **Stemp G.** The action of diethylaminosulphur trifluoride (DAST) on *trans*-4-amido-3-chromanols: preparation of *cis*-amidoalcohols via oxazolines 3649
Burroff J. A. see Enholm E. J. 3727
Burton D. J. Hartgraves G. A. and **Hsu J.** A facile, general route to perfluoroalkyl allenes 3699
Burton D. J. see Yang Z.-Y. 1369
Busia K. see Carless H. A. J. 1617
Busia K. see Carless H. A. J. 3449
Butler D. N. See Warrener R. N. 7073
Buttafava A. See Faucitano A. 7055
Byers J. H. and **Lane G. C.** Radical addition of diethyl (2-phenylselenp)propanedioate to olefins 5697
Büyükgüngör O. see Cakmak O. 2345

Cabaret D. Maillot S. and **Wakselman M.** Accelerated esterification of aminoacids with lipoglycosylated α-chymotrypsin in polar solvents 2131
Cabell L. A. see Huang C.-Y. 7411
Cabral J. Laszlo P. Montaufier M.-T. and **Randriamahefa S. L.** The phosphazo route to 2-alkenamides from acrylic acid and its derivatives 1705
Cabré F. see Riera A. 2169
Cabré F. see Riera A. 2755
Cacchi S. see Arcadi A. 2463
Caddick S. See Borthwick A. D. 6911
Cagliotl L. see Arcadi A. 2463
Cahiez G. and **Alami M.** Copper-catalyzed conjugate addition of organomagnesium reagents to α, β-ethylenic esters: a simple high yield procedure 7425
Cahiez G. and **Alami M.** Organomanganese(II) reagents-XXII. Copper-catalyzed conjugate addition of organomanganese reagents to α, β-ethylenic esters 7423
Cahill P. A. Unusual degree of selectivity in diamantane derivatizations 5417
Cai P. Snyder J. K. Chen J.-C. Fine R. and **Volicer L.** Preparation, reactivity and neurotoxicity of tryptamine-4,5-dione 969
Caillebourdin S. see Lubineau A. 4147
Cainelli G. Mezzina E. and **Panunzio M.** N-Metallo-imines: a new approach to -amino alcohols from cyanohydrins 3481
Cakmak O. and **Balci M.** Synthesis of 2,3-, 2,5- and 2,6-dibromobenzobarrelenes. High temperature bromination - 1 2349
Cakmak O. Hökelek T. Büyükgüngör and **Balci M.** Bromination of 2-bromobenzobarrelene 2345
Calas B. see Ceccato M.-L. 6189
Caldwell C. G. see Durette P. L. 1237
Callegari R. see Veronese A. C. 3485
Callinan A. Chen Y. Morrow G. W. and **Swenton J. S.** Spiro-annulated 2,5-cyclohexadienones via oxidation of 2'-alkenyl-*p*-phenyl phenols with iodobenzene diacetate 4551
Callot H. J. see Verne-Mismer J. 1751
Calmes M. Cavelier F. Daunis J. Elyacoubi R. and **Jacquier R.** Improved synthesis of preformed Boc-

aminoacid-bridging groups for use in solid phase peptide synthesis 2003
Caminade A.-M. see Badri M. 6343
Campbell J. J. Glover S. A. and **Rowbottom C. A.** Solvolysis and mutagenesis of N-acetoxy-N-alkoxybenzamides - evidence for nitrenium ion formation 5377
Campbell M. M. see Anderson D. W. 1755
Campbell M. M. see Anderson D. W. 1759
Campbell M. M. see Barker A. J. 4359
Campbell M. M. see Bowles S. 2650
Campbell M. M. see Dauber-Osguthorpe P. 917
Campopiano O. see McLoughlin J. I. 1377
Campos P. J. see Barluenga J. 2751
Campos P. J. see Barluenga J. 4207
Campos P. J. see Barluenga J. 7375
Camps F. Llebaría A. Moretó J. M. Ricart S. and **Viñas J. M.** An efficient synthesis of 3,4-dioxocyclobutenecarboxylate derivatives 2479
Camps F. see Arsequell G. 2739
Camps F. see Bujons J. 5235
Camps F. see Guerrero A. 1873
Camps P. Maldonado J. Mauleón D. Minguillón C. and **Pujol M. D.** New dimers from the decomposition of α-lithio-*N*-nitrosamines. Evidence of NO- elimination 3059
Cane D. E. Ha H.-J. McIlwaine D. B. and **Pascoe K. O.** The synthesis of (3*R*)-nerolidol 7553
Cane D. E. Salaski E. J. and **Prabhakaran P. C.** Preparation of (-)-aristolochene from (+)-valencene: absolute configuration of (+)-aristolochene from *Aspergillus terreus* 1943
Capdevielle P. and **Maumy M.** A new oxidizing copper reagent: CuO_2H preparation and preliminary study of reactivity 3891
Capdevielle P. Lavigne A. Sparfel D. Baranne-Lafont J. Cuong N. K. and **Maumy M.** Mechanism of primary aliphatic amines oxidation to nitriles by the cuprous chloride-dioxygen-pyridine system 3305
Capo M. see Ballester P. 1339
Capozzi G. Gori L. and **Menichetti S.** Phthalimidosulphenyl chloride: a synthetic equivalent of inaccessible sulphenyl chlorides 6213
Caramella P. see Houk K. N. 7289
Cardani S. see Bernardi A. 2779
Cardillo G. see Amoroso R. 6413
Carey J. J. see Modi S. P. 5845
Carité C. Alazard J. P. Ogino K. and **Thal C.** Réactivé d'iminophosphoranes polyfonctionnalisés 7011
Carless H. A. J. and **Busia K.** Total synthesis of *chiro*-inositol 2,3,5-trisphosphate: a *myo*-inositol 1,4,5-trisphosphate analogue from benzene via photo-oxidation 1617
Carless H. A. J. and **Busia K.** Total synthesis of *myo*-inositol polyphosphates from benzene via conduritol B derivatives 3449
Carlón R. P. see Barluenga J. 3793
Carpenter N. M. see Fleet G. W. J. 405
Carpenter N. M. see Fleet G. W. J. 409
Carpino P. see Corey E. J. 3857
Carpino P. see Corey E. J. 7555
Carr M. G. see Attwood M. R. 283
Carr R. see Shea K. J. 5885
Carreira E. M. see Evans D. A. 4703
Carreño M. C. García Ruano J. L. Garrido M. Ruiz M. P. and **Solladié G.** Asymmetric synthesis of (*R*) and (*S*)-4-hydroxy-2-cyclohexenone and derivatives 6653
Carretero J. C. see Dominguez E. 2487
Carrier M.-N. Scheer C. Gouvine P. Bartoli J.-F. Battioni P. and **Mansuy D.** Biomimetic hydroxylation of aromatic compounds: hydrogen peroxide and manganese-polyhalogenated porphyrins as a particularly good system 6645
Carroll P. J see Swindell C. S. 5405
Carson K. G. see Abdel-Magid A. F. 5595
Carugo O. see Bernardi A. 2779
Caruthers M. H. see Yau E. K. 1953
Casamitjana N. see Amat M. 3453
Casamitjana N. see Bonjoch J. 2449
Casida J. E. see Palmer C. J. 2857
Casida J. E. see Segall Y. 473
Casolari A. see Barco A. 3039
Casolari A. see Barco A. 4917
Caspar J. V. see Ramamurthy V. 1097
Cassidei L. see Mello R. 3067
Castaño A. M. and **Echavarren A. M.** Regioselective functionalization of chiral nickelacycles derived from N-protected aspartic and glutamic anhydrides 4783
Castedo L. see Lamas C. 6247
Castedo L. see Pérez Melrás D. 143
Castedo L. see Pérez Melrás D. 2331
Castro B. see Coste J. 205
Castro B. see Coste J. 669
Castro J. see Poch M. 7505
Caubère P. see Jamart-Grégoire B. 7599
Caubère P. see Jamart-Grégoire B. 7603
Cauliez P. see Fasseur D. 1713
Cavé A. see Jossang A. 1861
Cavé A. see Laprévote O. 2283
Cavelier F. see Calmes M. 2003
Cazaux L. see Baltas M. 4453
Ceccato M.-L. Chenu J. Méry J. Follet M. and **Calas B.** Glycolamidic ester handle used with polystyrene supports. Application to the synthesis of TP5 6189
Ceccherelli P. Curini M. Marcotullio M. C. and **Rosati O.** Brominative lactonization in eudesmanes 3071
Cederbaum F. E. see Wu G. 493
Ceković Z. and **Saičić R.** Radical cyclization reactions. cyclopropane ring formation

by 3-*exo*-cyclization of 5-phenylthio-3-pentenyl radicals 6085
Čeković Z. see Saičić R. N. 4203
Celentano G. see Rossi E. 903
Celerier J.-P. see Deibecq P. 4873
Cerè V. Paolucci C. Pollicino S. Sandri E. and **Fava A.** The methyllithium-promoted dehalogenative ring fission of β-iodotetrahydrofurans gives no evidence of a free radical component 1907
Cha D. D. see Danheiser R. L. 1527
Cha J. K. see Bennett, III R. B. 5437
Cha J. K. see Kim Y. G. 3275
Chabardes P. see Duhamel L. 3129
Chabert P. see Isobe M. 3327
Chakraborty R. see Ranu B. C. 7663
Chakraborty T. K. and **Joshi S. P.** Total synthesis of N-phthaloyl Adda methyl ester: all stereocenters originating from a single chiral epoxyalcohol 2043
Chakraborty T. K. and **Reddy G. V.** Regioselective ring opening of silyl epoxy alcohols with azide ion 1335
Chakraborty T. K. see Rama Rao A. V. 1439
Chakraborty T. K. see Rama Rao A. V. 1443
Chakravarty A. K. Das B. Masuda K. and **Ageta H.** Chiratenol, a novel rearranged hopane triterpenoid from *Swertia chirata* 7649
Chaloner P. A. and **Langadianou E.** Catalytic asymmetric alkylation of aldehydes by diethylzinc in the presence of *N-iso*-propylephedrine; dependence of enantioselectivity on Et_2Zn:RCHO 5185
Champe S. P. see Mazur P. 3837
Chan P. C.-M. and **Chong J. M.** Preparation of enantiomerically enriched α-hydroxy acid derivatives from α-alkoxyorganostannanes 1985
Chan W. R. see Tinto W. F. 465
Chanda B. see Kasar R. A. 6445
Chander M. C. see Yadav J. S. 4349
Chandrasekaran S. see Baskaran S. 2775
Chandrasekhar J. see Lalitha S. 4219
Chandrasekharam M. Asokan C. V. Ila H. and **Junjappa H.** Oxoketene dithioacetals as versatile synthons for alternative 1,3 to 1,11 carbonyl transpositions: a new polyene synthesis 1763
Chang C.-T. see Curran D. P. 933
Chang K. Y. see Kim Y. H. 3019
Chang M. H. see Shim S. C. 4765
Chapat J.-P. see Vanelle P. 3013
Chapleur Y. see Boquel P. 1869
Charonnat J. A. Mitchell A. L. and **Keogh B. P.** Conjugate addition of lithium diorganocuprate reagents to the enol tosylate of a 1,2-diketone 315
Charushin V. N. see Chupakhin O. N. 7665
Chastrette F. see Thiam M. 1429
Chatgilialoglu C. Giese B. and **Kopping B.** Alkyl isocyanides as precursors for the formation of carbon-carbon bonds 6013
Chaubet F. Nguyen van Duong M. Gref A. Courtieu J. Crumbliss A. L. and **Gaudemer A.** The design of magnetic resonance contrast agents: new iron (III) dihydroxamate complexes 5729
Chauhan P. M. S. Crew A. P. A. Jenkins G. Storr R. C. Walker S. M. and **Yelland M.** Heterocyclic *o*-xylylenes: thiazole, oxazole and imidazole analogues 1487
Chauhan S. M. S. see Vijayarahavan B. 6223
Chauncey M. A. and **Ninomiya S.** Metabolic studies with model cytochrome p-450 systems 5901
Chavan A. J. see Kwiatkowski S. 2093
Chavan S. P. see Gassman P. G. 6489
Chavis C. see Baud M. V. 4437
Chebli S. see Kabore L. 3137
Chee E. H. see Davies H. M. L. 6299
Chekhlov A. N. see Bovin A. N. 5361
Chen B.-C. See Davis F. A. 6823
Chen C. see Kozikowski A. P. 5869
Chen E.-N. see Liu H.-H. 257
Chen G.-F. Li Z.-L. Chen K. Tang C.-M. He X. Pan D.-J. McPhail D. R. McPhail A. T. and **Lee K.-H.** Structure and stereochemistry of pseudolarolide-H, a novel peroxy triterpene dilactone from *Pseudolarix kaempferi* 3413
Chen H. G. Gage J. L. Barrett S. D. and **Knochel P.** S_N2' Substitutions of 1,3-dichloropropenes with the functionalized copper-zinc reagents RCu(CN)ZnX 1829
Chen H. see Kwong H.-L. 2999
Chen H.-I. see Liu K.-T. 3611
Chen J. and **Rosenberger F.** Accurate NMR data evaluation for monomer shift, dimer shift and dimerization constant in a self-associating system 3975
Chen J. Pokkuluri P. R. Scheffer J. R. and **Trotter J.** Absolute asymmetric induction differences in dual pathway photo-reactions 6803
Chen J.-C. see Cai P. 969
Chen K. see Chen G.-F. 3413
Chen L. and **Ghosez L.** Study of chiral auxiliaries for the intramolecular [2+2] cycloaddition of a ketenimininium salt to an olefinic double bond. A new asymmetric synthesis of cyclobutanones 4467
Chen S.-H. and **Danishefsky S. J.** New syntheses of the novel immunoactivator FR900483 2229
Chen Y. Li N.-S. and **Deng M.-Z.** The stereo selective allylation of lithium trialkylalkynylborates by allylcarbonate in the prescence of $Pd(PPh_3)_4$ 2405
Chen Y. see Callinan A. 4551
Chen Z. see Yoo H. K. 55
Cheng C.-Y. see Lin S.-H. 7645
Cheng H.-C. and **Yan T.-H.** Fluoride-catalyzed generation and reactions of 1-(*p*-tolylsulfinyl)vinyl anion 673
Cheng J. see Kobayashi J.

4617
Chenu J. see Ceccato M.-L. 6189
Cheong C. S. see Kim K. S. 2893
Cherkaoui O. Essassi E. M. and Zniber R. Nouvelle voie de synthèse des composés hétérocycliques dérivés du benzimidazole 5467
Cherry G. Culmann J.-C. and Sommer J. Electrophilic bromination of phenol ethers in superacid solution using alkali bromide 2007
Chertkov V. A. see Chupakhin O. N. 7665
Chevalier C. see Mignani G. 5161
Chiaroni A. see Langlois Y. 1865
Chiaroni A. see Langlois Y. 6450
Chiba M. see Morimoto T. 261
Chiche M. see Fourneron J.-D. 4875
Chidambaram R. see Liebeskind L. S. 3723
Chin B. see Lautens M. 5829
Chini M. Crotti P. and Macchia F. Efficient metal salt catalyzed azidolysis of epoxides with sodium azide in acetonitrile 5641
Chini M. Crotti P. and Macchia F. Metal salts as new catalysts for mild and efficient aminolysis of oxiranes 4661
Chiraleu F. see Uncuta C. 5645
Chirayil S. see Goulle V. 1539
Chiu J.-J. see Fujihara H. 2307
Chiu P.-F. see Liu K.-T. 3611
Chmielewski M. see Maciejewski S. 1901
Cho M. see Ueoka R. 5335
Cho W. J. See Mukai C. 6893
Cho Y. see Jew S. 1559
Choe Y.H. see Knapp S. 5397
Choi N. see Tokitoh N. 3571
Choi S. See Wilson F. X. 6931
Choi S. See Witty D. R. 6927
Choi Y. R. see Kang J. 2713
Chong J. M. and Mar E. K. An expeditious enantioselective synthesis of γ-lactones 1981
Chong J. M. see Chan P. C.-M. 1985
Chong W. K. M. see Avery M. A. 1799
Chou S.-S. P. and Sun C.-M. A facile synthesis of stable precursors to 2-alkylated and 2,3-dialkylated 1,3-butadienes 1035
Chou T.-S. see Retherford C. 1833
Choudary B. M. and Sarma M. R. A novel single pot reaction for substitution and cross-coupling of vinylacetate to *trans*-stilbenes by interlamellar montmorillonite palladium catalyst 1495
Choudary B. M. Durga Prasad A. and Valli V. L. K. Shape-selective isomerisation of α-acetnlyenic alcohols to α, β-ethylenic carbonyl compounds by vanadium-pillared montmorillonite catalyst 7521
Choudary B. M. Durgaprasad A. and Valli V. L. K. Selective oxidation of alcohols by chromia-pillared montmorillonite catalyst 5785
Choudary B. M. Sarma M. R. and Rao K. K. A novel molecular recognition in montmorillonite in the arylation of acrylates 5781
Choudary B. M. see Yadva J. S. 2491
Choy K. L. see Goh S. H. 553
Christensen J. W. see Sibi M. P. 5689
Christiaens L. see Hosay T. 873
Chucholowski A. W. and Uhlendorf S. Base catalyzed rearrangement of 5-cyanomethyl-2-isoxazolines; novel pathway for the formation of 2-aminopyridine N-oxides 1949
Chugh D. B. see Manka J. S. 5873
Chuman T. see Mori M. 4037
Chun K. H. see England P. 2669
Chung B. Y. see Kim C. W. 2905
Chung J. Y. L. and Wasicak J. T. Synthesis of chiral α-acetylenic cyclic amines from α-amino acids: applications to differentially constrained oxotremorine analogues as muscarinic agents 3957
Chung S. see Breslow R. 631
Chung Y. Akkaya E. U. Venkatachalam T. K. and Czarnik A. W. Synthesis and characterization of a reactive binuclear Co(III) complex. Cooperative promotion of phosphodiester hydrolysis 5413
Chupakhin O. N. Rudakov B. V. Alexeev S. G. Charushin V. N. and Chertkov V. A. Unusual dimerization of 1-ethyl-1,2,4-triazinium slts into 4a,4b,9,10-tetrahydro-1,3,6,8, 8a,10a-hexaazaphenanthrenes 7665
Church K. M. see Singleton D. A. 5551
Ciattini P. G. Morera E. and Ortar G. A new synthesis of the corticosteroid side chain 1889
Cicchi S. Goti A. Brandi A. Guarna A. and De Sarlo F. 1,3-Aminoalcohols by reductive cleavage of isoxazolidines with molybdenum hexacarbonyl 3351
Ciminale F. see Mello R. 6097
Cimino G. Crispino A. Mattia C. A. Mazzarella L. Puliti R. Trivellone E. and Uriz M. J. A new triterpenoid skeleton from the Mediterranean sponge *Raspaciona aculeata*: structure of raspacionin 6565
Cimino G. see Gavagnin M. 6093
Cinquini M. see Annunziata R. 6733
Claeys M. see Hisham A. 4649
Clardy J. see Aknin M. 2979
Clardy J. see Coval S. J. 2117
Clardy J. see Fusetani N. 3599
Clardy J. see Golik J. 6149
Clardy J. see West R. R. 3271
Clardy J. see Wiemer D. F. 1973
Clark R. D. and Souchet M. Chelation control in the addition of homophthalic anhydride to α-alkoxy imines. Pancratistatin model studies 193
Clark T. J. see Davies H. M. L. 6299
Clausen T. P. Keller J. W. and Reichardt P. B. Aglycone fragmentation accompanies β-glucosidase catalyzed hydrolysis of salicortin, a naturally-occurring phenol glycoside 4537
Clemans G. B. Jacoby R. G. and Metzger M. S. Diels-Alder reactions of tropylium ion. An empirical force field study 2255

Clennan E. L. Koola J. J. and **Ooiman K. A.** A comparison of the ene reactions of singlet oxygen and triazolinediones with alkyl substituted tetramethylethylenes 6759
Clennan E. L. see Nakayama J. 4473
Clerici A. and **Porta O.** Arylative amination of aldehydes promoted by aqueous titanium trichloride 2069
Coates A. R. M. see Mascagni P. 4637
Coates B. see Burns B. 4351
Coburn R. A. see Anderson W. K. 169
Cogen J. M. see Dauben W. G. 3241
Cohen B. I. see Recht J. 7281
Cohen D. see Semmelhack M. F. 1521
Cohen L. A. see Hebel D. 619
Cohen L. A. see Labroo V. M. 5705
Cohen M. A. Sawden J. and **Turner N. J.** Selective hydrolysis of nitriles under mild conditions by an enzyme 7223
Coleman A. W. see Parrot-Lopez H. 1999
Coleman R. S. and **Grant E. B.** Cycloaddition reactions of acyl ketenes with enol ethers: a general synthesis of 2-alkoxy-2,3-dihydro-4H-pyran-4-ones 3677
Collado I. G. Madero J. G. Massanet G. M. and **Luis F. R.** Trimethyl(phenyl)ammonium perbromide an efficient reagent for the partial synthesis of functionalized sesquiterpene lactones 563
Collado I. G. Madero J. G. Massanet G. M. Luis F. R. and **Fronczek F. R.** Partial synthesis of 7-β-hydroxyeudesmanolides 5795
Collado I. G. see Macias F. A. 3063
Collingwood S. P. Davies S. G. and **Preston S. C.** Chiral recognition in the SN2 reaction of *t*-butyl 2-bromopropionate with the enolate derived from $[(\eta^5\text{-}C_5H_5)Fe(Co)(PPh_3)COCH_3]$ 4067
Collins D. J. Dosen M. and **Jhingran A. G.** Enolic *ortho* esters - V. Regiospecific generation of diketo ester monoacetals by reaction of an enolic *ortho* ester with ketene silyl acetals 421
Collins L. A. see Maslak P. 4261
Collins M. A. see Adams J. P. 4355
Collins P. M. and **Ali M. H.** A new cycloglucohexaose derivative. The chemical synthesis of cyclo{→3-[β-D-Glc*p*-(1→3)-]$_5$-D-Glc*p*-(1→} 4517
Collins P. M. Ashwood M. S. Eder H. Wright S. H. B. and **Kennedy D. J.** Intramolecular 1,3-dipolar additions in 4-O-allyl pyranoside 6-nitrones: an approach to chiral pyrano-pyrans and pyrano-oxepans 2055
Colombo L. see Bernardi A. 2779
Colombo M. I. Somoza C. Zinczuk J. Bacigaluppo J. A. and **Rúveda E. A.** A practical and efficient synthesis of the Ziegler key intermediate for the synthesis of forskolin 39
Colonna S. Manfredi A. Sollidié-Cavallo A. and **Quazzotti S.** Stereoselective synthesis of β-hydroxyamino acids by aldol reaction of α-isocyanocarboxylate with arene-chromium-tricarbonyl complexes 6185
Commerçon A. and **Ponsinet G.** Diastereoselective chlorocyclofuntionalization of N-allylic trichloroacetamides: synthesis of an analogue and potential precursor of RP49532 3871
Confalone P. N. see Kubiak G. G. 3845
Connolly J. D. see Tchouankeu J. C. 4505
Conrow R. E. see DuPriest M. T. 2959
Constantino L. see Iley J. 4921
Cook J. D. see Wasserman H. H. 4945
Cook J. M. see Fu X. 3409
Cook J. M. see Kubiak G. 4285
Cook J. M. see Narayanan K. 3397
Cooke R. J. see Kim Y. G. 3275
Cooper A. J. and **Salomon R. G.** Total synthesis of halichondrins: enantioselective construction of a homochiral pentacyclic C1-C15 intermediate from D-ribose 3813
Cooper D. K. See Shea K. J. 6843
Coppola G. M. see Damon R. E. 2849
Coquerel G. Bouaziz R. and **Brienne M.-J.** Optical resolution of (±)-*N*-acylnorfenfluramine derivatives by preferential crystallization 2143
Corbin D. R. see Ramamurthy V. 47
Corbin D. R. see Ramamurthy V. 1097
Corcoran R. C. and **Bang S. H.** Iodopyridines from bromo- and chloropyridines 6757
Corcoran R. C. and **Green J. M.** Conversion of α-aminocarboxylic acids to α-aminophosphonic acids 6827
Corcoran R. C. Chelation and non-chelation directed cleavage of acetals 2101
Corey E. J. and **Bakshi R. K.** A new system for catalytic enantioselective reduction of achiral ketones to chiral alcohols. Synthesis of chiral α-hydroxy acids 611
Corey E. J. and **Carpino P.** A new enantiospecific route to the pseudopterosins 3857
Corey E. J. and **Carpino P.** A simplified synthesis of (+)-brefeldin A. 7555
Corey E. J. and **Hannon F. J.** A possible transition state assembly for highly diastereoselective conjugate addition reactions of lithium dimethylcuprate with α, β-enones 1393
Corey E. J. and **Kamiyama K.** A simple stereoselective synthesis of a tetracyclic C_{14} ginkgolide 3995
Corey E. J. and **Kim S. S.** New process for enantioselective nucleophilic addition to aldehydes to form secondary alcohols 3715
Corey E. J. and **Link J. O.** The first enantioselective syntheses of pure *R*- and *S*-

isoproterenol 601
Corey E. J. and Lotto G. I. The origin of enantioselectivity in the dihydroxylation of olefins by osmium tetroxide and cinchona alkaloid derivatives 2665
Corey E. J. and Su W. (8-*R*)- and (8-*S*)-hepoxilin A_3. Assignment of configuration and conversion to biologically active conjugates with glutathione 2113
Corey E. J. and Su W. A stereospecific synthesis of a dihydrofuran analog of leukotriene A_4 2089
Corey E. J. and Su W. Identification of a crucial substructural unit for thromboxane A_2 receptor binding 2677
Corey E. J. and Su W. Total synthesis of a potent thromboxane A_2 antagonist 3833
Corey E. J. Khan A. U. and Ha D.-C. Heavy atom quenching of the singlet delta dioxygen molecule ($^1\Delta gO_2$) 1389
Corey E. J. see De B. 4831
Corless M. see Boyd E. A. 2933
Corriu R. J. P. Lanneau G. F. Perrot-Petta M. and Mehta V. D. A new and mild access to N-functionalized formamido and thioformamido compounds using hypervalent silicon hydrides 2585
Corte J. R. see Grove D. D. 6277
Cory R. M. Bailey M. D. and Tse D. W. C. A divergent approach to patchouli sesquiterpenes: synthes of 3-oxopatchouli alcohol, 5-oxo-7-hydroxy-13-norcycloseychellene, 6-methoxy-4,12-dehydro-13-norcycloseychellene and patchouli alcohol 6839
Cory R. M. Ritchie B. M. and Shrier A. M. A versatile synthesis of butenolides; total synthesis of (±)-mintlactone 6789
Cossé A. see Becker D. 4923
Cossío F. P. see Palomo C. 2218
Cossío F. P. see Palomo C. 6429
Cossy J. and Aclinou P. Isolation and total synthesis of the major constituent of the roots of *Centaurea incana*: Aplotaxene 7615
Cossy J. and Thellend A. A one step synthesis of functionalized lactams and spirolactams from unsaturated β-ketoamides 1427
Costantini C. see Crescenzi O. 6095
Coste J. Dufour M.-N. Pantaloni A. and Castro B. BROP: a new reagent for coupling N-methylated amino acids 669
Coste J. Le-Nguyen D. and Castro B. PyBOP®: a new peptide coupling reagent devoid of toxic by-product 205
Cotton T. M. see Michalski T. J. 6847
Coull J. M. see Gildea B. D. 7095
Coulton S. François I. and Southgate R. Synthesis of γ-lactam analogues of 1-acetoxy carbapenem derivatives 6923
Courseille C. Hospital M. Décout J.-L. and Lhomme J. Solid state photodimerization of psoralen derivatives 5031
Courtieu J. see Chaubet F. 5729
Coutts S. J. and Kallmerten J. Synthesis of antitumor ansamycins - II. A formal synthesis of (±)-macbecin I 4305
Coutts S. J. Wittman M. D. and Kallmerten J. Synthesis of antitumor ansamycins -I. Serial sigmatropic construction of the C_{11}-C_{21} ansa subunit of macbecin I 4301
Couturier D. see Fasseur D. 1713
Couturier D. see Hasiak B. 5769
Couty F. see Agami C. 2889
Coval S. J. Hradil C. M. Lu H. S. M. Clardy J. Satouri S. and Strobel G. A. Pyrenoline-A and -B, two new phytotoxins from *Pyrenophora teres* 2117
Cox M. T. see Jones R. C. F. 2333
Coxon J. M. Fong S. T. and Steel P. J. An unusual rearrangement of a cage diketone monotosylhydrazone; a new fragmentation of the PCUD skeleton 7479
Coxon J. M. Fong S. T. O'Connell M. J. and Steel P. J. An unusual rearrangement of the tetracyclo-[10.2.1.$0^{2,11}$.$0^{4,9}$]pentadecane skeleton 5357
Cozens F. see Mc Clelland R. A. 2821
Cozzi F. see Annunziata R. 6733
Cozzi P. G. Palazzi C. Potenza D Scolastico C. and Sun W. Y. Total synthesis of (±) Pseudophrynamine A 5661
Cozzi P. G. see Annunziata R. 6733
Cragg J. E. Herbert R. B. and Kgaphola M. M. Pea-seedling diamine oxidase applications in synthesis and evidence relating to its mechanism of action 6907
Craig D. and Reader J. C. A novel strategy for regio- and stereocontrol in [4 + 2]cycloadditions. Intramolecular Diels-Alder reaction of a silyl acetal triene 6585
Craig D. and Smith A. M. Stereoselective homoallylic alcohol synthesis via sulphone -carbanion-mediated coupling reactions 2631
Craig D. Daniels K. and MacKenzie A. R. Additive Pummerer reactions of vinylic sulphoxides. Synthesis of γ-hydroxy-α,β-unsaturated esters and α-hydroxyketones 6441
Crayston J. A. see MacCorquodale F. 771
Creemer L. J. see Anzeveno P. B. 2085
Creemer L. J. see Anzeveno P. B. 4321
Cregge R. J. see Sabol J. S. 27
Crépon E. see Boivin J. 6869
Crescenzi M. see Amodeo R. 3477
Crescenzi O. Costantini C. and Prota G. Evidence for the intermediacy of quinone-methides in the rearrangement of aminochromes to 5,6-dihydroxyindoles 6095
Crew A. P. A. Jenkins G. Storr R. C. and Yelland M. The generation of 2,3-dihydro2,3-

bis-(methylene)thiophenes from 4,6-dihydrothieno[3,4-*b*]thiophene 5,5-dioxides 1491
Crew A. P. A. see Chauhan P. M. S. 1487
Crich D. and **Lim L. B. L.** Synthesis of 2-deoxy-β-*C*-pyranosides by diastereoselective hydrogen atom transfer 1897
Crimmin M. J. and **Brown A. G.** Synthesis of diaryl ethers from tyrosine derivatives 2017
Crimmin M. J. and **Brown A. G.** Synthesis of phenolically linked cyclic peptides 2021
Crisp G. T. and **Flynn B. L.** Palladium-catalysed coupling of uridine triflate with organostannanes 1347
Crispino A. see Cimino G. 6565
Cristau H.-J. and **Gasc M.-B.** New functional Wittig reagent for the formylolefination of aldehydes and ketones 341
Cristau H.-J. Pascal J. and **Plenat F.** Arylation of red phosphorus: a new way to triphenylphosphine oxide and triphenylphosphine 5463
Crittell C. M. see Zhdanakin V. V. 4821
Crocker P. J. see Kwiatkowki S. 2093
Crombie L. and **Mistry J.** The phytoalexins of oat leaves: 4*H*-3,1-benzoxazin-4-ones or amides? 2647
Cronjé A. Burger J. F. W. Brandt E. V. Kolodziej H. and **Ferreira D.** Assessment of 3,4-*trans* and 3,4-*cis* relative configurations in the A-series of (4,8)-linked proanthocyanidins 3789
Cros P. see Fotiadu F. 77
Crotti P. see Chini M. 4661
Crotti P. see Chini M. 5641
Crouch R. C. Shockcor J. P. and **Martin G. E.** 1D HMQC-TOCSY: a selective one-dimensional analogue of HMQC-TOCSY 5273
Crowe W. E. see Shambayati S. 5289
Crozet M. P. see Vanelle P. 3013
Crozet M. P. Vanelle P. Jentzer O. and **Maldonado J.** Réactions $S_{RN}1$ en série hétérocyclique - V. Comparaison des réactivités du diméthyl-1,2 (chloro-1 ethyl)-4 nitro-5 imidazole et du système *orthto* nitrobenzyle 1269
Crumbliss A. L. see Chaubet F. 5729
Crusi E. Huerta J. M. Andreu D. and **Giralt E.** Gly/Lys-containing peptide macrocycles: synthesis and cyclization studies 4191
Csáky A. G. see Domínguez C. 2635
Csáky A. G. see Domínguez C. 7669
Csuhai E. see About-Jaudet E. 1657
Csuhai E. see Barton D. H. R. 2817
Csuhai E. see Barton D. H. R. 3097
Culmann J.-C. see Cherry G. 2007
Culshaw P. N. and **Walton J. C.** Generation of sulphonyl radicals from sulphonate esters 2457
Culshaw P. N. and **Walton J. C.** Regioselectivity in the formation of cyclic sulphones from 4- and 5-alkenesulphonyl chlorides 6433
Cunico R. F. 1,1-Bissilylallenes from the rearrangement of 1-(pentamethyldisilanyl)-3-(trimethylsiloxy)-1-alkynes 5607
Cunico R. F. and **Kuan C. P.** Oxazoles from β-acyloxy-*N*,*N*-bis(trimethylsilyl)enamines 1945
Cunningham R. T. see Walkup R. D. 7587
Cuong N. K. see Capdevielle P. 3305
Curci R. see Mello R. 3067
Curci R. see Mello R. 6097
Curini M. see Ceccherelli P. 3071
Curran D. P. and **Chang C.-T.** Evidence that palladium(0)-promoted cyclizations of unsaturated α-iodocarbonyls occur by an atom transfer mechanism 933
Curran D. P. van Elburg P. A. Giese B. and **Gilges S.** Approximate rate constants for the addition of alkyl radicals to allylstannanes 2861
Curtis R. W. see Sugawara F. 4337
Cushing T. D. see Williams R. M. 6325
Cushman M. and **Nagarathnam D.** A method for the facile synthesis of ring-A hydroxylated flavones 6497
Cusumano L. see Jarret R. M. 171
Cyjon R. see Becker D. 4923
Cyr N. see Elofson R. M. 7205
Cyr P. T. see Taschner M. J. 5297
Czarnik A. W. see Chung Y. 5413
Czuchajowski L. see Kus P. 5133

d'Alarcao M. see Plourde R. 2693
d'Angelo J. and **Desmaele D.** A new strategy for the enantioselective synthesis of aspidosperma alkaloids - I. Construction of the [ABC]-type tricyclic intermediates 879
d'Angelo J. see Desmaele D. 883
d'Angelo J. see Sdassi H. 875
D'Souza V. T. see Rong D. 4275
Da Silva E. see Boivin J. 2501
Daeuble J. F. McGettigan C. Stryker J. M. Selective reduction of alkynes to *cis*-alkynes by hydrometallation using $[(Ph_3P)CuH]_6$ 2397
Daeuble J. F. see Koenig T. M. 3237
Dahl B. H. Bjergarde K. Nielsen J. and **Dahl O.** Deoxynucleoside phosphorodithioates. Preparation by a triester method 3489
Dahl O. see Dahl B. H. 3489
Dahuron N. see Langlois N. 7433
Dalley W. P. see Brahms J. C. 1381
Daltch C. E. see Herndon J. W. 4547
Daljeet A. K. see Friesen R. W. 6133
Daloze D. see Berlinck R. G. S. 6531
Dalpozzo R. see Bartoli G. 6089
Dalpozzo R. see Bartoli G. 6935
Damon R. E. and **Coppola G. M.** Cleavage of N-acyl oxazolidones 2849

Dana G. see Touboul E. 3549
Danheiser R. L. and **Cha D. D.** Total synthesis of the host defense stimulant maesanin 1527
Danieli B. see Palmisano G. 7229
Daniels K. see Craig D. 6441
Daniewski A. R. and **Uskokovi´c M. R.** Compactin from Hajós (-)-enedione 5599
Danion D. see Danion-Bougot R. 3739
Danion-Bougot R. Danion D. and **Francis G.** Synthesis and reactivity of protected β-bromo α-iminoacids; a convenient route to structurally diversified aminoacids 3739
Danishefsky S. J. see Chen S.-H. 2229
Daran J.-C. see Agami C. 2889
Das B. C. see Marazano C. 1995
Das B. see Chakravarty A. K. 7649
Daub J. Gierisch S. and **Salbeck J.** Oxidation state dependent light sensitivity of a ferrocene/dihydroazulene conjugate 3113
Dauben W. G. and **Kowalczyk B. A.** Total synthesis of (13*Z*)-spata-13(15),17-diene, and the formal synthesis of spatol 635
Dauben W. G. Cogen J. M. and **Behar V.** Clay catalyzed rearrangement of substituted allyl phenyl ethers: synthesis of *ortho*-allyl phenols, chromans and coumarans 3241
Dauben W. G. Hendricks R. T. Luzzio M. J. and **Ng H. P.** Enantioselectively catalyzed intramolecular cyclopropanations of unsaturated diazo carbonyl compounds 6969
Dauben W. G. Wang T. and **Stephens R. W.** Total synthesis of (±)-crassin acetate methyl ether 2393
Dauber-Osguthorpe P. Jones D. K. Campbell M. M. Semple G. and **Osguthorpe D. J.** Reduced and retro-reduced peptide analogues - conformations and energies 917
Daudon M. see Barret R. 4871
Daunis J. see Calmes M. 2003
Dave P. R. see Bashir-Hashemi 4835
Davies G. M. see Bowles S. 2650
Davies G. M. see MacLeod D. 4927
Davies G. M. see MacLeod D. 6077
Davies H. M. L. Saikali E. Clark T. J. and **Chee E. H.** Anomalous reactivity of mono substituted rhodium stabilized vinyl-carbenoids 6299
Davies I. W. see Aggarwal V. K. 135
Davies S. G. see Collingwood S. P. 4067
Davies S. G. Skerlj R. T. and **Whittaker M.** Chiral organometallic NADH mimics: preparation of homochiral (*R*)-(-)-[(η-C_5H_5)Fe(CO)(PPh_2(0-(*l*)methyl))]-1-methyl -1,4-dihydronicotinoyl and asymmetric reduction of ethyl benzoylformate 3213
Davis A. P. see Bonar-Law R. P. 6721
Davis A. P. see Bonar-Law R. P. 6725
Davis D. A. and **Gribble G. W.** A regioselective Diels-Alder synthesis ofellipticine 1081
Davis D. M. see Yoo H. K. 55
Davis F. A. and **Chen B.-C.** A highly enantioselective synthesis of (*R*)- and (*S*)-5,7-O-dimethyleucomol 6823
Davis F. A. Zhou P. and **Lal G. S.** A new synthesis of α-functionalized unsubstituted sulfonamides 1653
Davis P. D. and **Bit R. A.** A mild conversion of maleic anhydrides into maleimides 5201
Davis P. D. Bit R. A. and **Hurst S. A.** A convenient synthesis of bisindolyl- and indolylarylmaleic anhydrides 2353
De B. and **Corey E. J.** Carbon-carbon bond formation by O C rearrangement of allylideneoxyphosphoranes 4831
De Cusati P. F. and **Olofson R. A.** A simple synthesis of 1-(1,3-butadienyl) carbonates and carbamates 1405
De Cusati P. F. and **Olofson R. A.** *O*-1-(1,3-Butadienyl) carbamates as Diels-Alder dienes: stereospecific synthesis of (±)-hernadulcin and congeners 1409
De Jeso B. Belair N. Deleuze H. Rascle M.-C. and **Maillard B.** Enzymes in organic synthesis - VI. Scope and enantioselectivity of enzymatic hydrolyses of organosilyl-substituted esters 653
De Jong R. see Parry R. J. 7549
De Kimpe N. Yao Z.-P Boeykens M. and **Nagy M.** 1,4-Dehydrochlorination of α-chloroimines as a suitable procedure for the synthesis of unactivated 2-aza-1,3-dienes and 3-aza-1,3,5-trienes 2771
De Medeiros E. F. Herbert J. M. and **Taylor R. J. K.** The synthesis and absolute configuration of the novel ichthyotoxic diacylglycerol, umbraculumin A 5843
De Mesmaeker A. see Ernst B. 6167
De Pasquale R. J. See Faucitano A. 7055
De R. N. see Majumdar K. C. 1207
De Riggi E. ee Nouguier R. 3541
De Santi G. Scrimin P. and **Tonellato U.** Micellization triggers pseudo-intramolecular transacylation in Cu^{2+} complexes of hydrolytic metallomicelles 4791
De Sario F. see Cicchi S. 3351
de Bie J. F. M. van Strijdonck G. P. F. Seerden J. P. Beurskens G. and **Scheeren J. W.** Unexpectedly high diastereomeric induction in the Diels-Alder reaction of quinones with chiral aryl containing 1-alkoxy-3-trimethylsilyloxy-buta-1,3-dienes 7233
de Blic A. see Baltas M. 4453
de Bont H. B. A. van Boom J. H. and **Liskamp R. M. J.** Automatic synthesis of phosphopeptides by phosphorylation on the solid phase 2497
de Jong J. C. Jansen J. F. G. A. and **Feringa B. L.** Asymmetric synthesis of decalines and hexahydroindanes 3047
de Kanter F. J. J. see Moene

W. 2641
de Laszlo S. E. Ford M. J. Ley S. V. and **Maw G. N.** Synthesis of the C12-C26 fragment of the acyltetronic acid ionophore antibiotic tetronasin (ICI 139603) 5525
de Leeuw J. W. see van Aarssen B. G. K. 4645
de March P. see Font J. 5517
de Meijere A. see Musigmann K. 1261
de Meijere A. see Ollivier J. 4135
de Meijere A. see Stolle A. 4593
de Oliveira A. B. Rasian D. S. and **Khuong-Huu F.** Selenium reagent in the synthesis of naphtho[2,3-*b*]furan-4,9-diones 6873
de Silva A. P. Gunaratne H. Q. N. and **Sandanayake K. R. A. S.** A new benzo-annelated cryptand and a derivative with alkali cation-sensitive fluorescence 5193
de Silva E. D. Andersen R. J. and **Allen T. M.** Geodiamolides C to F, new cytotoxic cyclodepsipeptides from the marine sponge *Pseudaxinyssa* sp. 489
de Veciana A. see Alvarez M. 5089
De-Eknamkul W. Zenk M. H. Enzyic formation of (R)-reticuline from 1,2-dehydroreticuline in the opium poppy plant 4855
Dean B. see Toyokuni T. 2673
Debacker M. see Fasseur D. 1713
Debart F. Rayner B. and **Imbach J.-L.** Sugar modified oligonucleotides-II. solid phase synthesis of nuclease resistant α-anomeric uridylates as potential antisense agents 3537
Deblak-Krook T. see Reid J. G. 3669
Declercq J. P. see Stella L. 2603
Décout J.-L. see Courseille C. 5031
Deeter J. Frazier J. Staten G. Staszak M. and **Weigel L.** Asymmetric synthesis and absolute stereochemistry of LY248686 7101
Deffo T. see Qian L. 6469
Dehaen W. and **Hassner A.** Stereoselectivity in intramolecular 1,3-dipolar cycloadditions. Nitrile oxides versus silyl nitronates 743
Dehmlow E. V. and **Stiehm T.** Stereoselective formation of cyclic bisallenes from 5,5,10,10-tetrabromotricyclo[7.1.0.0.^{4,6}]decanes 1841
del Carmen Reyes M. see Huguet J. 4279
Delauna J. Mabon G. Orliac A. and **Simonet J.** The cyclodimerization of aryl vinyl sulphones: a facile and specific reaction when activated by cathodic electron transfer 667
Delbecq P. Celerier J.-P and **Lhommet G.** Decarboxylation of cyclic β-enaminoketoesters with boric acid 4873
Deleanu C. see Uncuta C. 5645
Deleris G. See Serramedan D. 7007
Deleuze H. see De Jeso B. 653
Delinck D. L. and **Margolin A. L.** Enzyme-catalyzed acylation of castanospermine and 1-deoxynojirimycin 3093
Delinck D. L. and **Margolin A. L.** Synthesis of chiral building blocks for selective adenosine receptor agents. Lipase-catalyzed resolution of 2-benzylpropanol and 2-benzylpropionic acid 6797
Dell A. see Demange P. 7611
Dell'Erba C. Mele A. Novi M. Petrillo G. and **Stagnaro P.** Synthetic exploitation of the ring-opening of 3,4-dinitrothiophene. A novel access to 1,4-dialkyl- and 1,4-dinitro-diary l-2,3-1,3-butadienes 4933
Della E. W. Taylor D. K. and **Tsanaktsidis J.** Unusual bridgehead reactivity: formation of [1.1.1]propellane by 1,3-dehydrobromination of 1-bromobicyclo[1.1.1]pentane 5219
Dellaria, Jr. J. F. and **Sallin K. J.** Wittig olefination in the absence of an exogenous base: a new synthesis of α-substituted primary allylic amines 2661
Delmond B. See Serramedan D. 7007
deLong M. A. see Wender P. A. 5429
Delorme D. see Guindon Y. 2845
Delorme D. see Hanessian S. 6461
DeLuca H. F. see Perlman K. L. 1823
Deluca M. E. and **Hudlicky T.** Microbial oxidation of naphthalene derivatives. Absolute configuration of metabolites 13
Demange P. Bateman A. Macleod J. K. Dell A. and **Abdallah M. A.** Bacterial siderophores: unusual 3,4,5,6-tetrahydropyrimidine-based amino acids in pyoverdins from *Pseudomonas fluorescens* 7611
Demir Y. see Goldschmidt Z. 6711
Demko D. M. see Lessen T. A. 2105
Demonceau A. see Fontaine M. 3117
Deng M.-Z. see Chen Y. 2405
DeNicola A. see Poch M. 7505
DeNinno M. P. Perner R. J. and **Lijewski L.** Enantioselective reductions of 2-acyl-1,3-dithianes using the Corey oxazaborolidine catalyst 7415
Denis A. see Genêt J. P. 515
Dennin F. see Doise M. 1155
Deo N. see Dieter R. K. 4105
Depezay J. C. see Le Merrer Y. 1003
Deruzhenko I. V. see Mironov A. F. 6409
Descoins C. see Tellier F. 2295
Descotes G. see Praly J.-P. 1133
Descotes G. see Praly J.-P. 4441
Deshmukh M. N. see Rama Rao A. V. 271
Deshpande P. K. see Yadav J. S. 4495
Deshpande P. P. and **Martin O. R.** A concise total synthesis of the aglycone of the gilvocarcins 6313
Desilva M. see Eisenberg W. C. 5857
Deslongchamps P. see Ruel R. 3961
Deslongchamps P. see Spino C. 3969
Desmaele D. and **d'Angelo J.** A new strategy for the

enantioselective synthesis of aspidosperma alkaloids - II. Achievement of the pentacyclic system 883
Desmaele D. see d'Angelo J. 879
Despax C. and **Navech J.** New thio-analogs of phosphoenol pyruvate 1557
Despax C. and **Navech J.** Synthesis of new analogs of phosphoenol pyruvate 4471
Destouesse F. see Pochet S. 6021
Detre G. see Avery M. A. 1799
DeVita R. J. see Kende A. S. 307
Déziel R. see Aubry N. 6311
Dhaliwal H. K. see Tanner D. 1903
Di Fabio R. see Bonini C. 5369
Di Vona M. L. Floris B. Luchetti L. and **Rosnati V.** Single electron transfer in zinc-promoted reactions. The mechanisms of the Clemmensen reduction and related reactions 6081
Díaz M. T. see Alvarez E. 1629
Dickens M. J. see Einhorn C. 4129
Dieter J. W. see Dieter R. K. 4105
Dieter R. K. Lagu B. Deo N. and **Dieter J. W.** Asymmetric conjugate addition reactions with chiral amidocuprates: the effect of Cu(I) salts and coordinating heteroatoms 4105
Diez A. see Rubiralta M. 3347
Diez A. see Rubiralta M. 3779
Diez D. see Urones J. G. 4501
Diez-Martin D. Grice P. Kolb H. C. Ley S. V. and **Madin A.** Synthesis of a C16-C28 spiroacetal fragment of avermectin B_{1a} and reassignment of some ^{1}H and ^{13}C resonances of avermectin B1a 3445
Diez-Martin D. see Urones J. G. 5665
Dike S. Y. Mahalingam M. and **Kumar A.** Diastereoselective synthesis of optically active pyrrolizidine and indolizidine ring systems through intramolecular ene reaction 4641
Dikic B. see Pyne S. G. 5231
Dillard L. W. see Polniaszek R. P. 797
Dilley J. see Weeratunga G. 5713
Dingle T. W. see Mitchell R. H. 5281
DiNinno F. P. see Rano T. A. 2853
Discordia R. P. Murphy C. K. and **Dittmer D. C.** Telluride-mediated stereospecific conversion of recemic *E*-allylic alcohols to homochiral *Z*-allylic alcohols; transposition of primary and secondary allylic alcohols via glycidol derivatives 5603
Dittami J. P. Nie X.-Y. Buntel C. J. and **Rigatti S.** Photoinitiated intramolecular ylide-alkene cycloaddition reactions 3821
Dittmer D. C. see Discordia R. P. 5603
Dixneuf P. H. see Fournier J. 1721
Djedaïni F. see Parrot-Lopez H. 1999
Djerassi C. see Giner J.-L. 5421
Djerassi C. see Kerr R. G. 5425
Djukic J. P. see Rose-Munch F. 2589
Dmitrienko G. I. Nielsen K. E. Steingart C. Ming N. S. Willson J. M. and **Weeratunga G.** N-Cyanoindoles and N-cyanoindole-4,7-diones: construction of a BC ring synthon for the kinamycins 3681
Dmitrienko G. I. see Weeratunga G. 5713
Doctorovich F. see Nudelman N. S. 2533
Dodey P. see Bellamy F. D. 7323
Doh C. H. see Shim S. C. 105
Doi T. Shimizu K. Takahashi T. Tsuji J. and **Yamamoto K.** Enantioselective approach to the steroid skeleton by conjugate addition of alkenylcopper-phosphine complexes. Total syntheses of estrone methyl ether and its 7-alkylated derivative 3313
Doise M. Dennin F. Blondeau D. and **Sliwa H.** Synthesis of novel heterocycles: oxazolo[4,5-*b*]pyridines and oxazolo[4,5-*d*]pyrimidines 1155
Dolata D. P. and **Spina D. R.** Theoretical studies of the conformational control of additions to bicyclo[*m*.1.0]alkan-2-ones. Application and validation of the WIZARD technique 6811
Dolata D. P. see Mash E. A. 4565
Dolina S. J. see Leidner C. R. 189
Dolle R. E. see Shaw A. N. 5081
Doller D. see Barton D. H. R. 353
Doller D. see Barton D. H. R. 3097
Domínguez C. Csáky A. G. and **Plumet J.** 1,3-Dipolar cycloadditions of benzonitrile oxide to vinyl and azavinyl furan derivatives 2635
Domínguez C. Csáky A. G. and **Plumet J.** Magnesium monoperoxyphtalate: a new reagent for the oxidative ring opening of furans to *cis*-enediones 7669
Domínguez D. see Lamas C. 6247
Domínguez E. and **Carretero J. C.** Facile synthesis of *E*-γ-hydroxy-α, β-unsaturated sulfones from aldehydes 2487
Dommerholt F. J. see Thijs L. 6589
Dommisse R. see Hisham A. 4649
Donald D. K. see Stocks M. 1637
Dondoni A. Fantin G. Fogagnolo M. and **Merino P.** A concise new route to 3-deoxy-D-manno octulosonic acid (KDO) from D-arabinose and 2-acetylthiazole 4513
Donnelly D. M. X. see Barton D. H. R. 6637
Donnelly D. M. X. see Barton D. H. R. 7449
Dooley M. J. Quinn R. J. Patalinghug W. C. and **White A. H.** Synthesis of a pyrimidine by elimination of nitrogen from a triazolo [4,5-*d*]pyrimidine 6103
Dorgan B. J. see Bonar-Law R. P. 6721
Dorgan B. J. see Bonar-Law R. P. 6725
Dörges Ch. See Märki G. 6999
Dorges Ch. see Markl G. 4589
Dorrity M. J. R. see Grigg R. 3075
Dorrity M. J. see Barr D. A. 6569
Dorrity M. J. see Grigg R. 1343
Dorrity M. R. J. see MacLeod D.

6077
Dosen M. see Collins D. J. 421
Doty B. J. and **Morrow G. W.** Conjugate reduction of quinone derivatives. A route to phenol keto-tautomer equivalents 6125
Dougherty T. J. see Pandey R. K. 789
Dougherty T. J. see Pandey R. K. 7399
Dougherty W. Liotta F. Mondimore D. and **Shum W.** A convenient gas chromatographic method for the optical purity determination of chiral epoxy alcohols 4389
Dover J. and **Sheridan R. S.** Methoxy as a removable activating group in the triazolinedione rearrangement route to azo compounds 1961
Downer J. see Lautens M. 5829
Doyle M. P. Brandes B. D. Kazala A. P. Pieters R. J. Jarstfer M. B. Watkins L. M. and **Eagle C. T.** Chiral rhodium(II) carboxamides. A new class of catalysts for enantioselective cyclopropanation reactions 6613
Doyle T. J. see Magriotis P. A. 2541
Doyle T. W. see Golik J. 6149
Dózono H. see Ueoka R. 5311
Drach S. See Khripach V. 7065
Dragan V. A. see Veselovsky V. V. 1187
Draheim S. E. see Ternansky R. J. 2805
Dreef-Tromp C. M. Hoogerhout P. van der Marel G. A. and **van Boom J. H.** A new protected acyl protecting group for exocyclic amino functions of nucleobases 427
Driguez H. see Blanc-Muesser M. 3867
Driguez H. see Blanc-Muesser M. 3869
Droescher P. see Schönecker B. 1257
Du Y. see Ikeda H. 5045
Dubaele B. see Jossang A. 1861
Dubois E. and **Beau J.-M.** Arylation of 1-tributylstannyl glycals catalyzed by palladium: a synthetic route to the basic skeleton of the papulacandins and chaetiacandin 5165
DuBose C. M. see Janzen E. G. 7395
Duchêne A. see Parrain J.-L. 1857
Ducoux J.-P. Le Ménez P. Kunesch N. Kunesch G. and **Wenkert E.** Short, -regio- and stereo-selective preparation of 1,5- and 1,6-dienes. Syntheses of *Eudia pavonia* pheromone and gossyplure 2595
Ducrot P.-H. and **Lallemand J. Y.** Structure of the *Calystegines:* new alkaloids of the nortropane family 3879
Ducrot P.-H. Beauhaire J. and **Lallemand J. Y.** Synthetic studies on the 1-hydroxy nortropane system: an approach to *Calystegines* 3883
Ducrot P.-H. see Einhorn J. 6633
Duddeck H. McKervey M. A. and **Rosenbaum D.** An adamantane →protoadamantane rearrangement and atropisomerism about a *tert.*-butyl-to-protoadamantyl bond 4061
Dufour M.-N. see Coste J. 669
Dugast J.-Y. see Molle G. 6355
Duhamel L. Guillemont J. Lé Gallic Y. Plé G. Poirier J.-M. Ramondenc Y. and **Chabardes P.** Polyunsaturated aldehydes by direct polyvinylogation of carbonyl compounds using functionalized phosphonates 3129
Dumas D. see Vatele J.-M. 2277
Dumas J. see Le Merrer Y. 1003
Dumont W. see McKillop A. 5007
Dunn E. J. see Buncel E. 6513
Dunogues J. see Bennetau B. 6179
Dunogués J. see Palomo C. 1921
DuPriest M. T. Conrow R. E. and **Kuzmich D.** A transaminative synthesis of 9-amino-9-fluorenecarboxylic acid esters 2959
Durand G. see Sánchez-Baeza F. 3359
Durand T. Savignac Ph. Girard J.-P. Escale R. and **Rossi J.-C.** β-Cétophosphonates: précurseurs d'analogues du LTB_4 4131
Durette P. L. Baker F. Barker P. L. Boger J. Bondy S. S. Hammond M. L. Lanza T. J. Pessolano A. A. and **Caldwell C. G.** Total synthesis of L-156,602, a novel cyclic hexadepsipeptide antibiotic 1237
Durga Prasad A. see Choudary B. M. 7521
Durgaprasad A. see Choudary B. M. 5785
Durocher D. T. see Raban M. 5125
Durst T. see Breau L. 35
Durst T. see Sharma M. K. 3249
Dussault P. and **Sahli A.** An olefination-based route to unsaturated hydroperoxides 5117
Dutta A. K. see Jaeger D. A. 449
Dutta D. K. see Mahajan A. R. 3943

Eagle C. T. see Doyle M. P. 6613
Earle M. J. Fairhurst R. A. Heaney H. Papageorgiou G. and **Wilkins R. F.** A new route to secondary amines from bis-(alkoxymethyl)alkylamines - the activation of an aminomethyl group and protection of the product by the same functional group 4229
Easton C. J. and **Pitt M. J.** Exocyclic bromination of *N*-substituted β- and γ-lactams 3471
Easton C. J. Hutton C. A. Tan E. W. and **Tiekink E. R. T.** Synthesis of homochiral hydroxy-α-amino acid derivatives 7059
Eaton P. E. see Reddy D. S. 805
Eberspacher T. A. see Takacs J. M. 6765
Ebisuya K. see Watanabe Y. 255
Ebizuka Y. see Ichinose K. 5905
Echavarren A. M. see Castaño A. M. 4783

Echavarren A. M. see Tamayo N. 5189
Echegoyen L. see Yoo H. K. 55
Echner H. see Shekhani M. S. 339
Eddarir S. Francesch C. Mestdagh H. and Rolando C. Synthesis of fluorinated enynes via 1-bromo 1-fluoro alkenes 4449
Ede N. J. Rae I. D. and Hearn M. T. W. Synthesis of a new protected lactam-bridged dipeptide 6071
Eder H. see Collins P. M. 2055
Edmonds M. K. see Brimble M. A. 7509
Edwards M. L. see McCarthy J. R. 5449
Edwards M. L. Stemerick D. M. and McCarthy J. R. Stereospecific synthesis of secondary amines by the Mitsunobu reaction 3417
Edwards M. L. Stemerick D. M. Jarvi E. T. Matthews D. P. and McCarthy J. R. Difluoromethyldiphenylphosphine oxide. A new reagent for conversion of carbonyl compounds to 1,1-difluoroolefins 5571
Edwards P. D. see Brown A. G. 6581
Effenberger F. Hörsch B. Förster S. and Ziegler T. Enzyme-catalyzed synthesis of (*S*)-cyanohydrins and subsequent hydrolysis to (*s*)-α-hydroxy-carboxylic acids 1249
Egert E. see Hoppe I. 6859
Eggleston D. S. see Baures P. W. 6501
Eggleston D. S. see Swindell C. S. 5409
Eguchi M. see Rossiter B. E. 965
Eguchi S. see Ohno M. 4613
Eguchi T. see Fujimoto Y. 535
Ehle M. Wagner O. Bergsträßer U. and Regitz M. First synthesis of pentacoordinated phosphirenes 3429
Ehret-Sabatier L. see Kessler P. 1275
Eibisch H. see Schönecker B. 1257
Eid, Jr. C. N. and Konopelski J. P. Conjugate hydroboration-reduction and organolithium additions to acylketene acetals. Synthesis of monoprotected β-dicarbonyls 305
Einhorn C. Einhorn J. Dickens M. J. and Luche J. L. Organic sonochemistry - some illustrative examples of a new fundamental approach 4129
Einhorn C. see Luche J. L. 4125
Einhorn J. Menassieu P. Malosse C. and Ducrot P.-H. Identification of the sex pheromone of the maritime pine scale *Matsucoccus feytaudi* 6633
Einhorn J. see Einhorn C. 4129
Einhorn J. see Luche J. L. 4125
Eisenbeis S. A. see Black T. H. 6617
Eisenberg W. C. and DeSilva M. Atomspheric gas phase generation of singlet oxygen by homogeneous photosensitization 5857
Eitel M. see Pindur U. 1551
Ekimoto H. see Kadota S. 393
Ekkundi V. S. see Kelly T. R. 3381
El Kharraf Z. see Praly J.-P. 4441
El-Zayat A. A. E. see Mazur P. 3837
Elemes Y. see Orfanopoulos M. 5775
Elie C. J. J. see Boons G. J. P. H. 2197
Elliott R. P. Fleet G. W. J. Gyoung Y. S. Ramsden N. G. and Smith C. High yield reduction of 2-*O*-trifluoromethanesulphonate esters of α-hydroxylactones to the corresponding 3-deoxylactones by lithium iodide trihydrate 3785
Ellsworth E. L. see Lipshutz B. H. 7257
Elofson R. M. Cyr N. Laidler J. K. and Mason J. The configuration and conformation of aryl diazotates and diazocyanides 7205
Elworthy T. R. see Lipshutz B. H. 477
Elworthy T. R. see Lipshutz B. H. 4539
Elyacoubi R. see Calmes M. 2003
Emura J. see Inami K. 4033
Endo T. see Nambu Y. 891
Endo T. see Nambu Y. 1723
Endo Y. see Ishii A. 2623
England P. Chun K. H. Moran E. J. and Armstrong R. W. Synthetic studies towards carzinophilin: synthesis of ammonium hydroxide-induced rearrangement of the epoxy-acid fragment 2669
England W. P. see Shea K. J. 6843
Enholm E. J. Burroff J. A. and Jaramillo L. M. Free radical cyclizations of terminal alkynes with oxime ethers 3727
Epa W. R. see Moriarty R. M. 5877
Er-Rhaimini A. Mohsinaly N. and Mornet R. The photosolvolysis of N-arylmethyladenines. Photoremovable N-arylmethyl protective groups for N-containing compounds 5757
Erata T. see Oi N. 1019
Erb J. M. see Holt D. A. 1210
Erickson S. D. and Still W. C. 4253
Ernest I. Kalvoda J. Rihs G. and Mutter M. Three novel mimics for the construction of sterically constrained protein turn models 4011
Ernest I. Vuilleumier S. Fritz H. and Mutter M. Synthesis of a 4-helix bundle-like template-assembled synthetic protein (TASP) by condensation of a protected peptide on a conformationally constrained cyclic carrier 4015
Ernst B. De Mesmaeker A. Wagner B. and Winkler T. Haloenamines - II. A rapid and efficient synthesis of carbohydrate 1,2-orthoesters 6167
Escale R. see Durand T. 4131
Esch P. M. Hiemstra H. and Speckamp W. N. Synthesis of cyclic α-amino acids through ring closure of glycine derived free radicals 759
Esmans E. see Hisham A. 4649
Espie J. C. Lhomme M. F. Morat C. and Lhomme J. Synthesis of a nitro group containing ribonucleoside related to guanosine 1423
Essassi E. M. see Cherkaoui O. 5467

Estermann H. Prasad K. Shapiro M. J. Repic O. Hardtmann G. E. Boisterli J. J. and Walkinshaw M. D. Enzyme-catalyzed asymmetrization of bis(hydroxymethyl)-tetrahydrofurans 445
Etoh H. see Sakata K. 1165
Evans D. A. and Carreira E. M. Control of remote enoate geometry in the bryostatins with a tethered Horner-Wadsworth-Emmons reagent 4703
Evans D. A. and Gage J. R. Reversal of aldehyde diastereofacial selectivity in a methyl ketone aldol reaction. Application to the synthesis of the calyculin spiroketal 6129
Evans D. A. Rieger D. L. and Gage J. R. ^{13}C NMR chemical shift correlations in 1,3-diol acetonides. Implications for the stereochemical assignment of propionate-derived polyols 7099
Evans J. M. see Burrell G. 3649
Evans K. L. Prince P. Huang E. T. Boss K. R. and Gandour R. D. Molecules for intramolecular recognition. Synthesis and structure of diaryl- and arylnaphthylethynes 6753
Evans, Jr. S. A. see Powers T. A. 5835
Ewald M. see Bolm C. 5011
Ezell E. F. see Yang N. C. 3825
Ezquerra J. He W. and Paquette L. A. Enantiospecific synthesis of the tricyclic nucleus of acetoxycrenulide by Claisen ring expansion 6979

Fabriàs G. see Arsequell G. 2739
Fahrang R. see Safi M. 527
Fairchild R. G. see Miura M. 2247
Fairhurst R. A. see Earle M. J. 4229
Falck J. R. see Lumin S. 2971
Faleev N. G. Ruvinov S. B. Saporovskaya M. B. Belikov V. M. Zakomyrdina L. N. Sakharova I. S. and Torchinsky Yu. M. Preparation of α-deuterated L-aminoacids using *E.coli* B/lt7-A cells containing tryptophanase 7051
Famulok M. see Ulbrich R. 1689
Fang C. Suemune H. and Sakai K. Chiral alcohol-induced diastereoselective conjugate addition and cyclization 4751
Fantin G. see Dondoni A. 4513
Farina F. see Tamayo N. 5189
Farmer L. see Gravel D. 63
Farr R. A. Peet N. P. and Kang M. S. Synthesis of 1*S*,2*R*,3*S*,4*R*,5*R*-methyl[2,3,4-trihydroxy-5-(hydroxymethyl) cyclopentyl]amine: a potent α-mannosidase inhibitor 7109
Fasman G. D. see Otvos, Jr. L. 5889
Fasseur D. Rigo B. Cauliez P. Debacker M. and Couturier D. Electrochemical synthesis of the vinylogs of N-acyl N,O-acetals and their reactivity 1713
Fathi R. Goswami B. Kung P.-P. Gaffney B. L. and Jones R. A. Synthesis of 6-substituted 2'-deoxyguanosine derivatives using tri-fluoracetic anhydride in pyridine 319
Faucitano A. Buttafava A. Martinotti F. Marchionni G. and De Pasquale R. J. Photolysis and photochemically assisted thermolysis of tetrafluoroethylene-hexafluoropropene-oxygen terpolymers 7055
Fauq A. H. see Kozikowskio A. P. 2967
Faure B. see Fotiadu F. 77
Faure R. see Aknin M. 2979
Faure R. see Kabore L. 3137
Faure R. see Tenaglia A. 4457
Fava A. see Cerè V. 1907
Fehr C. Galindo J. and Guntern O. Diastereocontrolled synthesis of functionalized *trans*-decalins via electrocyclic reaction of trienol ethers 4021
Feldman K. S. and Vong A. K. K. Phenylthio radical mediated synthesis of substituted 3-vinyl-cyclohexanones. Interruption of the ring-opening polymerization of 1,3-dioxolan-4-yl radicals 823
Felix C. Laurent A. and Mison P. Unusual reactivity of allylmagnesium bromide 4143
Fell S. C. M. and Harbridge J. B. 2,5-Dimethoxy-2,5-dihydrofuran: a convenient synthon for a novel mono-protected glyoxal; synthesis of 4-hydroxybutenolides 4227
Feneau-Dupont J. see Stella L. 2603
Fenical W. see Lindquist N. 2389
Fenical W. see Lindquist N. 2521
Fenical W. see Wiemer D. F. 1973
Feringa B. L. Gelling O. J. and Meesters L. Stereoselective synthesis of decalines via tandem photooxidation-intramolecular Diels-Alder reactions of bis-furans 7201
Feringa B. L. see de Jong J. C. 3047
Fernández C. see Marco-Contelles J. L. 1467
Fernández de la Pradilla R. see Arjona O. 1475
Fernández Mateos A. Ferrero Barrueco O. and Rubio González R. Synthesis of pinguisanes through furan-terminated cationic cyclization 4343
Ferraboschi P. see Santaniello E. 5657
Ferreira D. see Cronjé A. 3789
Ferreira D. see Hundt A. F. 5073
Ferreira D. see Steynberg P. J. 2059
Ferreira D. see van Dyk M. S. 2643
Ferrer J. C. Lalueza R. Saavedra O. and Brosa C. Short step synthesis of (22*E*,24*R*)-5α-ergosta-2,22-dien-6-one, a key intermediate for the preparation of 24-epibrassinolide 3941
Ferrero Barrueco O. see Fernández Mateos A. 4343
Ferrero M. see Barluenga J. 3497
Fertel L. B. see Gassman P. G. 6489
Flandor J. and Tam S. Y. Synthesis of 3'-deoxy-3'-(2-propynyl)thymidine and 3'-

cyanomethyl-3'-deoxythymidine, analogs of AZT 597
Flaud J.-C. see Legros J.-Y. 7453
Flaud J.-C. see Ollivier J. 4135
Fillion H. see Nebois P. 2569
Finch H. see Owen D. A. 3401
Fine R. see Cai P. 969
Finet J.-P. see Barton D. H. R. 6637
Finet J.-P. see Barton D. H. R. 7449
Finzel R. see Adam W. 863
Fiorentino M. see Mello R. 3067
Fiorentino M. see Mello R. 6097
Fiori G. see Palmisano G. 7229
Fischer B. see Hassner A. 7213
Fischer J.-C. see Balavoine G. 5761
Fischer R. see Schönecker B. 1257
Fisher M. H. see Blizzard T. A. 4965
Fisher M. H. see Ok H. 6477
Fisher M. H. see Shih T. L. 3525
Fisher M. H. see Shih T. L. 3529
Fishwick C. W. G. see Alanine A. I. D. 5674
Fite C. see Masjedizadeh M. R. 1229
Fleet G. W. J. Carpenter N. M. Petursson S. and Ramsden N. G. Synthesis of deoxynojirimycin and of nojirimycin δ-lactam 409
Fleet G. W. J. Ramsden N. G. Carpenter N. M. Petursson S. and Aplin R. T. B. Some comments on an allegedly 'facile synthesis of nojirimycin' 405
Fleet G. W. J. see Elliott R. P. 3785
Fleet G. W. J. see Wilson F. X. 6931
Fleet G. W. J. see Witty D. R. 4787
Fleet G. W. J. see Witty D. R. 6927
Fleming I. and Lawrence N. J. A synthesis of (-)-tetrahydrolipstatin in which the relative stereochemistry is controlled by a phenyldimethylsilyl group 3645
Fleming S. A. Rawlins D. B. and Robins M. J. Photochemistry of the nucleoside membrane transport inhibitor 6-[(4-nitrobenzyl)thio]-9-(β-D-ribofuransoyl)purine 4995
Filsak J. R. see Baures P. W. 6501
Florent J.-C. see Bertounesque E. 7153
Florent J.-C. see Bonin M. 2885
Florent J.-C. see Genevois-Borella A. 4879
Florio S. Ronzini L. and Sgarra R. Regiochemistry and stereochemistry of the coupling of phenylthiopentadienyl metals with C-electrophiles 2327
Floris B. see Di Vona M. L. 6081
Flynn B. L. see Crisp G. T. 1347
Flynn G. A. Beight D. W. Huber E. W. and Bey P. The conversion of a diazolactam to an α-methylenelactam: an entrance to new conformationally restricted inhibitors of angiotensin-converting enzyme 815
Fogagnolo M. see Dondoni A. 4513
Follet M. see Ceccato M.-L. 6189
Fong S. T. see Coxon J. M. 5357
Fong S. T. see Coxon J. M. 7479
Font J. Gracia A. and de March P. Synthesis of 5-alkyl-4-bromo-5-hydroxy-2(5*H*)-furanones and 5-alkylidene-4-bromo-2(5*H*)-furanones 5517
Fontaine M. Noels A. F. Demonceau A. and Hubert A. J. Synthesis of symmetrical ketones from aldehydes catalysed by dicobaltoctacarbonyl 3117
Foo L. Y. see White J. 2789
Foote C. S. see O'Shea K. E. 841
Forbes J. E. Tallhan C. and Zard S. Z. Dithiocarbonate group transfer in radical chain reactions 2565
Ford M. J. see Brown R. T. 2029
Ford M. J. see Brown R. T. 2033
Ford M. J. see de Laszlo S. E. 5525
Forrow N. J. and Batchelor M. J. Synthesis of the N-glycopeptide partial sequence A^{1}-A^{12} of the β-chain of glycosylated haemoglobin HbA . A new approach to Amadori N-glycopeptides 3493
Förster S. see Effenberger F. 1249
Fotiadu F. Archavlis A. and Buono G. Diels-Alder reactions of α-vinylidene-γ-butyrolactones 4859
Fotiadu F. Cros P. Faure B. and Buono G. Application of AMPP-Pd catalysts in an unusual asymmetric allylic coupling reaction of 1-trimethylsilyl vinyl magnesium bromide 77
Fotiadu F. Michel F. and Buono G. High exoselectivity in diels-alder additions of α-vinylidene and α-methylene-γ-butyrolactones to cyclopentadiene 4863
Fouquet E. see Boivin J. 85
Fouquet E. see Boivin J. 3545
Fourneron J.-D. Chiche M. and Piéroni G. Stereoselective lipase-catalysed acylation of terpenic allylic alcohols by fatty acid anhydrides 4875
Fournet G. Balme G. Van Hemelryck B. and Gore J. Stereospecific synthesis of arylidene and allylidene cyclopentanes by a palladium-catalyzed cyclisation 5147
Fournier J. Bruneau C. and Dixneuf P. H. A simple synthesis of oxazolidinones in one step from carbon dioxide 1721
Fourrey J.-L. See Mouna A. M. 7003
Fox M. A. and Abdel-Wahab A. A. Selectivity in the TiO_2-mediated photocatalytic oxidation of thioethers 4533
Francesch C. see Eddarir S. 4449
Francis G. see Danion-Bougot R. 3739
Franck-Neumann M. Geoffroy P. Miesch M. and Zaragoza Dörwald F. Convergent syntheses in the sesquicarene series using a C_2-vinylalkynylcarbene 4121
Franck-Neumann M. Miesch M. and Gross L. The bicyclo[2.1.0]pentane way to the diquinane alcohol part of

natural triquinanes. A high yield access starting from trimethylsilyloxycyclopentene 5027
François I. see Coulton S. 6923
François P. Perilleux D. Kempener Y. and **Sonveaux E.** Flexible aglycone residues in duplex DNA 6347
Frank R. see Blankemeyer-Menge 1701
Fraser-Reid B. see Konradsson P. 4313
Frauenrath H. and **Sawicki M.** Synthesis of 2,3-substituted tetrahydropyrans by rearrangement of 5,6-dihydro-4*H*-1,3-dioxocins 649
Frazier J. see Deeter J. 7101
Freer A. Overton K. and **Tomanek R.** Synthesis of a potential intermediate to β-lactam antiobiotics 1471
Friesen J. B. and **Leete E.** Nicotine synthase - an enzyme from *Nicotiana* species which catalyzes the formation of (*S*)-nicotine from nicotinic acid and 1-methyl-Δ'-pyrrolinium chloride 6295
Friesen R. W. A highly stereoselective conversion of α-allenic alcohols to 1,2-*syn* amino alcohol derivatives via iodocarbamation 4249
Friesen R. W. and **Daljeet A. K.** Hydroboration of C-arylglucals. Synthesis of the β-C-arylglucoside nucleus of chaetiacandin 6133
Fritz H. see Ernest I. 4015
Frolow F. see Hassner A. 5669
Frommer, Jr. J. see McDonald C. E. 6283
Fronczek F. R. see Collado I. G. 5795
Fronczek F. R. see Fyles T. M. 1101
Fry J. L. see Karaman R. 941
Fry J. L. see Karaman R. 6155
Fu J. and **Snlekers V.** Connections to the directed *ortho* metalation strategy. Pd(O)-catalyzed cross coupling of aryl boronic acids with aryl triflates 1665
Fu X. and **Cook J. M.** General approach for the synthesis of polyquinenes via the Weiss reaction - XII. The Chugaev approach to ellacene (1,10-cyclododecanotriquinancene) 3409
Fu X. see Kubiak G. 4285
Fueno T. see Okuyama T. 1017
Fugami K. see Kimura M. 4887
Fuganti C. Pedrocchi-Fantoni G. and **Servi S.** Chemo-enzymatic alkylation of active methylene compounds 4195
Fuji K. Kawabata T. Kiryu Y. Sugiura Y. Taga T. and **Miwa Y.** A new access to chiral aziridines by enzymatic transesterification of *meso*-bis(acetoxymethyl)aziridines 6663
Fuji K. Node M. Abe H. Itoh A. Masaki Y. and **Shiro M.** Addition-elimination strategy for asymmetric induction: a chiral sulfoxide as a leaving Group 2419
Fuji K. Node M. and **Tanaka F.** Complex-induced proximity effects in enolate formation. Highly diastereoselective α-methylation of binaphthyl esters of arylacetic acids 6553
Fuji K. Node M. Naniwa Y. and **Kawabata T.** Corrigendum 4666
Fuji K. Node M. Naniwa Y. and **Kawabata T.** Enantioselective iodolactonization through diastereotopic group differentiation 3175
Fujihara H. Akaishi R. Nakamura A. and **Furukawa N.** Chemical and electrochemical reduction of diselenide dication salt,1,5-diselenoniabicyclo[3.3.0]octane bis(hexafluorophosphate) 6375
Fujihara H. Mima H. Chiu J.-J. and **Furukawa N.** Transannular interaction between selenium and sulfur atoms in 5H,7H-dibenzo[*b,g*][1,5]selenathiocin: formation of a new heteroatom dication [>Se+-+S<] 2307
Fujihara H. Oi N. Erata T. and **Furukawa N.** Novel hexa- and pentacoordinate sulfur compounds: dichlorodiazapersulfurane and its persulfonium salt from 1,11-(methanoaminomethano)-5H,7H-dibenzo[*b,g*][1,5]thiazocine 1019
Fujii H. see Harusawa S. 5471
Fujii Y. see Kita Y. 7173
Fujikura K. see Sugimoto M. 385
Fujikura K. see Sugimoto M. 1435
Fujimori T. see Ogura K. 4621
Fujimoto K. see Iwamoto K. 7169
Fujimoto Y. Murasaki C. Kakinuma K. Eguchi T. Ikekawa N. Furuya M. Hirayama K. Ikekawa T. Sahai M. Gupta Y. K. and **Ray A. B.** Squamostatin-A: unprecedented bis-tetrahydrofuran acetogenin from *Annona squamosa* 535
Fujino S. see Kawase T. 545
Fujio M. Goto M. Tsuno Y. Kobayashi S. and **Taniguchi H.** Solvent effects on solvolysis of 1,2,2-*tris* (*p*-methoxyphenyl)vinyl tosylate 7039
Fujio M. see Mishima M. 685
Fujioka H. Miyazaki M. Yamanaka T. Yamamoto H. and **Kita Y.** Beckmann fragmentation and successive carbon-carbon bond formation of α-alkoxycycloalkanone oximes catalyzed by trimethylsilyl trifluoromethanesulfonate 5951
Fujioka H. see Kita Y. 7173
Fujisawa T. see Kusumoto T. 5343
Fujisawa T. Takemura I. and **Ukaji Y.** Either diastereofacial differentiation in the reaction of chiral thiomethylketones with appropriate organometallics 5479
Fujita H. see Tokuda M. 5353
Fujita M. see Ogura K. 3331
Fujita M. see Ogura K. 4621
Fujita T. see Moss R. A. 2377
Fujita T. see Moss R. A. 7559
Fujita Y. see Tsushima T. 3017
Fujiwara K. Kurisaki A. and **Hirama M.** Two diverse modes of aromatization of a new 10-membered ring analogue of neocarzinostatin chromophore 4329
Fujiwara K. see Tanaka T. 5947
Fujiwara S. Katsumura S. and **Isoe S.** Stereoselective synthesis of 2-substituted 1-methoxy-1,3-dienes by 1,4-

elimination with tributylstannyllithium 691
Fujiwara T. and **Takeda T.** Ring Enlargement reaction of 2-(1-alkenyl)-1-cyclobutyl ketones a new method for the preparation of 4-acyl-1-cyclohexenes 6027
Fujiwara T. see Takeda T. 6685
Fukase K. Tanaka H. Torii S. and **Kusumoto S.** 4-Nitrobenzyl group for protection of hydroxyl functions 389
Fukazawa Y. Kitayama H. and **Usui S.** Solid state structure of a large ring compound in solution. Structure of tetramethyl[4.4]paracyclophanedione 6689
Fukazawa Y. Okajima T. and **Usui S.** Synthesis and stucture of 1,11-*o*-benzeno[2]orthocyclo[2](4,5)-tropolonophane 1309
Fukomoto K. see Nemoto H. 6205
Fukuchi N. Isogai A. Yamashita S. Suyama K. Takemoto J. Y. and **Suzuki A.** Structure of phytotoxin syringomycin produced by a sugar cane isolate of *Pseudomonas syringae* pv. *syringae* 1589
Fukuchi N. see Isogai A. 695
Fukuda N. Mashima K. Matsumura Y. and **Takaya H.** Synthesis of new chiral bis(triarylphosphine) ligands based on asymmetric hydrogenation of 4,5-diaryl-2-oxocyclopentanecarboxylates 7185
Fukuda Y. Nakatani K. Ito Y. and **Terashima S.** First total synthesis of DL-duocarmycin A. 6699
Fukuda Y. see Isobe M. 3327
Fukuhara K. Miyata N. and **Kamiya S.** Synthesis of 6-azabenzo[*a*]pyrene 3743
Fukumasa M. See Takahashi O. 7031
Fukumasa M. see Kinoshita T. 6673
Fukuyama T. Linton S. D. and **Tun M. M.** A stereocontrolled total synthesis of (±)-renieramycin A 5989
Fukuyama Y. Otoshi Y. Kodama M. Hasegawa T. and **Okazaki H.** Structure of clovanemagnolol, a novel neurotrophic sesquiterpeneneolignan from *Magnolia obovata* 4477
Fukuyama Y. see Kodama M. 4025
Fukuyama Y. Shida N. Kodama M. Kido M. and **Nagasawa M.** Structure of illicinolide A, a novel sesquiterpene lactone from the bark of *Illicium tashiroi* 5621
Fukuzawa A. Aye M. Nakamura M. Tamura M. and **Mural A.** Structure elucidation of laureoxanyne, a new nonisoprenoid C enyne using lactoperoxidase 4895
Funabashi H. see Atsuumi S. 1601
Funabashi H. see Nakano M.. 1569
Funabiki K. see Ichihara J. 3167
Funaki A. see Irie K. 101
Funaki I. see Tanaka K. 2727
Furber M. see Kraft-Klaunzer P. 6235
Furet P. see Allmendinger T. 7297
Furihata K. see Shin-ya K. 6025
Fürstner A. Metal-graphite reagents in carbohydrate chemistry - IX. Fragmentations of 1-deoxy-1-iodo-2,3;4,5-di-O-isopropylidene pentitols 3735
Furuhashi K. See Takahashi O. 7031
Furukawa H. see Kamata M. 681
Furukawa N. see Fujihara H. 1019
Furukawa N. see Fujihara H. 2307
Furukawa N. see Nabeshima T. 3919
Furukawa N. see Nabeshima T. 6543
Furukawa T. see Takeda T. 6685
Furuki R. see Kitamura T. 703
Furuya M. see Fujimoto Y. 535
Furuya T. see Sato M. 3605
Fusco C. see Mello R. 3067
Fusco C. see Mello R. 6097
Fusetani N. see Hirota H. 4163
Fusetani N. see Natori T. 689
Fusetani N. Wolstenholme H. J. and **Matsunaga S.** Co-occurrence of 9-isocyanopupukeanane and its C-9 epimer in the nudibranch *Phyllidia bourguini* 5623
Fusetani N. Yasumuro K. Kawai H. Natori T. Brinen L. and **Clardy J.** Kalihinene and isokalihinol B, cytotoxic diterpene isonitriles from the marine sponge *Acanthella klethra* 3599
Fushiya S. Sato S. Kanazawa T. Kusano G. and **Nozoe S.** Acromelic acid C. A new toxic constituent of *Clitocybe acromelalga*: an efficient isolation of acromelic acids 3901
Fustero S. see Barluenga J. 397
Fustero S. see Barluenga J. 3793
Fyles T. M. Kaye K. C. James T. D. and **Smiley D. W. M.** Biomimetic ion transport: synthesis and activity of an amphotericin mimic 1233
Fyles T. M. Suresh V. V. Fronczek F. R. and **Gandour R. D.** Captands:macropolycyclic hosts via crown ether capping reactions 1101

Gabel D. see Ketz H. 4003
Gabel D. see Miura M. 2247
Gabis T. Ye. see Zelenin K. N. 3927
Gaden H. see Schmidt R. R. 327
Gadgil V. R. see Yadav J. S. 6217
Gaffney B. L. see Fathi R. 319
Gage J. L. see Chen H. G. 1829
Gage J. R. see Evans D. A. 6129
Gage J. R. see Evans D. A. 7099
Gai Y. see Ward D. E. 845
Gairi E. Lloyd-Williams P. Albericio F. and **Giralt E.** Use of BOP reagent for the suppression of diketopiperazine formation in Boc/Bzl solid-phase peptide synthesis 7363
Galindo J. see Fehr C. 4021
Gallagher J. see Semmelhack M. F. 1521
Gallagher T. see Moss W. O. 5653

Gallego M. G. see Armesto D. 2475
Galons H. see Parrot-Lopez H. 1999
Gama Y. see Sasaki M. 6549
Gamlath C. B. see Harmata M. 5981
Gammill R. B. Bell L. T. and **Mizsak S. A.** Mechanistic aspects of a novel 1,2-3,4 reductive-fragmentation that establishes four stereocenters in a single step 5301
Gammill R. B. Nash S. A. Bell L. T. Watt W. Mizsak S. A. Scahill T. A. and **Sobieray D.** Mechanistic and stereochemical aspects of the 1,2-3,4 hydride reduction of enones 5303
Gammill R. B. see Melnick M. J. 961
Gan H. see Yang N. C. 3825
Gan Y. see Nambu Y. 891
Ganapathy S. and **Liu R. S. H.** Photoisomerization of hindered poly-*cis* isomers of retinal. Regioselectivity and one-photon-multiple-bond isomerization 6957
Gandour R. D. see Evans K. L. 6753
Gandour R. D. see Fyles T. M. 1101
Ganem B. see Bernotas R. C. 3393
Ganem B. see Godfrey A. G. 4825
Ganem B. see Muralidharan V. B. 183
Ganem B. see Nikolaides N. 1113
Ganem B. see Nikolaides N. 6009
Ganem B. see Tong M. K. 1683
Ganesh K. N. see Gopalakrishnan V. 1613
García J. M. see Palomo C. 1921
Gàrcia J. see Bonjoch J. 2449
García Ruano J. L. see Carreño M. C. 6653
García-Raso A. see Martorell G. 2357
García-Verdugo C. see Avalos M. 2467
Garcías X. see Amat M. 3453
Gardner J. P. see Jackson B. G. 6317
Garg C. P. see Singh O. V. 2747
Garigipati R. S. An efficient conversion of nitriles to amidines 1969
Garlaschelli L. and **Vidari G.** Anhydrous lanthanum trichloride, a mild and convenient reagent for thioacetalization 5815
Garrido M. see Carreño M. C. 6653
Garrido N. M. see Urones J. G. 4501
Garrido N. M. see Urones J. G. 5665
Gasc M.-B. see Cristau H.-J. 341
Gassman P. G. Chavan S. P. and **Fertel L. B.** The $2\pi + 2\pi$ cycloaddition of an allyl cation to (1*Z*,3*E*)-cycloalkadienes. Evidence for a stepwise process in the ionic Diels-Alder reaction 6489
Gatti N. Electrogenerated acid catalyzed acylation of electron-rich aromatics 3933
Gaudemar M. and **Bellassoued M.** Preparation of (*E*)-α,β-unsaturated aromatic aldehydes by high stereoselective olefinformylation 349
Gaudemar M. see Bellassoued M. 209
Gaudemer A. see Chaubet F. 5729
Gaudemer A. see Robic N. 4739
Gaudemer A. see Salmon L. 519
Gaudin D. see Boivin J. 2281
Gaudin J.-M. and **Morel C.** Two new stereoselective syntheses of (3*E*,5*Z*)-1,3,5-undecatriene 5749
Gavagnin M. see Racioppi R. 573
Gavagnin M. Spinella A. Cimino G. and **Sodano G.** Stereochemistry of ichthyotoxic diacylglycerols from opisthobranch molluscs 6093
Gawley R. E. see Rein K. S. 3711
Gaydou E.-M. see Aknin M. 2979
Geiser T. G. see Boyd V. L. 3849
Gelling O. J. see Feringa B. L. 7201
Genêt J. P. Denis A. Vilar A. Schoofs A. R. and **Alard P.** Stereospecific syntheses of *erythro* and *threo* 5-(1',2'-dihydroxyethyl)-3-aryl-oxazolidin-2-ones 515
Genet J. P. Kopola N. Juge S. Ruiz-Montes J. Antunes O. A. C. and **Tanier S.** Double asymmetric synthesis: palladium chiral complexes in the alkylation of chiral Schiff bases derived from glycine 3133
Genet J. P. see Jugé S. 4443
Genet J. P. see Jugé S. 6357
Genêt J.-P. see Pons D. 5023
Genevois-Borella A. Florent J.-C. Monneret C. and **Grierson D. S.** Synthesis of 1-(3-R-amino-4-hydroxybutyl)thymine acyclonucleoside. Analogs as potential anti-AIDS drugs 4879
Geng L. and **Lu X.** Propargylic carbonates as an a^1,a^2 synthon in annulation reactions. A convenient synthesis of 3-methylene dihydropyran derivatives 111
Genisson Y. see Marazano C. 1995
Gennari C. Molinari F. and **Piarulli U.** Peptide bond formation using an enzyme mimicking approach 2929
Gennari C. Oliva A. Molinari F. and **Piarulli U.** Stereoselective aldol reactions of γ-thiobutyrolactone: the benzaldehyde anomaly 2453
Geoffroy M. see Tronchet J. M. J. 531
Geoffroy P. see Franck-Neumann M. 4121
Geoldner M. see Kessler P. 1275
Georg G. I. and **Akgün E.** Metal directed stereoselective synthesis of 3-(1'-hydroxyethyl)-2-azetidinones from ethyl 3-hydroxybutyrate 3267
Georg G. I. He P. Kant J. and **Mudd J.** *N*-Vinyl and *N*-unsubstituted β-lactams from 1-substituted 2-aza-1,3-butadienes 451
Gervay J. see Jung M. E. 4685
Gerwick W. H. see Nagle D. G. 2995
Geysen H. M. see Bray A. M. 5811
Gheorghiu M. D. see Uncuta C. 5645
Ghera E. see Maurya R. 5179
Ghera E. Yechezkel T. and **Hassner A.** A new diastereoselective 3+2

annulation approach to five-membered carbocycles 3653
Ghlaci M. see Koskinen A. M. P. 3209
Ghini A. A. Burnouf C. Lopez J. C. Olesker A. and **Lukacs G.** Intramolecular Diels-Alder reactions on pyranose trienes. Stereoselective access to bis-annulated pyranosides 2301
Ghitescu A. see Uncuta C. 5645
Ghosez L. see Chen L. 4467
Ghosh S. K. see Sarkar T. K. 3461
Ghosh S. K. see Sarkar T. K. 3465
Ghosh S. see Saha G. 1483
Giannis A. and **Henk T.** Chirospecific synthesis of amino acids, amino aldehydes and amino alcohols from D-glucosamine hydrochloride. A multigram synthesis of N-Boc-L-serinal 1253
Gibbons W. A. see Mascagni P. 4637
Gibbs D. E. and **Barnes D.** Asymmetric synthesis of amines by action of baker's yeast on oximes 5555
Gibson F. S. see Knapp S. 2109
Gibson F. S. see Knapp S. 5397
Gierisch S. see Daub J. 3113
Giese B. see Chatgilialoglu C. 6013
Giese B. see Curran D. P. 2861
Giguere R. J. Tassely S. M. Rose M. I. and **Krishnamurthy V. V.** Diastereoselectivity and regiocontrol in intramolecular allyl cation cycloadditions: selective formation of [3+2] or [3+4] cycloadducts 4577
Gil S. see Aurell M. J. 5791
Gilbert I. H. Holmes A. B. and **Young R. C.** Synthesis of protected *myo*-inositols 2633
Gilbert J. C. and **Blackburn B. K.** Formal 1,6-insertion of an alkylidenecarbene into a carbon-hydrogen bond. Unveiling of a stepwise reaction mechanism 4727
Gilchrist T. L. and **Healy M. A. M.** Synthesis of fused pyridines by electrocyclic ring closure of aldehyde *NN*-dimethylhydrazones 5807
Gildea B. D. Coull J. M. and **Köster H.** A versatile acid-labile linker for modification of synthetic biomolecules 7095
Gildea B. see Iocono J. A. 175
Giles P. R. and **Marson C. M.** Oxidative formylation and chloromethylation as alternative pathways to chloroformylation in the reaction of *O*- and *S*-heterocyclic ketones with dimethylformamide-phosphorus oxychloride 5227
Gilges S. see Curran D. P. 2861
Gilheany D. G. see Shibata T. 3817
Gill M. and **Gimenez A.** The dermocanarins, unique macrocyclic lactones from the fungus *Dermocybe canaria* 3505
Gill M. Gimenez A. Jhingran A. G. and **Palfreyman A. R.** A degradative method for the determination of central chirality in naturally occurring 3-hydroxy-3-methyl-3,4-dihydroanthracen-1(2*H*)ones 1203
Gilman J. W. see Shea K. J. 1221
Gimbert Y. Moradpour A. and **Bittner S.** Versatile reactivity of 2-lithio-1,3-dithioles: formation of symmetrical and unsymmetrical tetrathiafulvalenes 1007
Gimenez A. see Gill M. 1203
Gimenez A. see Gill M. 3505
Giner J.-L. and **Djerassi C.** Biosynthetic studies of marine lipids - XXVIII. Use of sponge cell-free extracts in the study of marine sterol biosynthesis 5421
Gingras M. and **Harpp D. N.** A practical , one-step synthesis of primary thiols under mild and neutral conditions using bis(triorganotin) sulfides 1397
Giordano O. S. see Pestchanker M. J. 463
Giralt E. see Bardellia F. 6231
Giralt E. see Crusi E. 4191
Giralt E. see Gairí E. 7363
Giralt E. see Jorba X. 1915
Girard J.-P. see Durand T. 4131
Girreser U. see Maercker A. 7595
Giudicelli M. B. Picq D. and **Veyron B.** $Et_3N.2HF$, a new convenient reagent for nucleophilic fluorine displacement reactions 6527
Giudici F. see Alpegiani M. 3509
Givens R. S. Singh R. Xue J. and **Park Y.-H.** Electron transfer mediated photoreductions of α, β-unsaturated ketones 6793
Gladysz J. A. see Peng T.-S. 4417
Glass T. E. and **Leber P. A.** The thermal rearrangement of 6-methyl-6-vinylbicyclo[3.2.0]heptane 1085
Gleiter R. and **Kratz D.** Isolation of a donor-acceptor superphane with a quinone and a CpCo-cyclobutadiene unit 5893
Gleiter R. and **Merger R.** Synthesis and properties of skipped cyclic $C_{12}H_{12}$ dienediynes 1845
Gleiter R. Kratz D. Ziegler M. L. and **Nuber B.** Reaction of 1,5-cycloundecadiyne and 1,6-cycloundecadiyne with $CpCo(CO)_2$ 6175
Glover S. A. see Campbell J. J. 5377
Gluzi´nski P. see Raczko J. 3797
Gmeiner P. General synthesis of enantiomerically pure - amino acids 5717
Godfrey A. G. and **Ganem B.** Ready oxidation of halides to aldehydes using trimethylamine N-oxide in dimethylsulfoxide 4825
Godfrey A. G. see Nikolaides N. 6009
Godfrey M. On the electronic origin of the difference in acidity between formic acid and ethanol 5181
Gogoll A. see Nájera C. 4199
Goh S. H. and **Choy K. L.** Fragmentation of arylalkoxyalane radical anions: deoxygenation of arylakanols and facile reduction of cinnamyl alcohol via cyclisation of a cinnamyloxyalane radical anion 553
Gokel G. W. see Yoo H. K. 55
Goldman A. S. see Recht J.

7281
Goldschmidt Z. Gottlieb H. E. Almadhoun A. Balci M. and **Demir Y.** Activation of electron deficient cycloheptatrienes by tricarbonyliron complexation 6711
Golébiowski A. see Raczko J. 3797
Golik J. Doyle T. W. Van Duyne G. and **Clardy J.** stereochemical studies on esperamicin A_1: a single crystal X-ray structure of thiosugar moiety 6149
Golinick K. and **Weber M.** Photoxygenierrung von 1-Aryl-2,2-dimethylbicyclo[1.1.0]butanen 4585
Gombatz K. see Baures P. W. 6501
Gómez A. see Marco-Contelles J. L. 1467
Gómez-Sánchez A. Hermosín I. and **Maya I.** Cleavage and oligomerization of malondialdehyde under physiological conditions 4077
Gonce F. see Badri M. 6343
González F. J. see Barluenga J. 397
González F. J. see Barluenga J. 3793
González J. M. see Barluenga J. 4207
González Rubino R. see Alcaide B. 4211
Goo Y. M. see Lee Y. B. 1169
Goodman J. L. see LaVilla J. A. 5109
Goodman J. L. see LaVilla J. A. 6287
Gopalakrishnan V. Mereyala H. Samuel A. G. and **Ganesh K. N.** Silylations of ribonucleosides using dibutyltin oxide 1613
Gopalan A. S. and **Jacobs H. K.** Synthesis of (S)-(+)-parasorbic acid and (S)-(+)-2-tridecanol acetate: baker's yeast reductions of γ and δ ketosulfones 5575
Gopalsamy A. see Anderson W. K. 169
Gore J. see Fournet G. 5147
Gore J. see Vatele J.-M. 2277
Görgényi M. and **Seres L.** Radical-initiated tautomerization of azoethane to acetaldehyde-ethylhydrazone; reactivity of the $CH_3CH{=}NNC_2H_5$ radical 6447
Gorgues A. see Badri M. 4343
Gorgues A. see Khanous A. 7307
Gorgues A. see Khanous A. 7311
Gori L. see Capozzi G. 6213
Gorrichon L. see Baltas M. 4453
Gosselin P. Joulain D. Laurin P. and **Rouessac F.** Synthesis of earthy-mouldy smelling compounds - II. Ethyl - and -fenchols 3151
Goswami B. see Fathi R. 319
Goti A. see Cicchi S. 3351
Goto K. see Kataoka H. 4181
Goto K. see Ueoka R. 5311
Goto K. see Ueoka R. 5335
Goto M. See Fujio M. 7039
Goto M. see Tokitoh N. 5323
Goto M. see Tokitoh N. 7641
Goto T. see Hoshino T. 1593
Goto T. see Isobe M. 717
Goto T. see Isobe M. 3327
Goto T. see Isobe M. 5499
Goto T. Yoshida K. Yoshikane M. and **Kondo T.** Chiral stacking of a natural flavone, flavocommelin, in aqueous solutions 713
Gottardo C. see Lange G. L. 5985
Gottikh M. Asseline U. and **Thuong N. t.** Synthesis of oligonucleotides containing a carboxyl group at either their 5' end or their 3' end and their subsequent derivatization by an intercalating agent 6657
Gottlieb H. E. see Goldschmidt Z. 6711
Gottlieb H. E. see Hassner A. 2181
Gottlieb H. E. see Hassner A. 5669
Gottlieb L. and **Meyers A. I.** Electrophilic formamidines. Organometallic addition to 2-methoxy pyrrolidine or piperidine N-*t*-butyl formamidines. Formation of 2-substituted pyrrolidines and piperidines 4723
Goulet M. T. and **Boger J.** Degradative studies on the tricarbonyl containing macrolide rapamycin 4845
Goulle V. Chirayil S. and **Thummel R. P.** Synthesis and properties of bridged 2,2'-bithiazolium salts 1539
Gouvine P. see Carrier M.-N. 6645
Gowriswari V. V. L. see Basavaiah D. 1621
Grab L. A. see Wrensford G. 4257
Gracia A. see Font J. 5517
Gràcia J. see Amat M. 3453
Graczyk G. see Otvis, Jr. L. 5889
Graham S. L. and **Scholz T. H.** A new mode of reactivity of N-methoxy-N-methylamides with strongly basic reagents 6269
Graham S. S. see Baumstark A. L. 957
Grand V. see Jamart-Grégoire B. 7603
Grandas A. see Jorba X. 1915
Grant E. B. see Coleman R. S. 3677
Grass F. see Mignani G. 5161
Gravel D. Farmer L. and **Ayottte C.** Photosensitized cleavage of β-phenylthioalcohols: a synthetically useful indirect redox cleavage of the olefinic bond 63
Gravier-Pelletier C. see Le Merrer Y. 1003
Grée R. Corrigendum 1354
Grée R. see Benvegnu T. 3145
Grée R. see Lassalle G. 655
Grée R. see Pinsard P. 1137
Grée R. see Pinsard P. 1141
Green J. M. see Corcoran R. C. 6827
Green M. and **Berman J.** Preparation of pentafluorophenyl esters of Fmoc protected amino acids with pentafluorophenyl trifluoroacetate 5851
Greene A. E. see Poch M. 7505
Greene A. E. see Sörensen H. 7597
Greenlee M. L. see Rano T. A. 2853
Gref A. see Balavoine G. 659
Gref A. see Balavoine G. 5761
Gref A. see Barton D. H. R. 353
Gref A. see Chaubet F. 5729
Grehn L. see Konnecke A. 2697
Greilich U. see Zimmermann P. 1849
Greiner A. and **Ortholand J.-Y.** Chirality transfer from lactic acid. Selective synthesis of 2,2-disubstituted-1,3-dioxolan-4-ones from

ketones and acetals 2135
Grewal R. S. and **Hart H.** Non-interconvertible conformers of cupped oxacyclophanes 4271
Gribble G. W. see Davis D. A. 1081
Gribble G. W. see Pelcman B. 2381
Grice P. see Diez-Martin D. 3445
Griengl H. see Marschner C. 2873
Grierson D. S. see Bonin M. 2885
Grierson D. S. see Genevois-Borella A. 4879
Grierson D. S. see Tubéry F. 523
Griesbaum K. Huh T.-S and **Gutsche S.-H.** Cyano substituted ozonides: preparation, properties and unusual behavior towards reducing agents 3299
Grigg R. Dorrity M. J. Malone J. F. Sridharan V. and **Sukirthalingam S.** Palladium-catalysed polycyclisation-anion capture processes 1343
Grigg R. Dorrity M. J. R. Malone J. F. Mongkolaussavaratana T. Norbert W. D. J. A. and **Sridharan V.** Asymmetric induction in the creation of tri- and tetra-substituted carbon stereocentres by the intramolecular Heck reaction 3075
Grigg R. Heaney F. Idle J. and **Somasunderam A.** A catalytic dehydrogenation route to azomethine imines 2767
Grigg R. Loganathan V. Sukirthalingam S. and **Sridharan V.** The effect of thallium(I) salts on palladium catalysed tandem cyclisation-anion capture processes 6573
Grigg R. Markandu J. and **Surendrakumar S.** Tandem nucleophilic substitution-1,3-dipolar cycloaddition reactions of oximes with alkyl halides and dipolarophiles 1191
Grigg R. Markandu J. Perrior T. Surendrakumars and **Warnock W. J.** Effect of structure on tandem 1,2-prototropy-cycloaddition versus tandem cyclisation-cycloaddition reactions of oximes 559
Grigg R. Mongkolaussavaratana T. Pounds C. A. and **Sivagnanam S.** 1,8-Diazafluorenone and related compounds. A new reagent for the detection of α-amino acids and latent fingerprints 7215
Grigg R. see Barr D. A. 6569
Griller D. see Kolt R. J. 7539
Grimm E. L. see Lansbury P. T. 3965
Grisenti P. see Santaniello E. 5657
Grissom J. W. see Wender P. A. 6605
Gronbeck D. A. Matchett S. A. and **Rosenblum M.** Face-to-face metallocenes. The synthesis of a cymantrene-ferrocene triad 4977
Gross L. see Franck-Neumann M. 5027
Grove D. D. Miskevich F. Smith C. C. and **Corte J. R.** Use of dicobalt hexacarbonyl-stabilized propargyl cations in intramolecular Friedel-Crafts alkylations 6277
Grover P. T. see Roush W. R. 7563
Grover P. T. see Roush W. R. 7567
Grübler G. see Shekhani M. S. 339
Gryaznov S. M. and **Sokolova N. I.** A new method for the synthesis of oligodeoxyribonucleotides containing internucleotide phosphoramidate bonds 3205
Gu R.-L. and **Sih C. J.** A chemoenzymatic synthesis of the C_{10}-C_{19} moiety of FK506 3283
Gu R.-L. and **Sih C. J.** Synthesis of the C_{10}-C_{34} segment of the immunosuppressant FK506 3287
Guanti G. Banfi L. and **Narisano E.** Asymmetrized *tris* (hydroxymethyl)methane as a highly stereodivergent chiral building block: preparation of all four stereoismers of protected 2-hydroxymethyl-1,3-butanediol 6421
Guarna A. see Cicchi S. 3351
Gudmundsdottir A. D. and **Scheffer J. R.** Asymmetric induction in the solid state photochemistry of salts of carboxylic acids with optically active amines 6807
Gueiffier A. see Vanelle P. 3013
Guenoun F. Lazaro R. Negro A. and **Viallefont P.** Protected-Aoe analogues of chlamydocin 2153
Guerrero A. Parrilla A. and **Camps F.** A new ring expansion approach to 3-formyl-2-cyclohepten-1-ones 1873
Guerrero A. see Arsequell G. 2739
Guibé-Jampel E. see Gutman A. L. 2037
Guiles J. see Meyers A. I. 2813
Guillemont J. see Duhamel L. 3129
Guindon Y. Yoakim C. Lemieux R. Boisvert L. Delorme D. and **Lavallée J.-F.** Stereoselective reduction of acyclic α-bromo esters 2845
Guiry P. J. see Barton D. H. R. 6637
Guiry P. J. see Barton D. H. R. 7449
Guitian E. see Pérez Meirás D. 143
Guitián E. see Pérez Meirés D. 2331
Gunaratne H. Q. N. see de Silva A. P. 5193
Gunda T. E. Vieth S. Kövér K. E. and **Sztaricskai F.** Enantiospecific synthesis and absolute configuration of b-lactam intermediates from 2-amino-1-phenyl-1,3-propanediols 6707
Gunji H. see Tatsuta K. 709
Gunter M. J. and **Johnston M. R.** A porphyrin-based crown ether co-receptor for the complexation of paraquat 4801
Gunter M. J. and **Robinson B. C.** A synthesis of purpurin derivatives substituted at the 6,16-*meso* positions 285
Guntern O. see Fehr C. 4021
Günterová J. see Hovorka M. 413
Guo M.-J. see Blackburn G. M. 4371
Guo M.-J. see Blackburn G. M. 5637

Gupta A. K. see Kubiak G. 4285
Gupta K. C. Sharma P. Sathyanarayana S. and **Kumar P.** A universal solid support for the synthesis of 3'-thiol group containing oligonucleotides 2471
Gupta Y. K. see Fujimoto Y. 535
Gurjar M. K. and **Reddy A. S.** Stereoselective synthesis of (9*S*,12*R*,13*S*)-trihydroxyoctadeca(10*E*,15*Z*)-dienoic acid 1783
Gurjar M. K. see Rama Rao A. V. 271
Gurjar M. K. see Rama Rao A. V. 2341
Gutman A. L. Zuobi K. and **Gulbé-Jampel E.** Lipase catalysed hydroysis of γ-substituted α-aminobutyrolactones 2037
Gutsche S.-H. see Griesbaum K. 3299
Guy A. Ahmad S. and **Téoule R.** Insertion of the fragile 2'-deoxyribosylurea residue into oligodeoxynucleotides 5745
Guy A. and **Graillot Y.** Synthesis of hydroisindoles via intramolecular Diels-Alder reactions 7315
Guziec, Jr. F. S. and **Wasmund L. M.** An improved method for the preparation of desoxopeptides - reductions of endothiopeptides 23
Gyoung Y. S. see Elliott R. P. 3785

Ha D.-C. see Corey E. J. 1389
Ha H.-J. Nam G.-S. and **Park K. P.** A facile synthesis of N-arylaminomethylphosphonates 1567
Ha H.-J. see Cane D. E. 7553
Haag-Zeino B. see Hirsenkorn R. 4433
Haase D. see Lübben S. 7127
Habus I. see Ojima I. 4289
Hacksell U. see Lundkvist J. R. M. 719
Haddach M. Pastor R. and **Riess J. G.** Stabilité et réactivité anormales des perfluoroalkyl azirines et aziridines 1989
Hadjiaraplou L. see Adam W. 331
Hadjiarapoglou L. see Adam W. 6517
Haga K. see Kinoshita T. 4057
Haginiwa J. see Aimi N. 5169
Hagiwara D. Neya M. and **Hashimoto M.** A novel and efficient method for cleavage of phenacyl esters by zinc reduction with acetylacetone and pyridine 6539
Hahn C. S. see Kim K. S. 2893
Hahn R. C. and **Tompkins J.** One-pot, one- and multi-carbon homologation of alkyl halides; reaction of Grignard reagents with chloroiodomethane 937
Haidoune M. Mornet R. and **Laloue M.** Synthesis of 6-(3-methylpyrrol-1-yl)-9-β-D-ribofuranosyl purine, a novel metabolite of zeatin rib side 1419
Hajos Z. G. see Press J. B. 1373
Hakomori S. see Toyokuni T. 2673
Hale J. J. see Knapp S. 2109
Hales N. J. see Moss W. O. 5653
Haley B. E see Kwiatkowski S. 2093
Hallenga K. see Berlinck R. G. S. 6531
Halligan N. G. see Blaszczak L. C. 5693
Halling P. J. see Brown L. 5799
Halling P. J. see Kuhl P. 5213
Halton B. Bridle J. H. and **Lovett E. G.** Bicyclo[3.1.0]hex-1(6)-enes: reactivity of the 3-oxa derivative 1313
Hama M. see Yamazaki S. 2917
Hamada K. See Shimizu H. 7021
Hamada Y. Iwai K. and **Shiori T.** A new stereoselective synthesis of a γ-azetidinyl-β-hydroxy-α-amino acid moiety of mugineic acid - a formal synthesis of mugineic acid 5041
Hambalek R. and **Just G.** A short synthesis of (±)-oxetanocin 5445
Hambalek R. and **Just G.** Trisubstituted oxetanes from 2,7-dioxa-bicyclo-[3,2,0]-hept-3-enes 4693
Hamelin J. see Himdi-Kabbab S. 7607
Hamelin J. see Pellon P. 1147
Hamilton A. D. see Hirst S. C. 2401
Hamilton J. T. G. see Harper D. B. 7661
Hammond M. L. see Durette P. L. 1237
Hammond M. see Aubé J. 2963
Han B. H. and **Jang D. G.** Montmorillonite catalyzed reduction of nitroarenes with hydrazine 1181
Han N. see Rao V. P. 835
Hanafusa T. see Ichihara J. 3167
Hanaïzi J. see Alexakis A. 1271
Hanamoto T. see Kusumoto T. 5343
Hanaoka M. see Mukai C. 6893
Hane J. T. and **Henkel J. G.** A substrate-directed synthesis of subsituted 2-azaadamantanes 2949
Hanessian S. and **Bennani Y. L.** A versatile asymmetric synthesis of α-amino α-alkyl-phosphonic acids of high enantiomeric purity 6465
Hanessian S. Bennani Y. L. and **Delorme D.** The asymmetric synthesis of α-chloro α-alkyl and α-methyl α-alkyl phosphonic acids of high enantiomeric purity 6461
Hanin I. see Kozikowski A. P. 6159
Hannick S. M. see Hsiao C.-N. 6609
Hannon F. J. see Corey E. J. 1393
Hansen J. see Kraus G. A. 2233
Hansicke A. see Schellenberger V. 7305
Hänsler M. see Könnecke A. 989
Hara S. Hyuga S. Aoyama M. Sato M. and **Suzuki A.** BF_3 Etherate mediated 1,4-addition of 1-alkenyldialkoxyboranes to α, β-unsaturated ketones. A stereoselective synthesis of γ-δ-un-saturated ketones 247
Harada H. see Ito Y. 2731
Harada H. see Matsumoto T. 4175
Harada K. see Ueoka R. 5335
Haraguchi K. Tanaka H. and **Miyasaka T.** Addition of carbon radicals to 4',5'-unsaturated uracilnucleosides by the use of organoselenium reagents:

a new stereoselective entry to C-C bond formation at the 5'-position 227
Harbridge J. B. see Fell S. C. M. 4227
Hardege J. D. see Zeeck E. 5613
Hardtmann G. E. see Estermann H. 445
Harger M. J. P. *N,O*-Bis(diphenylphosphinoyl)hydroxylamine. Base-induced rearrangement to a phosphonamidic-phosphinic mixed anhydride 1451
Hargis D. C. and **Shubkin R. L.** *gem*-Cyclodialkylation. A facile synthetic route to N-substituted heterocycles 2991
Haridas K. see Parry R. J. 7549
Harigaya Y. see Konda Y. 5315
Harmat N. J. S. and **Warren S.** Chiral synthesis of z-2-butylidenecyclohexan-1-ol and -1-yl phenylsulphide from optically active phosphine oxides 2743
Harmata M. and **Barnes C. L.** Molecular clefts - II. An analogue of Kagan's ether as a molecular cleft: synthesis and clathrate formation with ethyl acetate 1825
Harmata M. Gamlath C. B. and **Barnes C. L.** Allyl cation stereochemistry in the intramolecular 4+3 cycloaddition reaction 5981
Harnden M. R. and **Wyatt P. G.** Synthesis of 9-hydroxypurines: intermediates to novel antiviral acyclonucleosides 2185
Harper D. B. Hamilton J. T. G. and **O'Hagan D.** Identification of *threo*-18-fluoro-9,10-dihydroxystearic acid: a novel ω-fluorinated fatty acid from *Dichapetalum toxicarium* seeds 7661
Harpp D. N. see Gingras M. 1397
Harpp D. N. see Li C. J. 6291
Harris P. A. see Katritzky A. R. 3999
Hart H. see Grewal R. S. 4271
Hartfiel U. see Tietze L. F. 1697
Hartgraves G. A. see Burton D. J. 3699
Hartmann M. and **Zbiral E.** Synthesis of the epimeric pair of 4-deoxy-4-(*R*)- and 4-deoxy-4-(*S*)-C-methyl-N-acetylneuraminic acid 2875
Harusawa S. Osaki H. Fujii H. Yoneda R. and **Kurihara T.** Highly stereoselective synthesis of (*Z*)- or (*E*)-double bonds with conformational control in [3,3]sigmatropic ring expansion of 8-membered thionocarbonates 5471
Harvey D. F. and **Brown M. F.** Molybdenum carbene complexes: cyclopropanation of electron-poor olefins 2529
Harvey R. G. see Lee H. 6773
Harwood L. M. Jackson B. Prout K. and **Witt F. J.** Anchimerically assisted Lewis acid cleavage of tetrahydrofurans to furnish 1,4-diols 1885
Hasegawa E. Ishiyama K. Kashiwazaki H. Horaguchi T. and **Shimizu K.** Selective Cβ-O bond cleavage of chalcone epoxides induced by pyrylium salt sensitized photoreactions and dark reactions with cerium(IV) salts 4045
Hasegawa J. see Takeda R. 4159
Hasegawa M. see Hashimoto Y. 5625
Hasegawa S. see Mandai T. 4041
Hasegawa T. see Fukuyama Y. 4477
Hashimoto J. see Atsuumi S. 1601
Hashimoto J. see Nakano M. 1569
Hashimoto K. Horikawa M. and **Shirahama H.** Simple analog of acromelic acid, which are highly active agonists of kainate type neuroexcitant 7047
Hashimoto M. see Hagiwara D. 6539
Hashimoto M. see Kayakiri H. 225
Hashimoto S. Honda T. and **Ikegami S.** An extremely mild and general method for the stereocontrolled construction of 1,2-*cis*-glycosidic linkages via *S*-glycopyranosyl phosphorodiamidimidothioates 4769
Hashimoto S. Watanabe N. and **Ikegami S.** Enantioselective intramolecular C-H insertion of α-diazo β-keto esters catalyzed by homochiral rhodium(II) carboxylates 5173
Hashimoto Y. Saigo K. Machida S. and **Hasegawa M.** The Diels-Alder reaction of a 2,2-dimethoxyethyl ester via a cationic intermediate 5625
Haslak B. Barbry D. and **Couturier D.** Synthesis of 2-aza-(7)-paracyclophane 5769
Hassner A. and **Fischer B.** Intramolecular formation of oxazolium salts and their reaction with N- and C-nucleophiles 7213
Hassner A. Naidorf-Meir S. and **Gottlieb H. E.** Cine substitution in fused chlorocyclobutanones by N, S and C nucleophiles. Oxyallyl cations and an unusual dimer formation 2181
Hassner A. Naidorf-Meir S. Gottlieb H. E. and **Frolow F.** Unusual transformations in oxabicyclooctanones. An apparent oxy-promoted electrocyclic opening involving fused cyclobutanols 5669
Hassner A. see Dehaen W. 743
Hassner A. see Ghera E. 3653
Hata N. see Nakata T. 381
Hata T. see Wada T. 6363
Hata T. see Wada T. 7461
Hatanaka M. Park O.-S. and **Ueda I.** The enolate-imine condensation using lithium dianion of 3-hydroxybutanoate and N-acylaldimines: enhanced stereoselectivity by added lithium chloride 7631
Hatanaka Y. and **Hiyama T.** A wide range of organosilicon compounds couples with enol and aryl triflates in the presence of Pd catalyst and fluoride ion 2719
Hatano M. see Zheng G.-C. 2617
Hatano M. see Zheng G.-C. 4522
Hatat C. Kokel N. Mortreux A. and **Petit F.** New chiral mixed AMPP ligands and their use in asymmetric hydrogenation of activated ketones on rhodium catalysts 4139

Haudrechy A. and **Sinaÿ P.** A stereocontrolled approach to 3-deoxy-D-manno-2-octulosonic acid containing disaccharides 5765
Haufe G. see Saluzzo C. 663
Haufe G. see Saluzzo C. 2127
Hauptmann H. see Persoons C. J. 1747
Hawke D. H. see Boyd V. L. 3849
Hawkins J. M. Lewis T. A. and **Raw A. S.** Substituent effects on sulfonate ester based olefinations 981
Hay A. S. see Wang Z. Y. 5685
Hayakawa H. see Shimizu M. 1295
Hayakawa T. see Takehira K. 2607
Hayakawa Y. see Shin-ya K. 6025
Hayashi A. see Yamaguchi M. 2423
Hayashi H. Irie K. 7337
Hayashi H. see Irie K. 101
Hayashi K. see Shimizu I. 4757
Hayashi T. Allyl dithocarbamate as a new β-acyl vinyl anion equivalent 4155
Hayashi T. Kishi K. Yamamoto A. and **Ito Y.** Asymmetric allylic amination catalyzed by chiral ferrocenylphosphine-palladium complexes 1743
Hayashi T. see Sawamura M. 2723
Hayashi T. see Tamao K. 2925
Hayashi Y. see Nakamura K. 3603
Hayashi Y. see Palomo C. 2218
Hayashi Y. see Uemura M. 2319
Hayashibe S. see Asaoka M. 4761
Hayes R. and **Wallace T. W.** A simple route to methyl 5*S*-(benzoyloxy)-6-oxohexanoate, a key intermediate in leukotriene synthesis 3355
Hazra B. G. Joshi P. L. and **Pore V. S.** Resin catalysed ene reaction on 3β-toluene-*p*-sulfonoxy-(*Z*)-pregna-5,17(20)-diene synthesis of (20*S*)-6β-methoxy-3α,5-cyclo-5α-pregnane-20-carboxyaldehyde 6227
He P. see Georg G. I. 451
He W. See Ezquerra J. 6979
He X. see Chen G.-F. 3413
Healy M. A. M. see Gilchrist T. L. 5807
Heaney F. see Grigg R. 2767
Heaney H. see Earle M. J. 4229
Hearn M. T. W. see Ede N. J. 6071
Heath P. C. see Jackson B. G. 6317
Hebel D. Kirk K. L. Cohen L. A. and **Labroo V. M.** First direct fluorination of tyrosine-containing biologically active peptides 619
Hefetz A. see Lloyd H. A. 5559
Heidt P. C. Bergmeier S. C. and **Pearson W. H.** Synthesis of indolizidines by the 1,3-dipolar cycloaddition of azides with methylenecyclopropanes followed by cyclopropylimine rearrangement 5441
Heinisch G. and **Holzer W.** Convenient and rapid determination of the configuration of aldoximes and ketoximes by means of NOE difference spectroscopy 3109
Heitz A. see Rodriguez M. 7319
Heitz M. P. see Wagner A. 3141
Heil´nski J. Skrzypczy´nski Z. Wasiak J. and **Michalski J.** Efficient oxygenation of thiophosphoryl and selenophosphoryl groups using trifluoroacetic anhydride 4081
Heil Z. see Tőke L. 7501
Heile M. A. see Takacs J. M. 6765
Henderson I. See Burgess K. 6949
Hendricks R. T. See Dauben W. G. 6969
Henin F. Muzart J. Pete J.-P. and **Rau H.** Asymmetric catalysis: kinetic resolution of the photochemically-produced *trans*-1-acetylcylooctene 1015
Henk T. see Giannis A. 1253
Henkel J. G. see Hane J. T. 2949
Hennequin L. F. see Bruneau P. 7141
Hennet S. see Shapiro G. 5733
Henriksen U. and **Buchardt O.** Aryl azides as photolabels. Retention of iodine during photochemical ring expansion of an iodinated tyrosine derivative 2443
Herbert J. M. see De Medeiros E. F. 5843
Herbert R. B. and **Knaggs A. R.** The biosynthesis of the *Pseudomonas* antibiotic obafluorin from *p*-aminophenylalanine and glycine (glyoxylate) 7517
Herbert R. B. see Cragg J. E. 6907
Herbst-Irmer R. see Hoppe I. 6859
Herczegh P. Zsély M. Kovács I. Batta G. and **Sztaricskai F. J.** Tartraldehydes - I. Synthesis of N-acetyl-D- and L-daunosamine and their xylo isomers 1195
Hermans B. and **Hevesi L.** The reaction of allyltrimethylsilane with selenium-stabilized carbon electrophiles 4363
Hermosín I. see Gómez-Sánchez A. 4077
Herndon J. W. McMullen L. A. and **Daltch C. E.** Sequential vinylcyclopropylcarbene and anionic oxy-Cope rearrangements: an expedient synthesis of nine-membered rings 4547
Hessels J. K. C. see van Aarssen B. G. K. 4645
Hevesi L. see Hermans B. 4363
Hewitt J. D. see Leonard J. 6703
Hewkin C. T. and **Jackson R. F. W.** Preparation and ring-opening reactions of 2-phenylsulphonyl-2-timethylsilyl oxiranes 1877
Hibser M. see Majerski Z. 915
Hida M. see Yamaguchi M. 5049
Hiebl J. and **Zbiral E.** 1-(3'-Azido-2',3',5'-trideoxy-β-D-allofuranosyl)thymine - a side-chain homologue of 3'-azido-3'-deoxythymidine 4007
Hiemstra H. see Esch P. M. 759
Hiemstra H. see Pirrung F. O. H. 5365
Higby R. G. see Shea K. J. 1221
Hikota M. Sakurai Y. Horita K. and **Yonemitsu O.** Synthesis of erythronolide A via a very efficient macrolactonization under usual acylation conditions with the Yamaguchi reagent 6367
Himbert G. see Pfeifer K.-P.

5725
Himdi-Kabbab S. and **Hamelin J.** Arsirane synthesis by reaction of sulfur ylides with diazaarsoles 7607
Himdi-Kabbab S. see **Pellon P.** 1147
Hino T. see **Torisawa Y.** 3195
Hinz M. see **Lee H.** 6773
Hirai K. see **Tomioka H.** 5061
Hirai T. See **Takahashi O.** 7031
Hirai Y. Terada T. Okaji Y. Yamazaki T. and **Momose T.** A novel approach to (+)-yohimbine 4755
Hirama M. see **Fujiwara K.** 4329
Hirama M. see **Suzuki T.** 4747
Hirama M. see **Tanaka T.** 5947
Hirao T. and **Ohshiro Y.** $VO(OEt)Cl_2$-induced oxidative deamination 3917
Hirao T. Ohno M. and **Ohshiro Y.** Mediation of orthoquinones in the MnTPPCl-catalyzed epoxidation with hydrogen peroxide 6039
Hirasa H. see **Ueoka R.** 5311
Hirasawa K. see **Sakakibara T.** 3749
Hirashima T. see **Mizuno T.** 4773
Hirayama K. see **Fujimoto Y.** 535
Hirayama N. see **Nakatani N.** 2323
Hiremath S. V. see **Ravindranathan T.** 755
Hirobe M. see **Mashino T.** 3163
Hiroi K. and **Abe J.** Palladium-catalyzed asymmetric allylations of chiral enamines bearing phosphine functionality. Effects of anionic counterparts of allylating reagents on asymmetric induction 3623
Hiroi K. Anzai T. Ogata T. and **Saito M.** Stereoselective synthesis and stereospecific asymmetric 1,2-rearrangements of chiral sulfinylcyclopropane derivatives 239
Hiroi K. Yamamoto M. Kurihara Y. and **Yonezawa H.** Asymmetric ene reactions of chiral allylic sulfones via chiral allylic sulfinate-sulfone rearrangements 2619
Hirose Y. see **Isobe M.** 5499
Hirota A. see **Kitamura E.** 4605
Hirota H. Matsunaga S. and **Fusetani N.** Stellettamide A, an antifungal alkaloid from a marine sponge of the genus *Stelletta* 4163
Hirota H. see **Kitamura E.** 4605
Hirota H. Takayama S. Miyashiro S. Ozaki Y. and **Ikegami S.** Structure of a novel steroidal saponin, pachastrelloside A, obtained from a marine sponge of the genus *Pachastrella* 3321
Hirschmann R. see **Wood J. L.** 6329
Hirsenkorn R. Asymmetric synthesis of (*R*)-reticuline-a new strategy for the asymmetric synthesis of isoquinolines via enantioselective epoxidation or dihydroxylation 7591
Hirsenkorn R. Haag-Zeino B. and **Schmidt R. R.** Synthesis of the bottom half of chlorothricolide 4433
Hirst S. C. and **Hamilton A. D.** Molecular recognition: cyclobutane thymine dimers as rigid two-site receptors 2401
Hirth C. see **Kessler P.** 1275
Hisaeda Y. Ihara T. Ohno T. and **Murakami Y.** Preparation and molecular recognition behavior of a hexapus azaparacyclophane 1027
Hisamichi H. see **Sato M.** 3605
Hisham A. Pieters L. A. C. Claes M. Esmans E. Dommisse R. and **Vlietinck A. J.** Uvariamicin-I, II and III: three novel acetogenins from *Uvaria narum* 4649
Hitchcock S. A. and **Pattenden G.** Synthesis of macrocycles via allylic radical intermediates. A total synthesis of (-)-zearalenone 3641
Hixson S. S. see **Xing Y.** 5849
Hiyama T. see **Hatanaka Y.** 2719
Hiyama T. see **Kusumoto T.** 5343
Hlasta D. J. Regiospecific acylation reactions of imidazo[1,5-*a*]pyridine 5833
Ho G.-J. see **Moss R. A.** 1225
Ho R. see **Kwiatkowski S.** 2093
Hocquemiller R. see **Laprévote O.** 2283
Hoekstra W. J. see **Liu P. S.** 2829
Hoffman R. V. and **Kim H.-O.** The preparation of 2-hydrazinyl esters in high optical purity from 2-sulfonyloxy esters 2953
Hoffmann H. M. R. see **Krause M.** 6629
Hoffmann P. Labat G. Robert A. and **Meunier B.** Corrigendum 3946
Hoffmann P. Labat G. Robert A. and **Meunier B.** Highly selective bromination of tetramesitylporphyrin: an easy access to robust metalloporphyrins, M-Br_8TMP and M-Br_8TMPS. Examples of application in catalytic oxygenation and oxidation reactions 1991
Hoffmann R. W. and **Bewersdorf M.** Diastereoselective reactions of seleno-acetals 67
Hoffmann R. W. Julius M. and **Oltmann K.** On the configurational stability of α-phenylseleno-alkyllithium compounds 7419
Hoffmann U. see **Wender P. A.** 6605
Hofmeyr J. H. see **Burger B. V.** 5771
Hohenwarter K. see **Märki G.** 4849
Hojo M. see **Hosomi A.** 6201
Hojo M. see **Kamitori Y.** 1183
Hökelek T. see **Çakmak O.** 2345
Holkar A. G. see **Narayana Rao M.** 3343
Hollinshead D. M. see **Morley A. D.** 1047
Hollosi M. see **Otvos L.** 5889
Holman S. see **Borthwick A. D.** 767
Holmes A. B. see **Gilbert I. H.** 2633
Holmes M. A. see **Shih T. L.** 3525
Holmes M. A. see **Shih T. L.** 3529
Holmes R. E. and **Neel D. A.** Asymmetric synthesis of 4-[(*t*-butoxycarbonyl)amino]-pyrazolidin-3-one: precursor to bicyclic pyrazolidinone antibacterials 5567
Holmquist C. R. and **Roskamp E. J.** The conversion of olefins to β-keto esters: ozonolysis of olefins followed by *in situ* reduction with tin (II) chloride in the presence of ethyl diazoacetate 4991
Holscher P. Knölker H.-J. and **Winterfeldt E.** Enantioselective total synthesis of (+)-tetrahydroalstonine (+)-

acricine and (+)-reserpinine 2705
Holt D. A. and **Erb J. M.** Corrigendum 1210
Holzapfel C. W. see Bredenkamp M. W. 2759
Holzer W. see Heinisch G. 3109
Holzstein G. see Wess G. 2545
Honda T. Kobayashi Y. and **Tsubuki M.** Enantioselective synthesis of bislactone structure a formal synthesis of (-)-canadensolide 4891
Honda T. see Hashimoto S. 4769
Honda T. see Terahara N. 2921
Hondrogiannis G. Pagni R. M. Kabalka G. W. Anosike P. and **Kurt R.** The Diels-Alder reaction of cyclopentadiene and methyl acrylate on γ-alumina 5433
Hong N. and **Ogawa T.** Stereocontrolled syntheses of phytoalexin elicitor-active β-D-glucohexaoside and β-D-glucononaoside 3179
Hoogerhout P. see Dreef-Tromp C. M. 427
Hoogland G. J. M. see Moene W. 2641
Hopkins P. B. see Kirchner J. J. 593
Hopkins T. E. see Moriarty R. M. 197
Hopkins T. E. see Moriarty R. M. 201
Hopp G. see Kauffmann T. 511
Hoppe D. see Hoppe I. 6859
Hoppe I. Hoppe D. Herbst-Irmer R. and **Egert E.** Asymmetric aldol addition reactions of the chiral 3-sulfonyl-1,3-oxazolidine-masked lithium 2-formylcyclohexanone enolate 6859
Horaguchi T. see Hasegawa E. 4045
Horeau A. and **Nouaille A.** Microméthode de détermination de la configuration des alcools secondaires par dedoublement cinétique. Emploi de la spéctrographie de masse 2707
Horenstein B. A. see Kim D. 7119
Hori M. See Shimizu H. 7021
Hori M. see Kataoka T. 3027
Hori M. see Kataoka T. 5927
Hori M. see Shimizu H. 115
Horigome M. see Takayama H. 1287
Horikawa H. see Yamazaki H. 5345
Horikawa M. See Hashimoto K. 7047
Horikoshi H. See Sugano M. 7015
Horisaki T. see Sugimoto M. 385
Horita K. see Hikota M. 6367
Horita K. see Noda I. 6035
Horiuchi N. Huff J. and **Rebek, Jr. J.** Remote functional groups enhance binding through preorganization 5121
Hormozi N. see Bird C. W. 3501
Hornback W. J. see O'Donnell M. J 157
Hörsch B. see Effenberger F. 1249
Horspool W. M. see Armesto D. 2475
Horvath K. M. see Leidner C. R. 189
Hosay T. Christiaens L. Antholne G. and **Moniotte P.** New synthesis of unstabilized selenenamides 873
Hoshino H. see Aimi N. 5169
Hoshino M. see Ishii A. 2623
Hoshino M. see Nakayama J. 2627
Hoshino T. and **Goto T.** Effects of pH and concentration on the self-association of malvin quinonoidal base - electronic and circular dichroic studies 1593
Hosoda M. see Sugiyama H. 7197
Hosomi A. Masunari T. Tominaga Y. Yanagi T. and **Hojo M.** 2-Trimethylsilylethyl-1,3-butadiene as a synthetic equivalent of parent cross-conjugated hexatriene, 3-methylene-1,4-pentadiene 6201
Hosono K. see Yamazaki Y. 3895
Hosoya K. see Yoda H. 7623
Hosoya T. see Matsumoto T. 4629
Hosoya T. see Nabeshima T. 6543
Hospital M. see Courseille C. 5031
Hosseini S. see Patrick T. B. 179
Hosseini-Merescht M. see Rosenmund P. 647
Houk K. N. Mueller P. H. Wu Y.-D Mazzocchi P. H. Shook D. and **Khachik F.** Cycloadditions of hexachlorocyclopentadiene to 7-substituted norbornadienes: remote substituent effects on reactivity and stereoselectivity 7285
Houk K. N. see Sakan K. 3687
Houk K. N. Wu Y.-D. Mueller P. H. Caramella P. Paddon-Row M. N. Nagase S. and **Mazzocchi P. H.** Theory of rates and stereoselectivities of cycloadditions to 7-substituted norboradienes 7289
Houwen-Claassen A. A. M. Klunder A. J. H. Vriends J. J. T. and **Zwanenburg B.** Exceptional desulphonylation of β-epoxy sulphonyl containing 10-oxatricyclodecenones 723
Hovorka M. Günterová J. and **Závada J.** Highly selective oxidative cross-coupling of substituted 2-naphthols: a convenient approach to unsymmetrical 1,1'-binaphthalene-2,2'diols 413
Howe T. J. see Anderson W. K. 169
Howell B. E. see Leidner C. R. 189
Hoye T. R. and **North J. T.** Thermodynamic control of stereochemistry in the synthesis of 1-oxaquinolizidine skeletal portions of xestospongin A 4281
Hoz S. and **Wolk J. L.** Stabilization of carbenium ions by an α-azido group 4085
Hradil C. M. see Coval S. J. 2117
Hsi A. see Maggiora L. L. 2837
Hsiao C.-N. and **Hannick S. M.** Efficient syntheses of protected (2*S*,3*S*)-2,3-bis(hydroxymethyl)-cyclobutanone, key intermediates for the synthesis of chiral carbocyclic analogues of oxetanocin 6609
Hsiao Y. see Kitamura M. 549
Hsu D. P. Lucas E. A. and

Buchwald S. L. Synthesis and reactions of a zirconocene-benzdiyne equivalent 5563
Hsu J. see Burton D. J. 3699
Hsu S.-H. Wu S.-S. Wang Y.-F. and **Wong C.-H.** Lipase-catalyzed irreversible transesterification using enol esters: XAD-8 immobilized lipoprotein lipase-catalyzed resolution of secondary alcohols 6403
Hu C.-M. and **Qing F.-L.** Addition of 1,1,2-trichloro-1,22-trifluoroethane(F113) to alkenes and alkynes initiated by a redox system 1307
Hu C.-R. see Liu K.-T. 3611
Huang B. and **Liu J.** A facile method for the perfluoroalkylation of pyridine and its derivatives 2711
Huang C.-Y. Cabell L. A. and **Anslyn E. V.** Twisted polyaza clefts for the complexation of cyclohexane-polyols 7411
Huang E. T. see Evans K. L. 6753
Huang S.-Y. see Sauers R. R. 5709
Huang Y.-Z. see Liao Y. 5897
Huang Y.-Z. see Shi L.-L. 4173
Huang Y.-Z. see Wang W.-B. 1185
Huang Y.-Z. see Zhou Z.-L. 7657
Huber E. W. see Barney C. L. 5547
Huber E. W. see Flynn G. A. 815
Hubert A. J. see Fontaine M. 3117
Huboux A. H. see Lautens M. 3105
Huboux A. H. see Lautens M. 3253
Huboux A. H. see Lautens M. 5829
Hudlicky M. and **Merola J. S.** New stereospecific syntheses and X-ray diffraction structures of (-)-D-*erythro*- and (+)-L-*threo*-4-fluoroglutamic acid 7403
Hudlicky T. see Deluca M. E. 13
Huerta J. M. see Crusi E. 4191
Huff J. see Horiuchi N. 5121
Huffaker H. J. see Wang G. T. 6493
Huffman J. C. see O'Donnell M. J. 157
Huguet J. and **del Carmen Reyes M.** Enantioselective synthesis of (-) methyl 8-hydroxyocta-5,6-dienoate, the major antifungal principle of *Sapium japonicum* 4279
Huh T.-S. see Griesbaum K. 3299
Huisgen R. and **Brückner R.** [2+2]Cycloadditions of 2,2-bis(trifluoromethyl)ethylene-1,1-dicarbonitrile with enol ethers, 1,1-dimethylbutadiene and allyltrimethylsilane 2553
Huisgen R. see Brückner R. 2557
Huisgen R. see Brückner R. 2561
Huisgen R. see Brückner R. 7129
Huisgen R. see Brückner R. 7133
Huice M. see Lee S.-H. 311
Hulme A. N. see Paterson I. 7513
Hülsdünker A. see Kauffmann T. 1553
Hundt A. F. Burger J. F. W. Steynberg J. P. Steenkamp J. A. and **Ferreira D.** Absolute configurations of flavan-3-ols and 4-arylflavan-3-ols via a modified Mosher's method 5073
Hung M.-H. Fluorinated allenes and alkynes 3703
Hungerbühler E. see Allmendinger T. 7297
Hungerbühler E. see Allmendinger T. 7301
Hunt J. E. see Michalski T. J. 6847
Hur C. U. see Lee E. 5039
Hurst S. A. see Davis P. D. 2353
Huskens J. see Kuijpers W. H. A. 6729
Husson H.-P. see Tubéry F. 523
Hustedt E. J. see Kirchner J. J. 593
Hutton C. A. See Easton C. J. 7059
Hutzinger M. W. see Oehlschlager A. 2794
Hutzinger M. W. see Oehlschlager A. C. 165
Hwang J. P. see Lee J. G. 6677
Hwang J.-T. see Shim S. C. 4765
Hwang S. B. see Kim S. S. 3575
Hwang T. S. see Kang S. H. 5917
Hyde C. B. and **Mascagni P.** The use of crown ethers in peptide chemistry - III. Synthesis of an enkephalin derivative using 18-crown-6 as a non-covalent amino protecting group 399
Hyuga S. see Hara S. 247
Hønig H. Seufer-Wasserthal P. and **Weber H.** Simultaneous separation of enantiomers of diastereomers by lipases 3011

Iakovides P. and **Smith K. M.** Synthesis of oxygen analogues of the sulfchlorins 3853
Ianelli S. see Jamart-Grégoire B. 7603
Ibnusaud I. Padma Malar E. J. and **Sundaram N.** Synthesis and Diels-Alder reaction of stable aryl free 1,3-diazabutadiene 7357
Ichihara J. Funabiki K. and **Hanafusa T.** The combination of ammonium hydrogen fluoride and aluminium fluoride. An efficient solid fluoride source for halofluorination of alkenes 3171
Ichinose K. see Kinoshita T. 7355
Ichinose K. Sugimori M. Itai A. Ebizuka Y. and **Sankawa U.** Stable keto-tautomer of tetrahydroxynaphthalene in alkali: theoretical support to the post-aromatic reduction in the biosynthesis of aromatic polyketides 5905
Ida J. see Kamitori Y. 1183
Idle J. see Grigg R. 2767
Ieda S. see Niwa H. 7157
Igarashi Y. see Ando W. 4185
Iguchi M. see Konda Y. 5315
Ihara T. see Hisaeda Y. 1027
Iijima H. see Nakahara Y. 6897
Iizuka H. see Sakakibara T. 3749
Ikai K. see Kinoshita T. 4057
Ikeda H. Nagano Y. Du Y. Ikeda T. and **Toda F.** Modifications of the secondary hydroxyl side of α-cyclodextrin and NMR studies of them 5045
Ikeda T. see Ikeda H. 5045
Ikedo K. See Shimizu H. 7021

Ikegami S. see Hashimoto S. 4769
Ikegami S. see Hashimoto S. 5173
Ikegami S. see Hirota H. 3321
Ikeji T. See Tabushi I. 7017
Ikekawa N. see Fujimoto Y. 535
Ikekawa T. see Fujimoto Y. 535
Ila H. see Chandrasekharam M. 1763
Iley J. Constantino L. Norberto F. and **Rosa E.** Oxidation of the methyl groups of *N,N*-dimethylbenzamides by a cytochrome P450 mono-oxygenase model system 4921
Imae Y. see Yamamoto K. 4903
Imai N. see Kwiatkowski S. 2093
Imamura Y. see Kigoshi H. 4911
Imbach J.-L. see Baud M. V. 4437
Imbach J.-L. see Debart F. 3537
Imbach J.-L. see Morvan F. 7149
Imbs A. B. see Vysotskii M. V. 4367
Imperiali B. and **Zimmerman J. W.** Synthesis of dolichylpyrophosphate-linked oligosaccharides 6485
Ina K. see Sakata K. 1165
Inaba T. see Nabeshima T. 3919
Inaba T. see Nabeshima T. 6543
Inada A. see Nishinaga A. 3171
Inagaki H. see Niwa H. 7157
Inami K. Teshima T. Emura J. and **Shiba T.** Synthesis of lysophosphatidylserine with 19:4 acyl group, as a novel sodium-potassium ATPase inhibitor, in relation to DLIS-2, an endogenous digoxin-like substance 4033
Inazu T. see Miyahara Y. 5955
Ingham J. L. see Moriyama M. 6667
Inokuma S. Yamamoto T. and **Nishimura J.** Efficient intramolecular [2 + 2] photocycloaddition of styrene derivatives toward new crown ethers 97
Inoue H. see Koyama T. 4189
Inoue H. see Mishima M. 685
Inoue I. see Tomioka K. 6681
Inoue K. see Tanaka H. 3023
Inui N. see Tamao K. 7333
Inukai N. see Sato M. 3605
Iocono J. A. Gildea B. and **McLaughlin L. W.** Mild acid hydrolysis of 2-pyrimidinone-containing DNA fragments generates apurinic/apyrimidinic sites 175
Iqbal J. and **Pandey A.** An unusual chemoselectivity in cobalt(II)chloride catalysed cleavage of oxiranes with anilines: a highly regioselective synthesis of β-amino alcohols 575
Iqbal J. Srivastava R. R. and **Khan M. A.** Cobalt(II) chloride catalysed condensation of acetoacetate with vinylethers 1485
Iranpoor N. and **Mohammadpour Baltork I.** 2,3-Dichloro-5,6-dicyano-*p*-benzoquinone, an efficient, mild, neutral and highly regioselective catalyst for alcoholysis of epoxides 735
Ireland C. M. see West R. R. 3271
Irie K. Kajiyama S. Funaki A. Koshimizu K. Hayashi H. and **Arai M.** Biosynthesis of (-)-indolactam V, the basic ring-structure of tumor promoters teleocidins 101
Irie K. Kajiyama S. Koshimizu K. Hayashi H. and **Arai M.** Isolation and biosynthesis of (-)-indolactam I, a new congener of indole alkaloid tumor promoter telecidins 7337
Irie R. Noda K. Ito Y. Matsumoto N. and **Katsuki T.** Catalytic asymmetric epoxidation of unfunctionalized olefins 7845
Irngartinger H. Reifenstahl U. Prinzbach H. Pinkos R. and **Weber K.** Molecular structures of a *seco*-dodecahedradiene and an *iso*-dodecahedrane 5459
Ishi S. see Ohira S. 1039
Ishibashi M. see Kobayashi J. 4617
Ishido Y. see Sakakibara T. 3749
Ishifune M. see Shono T. 7181
Ishigami Y. see Sasaki M. 6549
Ishige O. see Shono T. 7181
Ishihara J. see Tadano K. 2609
Ishihara K. see Nakamura K. 3603
Ishihara S. see Tsushima T. 3017
Ishihara S. see Umemoto T. 3579
Ishii A. Nakayama J. Endo Y. and **Hoshino M.** Reaction of tri-2-thienylcarbenium perchlorate with hydrogen and carbon nucleophiles 2623
Ishii A. see Nakayama J. 2627
Ishikawa A. Uchiyama H. Katsuki T. and **Yamaguchi M.** Stereoelectronically controlled [2,3]Wittig rearrangement of isopropyl 2'-heterosubstituted-2'-alkenyloxyacetates 2415
Ishikawa H. see Sakata K. 1165
Ishikawa K. see Wada T. 6363
Ishikawa M. see Ohno K. 4489
Ishitsuka M. O. see Zheng G.-C. 2617
Ishitsuka M. O. see Zheng G.-C. 4522
Ishiyama K. see Hasegawa E. 4045
Ishiyama T. see Tatsuta K. 709
Ishiyama T. see Toshima K. 3339
Ishiyama T. see Toshima K. 6361
Ishizaki T. see Boger D. L. 793
Isobe M. Fukuda Y. Nishikawa T. Chabert P. Kawai T. and **Goto T.** Synthetic studies on (-)-tetrodotoxin - III. Nitrogenation through Overman rearrangement and guanidine ring formation 3327
Isobe M. Hirose Y. Shimokawa K. Nishikawa T. and **Goto T.** Asymmetric synthesis via heteroconjugate addition: valinol template as oxazolidine heteroolefin versus acetylenic nucleophiles 5499
Isobe M. Takahashi H. and **Goto T.** *Lampteromyces* bioluminescence - V. Chemical synthesis of lampteroflavin as mushroom light emitter 717
Isoe S. see Fujiwara S. 691
Isoe S. see Yoshida J. 2425
Isogai A. Fukuchi N. Yamashita S. Suyama K. and **Suzuki A.** Structures of syringostatins A and B, novel

phytotoxins produced by *Pseudomonas syringae* pv. *syringae* isolated from lilac blights 695
Isogai A. see Fukuchi N. 1589
Itai A. see Ichinose K. 5905
Itai A. see Itokawa H. 6881
Ito M. and Kibayashi C. An alternative enantioselective total synthesis of (+)-monomorine I 5065
Itô S. see Tsunoda T. 727, 731
Ito T. Okamoto S. and Sato F. Synthesis of optically active α-trimethylsilyl $\Delta^{\alpha,\beta}$-butenolides and their conversion into various butenolides and saturated γ-lactones 6399
Ito Y. Kamijo T. Harada H. Matsuda F and Terashima S. An efficient synthesis of methyl *N*-[2-(*R*)-(1-naphthylmethyl)-3-(morpholinocarbonyl)propionyl]-(*S*)-histidinate, the key synthetic intermediate of renin inhibitors 2731
Ito Y. see Fukuda Y. 6699
Ito Y. see Hayashi T. 1743
Ito Y. see Irie R. 7345
Ito Y. see Kobayashi Y. 3031
Ito Y. see Matsumoto T. 4175
Ito Y. see Mori M. 3029
Ito Y. see Mori M. 3191
Ito Y. see Nakano T. 1597
Ito Y. see Sawamura M. 2723
Ito Y. see Sugimoto M. 385
Ito Y. see Sugimoto M. 1435
Ito Y. see Takemoto Y. 217
Ito Y. see Tamao K. 2925
Ito Y. see Tamao K. 7333
Itoh A. see Fuji K. 2419
Itoh K. see Sera A. 6547
Itoh T. and Ohta T. A simple method for the preparation of optically active γ-hydroxystannanes by the enantioselective hydrolysis using a lipase 6407
Itoh T. Nagata K. Okada M. and Ohsawa A. Reaction of 5-halo-1,2,3-triazines with superoxide; synthesis of 5-hydroxy-1,2,3-triazines 2429
Itoh T. Nagata K. Okada M. and Ohsawa A. Redox properties of superoxide with 1,2,3-triazine derivatives 7193
Itoh T. Ohta T. and Sano M. An efficient preparation of the optically active γ-hydroxystannanes using lipase-catalyzed hydrolysis 6387
Itoh T. Ohta T. and Sano M. Corrigendum 6450
Itokawa H. Shirota O. Morita H. Takeya K. Tomioka N. and Itai A. New triterpene dimers from *Maytenus ilicifolia* 6881
Iwabuchi Y. see Takano S. 3619
Iwai K. see Hamada Y. 5041
Iwama T. see Kataoka T. 3027
Iwamoto K. Fujimoto K. Matsuda T. and Shinkai S. Remarkable metal template effects on selective syntheses of *p-t*-buty calix[4]arene conformers 7169
Iwasaki T. see Moritani Y. 3615
Iwasaki T. see Ogiku T. 5487
Iwasaki T. see Yamazaki H. 5345
Izatt R. M. see Bradshaw J. S. 1077
Izumi Y. see Sugita K. 7467

Jachiet D. see Alexakis A. 1271
Jackson B. G. Gardner J. P. and Heath P. C. Synthesis of carbacephem antibiotics: synthesis via Dieckmann reaction using phenyl esters to direct the regioselectivity of the cyclization 6317
Jackson B. see Harwood L. M. 1885
Jackson R. F. W. see Hewkin C. T. 1877
Jackson W. R. Jacobs H. A. Matthews B. R. Jayatilake G. S. and Watson K. G. Stereoselective syntheses of ephedrine and related 2-aminoalcohols of high optical purity from protected cyanohydrins 1447
Jackson W. R. Preimutter P. and Tasdelen E. E. Regio- and stereo-control in the rhodium catalysed hydroformylation of some alkenylphosphines 2461
Jackson W. R. see Anastasiou D. 4795
Jacobs H. A. see Jackson W. R. 1447
Jacobs H. K. see Gopalan A. S. 5575
Jacobson K. see Vu H. 7269
Jacobsson U. see Kumar V. 5217
Jacoby R. G. see Clemans G. B. 2255
Jacquier R. Calmes M. 2003
Jaeger D. A. Sayed Y. M. and Dutta A. K. Second generation single-chain cleavable surfactants 449
Jain R. K. and Matta K. L. Methyl 3,4-O-isopropylidene-2-O-(4-methoxybenzyl)-1-thio-β-L- fucopyranoside - a novel, efficient glycosylating reagent for the synthesis of linear and other α-L-fucosyl oligosaccharides 4325
Jain R. see Jain S. 131
Jain S. Jain R. Singh J. and Anand N. A novel synthesis of di(1-methylazacycloalkeno)[2,3-*b*:2',3'-*d*]pyridines through annulation on lactam acetals 131
Jako I. Uiber P. Mann A. Taddei M. and Wermuth C.-G. Diastereoselectivity in conjugate addition of alkylcuprates to vinylogous ester of N,O-diprotected serinal 1011
Jakubke H.-D. see Könnecke A. 989
Jakubke H.-D. see Kuhl P. 5213
Jakubke H.-D. see Schellenberger V. 7305
Jamart-Grégoire B. Grand V. Ianelli S. Nardelli M. and Caubère P. Aggregative activiation in heterocyclic elimination-additions-I. Dehydro dihydropyran nucleophilic condensations 7603
Jamart-Grégoire B. Léger C. and Caubère P. New applications of complex bases: nucleophilic condenstions of pyridyne 7599
James M. see Brimble M. A. 2043
James T. D. see Fyles T. M. 1233
Jang D. G. see Han B. H. 1181
Jang D. O. see Barton D. H. R. 3991
Jang D. O. see Barton D. H. R. 4681
Jankowski K. see Boivin J. 2281
Jansen J. F. G. A. see de Jong

J. C. 3047
Jansen J. R. see Bringmann G. 639
Jansen J. R. see Bringmann G. 643
Janssen A. J. M. Klunder A. J. H. and **Zwanenburg B.** Enzyme mediated optical resolution of *endo*-norbornene lactone 7219
Jansson A. M. Meldal M. and **Bock K.** The active ester N-Fmoc-3-O-[Ac_4-α-D-Man*p*-(1→2)-Ac_3-α-D-Man*p*-1-]-threonine-O-Pf*p* as a building block in solid-phase synthesis of an O-linked dimannosyl glycopeptide 6991
Janzen E. G. DuBose C. M. and **Kotake Y.** 2,4,6-Trimethoxyphenyl *tert*-butyl nitrone $(MO)_3$ PBN, as a detector of hydroxyl radicals in the presence of peroxides, superoxide and peroxyl radicals 7395
Jaramillo L. M. see Enholm E. J. 3727
Jarowicki K. Kocie´nski P. Marczak S. and **Willson T.** A synthesis of (+)-pederin. The metallated dihydropyran approach 3433
Jarret R. M. and **Cusumano L.** ^{13}C-^{13}C Coupling in [1.1.1]propellane 171
Jarrett J. T. and **Lansbury, Jr. P. T.** Corrigendum 5386
Jarrett J. T. and **Lansbury, Jr. P. T.** Improved coupling of protected peptides on the Kaiser oxime resin using BOP activation 4561
Jarstfer M. B. see Doyle M. P. 6613
Jarvi E. T. see Edwards M. L. 5571
Jarvi E. T. see McCarthy J. R. 5449
Jarvis B. B. Zeng M. and **Mazzola E. P.** Novel rearrangements of macrocyclic trichothecenes 4401
Jaszberenyi J. C. see Barton D. H. R. 3991
Jaszberenyi J. Cs. see Barton D. H. R. 4681
Jatzke H. see Schmidt R. R. 327
Jayathirtha Rao V. and **Bhalerao U. T.** Regioselective photo isomerisation of retinolacetate 3441
Jayatilake G. S. see Jackson W. R. 1447
Jean T.-S. see Sha C.-K. 3745
Jeanneret-Gris G. and **Pousaz P.** Enantiomers of Mosher's acid chloride. First unambiguous determination of their maximum rotatory power 75
Jeffery T. Palladium-catalysed reaction of vinylic halides with primary allylic alcohols: regio and stereocontrolled synthesis of 4-enals 6641
Jefford C. W. Siedeski A. W. Rossier J.-C. and **Boukouvalas J.** A short route to furanosesquiterpenes using a new siloxyfuran building block. The synthesis of freelingnite and dehydrolasiosperman 5741
Jefford C. W. Tang Q. and **Boukouvalas J.** Regioselective 2-acylation of N-substituted pyrroles by intramolecular delivery 995
Jeganathan S. and **Vogel P.** Total synthesis of branched-chain higher-carbon sugars. First synthesis of caldose, calditol and 4-deoxycalditol stereoisomers 1717
Jendralla H. see Wess G. 2545
Jenkins G. see Chauhan P. M. S. 1487
Jenkins G. see Crew A. P. A. 1491
Jenkins M. J. see Barker A. J. 4359
Jenner G. Catalyst and solvent effects on the synthesis of acetic acid from methyl formate 3887
Jennings H. J. see Kartha K. P. R. 2537
Jentzer O. see Crozet M. P. 1269
Jeong J. U. see Kang J. 2713
Jeong N. see Semmelhack M. F. 605
Jeong N. see Semmelhack M. F. 609
Jeong N. see Yoo S.-E. 6877
Jew S. Park H. G. Park H.-J. Park M. and **Cho Y.** New method for Hofmann rearrangement 1559
Jeyaraman R. and **Ravindran T.** Facile denitrosation of cyclic *N*-nitrosamines with boron trifluoride 2787
Jhingran A. G. see Collins D. J. 421
Jhingran A. G. see Gill M. 1203
Jiménez J. L. see Avalos M. 2467
Jiménez J.-M. see Bennasar M.-L. 747
Johns R. B. see Tong G. 3759
Johnson C. R. see Parry R. J. 7549
Johnson E. J. see Kronenthal D. R. 1241
Johnson R. E. see Pilling G. M. 6763
Johnson S. A. see Liebeskind L. S. 4397
Johnston G. A. see Brown L. 5799
Johnston M. R. see Gunter M. J. 4801
Johnstone R. A. W. see Brigas A. F. 5789
Jones D. N. see Adams J. P. 4355
Jones D. R. see Wood J. L. 6329
Jones D.K. see Dauber-Osguthorpe P. 917
Jones G. E. see Burrell G. 3649
Jones M. B. and **Platz M. S.** The kinetics of the ylid-forming reaction between triplet diphenylcarbene and pyridine 953
Jones R. A. see Fathi R. 319
Jones R. C. F. and **Jones R. F.** Synthesis of ikarugamycin: model studies on a new strategy for the closure of ring C. 3367
Jones R. C. F. and **Jones R. F.** Synthesis of ikarugamycin: studies on the carbotricyclic sub-unit 3363
Jones R. C. F. and **Nichols J. R.** Tetrahydrofolate coenzyme models: imidazolines as nucleophilic C_1-transfer reagents 1767
Jones R. C. F. and **Nichols J. R.** Thiamine coenzyme models: imidazolinium ylides and the reactions of 2-(hydroxyalkyl)imidazolines 1771
Jones R. C. F. Nichols J. R. and **Cox M. T.** Annulation of imidazolines: a 1,3-dipolar cycloaddition route to pyrroloimidazoles, pyrrolidines and pyrroles 2333
Jones R. F. see Jones R. C. F. 3363
Jones R. F. see Jones R. C. F.

3367
Jones T. H. A short tetraponerine synthesis 1535
Jones T. H. A stereoselective synthesis of the (9*Z*,11*Z*) tetraponerines T4 and T8 4543
Jones T. H. see Lloyd H. A. 5559
Jong T.-T. see Wu T.-S. 1786
Jönsson U. see Stjernlöf P. 5773
Jorba X. Albericio F. Grandas A. Bannwarth W. and **Giralt E.** Arenesulphonyltriazolides as condensing reagents in solid phase peptide synthesis 1915
Jordan S. see Attwood M. R. 283
Joseph B. see Blanc-Muesser M. 3867
Joshi B. V. and **Reese C. B.** A new procedure for the preparation of 3'-*O*-alkyl derivatives of 2'-deoxyribonucleosides 7483
Joshi P. L. see Hazra B. G. 6227
Joshi S. P. see Chakraborty T. K. 2043
Jossang A. Dubaele B. Cavé A. Bartoli M.-H. and **Beriel H.** Deux nouvelles acétogénines monotétrahydrofuranniques cytotoxiques: l'annomonicine et la montanacine 1861
Joucla M. see Bureau R. 6017
Joulain D. see Gosselin P. 3151
Joule J. A. see Allway P. A. 4781
Joule J. A. see Balczewski P. 569
Journet M. Magnol E. Agnel G. and **Malacria M.** Radical cyclization of (bromomethyl)dimethylsilyl propargyl ethers: regioselective intramolecular cyclization of vinyl radicals 4445
Jubault M. see Abouelfida A. 4019
Juge S. see Genet J. P. 3133
Jugé S. Stephan M. Laffitte J. A. and **Genet J. P.** Efficient asymmetric synthesis of optically pure tertiary mono and diphosphine ligands 6357
Juge S. Wakselman M. Stephan M. and **Genet J. P.** Evidence of the loss of chirality at the phosphonium step in the Arbuzov rearrangement 4443
Julia S. A. see Baudin J.-B. 213
Julius M. see Hoffmann R. W. 7419
Jung K. W. see Lee E. 1023
Jung M. E. and **Gervay J.** A new NMR technique for measuring the ground state populations of formate esters: polar aprotic solvents favor the s-*cis* (*E*)-isomer of *t*-butyl formate 4685
Jung M. E. and **Lew W.** Diastereoselective organocuprate addition to homochiral ketals of 3-acetylcyclopent-2-en-1-one 623
Jung M. E. Jung Y. H. and **Miyazawa Y.** Facile synthesis of both enantiomers of 2,3,4,5,6-pentafluoro-α-methoxybenzeneacetic acid in high optical purity 6983
Jung Y. H. See Jung M. E. 6983
Junjappa H. see Chandrasekharam M. 1763
Jurczak J. see Raczko J. 3797
Just G. see Hambalek R. 4693
Just G. see Hambalek R. 5445
Just G. see Singh R. 185
Jørgensen K. A. On the mechanism of the enantioselectivity in the dihydroxylation of alkenes by osmium tetraoxide-chiral ligand complexes 6417

Kabalka G. W. See Narayana C. 6977
Kabalka G. W. see Hondrogiannis G. 5433
Kabalka G. W. see Soderquist J. A. 4677
Kabe Y. see Ando W. 3597
Kabe Y. see Ando W. 4177
Kabe Y. see Ando W. 4185
Kabe Y. see Tokitoh N. 7641
Kabore L Chebli S. Faure R. Laurent E. and **Marquet B.** Diastereoselective fluorination at benzylic position by anodic oxidation 3137
Kabuto K. and **Sasaki Y.** A facile NMR method for assigning absolute configuration of underivatized α-methyl-α-amino acids using a chiral lanthanoid shift reagent for aqueous solution 1031
Kaczynski M. A. see Mash E. A. 4565
Kaddachi M. T. see Santamaria J. 4735
Kades E. see Adam W. 2259
Kadota I. see Kotsuki H. 4609
Kadota S. Takamori Y. Kikuchi T. Motegi A. and **Ekimoto H.** Woodfruticosin, an inhibitor of DNA topoisomerase II from *Woodfordia fruticose* Kurz 393
Kadota S. Yanagawa K. Kikuchi T. and **Tanaka K.** Mahagonin, a novel dimeric tetranortriterpenoid from *Swietenia mahagoni* JACQ 5943
Kagan H. B. see Rebiere F. 3121
Kageyama H. see Kato S. 3587
Kahl S. B. Comparison of three methods for the synthesis of carborane carboxylic acid esters 1517
Kahn M. see Sato M. 4697
Kahne D. Yang D. and **Lee M. D.** Preparation of the 4-ethylamino sugar of calicheamicin: assignment of absolute configuration 21
Kaiwar V. see Rama Rao A. V. 2341
Kajiyama S. see Irie K. 101
Kajiyama S. see Irie K. 7337
Kakinuma K. see Fujimoto Y. 535
Kakisawa H. see Zheng G.-C. 2617
Kakisawa H. see Zheng G.-C. 4522
Kako M. see Ando W. 4177
Kalinin V. N.. Shostakovsky M. V. and **Ponomaryov A. B.** Palladium-catalyzed synthesis of flavones and chromones via carbonylative coupling of *o*-iodophenols with terminal acetylenes 4073
Kallmerten J. see Coutts S. J. 4301
Kallmerten J. see Coutts S. J. 4305
Kaltenbach R. F. see Burke S. D. 5285
Kalvoda J. see Ernest I. 4011
Kamata M. Furukawa H. and **Miyashi T.** Proton-induced single electron transfer

reactions: photooxygenation of 1,1,2,2-tetraarylcyclopropanes in the presence of protic acids 681
Kambe N. see Mizuno T. 4773
Kambe N. see Ogawa A. 5931
Kameyama Y. see Tanaka H. 6661
Kamijo T. see Ito Y. 2731
Kamijo T. see Matsumoto T. 4175
Kamimura A. and **Marumo S.** *Syn*- and *anti*-selective preparation of 3-substituted-Δ^2-isoxazolines 5053
Kamitori Y. Hojo M. Masuda R. Kawamura Y. Kawasaki K. and **Ida J.** A new facile synthesis of 5-aryl-4-trifluoroacetyl-6-trifluoromethyl-3,4-dihydro-2*H*-1,3,4-oxadiazines from arylaldehydes 1183
Kamiya S. see Fukuhara K. 3743
Kamiyama K. see Corey E. J. 3995
Kämpchen T. see Keil J.-M. 4581
Kan Y. see Nishizawa M. 2431
Kánai K. and **Tőmősközi I.** Spontaneous dihydroxylation of -α- oxo enol ethers by air 403
Kanai M. see Uneyama K. 3583
Kanazawa T. see Fushiya S. 3901
Kanda T. see Kato S. 3587
Kandeis J. see Bargon J. 5721
Kane R. R. see Walkup R. D. 1531
Kane R. R. see Walkup R. D. 7587
Kaneko C. see Katagiri N. 4633
Kaneko C. see Sato M. 3605
Kaneko C. see Sato M. 7463
Kaneko M. see Mikami K. 3909
Kanemasa S. and **Yamamoto H.** Asymmetric 1,3-dipolar cycloadditions of azomethine ylides with a chiral electron-deficient olefinic dipolarophile 3633
Kang H.-Y. see Shim S. C. 4765
Kang J. Choi Y. R. Kim B. J. Jeong J. U. Lee S. Lee J. H. and **Pyun C.** Benzocyclobutenones from acylsilanes 2713
Kang M. S. see Farr R. A. 7109
Kang S. H. Hwang T. S. Kim W. J. and **Lim J. K.** A stereoselective route to *trans*-2,5-disubstituted tetrahydrofurans 5917
Kang Y. B. see Anthony I. J. 1315
Kanoh M. see Takahashi T. 7349
Kanomata N. see Nitta M. 1291
Kansal V. see Pochet S. 6021
Kant J. Sapino, Jr. C. and **Baker S. R.** Reactions of organocuprates with vinyl-triflates and related cephems: a novel approach to 3-substituted cephalosporins 3389
Kant J. see Georg G. I. 451
Kao C. Y. see Yotsu M. 3187
Kapil R. S. see Rama Krishna K. V. 1351
Kapoor R. P. see Singh O. V. 2747
Kapoor R. P. Singh O. V. 1459
Karaman R. and **Fry J. L.** A novel *N*-dealkylation reaction of *N,N*-dialkylarylcarboxamides promoted by electron transfer from alkali metals 941
Karaman R. Kohlman D. T. and **Fry J. L.** Conversion of aromatic ketones, benzyl alcohols, and alkyl aryl ethers to aromatic hydrocarbons with lithium 4,4'-di-*t*-butylbiphenyl radical anion 6155
Karelson M. see Katritzky A. R. 2987
Karlsson U. see Nájera C. 4199
Kartha K. P. R. and **Jennings H. J.** A facile, one-step procedure for the conversion of 2-(trimethylsily) ethyl glycosides to thier glycosyl chlorides 2537
Kasahara C. see Kayakiri H. 225
Kasar R. A. Wakharkar R. D. Chanda B. and **Ayyangar N. R.** Synthesis of monocillin IV dimethyl ether 6445
Kasatkin A. N. Kulak A. N. Biktimirov R. Kh. and **Tolstikov G. A.** Reactions of organomagnesium and organolithium compounds with diethyl (2,3-epoxybutylidene)malonate. A simple synthesis of cyclopropane carboxylates 4915
Kashimoto M. see Kihara M. 5347
Kashimura S. see Shono T. 895
Kashimura S. see Shono T. 7181
Kashiwazaki H. see Hasegawa E. 4045
Kasuga H. see Tezuka T. 7633
Katagiri N. Watanabe N. Sakaki J. Kawai T. and **Kaneko C.** 1,3-Dipolar cycloaddition of di-1-menthyl benzylidenemalonate to (*Z*)-N, -diphenylnitrone: explanation for diastereoselectivity 4633
Kataoka H. Watanabe K. and **Goto K.** Palladium(II)-catalyzed oxidative rearrangement of propargyl esters 4181
Kataoka T. See Shimizu H. 7021
Kataoka T. see Shimizu H. 115
Kataoka T. Tsutsumi K. Iwama T. Shimizu H. and **Hori M.** Novel synthesis of medium-sized heterocycles containing a sulfur or selenium atom 3027
Kataoka T. Yoshimatsu M. Shimizu H. and **Hori M.** Vinyl radical generation with selenoborane and its application to cyclization reaction to enynes 5927
Kataoka Y. Miyai J. Tezuka M. Takai K. Oshima K. and **Utimoto K.** Preparation of 1-naphthols from acetylenes and *o*-phthalaldehyde using low-valent tantalum and niobium 369
Kataoka Y. Takai K. Oshima K. and **Utimoto K.** Reduction of acetylenes to (*Z*)-olefins by means of low-valent niobium or tantalum 365
Kating P. see Bargon J. 5721
Kato K. see Nagai M. 119
Kato K. see Nishiyama S. 705
Kato K. see Nishiyama S. 4777
Kato S. Kageyama H. Kanda T. Murai T. and **Kawamura T.** Crystalline sodium seleno- and telluro-carboxylates localization of negative charge on electropositive chalcogeno atoms 3587
Kato Y. see Aknin M. 2979
Kato Y. see Ueoka R. 5311
Kato Y. see Ueoka R. 5335
Katoh A. see Mikami T. 539
Katritzky A. R. and **Karelson M.** Importance of dipolar resonance structures in

determining ground state charge distribution 2987
Katritzky A. R. and **Kotali A.** Synthesis of *o*-acylarylcarboxylic esters: a new replacement of phenolic hydroxyl by a carbonyl group 6781
Katritzky A. R., **Shobana N.** and **Harris P. A.** Preparation of β-aminoesters from ketene silyl acetals and N-(alkylamino)benzotriazoles 3999
Katsuki T. see **Irie R.** 7345
Katsuki T. see **Ishikawa A.** 2415
Katsumura S. see **Fujiwara S.** 691
Katz T. J. see **Liu L.** 3983
Kauffmann T. Abel T. Neiteler G. and **Schreer M.** Chlorierende Methylierung von Aldehyd- und Ketogruppen mit Niob-Reagenzien sowie aufklärung des Mechanismus 503
Kauffmann T. Hopp G. Laarmann B. Stegemann D. and **Wingbermühle D.** Selektive kohlenstoff-kohlenstoff-Verknüpfungen mit nucleophilen thermolabilen Methylcobalt-Reagenzien 511
Kauffmann T. Hülsdünker A. Menges D. Nienaber H. Rethmeier L. Robbe S. Scherler D. Schrickel J. and **Wingbermühle D.** Konjugierte Addition von Alkylderivaten der späten Übergangsmetalle Ag, Pd, Rh, Ru, Co und Fe an 2-Cyclohexenon 1553
Kauffmann T. Laarmann B. Menges D. Voß K.-U. and **Wingbermühle D.** Anwendung nichtstabilisierter eisen(II)-alkyle als hochselektive nucleophile Alkylierungsreagenzien 507
Kawabata J. see **Moriyama M.** 6667
Kawabata T. see **Fuji K.** 3175
Kawabata T. see **Fuji K.** 4666
Kawabata T. see **Fuji K.** 6663
Kawabata Y. see **Ouchi A.** 6043
Kawada M. see **Mandai T.** 4041
Kawada M. see **Mandai T.** 7179
Kawagishi H. Ando M. and **Mizuno T.** Hericenone A and B as cytotoxic principles from the mushroom *Hericium erinaceum* 373
Kawahara I. see **Tanaka H.** 6661
Kawai H. see **Fusetani N.** 3599
Kawai H. see **Natori T.** 689
Kawai T. see **Isobe M.** 3327
Kawai T. see **Katagiri N.** 4633
Kawai Y. see **Nakamura K.** 267
Kawai Y. see **Nakamura K.** 1159
Kawai Y. see **Nakamura K.** 3631
Kawai Y. see **Yoshifuji M.** 6891
Kawamura T. see **Kato S.** 3587
Kawamura Y. see **Kamitori Y.** 1183
Kawano N. see **Kouno I.** 3658
Kawasaki K. see **Kamitori Y.** 1183
Kawase M. see **Kikugawa Y.** 243
Kawase T. Fujino S. and **Oda M.** 6-Dimethylamino-6-lithiofulvene, a novel 6-fulvenyl anion of potential synthetic utility 545
Kawase Y. see **Satoh T.** 3609
Kayakiri H. Kasahara C. Oku T. and **Hashimoto M.** Synthesis of kifunensine, an immunomodulating substance isolated from microbial source 225
Kaye K. C. see **Fyles T. M.** 1233
Kazala A. P. see **Doyle M. P.** 6613
Ke B.-W. see **Tsai Y.-M.** 6047
Kee I. S. see **Kim S.** 2899
Keese R. see **Rong G.** 5615
Keese R. see **Rong G.** 5617
Keil J.-M. Kämpchen T. and **Seitz G.** [4+2]-Cycloadditionen mit Tetrabromcyclopropen: Ein neuer Syntheseweg zu polyfunktionalisierten Indolen, Benzofuranen und Benzothiophenen 4581
Keil R. see **Lipshutz B. H.** 7257
Keller J. W. see **Clausen T. P.** 4537
Keller T. H. and **Weiler L.** Conformationally controlled reductions of 14-membered macrolides 6307
Keller T. H. see **Oppolzer W.** 1265
Kelly M. J. see **Oppolzer W.** 5015
Kelly T. R. Li Q. and **Bhushan V.** Intramolecular biaryl coupling: asymmetric synthesis of the chiral B-ring diol unit of pradimicinone 161
Kelly T. R. Meghani P. and **Ekkundi V. S.** Diels-Alder Reactions: rate acceleration promoted by a biphenylenediol 3381
Kempener Y. see **François P.** 6347
Kende A. S. and **DeVita R. J.** A mild four-carbon homologation of aldehydes to *E,E*-dienamines 307
Kende A. S. and **Mendoza J. S.** An improved variant of the Julia olefin synthesis: reductive elimination of β-hydroxy imidazolyl sulfones by samarium diiodide 7105
Kennedy D. J. see **Collins P. M.** 2055
Kennewell P. D. see **Luheshi A.-B. N.** 123
Kennewell P. D. see **Luheshi A.-B. N.** 127
Kennewell P. D. see **Luheshi A.-B. N.** 6561
Keogh B. P. see **Charonnat J. A.** 315
Kerbal A. Vebrel J. Roche M. and **Laude B.** Reaction of diarylnitrilimines with 3-arylidene-4-isothiochromanones. A general approach to the first thiadiazaphenanthrene 4145
Kerr R. G. Baker B. J. Kerr S. L. and **Djerassi C.** Biosynthetic studies on arene-olefin cycloadditios - XXIX. Demonstration of sterol side chain dealkylation using cell-free extracts of marine sponges 5425
Kerr S. L. see **Kerr R. G.** 5425
Kesseler K. see **Wess G.** 2545
Kessler P. Ehret-Sabatier, Geoldner M. and **Hirth C.** 4-Diazocyclohexa-2,5-dienones as photoaffinity reagents for proteins 1275
Keßeler K. see **Beck G.** 7293
Ketz H. Tjarks W. and **Gabel D.** Synthesis of nido-carborate containing thioureas 4003
Kgaphola M. M. see **Cragg J. E.** 6907
Khan A. U. see **Corey E. J.** 1389
Khan K. M. see **Shekhani M. S.**

1669
Khan M. A. see Iqbal J. 1485
Khanapure S. P. Bhawal B. M. and **Biehl E. R.** Corrigendum 5098
Khanapure S. P. Bhawal B. M. and **Biehl E. R.** Use of N-lithiated ethyl anthranilates as 1,4-dipole equivalents in 1,4,-dipole-aryne cycloaddition: a novel approach to the synthesis of acridones 2869
Khanolkar A. D. see Bailey W. F. 5993
Khanous A. Gorgues A. and **Jubault M.** Acetylenic analogs of tetrathiafulvalene: alkynes-hexacarbonylaficobalt complexes mediated synthesis and π-donor properties 7311
Khanous A. Gorgues A. and **Texier F.** 2-Butyne-1,4-diylidene-2,2'bis(1,3-dithiole): acetylenic analogs of tetrathiafulvalene 7307
Khare C. see Tanaka Y. 6193
Khare V. B. see Rama Rao A. V. 271
Khau V. V. see Martinelli M. J. 7579
Khetani V. see Majetich G. 51
Khetani V. see Majetich G. 2243
Khourzom R. Rose-Munch F. and **Rose E.** Reaction of chlorotoluenetricarbonylchromium complexes with α-sulfonyl-carbanions 2011
Khripach V. A. Zhabinskiy V. N. and **Olkhovick V. K.** Highly stereoselective synthesis of steroidal 22α-allylic alcohols via 22-aldehydes and 1-silyl-1-iodo-1-alkenes: a new efficient route to the side chain construction of brassinolide 4937
Khripach V. Litvinovskaya R. Baranovsky A. and **Drach S.** Highly stereoselective synthesis of 20-isosteroidal side chain by dehydration of (20R)-20-hydroxy-20-isoxazolinylsteroids 7065
Khuong-Huu F. see de Oliveira A. B. 6873
Khuong-Huu F. see Skrydstrup T. 7145
Kibayashi C. see Ito M. 5065
Kibayashi C. see Machinaga N. 3637
Kida T. Masuyama A. and **Okahara M.** Preparation of trihydroxycarboxylates bearing a long-chain alkyl acetal group from glucono-1,5-lactone 5939
Kido M. see Fukuyama Y. 5621
Kielty J. M. see Barton D. H. R. 6637
Kiely J. S. see Laborde E. 1837
Kigoshi H. Imamura Y. Yoshikawa K. and **Yamada K.** Three new cytotoxic alkaloids aplaminone neoaplaminone and neoaplaminone sulfate from the marine mollusc *Aplysia kurodai* 4911
Kihara M. Kashimoto M. Kobayashi Y. and **Kobayashi S.** A new intramolecular Barbier reaction of N-(2-iodobenzyl)-phenacylamines: a convenient synthesis of 1,2,3,4-tetrahydroisoquinolin-4-ols 5347
Kijima A. see Takano S. 2315
Kikuchi O. see Takahashi O. 5175
Kikuchi R. see Tanaka H. 6661
Kikuchi T. see Kadota S. 393
Kikuchi T. see Kadota S. 5943
Kikuchi Y. see Kobayashi J. 4617
Kikugawa Y. Mitsui K. Sakamoto T. Kawase M. and **Tamiya H.** N-Methoxydiacetamide: a new selective acetylating agent 243
Kilburn J. D. Stereoselective tandem radical cyclisations: synthesis of isoiridomyrmecin 2193
Kim B. H. see Russell G. A. 6273
Kim B. J. see Kang J. 2713
Kim B. M. and **Sharpless K. B.** A short route to β-lactams: use of cyclic sulfites from *syn*-2,3-dihydroxy esters 4317
Kim B. M. and **Sharpless K. B.** Heterogeneous catalytic asymmetric dihydroxylation: use of a polymerbound alkaloid 3003
Kim C. U. Misco P. F. Luh B. Y. and **Martin J. C.** Synthesis of a phosphonate isostere of ganciclovir monophosphate: a highly cytomegalovirus active phosphonate nucleotide analogue 3257
Kim C. W. Chung B. Y. Namkung J.-Y. Lee J. M. and **Kim S.** New methods for β-lactam formation from β-amino acids with organophosporous compounds 2905
Kim D. Kim S. Lee J. J. and **Kim H. S.** Stereoselective construction of steroidal *trans*-hydrindanes via intramolecular ester enolate alkylation 4027
Kim D. Li Y. Horenstein B. A. and **Nakanishi K.** Synthesis of tunichromes Mm-1 and Mm-2, blood pigments of the iron-assimilating tunicate, *Molgula manhattensis* 7119
Kim H. J. see Kim S. S. 3575
Kim H. R. see Yoo S.-E. 5913
Kim H. S. see Kim D. 4027
Kim H. S. see Shim S. C. 105
Kim H.-O. see Hoffman R. V. 2953
Kim H.-R. see Moss R. A. 4715
Kim I. J. see Mukai C. 6893
Kim K. and **Rim H. J.** A convenient synthesis of bis(*o*-arylmercaptophenyl)sulfides 5631
Kim K. D. and **Magriotis P. A.** A new stereoselective synthesis of (*Z*)-vinylsilane allylic alcohols 6137
Kim K. D. see Magriotis P. A. 2541
Kim K. Ryu E. K. and **Seo Y.** Synthesis of 4-bromo-4-isoxazolin-3-ones: application of bromine-N,N-dimethylacetamide complex 5043
Kim K. S. Hwang H. J. Cheong C. S. and **Hahn C. S.** Tellurium dioxide catalyzed selective oxidation of sulfides to sulfoxides with hydrogen peroxide 2893
Kim K. see Kim Y. H. 3893
Kim K.-W. see Sugawara F. 4337
Kim M.-H. see Pindur U. 1551
Kim S. and **Kee I. S.** A novel method for direct conversion of tetrahydropyranyl ethers into *t*-butyldimethylsilyl ethers with *t*-butyldimethylsilyl triflate and dimethyl sulfide 2899
Kim S. and **Kim Y. C.** Allylic 1,3-rearrangement of 1-alkoxyallylphosphonium salts. Regiochemistry of

reaction of 1-alkoxy-2-alkenylenephosphoranes with aldehydes 2901
Kim S. and Lee J. M. Trialkylsilyl triflate promoted conjugate addition of alkynylzinc compounds to α, β-enones 7627
Kim S. K. see Lee H. W. 7637
Kim S. S. Lee K. S. Hwang S. B. and Kim H. J. Secondary α-deuterium kinetic isotope effects for addition of phenyl radical to benzyl isocyanides: an evidence of concerted mechanism 3575
Kim S. S. see Yang N. C. 3825
Kim S. see Kim C. W. 2905
Kim S. see Kim D. 4027
Kim T. C. Mazières M. R. Wolf R. and Sanchez M. Synthèses de nouveaux bis dialkylamino 1,4,2(λ⁴)diazaphospholanium à partir des cations phosphénium and d'imines - VII 4459
Kim T. J. see Shim S. C. 105
Kim W. J. see Kang S. H. 5917
Kim Y. C. see Kim S. 2901
Kim Y. G. Whang K. Cooke R. J. and Cha J. K. A stereoselective osmylation approach to polyoxgenated natural products. Synthesis of C(1)-C(7) and C(7)-C(13) subunits of erythronolide A. 3275
Kim Y. H. Kim K. and Park Y. J. Facile resolution of planar chiral organometallic alcohols with lipase in organic solvents 3895
Kim Y. H. Lee C. H. and Chang K. Y. Facile direct conversion of amino-heterocycles to fluoro-heterocycles using *t*-butylthionitrite or *t*-butylthionitrate with sodium tetrafluoroborate 3019
Kim Y. H. see Yotsu M. 3187
Kim Y. S. see Lee E. 1023
Kimmel T. see Becker D. 4923
Kimura M. Kure S. Yoshida Z. Tanaka S. Fugami K. and Tamara T. Convenient synthesis of densely functionalized N-substituted 4-methylene-2-oxazolidinone 4887
Kinder F. R. and Padwa A. Preparation of oxygenated heterocycles via the cyclization reaction of α-diazo substituted alkynes 6835
King C.-H. R. see Liu P. S. 2829
King J. Halling P. J. and Jakubke H.-D. A new synthesis of 12-O-methyl royleanone 5221
Kinoshita M. see Nakata M. 1585
Kinoshita T. Haga K. Ikai K. Takeuchi K. and Okamoto K. Syntheses and racemization via intermolecular prototropy of optically active alkyltropylium ions. A novel scale for the kinetic Bronsted basicity of organic solvents 4057
Kinoshita T. Ichinose K. and Sankawa U. One-step conversion of flavanones into isoflavones: a new facile biomimetic synthesis of isoflavones 7355
Kinoshita T. Tatsumi S. Zanka Y. Tsuji S. Takamuki Y. Fukumasa M. Takeuchi K. and Okamoto K. Poly-linked cyclopentadienide ions-I. Synthesis and properties of tris(cyclopentadienyl)methane trianion 6673
Kirchner J. J. Hustedt E. J. Robinson B. H. and Hopkins P. B. DNA dynamics from a spin probe: dependence of probe motion on tether length 59
Kirihara M. see Kita Y. 7173
Kirk K. L. see Hebel D. 619
Kirollos K. S. see Linderman R. J. 2689
Kirwan J. N. Roberts B. P. and Willis C. R. Deoxygenation of alcohols by the reactions of their xanthate esters with triethylsilane: an alternative to tributyltin hydride in the Barton-McCombie reaction 5093
Kiryu Y. see Fuji K. 6663
Kise N. see Shono T. 1303
Kiselyov A. S. see Gakh A. A. 7379
Kiser C. N. see Richardson D. P. 5973
Kishi K. see Hayashi T. 1743
Kisielowski L. see Bestmann H. J. 3301
Kissick T. P. see Kronenthal D. R. 1241
Kita Y. Maeda H. Kirihara M. Fujii Y. Nakajima T. Yamamoto H. and Fujioka H. The first total synthesis of a potent β-rhodomycin, oxauomycin: regioselective glycosidation of the C-7 hydroxyl group of β-rhodomycinone 7173
Kita Y. see Fujioka H. 5951
Kitamura E. Hirota A. Nakagawa M. Nakayama M. Nozaki H. Tada T. Nukuna M. and Hirota H. (1*R*,6*R*,9*S*,10*S*)-9-Chloro-10hydroxy-8-methoxycarbonyl- 4 -methylene-2,5-dioxabicyclo[4+2]cycloaddition reaction of silyl enol ethers of *N*-substituted 2-acetylpyrroles to an indole skeleton 4605
Kitamura M. Nagai K. Hsiao Y. and Noyori R. Stereoselective synthesis of a precursor of 1β-methylcarbapenems 549
Kitamura M. see Ohkuma T. 5509
Kitamura T. Furuki R. Taniguchi H. and Stang P. J. Stereoselective anti-addition of PhIO.TfOH to terminal alkynes. Preparation of E-(β-trifluoromethanesulfonyloxyvinyl)-iodonium triflates 703
Kitano Y. see Takayanagi H. 3317
Kitao T. see Setsune J. 5057
Kitayama H. see Fukazawa Y. 6689
Kitazawa N. see Sato M. 3605
Klarner F.-G. see Markl G. 4589
Klein L. L. see Yeung C. M. 2121
Kleine H. see Wess G. 2545
Klicic J. see Adam W. 6517
Kloosterman D. A. see Tanis S. P. 1977
Klosinski P. New method of alkylene phosphonate preparation 2025
Klumpp G. W. see Moene W. 2641
Klunder A. J. H. see Houwen-Claassen A. A. M. 723
Klunder A. J. H. see Janssen A. J. M. 7219
Knaggs A. R. see Herbert R. B. 7517
Knapp S. Gibson F. S. and Choe Y. H. Radical based annulations of iodo lactams 5397
Knapp S. Hale J. J. Bastos M. and Gibson F. S. Amino

protection using triazones 2109
Kneen C. see Swain C. J. 2445
Knerr G. see Kus P. 5133
Knochel P. see AchyuthaRao S. 7575
Knochel P. see Chen H. G. 1829
Knochel P. see Majid T. N. 4413
Knochel P. see Retherford C. 1833
Knölker H.-J. see Hölscher P. 2705
Koay L.-S. see Poh B.-L. 1911
Kobayashi J. Cheng J. Kikuchi Y. Ishibashi M. Yamamura S. Ohizumi Y. Ohta T. and **Nozoe S.** Rigidin, a novel alkaloid with calmodulin antagonistic activity from the Okinawan marine tunicate *Eudistoma* cf. *rigida* 4617
Kobayashi N. see Tomioka H. 5061
Kobayashi S. Koide K. and **Ohno M.** Gallium reagents in organic synthesis: dimethylgallium chloride and triflate as activators in glycosidation using glycopyranosyl fluorides 2435
Kobayashi S. See Fujio M. 7039
Kobayashi S. see Kihara M. 5347
Kobayashi S. Shibata J. Shimada M. and **Ohno M.** An enantioselective synthesis of the A-ring synthon for vitamin D_3 metabolites by chemicoenzymatic approach 1577
Kobayashi Y. see Honda T. 4891
Kobayashi Y. see Kihara M. 5347
Kobayashi Y. see Matsumoto T. 4175
Kobayashi Y. Takemoto Y. Ito Y. and **Terashima S.** A novel synthesis of the (2*R*,3*S*)- and (2*S*,3*R*)-3-amino-2-hydroxycarboxylic acid derivatives, the key components of a renin inhibitor and bestatin, from methyl (*R*)- and (*S*)-mandelate 3031
Kobe J. see Prhavc M. 1925
Kocian O. Mortimer R. J. and **Beer P. D.** Novel polytopic macrocyclic receptor molecules containing multiple bipyridyl and dibenzo-18-crown-6 units 5069
Kocienski P. see Jarowicki K. 3433
Kocie´nski P. see Stocks M. 1637
Kodadek T. J. see Bartley D. W. 6303
Kodama M. Minami H. Mima Y. and **Fukuyama Y.** Convenient synthesis of chiral epoxyisoprenoids by yeast reduction 4025
Kodama M. see Fukuyama Y. 4477
Kodama M. see Fukuyama Y. 5621
Kodama T. see Matsubara S. 6379
Koenig T. M. Daeuble J. F. Brestensky D. M. and **Stryker J. M.** Conjugate reduction of polyfunctional α, β-unsaturated carbonyl compounds using $[Ph_3P)CuH]_6$. Compatibility with halogen, sulfonate and γ-oxygen and sulfur substituents 3237
Koga K. see Sasaki S. 6051
Koga K. see Tomioka K. 1739
Koga K. see Tomioka K. 1741
Koga K. see Tomioka K. 6681
Koga M. and **Schneller S. W.** The synthesis of two 2'-deoxy carbocyclic purine nucleosides lacking the 5'-methylene 5861
Koguchi Y. see Tatsuta K. 709
Kohata K. see Thomas R. L. 2825
Kohchi Y. see Mori Y. 2915
Kohlman D. T. see Karaman R. 6155
Kohn J. see Recht J. 7281
Koide K. see Kobayashi S. 2435
Koike H. see Nakamura N. 699
Koike Y. see Atsuumi S. 1601
Koike Y. see Nakano M. 1569
Kojima K. see Nakata M. 1585
Kokel N. see Hatat C. 4139
Kolb H. C. see Diez-Martin D. 3445
Kole P. L. and **Kumar S.** Synthesis of the phenolic esters of 1-hydroxy- and 3-hydroxy-7,8-diol-9,10-epoxides of benzo[*a*]pyrene 3707
Kolodziej H. see Cronjé A. 3789
Kolt R. J. Grillar D. and **Wayner D. D. M.** Unsaturated spiro-γ-lactone formation by the dissociative reduction of bromoacetates 7539
Komatsu M. Ogawa H. Mohri M. and **Ohshiro Y.** Novel synthesis of sulfur-containing bicyclic -lactams (thiaiso-alkanams) using sulfur dichloride as a sulfur transfer reagent 3627
Komatsu M. Yagii T. and **Ohshiro Y.** Ring enlargement of diaziridinone: pyrazoline-forming reaction with α-metalated nitrile 5327
Komoda Y. see Watanabe Y. 255
Konda Y. Iguchi M. Harigaya Y. Takayanagi H. Ogura H. Li X. Lou H. and **Onda M.** Hancokinol, a novel triterpene, from *Cynanchum hancokianum* 5315
Kondo T. see Goto T. 713
König W. A. Nippe K.-S. and **Mischnick P.** Enantiomeric purity of Mosher's acid 6867
Konishi M. see Oka M. 7473
Könnecke A. Grehn L. and **Ragnarsson U.** New reagents for exhaustive alkoxycarbonylation of amides and urethans Di-1-adamantyl di- and tricarbonate 2697
Könnecke A. Schönfels C. Hänsler M. and **Jakubke H.-D.** Direct conversion of porcine insulin into human isulin ester catalyzed by immobilized tryspin 989
Konopelski J. P. see Eid, Jr. C. N. 305
Konopski L. see Langlois Y. 1865
Konopski L. see Langlois Y. 6450
Konradsson P. Udodong U. E. and **Fraser-Reid B.** Iodonium promoted reactions of disarmed thioglycosides 4313
Konwar D. Boruah R. C. and **Sandhu J. S.** A facile dehydration and Beckmann rearrangement of oximes with aluminium iodide 1063
Koo S. see Koreeda M. 831
Koola J. J. see Clennan E. L. 6759
Koomen G. J. see Wanner M. J. 907
Kopka I. E. Selective semisynthetic modification of L-156,602, a novel cyclic

hexadepsipeptide antibiotic 4711
Kopola N. see Genet J. P. 3133
Kopping B. see Chatgilialoglu C. 6013
Koreeda M. and **Koo S.** 1,2-Addition of dimethyl(phenyl)silyllithium to cyclic α, β-unsaturated ketones and regiospecific generation of cyclic silyl enol ethers through Brook rearrangement of the 1,2-addition products 831
Koreeda M. Teng K. and **Murata T.** (1*E*,3*E*)-4-Acetoxy-1-phenyldimethylsilyl-1,3-butadiene as a surrogate for (1*E*,3*E*)-1,4-diacetoxy-1,3-butadiene: a highly efficient synthesis of (±)-shikimic acid 5997
Kornprobst J.-M. see Aknin M. 2979
Korp J. D. see Tategami S. 6371
Koseki K. see Tamaoki N. 3309
Koshimizu K. see Irie K. 101
Koshimizu K. see Irie K. 7337
Koskinen A. M. P. and **Ghiaci M.** New strategy for the construction of carbapenems. Total synthesis of 6*epi* PS-5 and PS-5 3209
Köster H. see Gildea B. D. 7095
Kostov V. see Majerski Z. 915
Kotake Y. see Janzen E. G. 7395
Kotali A. see Katritzky A. R. 6781
Kotani T. see Torii S. 5319
Kotnis A. S. A rapid entry to highly functionalized *p*-methoxybenzoates: synthesis of aromatic portion of mitomycin β_3 481
Kotsuki H. Kadota I. and **Ochi M.** An efficient method for the alkylation of chiral triflates with alkynyllithium reagents. A highly concise total synthesis of (+)-panaxacol 4609
Kouno I. Mori K. Kawano N. and **Sato S.** Corrigendum 3658
Kovács I. see Herczegh P. 1195
Kovalev I. P. See Nikishin G. I. 7063
Kövér K. E. see Gunda T. E. 6707
Kowalczyk B. A. see Dauben W. G. 635
Koyama T. Inoue H. Ohnuma S. and **Ogura K.** Prenyltransferase reaction involving enantiomeric discrimination. Enzymatic synthesis of (*S*)-10,11-epoxyfarnesol from racemic 6,7-epoxygeranyl diphosphate and isopentenyl diphospate 4189
Koyunçu D. see McKillop A. 5007
Koz'min A. S. see Brel V. K. 4799
Koz'min A. S. see Brel V. K. 5225
Koz'min A. S. see Trushkov I. V. 3199
Kozikowski A. P. and **Fauq A. H.** Probing the topography of kainate recognition sites: synthesis of a novel oxetane containing kainic acid analogue 2967
Kozikowski A. P. and **Wu J.-P.** Synthesis of fluorine-containing isosteres of sphingosine as inactivators of protein kinase C. 4309
Kozikowski A. P. Chen C. and **Ball R. G.** An unusual fragmentation process discovered during the course of cleavage of the camphanic acid amide 5869
Kozikowski A. P. see Shum P. W. 6785
Kozikowski A. P. Yamada F. Tang X.-C. and **Hanin I.** Synthesis and biological evaluation of (±)-*Z*-huperzine A 6159
Kpegba K. and **Metzner P.** Completely regioselective reversals for an addition reaction of ambident sulphur nucleophiles to Michael acceptors 1853
Kracker L. R.,II see McDaniel K. F. 2373
Krafft G. A. see Wang G. T. 6493
Krafft M. E. and **Pankowski J.** Butenolide synthesis using acyl cobalt complexes 5139
Kraft D. van Loon J.-D. Owens M. Verboom W. Vogt W. McKervey M. A. Böhmer V. and **Reinhoudt D. N.** Double and triple calix[4]arenes connected via the oxygen functions 4941
Kraft-Klaunzer P. Furber M. Mander L. N. and **Twitchin B.** Synthesis of GA_{73} methyl ester a potent gibberellin-derived antheridiogen from gametophytes of the fern *Lygodium japonicum* 6235
Krajewski J. W. see Raczko J. 3797
Krakowiak K. E. see Bradshaw J. S. 1077
Kramer C.-P. see Krebs A. 3533
Krasutsky P. A. Likhotvorik I. R. Litvyn A. L. Yurcheno A. G. and **Van Engen D.** A novel isomerization reaction of tricyclo[5.2.1.$0^{2,6}$]decane 3973
Kratz D. see Gleiter R. 5893
Kratz D. see Gleiter R. 6175
Kraus G. A. and **Hansen J.** The prepartation and rearrangement of bridgehead enones from sulfoxides under mild reaction conditions 2233
Kraus G. A. and **Liras S.** Organosilicon radical-induced cyclization reactions 5265
Kraus G. A. Thomas P. J. and **Schwinden M. D.** An approach to aflatoxins using type II photocyclization reactions 1819
Krause E. see Schellenberger V. 7305
Krause J. see Swindell C. S. 5409
Krause M. and **Hoffmann H. M. R.** Unactivated terpenes as 2π components in intermolecular hetero Diels-Alder reactions. A short stereocontrolled approach to the robustadial and euglobal skeleton 6629
Krebs A. see Wehlage T. 6625
Krebs A. Wehlage T. and **Kramer C.-P.** Wynthesis of a bicyclic oxacycloalkenediyne system related to neocarzinostatin chromophore A. 3533
Krebs J. D. see Theodoridis G. 6141
Kreitmeier P. see Märkl G. 4429
Krempp M. see Bennetau B. 6179
Kress T. J. see Martinelli M. J. 7579
Krief A. see McKillop A. 5007
Krishnamurthy V. V. see Giguere R. J. 4577

Krishnan G. and **Sampson P.** Synthesis of β-fluoro-α, β-unsaturated esters and nitriles via a fluoro-Pummerer rearrangement 5609
Kronenthal D. R. Mueller R. H. Kuester P. L. Kissick T. P. and **Johnson E. J.** Stereospecific Friedel-Crafts alkylation of benzene with 4-mesyloxy-L-prolines. A new synthesis of 4-phenylprolines 1241
Kruk C. see van Aarssen B. G. K. 4645
Kruse B. and **Brückner R.** does the Wittig-Still rearrangement proceed via a metal free carbanion? 4425
Kruse L. I. see Shaw A. N. 5081
Kuan C. P. see Cunico R. F. 1945
Kubiak G. Fu X. Gupta A. K. and **Cook J. M.** General approach for the synthesis of polyquinenes via the Weiss reaction - XIII. Aldol approach to fenestranes 4285
Kubiak G. G. and **Confalone P. N.** The preparation of the aza-spirobicyclic system of discorhabdin C via an intramolecular phenolate alkylation 3845
Kudo N. see Shimizu H. 115
Kuester P. L. see Kronenthal D. R. 1241
Kugimiya S. and **Takemura M.** Novel liquid crystals consisting of tetraphenylporphyrin derivatives 3157
Kuhl P. Halling P. J. and **Jakubke H.-D.** Chymotrypsin suspended in organic solvents with salt hydrates is a good catalyst for peptide synthesis from mainly undissolved reactants 5213
Kuijpers W. H. A. Huskens J. and **van Boeckel C. A. A.** The 2-(acetoxymethyl)benzoyl (AMB) group as a new base-protecting group, designed for the protection of (phosphate) modified oligonucleotides 6729
Kula J. see Maslak P. 4969
Kula M. R. see Brockamp H. P. 7123
Kulak A. N. see Kasatkin A. N. 4915
Kulkarni D. G. see Sonawane H. R. 7495
Kulkarni M. G. and **Mathew S.** 1,4-Benzoquinone: a new selective reagent for oxidation of alcohols 4497
Kulinig R. K. see Schultz A. G. 849
Kumar A. see Dike S. Y. 4641
Kumar C. V. see Ramamurthy V. 47
Kumar M. U. see Newcomb M. 1675
Kumar P. see Gupta K. C. 2471
Kumar S. see Kole P. L. 3707
Kumar V. Wickramaratne D. B. M. and **Jacobsson U.** Indole dimer from *Murraya gleniei* root 5217
Kumarathasan R. and **Boudjouk P.** Potassium fluoride activated alcoholysis of hindered siliranes 3987
Kunesch G. see Ducoux J.-P. 2595
Kunesch N. see Ducoux J.-P. 2595
Kung P.-P. see Fathi R. 319
Kunz H. see Schultz M. 867
Künzer H. Bittler D. Rosenberg D. Sauer G. and **Wiechert R.** A carbenoid Route to C(1)-C11) bridged steroids 6171
Künzer H. Stahnke M. Sauer G. and **Wiechert R.** Regio- and stereoselective 1,4-reductions of methylated, cross-conjugated steroidal cyclohexadienones 3859
Kuo D. L. see Oppolzer W. 1265
Kuo M.-Y. see Larock R. C. 17
Kure S. see Kimura M. 4887
Kurihara T. see Harusawa S. 5471
Kurihara Y. see Hiroi K. 2619
Kurisaki A. see Fujiwara K. 4329
Kuriyama T. see Kusumoto T. 5343
Kurosawa K. see Tategami S. 6371
Kurt R. see Hondrogiannis G. 5433
Kurth M. J. see Najdi S. 3279
Kurz L. Lee G. Morgans, Jr. D. Waldyke M. J. and **Ward T.** Stereospecific functionalization of (*R*)-(-)-1,1'-bi-2-naphthol triflate 6321
Kus P. Knerr G. and **Czuchajowski L.** First representatives of porphyrinylnucleosides 5133
Kusano G. see Fushiya S. 3901
Kusano K. see Ryu I. 6887
Kusumi T. see Zheng G.-C. 2617
Kusumi T. see Zheng G.-C. 4522
Kusumoto S. see Fukase K. 389
Kusumoto T. Hanamoto T. Sato K. Hiyama T. Takehara S. Shoji T. Osawa M. Kuriyama T. Nakamura K. and **Fujisawa T.** Synthesis of optically active α-cyanobenzyl alkyl ethers 5343
Kuwajima I. see Aoki Y. 7457
Kuwajima I. see Sakata H. 1161
Kuwajima I. see Tanino K. 2165
Kuwaki T. see Ohkata K. 1605
Kuzmich D. see DuPriest M. T. 2959
Kwak K. H. see Lee J. G. 6677
Kwast E. and **Makosza M.** Unusual orientation in vicarious nucleophilic substitution of hydrogen in nitropyrroles 121
Kwiatkowski S. Crocker P. J. Chavan A. J. Imai N. Haley B. E. Watt D. S. and **Ho R.** Thiazolidine and thiazoline derivatives of 3-aryl-3-trifluoromethyldiazirines for the preparation of fluorescent or ^{35}S-radiolabeled photoaffinity probes 2093
Kwon Y. G. see Shim S. C. 105
Kwong H.-L. Sorato C. Ogino Y. Chen H. and **Sharpless K. B.** Precision of the 'second cycle' in the osmium-catalyzed asymmetric dihydroxylation of olefins leads to a superior process 2999
Kyushin S. Masuda Y. Matsushita K. Nakadaira Y. and **Ohashi M.** Novel alkylation of aromatic nitriles via photo-induced electron transfer of group 14 metal-carbon σ donors 6395

Laabassi M. Corrigendum 1354
Laarmann B. see Kauffmann T. 507
Laarmann B. see Kauffmann T.

511
Labat G. see Hoffmann P. 1991
Labat G. see Hoffmann P. 3946
Laborde E. Lesheski L. E. and Kiely J. S. Palladium-catalyzed intermolecular vinylic arylation of cycloalkenes. Applications to the synthesis of quinolone antibacterials 1837
Labrecque D. see Boivin J. 2281
Labroo R. B. see Labroo V. M. 5705
Labroo V. M. Labroo R. B. and Cohen L. A. Direct photochemical trifluoromethylation of histidine-containing peptides 5705
Labroo V. M. see Hebel D. 619
Lackey J. W. see Quallich G. J. 3685
Laffitte J. A. see Jugé S. 6357
Lagu B. see Dieter R. K. 4105
Lai S. Matsunaga K. Shizuri Y. and Yamamura S. Biomimetic synthesis of citreoviridin-type compounds and isolation of epicitreoviridinol, a new metabolite of *Penicillium pedemontanum* IFO 9583 5503
Lai Z. see Torisawa Y. 3195
Laidler J. K. see Elofson R. M. 7205
Lakshman M. and Lehr R. E. Synthesis of polycyclic aromatic hydrocarbon substituted 2'-deoxyadenosine analogs 1547
Lakshminarayana G. see Mhaskar S. Y. 7227
Lal G. S. see Davis F. A. 1653
Lalitha S. Chandrasekhar J. and Mehta G. Cage geometry controlled hyperstability in bridgehead olefins 4219
Lallemand J. Y. see Bouchard H. 5151
Lallemand J. Y. see Ducrot P.-H. 3879
Lallemand J. Y. see Ducrot P.-H. 3883
Laloue M. see Haidoune M. 1419
Lalueza R. see Ferrer J. C. 3941
Lamas C. Castedo L. and Domínguez D. Conversion of dibenzoxepinones to aristocularine alkaloids 6247
Lamaty F. see Negishi E. 4393
Lambert J. B. So J.-H. and Salvador L. A. The delta effect of tin: second sphere hyperconjugation in cyclohexanes 3841
Landini D. and Penso M. Tetrabutylammonium dihydrogentrifluoride: an efficient catalyst for regio and stereoselective conversion of epoxides to fluorohydrins under solid-liquid phase-transfer catalysis conditions 7209
Lane G. C. see Byers J. H. 5697
Langadianou E. see Chaloner P. A. 5185
Lange G. L. and Gottardo C. Free radical fragmentation of derivatives of [2+2] photoadducts 5985
Lange G. L. Organ M. G. and Lee M. Reversal of regioselectivity with increasing ring size of alkene component in [2+2] photoadditions 4689
Langhals E. and Langhals H. Alkylation of ketones by use of solid KOH in dimethyl sulfoxide 859
Langhals H. see Langhals E. 859
Langlois N. and Dahuron N. Efficient synthesis of substituted δ-oxo acids 7433
Langlois P. see Barton D. H. R. 325
Langlois Y. Konopski L. Bac N. V. Chiaroni A. and Riche C. Corrigendum 6450
Langlois Y. Konopski L. Bac N. V. Chiaroni A. and Riche C. Synthesis of a pheromone of *Boarmia selenaria* via a Sila-Cope elimination. Stereochemical implications 1865
Langston S. P. see Blackburn G. M. 5637
Lanneau G. F. see Corriu R. J. P. 2585
Lansbury P. T. Spagnuolo C. J. Zhi B. and Grimm E. L. Symmetry-enhanced remote dicarbanion annulations for latent cycloalkenones: applications to alkaloids and terpenes 3965
Lansbury, Jr. P. T. see Jarrett J. T. 4561
Lansbury, Jr. P. T. see Jarrett J. T. 5386
Lantos I. see Baures P. W. 6501
Lanza T. J. see Durette P. L. 1237
Lanzalunga O. see Amodeo R. 3477
Laprévote O. Roblot F. Hocquemiller R. and Cavé A. Structural elucidation of two new acetogenins, epoxyrollins A and B, by tandem mass spectrometry 2283
Larchevêque M. see Petit Y. 2149
Larock R. C. Stinn D. E. and Kuo M.-Y. Synthesis of butenolides via palladium-promoted cyclization of acyclic allylic esters of chloromercurio-acetic acid 17
Lash T. D. and Balasubramaniam R. P. Synthesis and origins of the methylpropanoporphyrins from Serpiano Oil Shale 7545
Lassalle G. and Grée R. Stereospecificity in $Fe(CO)_3$ induced reactions of divinyl pyrrolidines 655
Laszlo P. Montaufier M.-T. and Randriamahefa S. L. Dual catalysis of the Michael reaction 4867
Laszlo P. see Cabral J. 1705
Latyshev N. A. see Vysotskii M. V. 4367
Laude B. see Kerbal A. 4145
Laurent A. see Felix C. 4143
Laurent E. see Brigaud T. 2287
Laurent E. see Kabore L. 3137
Laurin P. see Gosselin P. 3151
Lautens M. and Huboux A. H. A route to the preparation of -hydroxyvinylstannanes 3105
Lautens M. Huboux A. H. Chin B. and Downer J. A route to 1,1-diorganometallic species via the Claisen rearrangement of functionalized γ-hydroxyvinylstannanes 5829
Lautens M. Smith A. C. Abd-El-Aziz A. S. and Huboux A. H. Preparation of cyclohexenyl derivatives by the ring-opening reactions of oxabicyclo[2.2.1] compounds with cuprates 3253
Lavallée J.-F. see Guindon Y. 2845
Lavigne A. see Capdevielle P. 3305

LaVilla J. A. and **Goodman J. L.** Photolysis of alkylhalodiazirines: two pathways for vinyl halide formation 5109
LaVilla J. A. and **Goodman J. L.** The thermodynamics of the formation of pyridinium ylides from carbenes 6287
Lavilla R. see Alvarez M. 5089
Lavilla R. see Amat M. 3453
Lawrence D. S. see Manka J. S. 5873
Lawrence N. J. see Fleming I. 3645
Lazaro R. see Guenoun F. 2153
Le Corre M. see Le Roux J. 2591
Le Gallic Y. see Duhamel L. 3129
Le Goffic F. see Meffre P. 2291
Le Guillanton G. and **Simonet J.** The reversible anodic coupling of anions of polysuphones in basic media 3149
Le Men-Olivier L. see Massiot G. 2883
Le Ménez P. see Ducoux J.-P. 2595
Le Merrer Y. Gravier-Pelletier C. Dumas J. and **Depezay J. C.** Chiral α-hydroxy- and α, β-dihydroxy- aldehydes from D-isoascorbic and L-ascorbic acids. Useful precursors for the synthesis of fatty acid metabolites 1003
Le Quesne P. W. see Mitchell M. O. 2681
Le Roux J. and **Le Corre M.** A new synthesis of α, β-unsaturated ketones 2591
le Noble W. J. see Li H. 4391
le Roux M. see Burger B. V. 5771
Le-Nguyen D. see Coste J. 205
Leanna M. R. see Martinelli M. J. 7579
Lease T. G. see Shea K. J. 6843
Leathers T. see McDonald C. E. 6283
Lebedev A. V. Rife J. P. Seligsohn H. W. Wenzinger G. R. and **Wickstrom E.** Stereospecific coupling reaction for internucleotide methyl phosphonothioate linkage 855
Lebedev A. V. Riker A. I. Rife J. P. and **Wickstrom E.** Separation of 5'-dimethoxytrityl-2'-deoxynucleoside-3'-O-methylphosphonamidite diastereomers by normal phase chromatography 3673
Lebedev A. V. Wenzinger G. R. and **Wickstrom E.** A new DMAP-catalyzed phosphonamidite coupling reaction for synthesis of oligonucleotide methylphosphonate derivatives 851
Leber P. A. see Glass T. E. 1085
Lebl M. see Pátek M. 5209
Leclercq M. and **Brienne M.-J.** A simple and versatile synthesis of substituted ethynesulfonamides 3875
Lee C. H. see Kim Y. H. 3019
Lee C.-J. see Wu T.-S. 1786
Lee D. S. see Lee E. 4341
Lee E. and **Lee D. S.** Alkylation and spiroannulation of 3-bromo-2-cycloalken-1-ones via radical intermediates 4341
Lee E. Hur C. U. and **Park C. M.** Synthesis of α-methylene-δ-valerolactones and α-methylenecyclo-hexanones via radical cyclization of propiolates and acetylenic ketones 5039
Lee E. Jung K. W. and **Kim Y. S.** Selectivity in the lactone formation via C-H insertion reaction of diazomalonates 1023
Lee G. R. see Semmelhack M. F. 609
Lee G. see Kurz L. 6321
Lee H. and **Anderson W. K.** Total synthesis of 4-acetyloxymethyl-1,6,9-trimethyl-1,9-diazaanthracene-2,5,8.10-tetraone, a nybomycin acetate analogue 4405
Lee H. Hinz M. Stezowski J. J. and **Harvey R. G.** Syntheses of polycyclic aromatic hydrocarbon-nucleoside and oligonucleotide adducts specifically alkylated on the amino functions of deoxyguanosine and deoxyadenosine 6773
Lee H. see Nishiwaki E. 1299
Lee H. W. Lee I.-Y. C. and **Kim S. K.** Synthesis of the tetrahydrofuran fragment of tetronasin 7637
Lee H.-H. see Bennett G. J. 751
Lee I.-Y. C. see Lee H. W. 7637
Lee J. G. Kwak K. H. and **Hwang J. P.** Chlorotrimethylsilane-sodium nitrite or nitrate. Efficient deoximating reagents for aldoximes and ketoximes 6677
Lee J. H. see Kang J. 2713
Lee J. J. see Kim D. 4027
Lee J. K. see Lee Y. B. 1169
Lee J. M. see Kim C. W. 2905
Lee J. M. see Kim S. 7627
Lee J.-T. and **Alper H.** β-Cyclodextrin and hydridopentacyanocobaltate catalyzed selective hydrogenation of α, β,-unsaturated acids and their derivatives 1941
Lee J.-T. and **Alper H.** The hydridopentacyanocobaltate anion induced deoxygenation of allylic alcohols using β-cyclodextrin as a phase transfer agent 4101
Lee K. S. see Kim S. S. 3575
Lee K.-C. Wu J. C. C. Yen K.-F. and **Uang B.-J.** Enantioselective synthesis of the hexahydrobenzofuran subunit of the avermectins and the milbemycins 3563
Lee K.-H. see Chen G.-F. 3413
Lee K.-H. see Wu T.-S. 1786
Lee M. D. see Kahne D. 21
Lee M. see Lange G. L. 4689
Lee S. J. and **Shim S. C.** Photochemistry of conjugated polyacetylenes: photoreaction of 1,4-diphenyl-1,3-butadiyne with dimethyl fumarate 6197
Lee S. see Kang J. 2713
Lee S.-H. and **Hulce M.** Tandem geminal dialkylation: nucleophilic double addition of organo-copper reagents to 3-ethynyl-2-cycloalkenones 311
Lee S.-H. see Yoo S.-E. 6877
Lee S.-S. see Wang K. C. 1283
Lee T. V. and **Roden F. S.** Chemoselective reaction of bifunctional aldehydo allylsilanes 2067
Lee T. V. Roden F. S. and **Yeoh H. T.-L.** Selectivity of bifunctional annulating reagents: additional rules for ring closure 2063
Lee Y. B. Goo Y. M. Lee Y. B. and **Lee J. K.** Conversion of

α-aminonitriles to amides by a new Pinner type reaction 1169
Lee Y. Y. see Lee Y. B. 1169
Leemhuis F. M. C. see Thijs L. 6589
Leete E. see Friesen J. B. 6295
Léger C. see Jamart-Grégoire B. 7599
Legros J.-Y. and Flaud J.-C. Palladium-catalyzed phenylation of allylic acetates by tetraphenylborate anion 7453
Legros J.-Y. see Ollivier J. 4135
Lehr R. E. see Lakshman M. 1547
Leidner C. R. Simpson H. O'N. Liu M. D. Horvath K. M. Howell B. E and Dolina S. J. Synthesis and properties of a plasmalogen quinone 189
Leising F. see Mignani G. 4743
Lellouche J.-P. see Pinsard P. 1137
Lellouche J.-P. see Pinsard P. 1141
Lemieux R. see Guindon Y. 2845
Lentz N. L. and Peet N. P. Synthesis of chiral adenosine receptor recognition units via a Sharpless asymmetric epoxidation procedure 811
Lenz G. R. see Yang N. C. 3825
Leonard J. Hewitt J. D. Ouail D. Simpson S. J. and Newton R. F. Enantioselective opening of spiro epoxides derived from *cis* bicyclo[3.3.0]octan-3,7-dione using chiral lithium amide bases 6703
Leonard J. Ouail D. and Rahman S. K. A short enantioselective route to *Corynanthe* alkaloid precursors 739
Lerol G. E. see Nam H. H. 4837
Lesheski L. E. see Laborde E. 1837
Lesma G. see Palmisano G. 7229
Lessen T. A. Demko D. M. and Weinreb S. M. Synthesis of an advanced quinocarcin intermediate from L-glutamic acid 2105
Lesueur C. see Nouguier R. 3541
Levanon M. see Pomerantz M. 4265
Lever S. Z. see Baldoo K. E. 5701
Lew W. see Jung M. E. 623
Lewis F. D. and Reedy G. D. Intramolecular photochemical reactions of N-alkyl-5-phenyl-4-penten-1- amines 5315
Lewis T. A. see Hawkins J. M. 981
Lex J. see Marco J. A. 999
Lex J. see Pollmann M. 2701
Ley S. V. Maw G. N. and Trudell M. L. Enantioselective synthesis of the C3-C11 hydrocarbon fragment of the ionophore antibiotic tetronasin (ICI 139603) 5521
Ley S. V. see Anderson J. C. 431
Ley S. V. see Anderson J. C. 3437
Ley S. V. see de Laszlo S. E. 5525
Ley S. V. see Diez-Martin D. 3445
Lhomme J. see Courseille C. 5031
Lhomme J. see Espie J. C. 1423
Lhomme M. F. see Espie J. C. 1423
Lhommet G. see Delbecq P. 4873
Li C. J. and Harpp D. N. Bis(triphenylstannyl)telluride, a mild and selective reagent for telluration and debromination 6291
Li H. and le Noble W. J. Reduction of 5-*p*-anilinoadamantan-2-one. A reinvestigation 4391
Li M. see O'Donnell M. J. 5135
Li N.-S. see Chen Y. 2405
Li Q. see Kelly T. R. 161
Li X. Asato A. E. and Liu R. S. H. β-Lactoglobulin directed photoisomerization of retinal and related compounds 4841
Li X. see Konda Y. 5315
Li Y. see Kim D. 7119
Li Z.-L. see Chen G.-F. 3413
Lianza F. see Speranza G. 3077
Liao C.-C. and Ueng Y.-G. Photolysis of 1,4-dipropylbenzobicyclo[2.2.2]oct-5-ene-2,3-dione. Intermediacy of 1,4-dipropyl-2,3-dihydronaphthalene 1563
Liao Y. and Huang Y.-Z A novel olefination of diazo-compounds with carbonyl compounds mediated by tributylstibine and catalytic amount of Cu(I)I 5897
Liao Y. and White J. B. An examination of the affect of the epoxide stereochemistry in the nitrogen extrusion from *exo*- and *endo*-6,7-diazo-3-oxotricyclo[3.2.2.0^{2,4}]-non-6-ene 5129
Lichtenthaler F. W. Schwidetzky S. and Nakamura K. Acylated 2-oxoglycosyl bromides: exploration of their reaction potential 71
Lichtfouse E. Riolo J. and Albrecht P. Occurrence of 2-methyl-, 3-methyl- and 6-methyltriaromatic steroid hydrocarbons in geological samples 3937
Liddell P. A. Olmstead M. M. and Smith K. M. Novel peripheral subtituent migration reactions in tetrapyrrole macrocycles 2685
Liebeskind L. S. and Wang J. Synthesis of substituted cyclobutenediones by the palladium catalyzed cross-coupling of halocyclobutenediones with organostannanes 4293
Liebeskind L. S. Chidambaram R. Nimkar S. and Liotta D. A synthesis of the abietane diterpenoid quinone (±)-rouleanone via maleoylcobalt technology 3723
Liebeskind L. S. Johnson S. A. and McCallum J. S. Synthesis of 3-alkylidene phthalimidines by reaction of isocyanates with *ortho*-manganated aromatic ketones 4397
Light J. and Breslow R. A water soluble tin hydride reagent 2957
Lijewski L. see DeNinno M. P. 7415
Likhotvorik I. R. see Krasutsky P. A. 3973
Lilo B. Moreau M. and Bouchu D. Synthesis and configurational assignment of bicyclic 'preactivated' analogues of cyclophosphamide 887
Lim J. K. see Kang S. H. 5917
Lim L. B. L. see Crich D. 1897
Lin C.-H. see Tsai Y.-M. 6047
Lin K.-C. see Pearson W. H. 7571

Lin S.-H. Vong W.-J. Cheng C.-Y. Wang S.-L. and Liu R.-S. Generation and aldol reaction of enolate anion adjacent to a π^3-allyl-$Mo(CO)_2$ Cp moiety. A new approach to the stereoselective synthesis of 1,3,5-triol and 2-vinyl-3-hydroxyl-tetrahydrofuran 7645
Lin T.-S. Yang J.-H. Liu M.-C. and Zhu J.-L. A regiospecific synthesis of unsaturated nucleosides, carbohydrates and other olefins 3829
Lin W. W. see Richardson D. P. 5973
Lin X. see Roush W. R. 7563
Lindell S. D. and Turner R. M. Synthesis of potential inhibitors of the enzyme aspartate transcarbamoylase 5381
Linderman R. J. and Kirollos K. S. Regioselective synthesis of trifluoromethyl substituted quinolines from trifluoroacetyl acetylenes 2689
Lindquist N. and Fenical W. Polyandrocarpamides A-D, novel metabolites from the marine ascidian *Polyandrocarpa* sp. 2521
Lindquist N. and Fenical W. Polycarpamines A-E, antifungal disulfides from the marine ascidian *Polycarpa auzata* 2389
Link J. O. see Corey E. J. 601
Link T. see Wehlage T. 6625
Linton S. D. see Fukuyama T. 5989
Liotta D. see Liebeskind L. S. 3723
Liotta D. see Wilson L. J. 1815
Liotta F. see Dougherty W. 4389
Liou M. see Wu T.-S. 1786
Lipshutz B. H. and Elworthy T. R. 1,4-Acylation reactions by allylic cuprates in the presence of carbon monoxide 477
Lipshutz B. H. and Garcia E. Quantitative metalations of 2-substituted 1,3-dithianes at -78° C using *n*-BuLi/Na-O-*t*-Bu 7261
Lipshutz B. H. and Miller T. A. The stereochemical outcome from Mitsunobu couplings of vicinal, N-protected acyclic amino alcohols 5253
Lipshutz B. H. Sharma S. and Reuter D. C. A new transmetallation route to mixed trimethylstannylcuprates: $Me_3Sn(R)Cu(CN)Li_2$ 7253
Lipshutz B. H. Ung C. Elworthy T. R. and Reuter D. C. Preparation and reactions of cyclic allylic higher order cyanocuprates 4539
Liras S. see Kraus G. A. 5265
Liskamp R. M. J. see de Bont H. B. A. 2497
Little E. D. See Thompson A. S. 6953
Little R. D. see Bode H. E. 2525
Little R. D. see Masjedizadeh 1229
Little R. D. see McLoughlin J. I. 1377
Little R. D. see Sowell C. G. 485
Litvinovskaya R. See Khirpach V. 7065
Litvyn A. L. see Krasutsky P. A. 3973
Liu H.-H. Chen E.-N. Uang B.-J. and Wang S.-L. Synthesis of optically active α-alkyl thioglycolic acid derivatives 257
Liu J. see Huang B. 2711
Liu K.-T. Sheu H.-C. Chen H.-I. Chiu P.-F. and Hu C.-R. Failure of the linear correlation of log*k* with *Y*AdCl in the solvolysis of tertiary benzylic chlorides. The establishment of a new *Y* scale based on 2-aryl-2-chloroadamantanes 3611
Liu L. and Katz T. J. Simple preparation of a helical quinone 3983
Liu L.-K. see Oda M. 7341
Liu M. D. see Leidner C. R. 189
Liu M.-C. see Lin T.-S. 3829
Liu P. S. Hoekstra W. J. and King C.-H. R. Synthesis of potent anti-HIV agents: esters of castanospermine 2829
Liu R. S. H. See Ganapathy S. 6957
Liu R. S. H. see Li X. 4841
Liu R.-S. see Lin S.-H. 7645
Liu W. G. and Rosazza J. P. N. Stereospecific hydroxylation of 1,8-cineole using a microbial biocatalyst 2833
Liu Z. and Schlosser M. About the internal mobility of simple and resonance stabilized phosphorus ylids 5753
Llebaria A. see Camps F. 2479
Llorente I. see Barluenga J. 7375
Lloris M. E. Marquet J. and Moreno-Mañas M. Alkylations of α-methyl substituted β-diketones through their Cu(II) complexes. Preparation of sterically congested β-diketones 7489
Lloyd H. A. Jones T. H. Hefetz A. and Tengö J. Lasiol, a new acyclic monoterpenol in the mandibular gland secretion of *Lasius meridionalis* 5559
Lloyd-Williams P. see Giralt M. 7363
Löbben S. Martens J. Haase D. Pohl S. and Saak W. Dünnschichtchromatographische Enantiomerentrennung nach dem Ligandenaustauschprinzip: Synthese und Struktur eines chiralen Modellkomplexes 7127
Lobo A. M. see Rosa A. M. 1881
Lodwig C. see Markl G. 4589
Loeffler S. Stadler R. and Zenk M. H. Fate of C-1 hydrogen during the incorporation of (*S*)- and (*R*)-reticuline into the opium alkaloid thebaine 4853
Loeppky R. N. and Yu L. Nitrosamines, N-nitrosamides and diazonium ions from tri-N-substituted amidines 3263
Loganathan V. see Grigg R. 6573
Loh T.-P. see Mikami K. 3909
Lohray B. B. and Zimbinski R. Silicon directed diastereo- and enantioselective Mukaiyama Michael tandem aldol condensaion: a novel strategy for six membered ring cyclisation 7273
López F. see Barluenga J. 7375
Lopez J. C. see Ghini A. A. 2301
López M. C. see Palomo C. 2205
López M. C. see Palomo C. 6425
Lopez Ortiz F. see Barluenga

G. 5237
Lotto G. I. see Corey E. J. 2665
Lotz B. T. see Reno D. S. 827
Lou H. see Konda Y. 5315
Lovett E. G. see Halton B. 1313
Lowe C. see Baldwin J. E. 2211
Lowenthal R. E. Abiko A. and Masamune S. Asymmetric catalytic cyclopropanation of olefins: bis-oxazoline copper complexes 6005
Lowery D. see Majetich G. 51
Lowrey T. K. see Bennett G. J. 751
Lu H. S. M. see Coval S. J. 2117
Lu X. see Ma S. 7653
Lu Y. see Geng L. 111
Lubineau A. Augé J. Bellanger N. and Caillebourdin S. Water-promoted Claisen sigmatropic rearrangement using glyco-organic substrates. Chiral auxiliary-mediated induction 4147
Lubineau A. see Balavoine G. 5761
Lucas E. A. see Hsu D. P. 5563
Lucas M. see Baud M. V. 4437
Lucero M. J. see Singleton D. A. 5551
Luche J. L. Einhorn C. Einhorn J. and Sinisterra-Gago J. V. Organic sonochemistry: a new interpretation and its consequences 4125
Luche J. L. see Einhorn C. 4129
Luche J.-L. see Moyano A. 7619
Luchetti L. see Di Vona M. L. 6081
Luh B. Y. see Kim C. U. 3257
Luheshi A.-B. N. Salem S. M. Smalley R. K. Kennewell P. D. and Westwood R. Heterocycles by intramolecular aza-Wittig reactions of iminophosphoranes obtained from 2-azidobenzoyl- and 2-azidobenzylidene derivatives 6561
Luheshi A.-B. N. Smalley R. K. Kennewell P. D. and Westwood R. 1,3-Dipolar cycloadditions of 2-ethoxy- and 2-(ethylthio)-1-azetines with nitrilimines 127
Luheshi A.-B. N. Smalley R. K. Kennewell P. D. and Westwood R. 1,3-Dipolar cycloadditions of 2-ethoxy- and 2.-0(ethylthio)-1-azetines with nitrile oxides and nitrile ylides 123
Luis F. R. see Collado I. G. 563
Lukacs G. see Ghini A. A. 2301
Lumin S. and Falck J. R. Synthesis and stereochemical revision of a bioactive dihydroxyeicosanoid isolated from the red marine alga *Farlowia mollis* 2971
Lundkvist J. R. M. Wistrand L.-G. and Hacksell U. Facile synthesis of resolved α-ethynyl-substituted cyclic amines 719
Lusinchi X. see Barton D. H. R. 93
Lutz W. Pilling T. Rihs G. Waespe H. R. and Winkler T. The structure of a novel heptathiocane derivative 5457
Luzzio M. J. See Dauben W. G. 6969

Ma S. and Lu X. Differentiation of the reactivities of carbon-carbon multiple bonds in one molecule. Highly chemo- and stereo-selective hydrohalogenation of allyl or propargyl propiolates 7653
Ma Y.-X. see Yau E. K. 1953
Mabon G. see Delaunay J. 667
Macchia F. see Chini M. 4661
Macchia F. see Chini M. 5641
MacCorquodale F. Crayston J. A. Walton J. C. and Worsfold D. J. Synthesis and electrochemical characterisation of poly(TEMPO-acrylate) 771
Machida S. see Hashimoto Y. 5625
Machiguchi T. and Yamabe S. A phenyl-group participation in the antisymmetric orbital interaction for [8 + 2] cycloaddition of tropothione with diphenylketene 4169
Machinaga N. and Kibayashi C. Enantiodivergent total synthesis of naturally occurring *trans*-2-butyl-5-pentylpyrrolidine 3637
Macias F. A. Molinillo J. M. G. Collado I. G. Massanet G. M. and Rodriguez-Luis F. An efficient and mild entry to 1,4-dicarbonyl compounds via photochemical addition of acyl radical to electron-deficient olefins 3063
Maciejewski S. Panfil I. Bel˙zecki C. and Chmielewski M. Synthesis of enantiomerically pure precursors of carapenems from carbohydrates 1901
Mackenroth W. M. see Burger B. V. 5771
MacKenzie A. R. see Craig D. 6441
MacLeod D. Moorcroft D. Quayle P. Dorrity M. R. J. Malone J. F. and Davies G. M. The Pd(O)-catalysed coupling reactions of 2-(tri-N-butylstannyl)-3,4-dihydrofuran and -5,6-dihydropyran 6077
Macleod D. Quayle P. and Davies G. M. The preparation of β-lactam homoenolates 4927
Macleod J. K. see Demange P. 7611
Madadi N. see Vanelle P. 3013
Madaule Y. see Payrastre C. 1145
Maddock J. see Aggarwal V. K. 135
Madero J. G. see Collado I. G. 563
Madero J. G. see Collado I. G. 5795
Madin A. see Diez-Martin D. 3445
Maeda H. see Kita Y. 7173
Maeda K. see Owa T. 6063
Maeji N. J. see Bray A. M. 5811
Maekawa H. see Shono T. 895
Maercker A. and Girreser U. On the mechanism of bibenzyl formation by deoxidation/reduction of aromatic species with lithium 4,4'-di-*t*-butylbiphenyl radical anion-a correction 7595
Maggini M. Prato M. and Scorrano G. Imino Diels-Alder cycloadditions: an application to the synthesis of (±)-aristeromycin 6243
Maggini M. see Reddy D. S. 805
Maggiora L. L. Smith C. W. and Hsi A. L-2-Thiol-histidine: introduction of conformational constraints into peptides via thioether

linkage 2837
Magnol E. see Journet M. 4445
Magriotis P. A. Doyle T. J. and **Kim K. D.** Stereoselective construction and synthetic applications of phenylthio substituted iodoolefins 2541
Magriotis P. A. see Kim K. D. 6137
Mah R. see Wender P. A. 6605
Mahajan A. R. Dutta D. K. Boruah R. C. and **Sandhu J. S.** An efficient cleavage and Fries rearrangement of esters with aluminium triiodide 3943
Mahajan M. P. see Mazumdar S. N. 4215
Mahajna M. see Quin L. D. 6281
Mahalingam M. see Dike S. Y. 4641
Mahmood K. see Shekhani M. S. 1669
Mahon B. R. see Richardson D. P. 5973
Mahon M. F. see Aggarwal V. K. 135
Maier M. E. and **Schöffling B.** Synthesis of the cyclohexyl fragment of FK-506 by intramolecular ene-reaction 3007
Maihara A. see Nokami J. 5629
Maillard B. see De Jeso B. 653
Maillot S. see Cabaret D. 2131
Majerski Z. Kostov V. Hibser M. and **Milnarić-Majerski K.** 2,3-Methano-2,4-didehydro-1homoadamantanone:a[4.1.1] propellanone 915
Majetich G. and **Khetani V.** Intramolecular reactions of unactivated alkenes with conjugated dienones 2243
Majetich G. Lowery D. and **Khetani V.** A direct synthesis of (±)-neolemnanyl acetate 51
Majetich G. Song J. S. Ringold C. and **Nemeth G. A.** A direct stereoselective sythesis of (±)-14-deoxyisoamijiol 2239
Majid T. N. and **Knochel P.** A new preparation of highly functionalized aromatic and heteroaromatic zinc and copper organometallics 4413
Majoral J. P. see Badri M. 6343
Majumdar K. C. De R. N. and **Saha S.** Mercury(II) mediated heterocyclisation of 2-cyclohex-2'-enyl-N-methylaniline 1207
Maki H. see Tokitoh N. 5323
Maki H. see Tokitoh N. 7641
Maki S. see Shizuri Y. 7167
Makosza M. see Kwast E. 121
Malacria M. see Agnel G. 3555
Malacria M. see Journet M. 4445
Maldonado J. see Camps P. 3059
Maldonado J. see Crozet M. P. 1269
Maldonado J. see Vanelle P. 3013
Malik M. see Anderson D. W. 1755
Malik M. see Anderson D. W. 1759
Malik S. see Shekhani M. S. 1669
Malliverney C. and **Vlehe H. G.** Trifluoropyruvic and lactic thioamides from ethyl trifluoroacetoacetate 6339
Mallo A. see Arjona O. 1475
Mallon M. K. J. see Balczewski P. 569
Malone J. F. see Barr D. A. 6569
Malone J. F. see Grigg R. 1343
Malone J. F. see Grigg R. 3075
Malone J. F. see King J. 5221
Malone J. F. see MacLeod D. 6077
Malosse C. see Einhorn J. 6633
Mamdapur V. R. see Sarkar T. K. 3465
Mandal T. Nakata T. Murayama H. Yamaoki H. Ogawa M. Kawada M. and **Tsuji J.** Palladium-catalyzed reactions of 2-alkynyl carbonates with terminal acetylenes: a new synthetic method for 1,2-dien-4-ynes 7179
Mandal T. Ueda M. Hasegawa S. Kawada M. Tsuji J. and **Saito S.** Preparation and rearrangement of 2-allyloxyethyl aryl sulfoxides; a mercury-free Claisen sequence 4041
Mander L. N. and **Patrick G. L.** A general procedure for the preparation of 11β-hydroxy gibberellins: synthesis of the methyl esters of GA_{35} and 11β-hydroxy-GA_3 423
Mander L. N. see Kraft-Klaunzer P. 6235
Manfredi A. see Colonna S. 6185
Manfredi M. C. see Theodoridis G. 6141
Manfredini S. see Robins M. J. 5633
Mangeney P. see Alexakis A. 345
Mani R. S. see Barner B. A. 1786
Manitto P. see Speranza G. 3077
Manjunatha S. G. Reddy K. V. and **Rajappa S.** Nitroketene-S,N-acetals as precursors for nitroacetamides and the elusive nitrothioacetamides 1327
Manka J. S. Chugh D. B. and **Lawrence D. S.** The free base of tetraphenylporphine serves as a host for alkali metal salts 5873
Mann A. see Jako I. 1011
Mannschreck A. see Stephan B. 6335
Mansuy D. see Carrier M.-N. 6645
Mar E. K. see Chong J. M. 1981
Maran F. and **Vianello E.** Correlation between the reduction potential of benzylic type halides and the redox potential of the pertinent radicals 5803
Maran F. Severin M. G. and **Vianello E.** An electrochemical determination of relative pK_a of weak acids in N,N-dimethylformamide 7523
Marazano C. Yannic S. Genisson Y. Mehmandoust M. and **Das B. C.** Stereoselective cycloaddition of *N*-glycopyranosyl 1,2-dihydropyridines with methyl acrylate 1995
Marcantoni E. see Bartoli G. 6089
Marcantoni E. see Bartoli G. 6935
Marchand A. P. and **Reddy G. M.** Enantioselective microbial asymmetric reduction of pentacyclo-[5.4.0.0^{2,6}.0^{3,10}.0^{5,9}]undecane-8,11-dione 1811
Marchionni G. See Faucitano A. 7055
Marco J. A. Sanz J. F. Vogel E. Schwartzkopff-Fischer B. Schmickler H. and **Lex J.** *syn*-1,6-Imino-8,13-oxido[14]annulene 999

Marco-Contelles J. L. Fernández C. Gómez A. and **Martín-León N.** Free-radical reactions of some phenylthio-2,3-dideoxyhex-2-eno-pyranosides 1467
Marcos I. S. see Urones J. G. 4501
Marcos I. S. see Urones J. G. 5665
Marcotullio M. C. see Ceccherelli P. 3071
Marczak S. see Jarowicki K. 3433
Margaretha P. Rathjen H.-J. and **Agosta W. C.** Single step formation of novel tricyclic systems on [3+2] photocycloaddition of 3-(1-alkynyl)cyclohexenones to methoxyalkenes 3245
Margolin A. L. see Delinck D. L. 3093
Margolin A. L. see Delinck D. L. 6797
Marinelli F. see Arcadi A. 2463
Marinozzi M. see Pellicciari R. 139
Marinozzi M. see Pellicciari R. 3658
Markandu J. see Grigg R. 559
Markandu J. see Grigg R. 1191
Märkl G. and **Reithinger S.** 1-[Tris-trimethylsilyl]methyl-4,4-diphenyl-1-arsabutatrien - 2,4-Diallenyl-1,3-diarsetan 6331
Märkl G. Dörges Ch. Nöth N. and **Polborn K.** Zur Umsetzung von 1,3 λ^3-Azaphosphininen mit Diazomethan-Diazadiphosphachiropteradiene 6999
Marki G. Dorges Ch. Riedl Th. Klarner F.-G. and **Lodwig C.** (4+2)-Cycloadditionen von 1,3 -Azaphosphininen mit Alknylphosphanen bei hohen Drucken 4589
Märkl G. Hohenwarter K. Ziegler M. L. and **Nuber B.** Zur Umsetzung von λ^3-Phosphininen mit Diphenylcarben aus Diphenyldiazomethan 4849
Märkl G. Kreitmeier P. Nöth H. and **Polborn K.** 1-Phospha-4,4-diarylbutatriene - 2,4-Diallenyl-1,3-diphosphetane 4429
Markó I. E. and **Mekhalfia A.** Radical mediated oxidations in organic chemistry-III. An efficient and versatile transformation of aldehydes into amides 7237
Markó I. E. see Bailey M. 4509
Marquet B. see Kabore L. 3137
Marquet J. see Lloris M. E. 7489
Marquez V. E. see Bodenteich M. 5977
Marriott J. H. Mottahedeh M. and **Reese C. B.** 9-(4-Methoxyphenyl)xanthen-9-thiol: a useful reagent for the preparation of thiols 7485
Marschner C. Penn G. and **Griengl H.** Synthesis of α- and β-D-carbaribofuranose from (+)-norborn-5-en-2-one 2873
Marson C. M. see Giles P. R. 5227
Martelli J. see Benvegnu T. 3145
Martens J. see Lübben S. 7127
Martí M. see Riera A. 2173
Martin G. E. see Crouch R. C. 5273
Martin J. C. see Kim C. U. 3257
Martín J. D. see Alvarez E. 1629
Martín J. D. see Zárraga M. 1633
Martin O. R. see Deshpande P. P. 6313
Martin S. F. and **Mortimore M.** New methods for the synthesis of oxindole alkaloids. Total syntheses of isopterpodine and pteropodine 4557
Martin S. F. Austin R. E. and **Oalmann C. J.** Stereoselective synthesis of 1,2,3-trisubstituted cyclopropanes as novel dipeptide isosteres 4731
Martin V. A. Perron F. and **Albizati K. F.** Chemistry of aldolate dianions. β-Silyloxy silyl enol ethers as bifunctional nucleophilic equibalents for oxygen heterocycle synthesis 301
Martin V. S. Nuñez M. T. Ramirez M. A. and **Soler M. A.** Enantiomeric synthesis of *endo*-substitued tetrahydropyrans 763
Martín-León N. see Marco-Contelles J. L. 1467
Martinelli M. J. and **Peterson B. C.** A concise, stereoselective synthesis of picenadol 5401
Martinelli M. J. Leanna M. R. Varie D. L. Peterson B. C. Kress T. J. Wepsiec J. P. and **Khau V. V.** The synthesis of (+)- and (-)-1-benzoyl-1,2,2a,3,4,5-hexahydrobenz-[*cd*]indol-4-amine, and preparation of LY228729 7579
Martinez J. see Rodriguez M. 5153
Martinez J. see Rodriguez M. 7319
Martinotti F. See Faucitano A. 7055
Martorell G. García-Raso A. and **Saá J. M.** Palladium catalyzed cross-coupling of phenol triflates with organostannanes. A versatile approach for the synthesis of substituted resorcinol dimethyl ethers 2357
Martre A.-M. Mousset G. Bel Rhlid R. and **Veschambre H.** Deprotection of carbonyl groups by anodic oxidation of dithioacetals: a key step in the synthesis of α-diones, α-ketols and chiral synthons 2599
Martynov I. V. see Brel V. K. 4799
Marumo S. see Kamimura A. 5053
Maruoka K. Nagahara S. and **Yamamoto H.** Molecular recognition of oxygen-containing substrates with MAD 5475
Maruoka K. Sato J. Banno H. and **Yamamoto H.** Organolaluminum-promoted rearrangement of allyl phenyl ethers 377
Maruyama K. see Nishinaga A. 3171
Maryanoff C. A. see Abdel-Magid A. F. 5595
Masaki Y. see Fuji K. 2419
Masamune S. see Lowenthal R. E. 6005
Mascagni P. Hosoya T. and **Suzuki K.** Protein engineering of HIV viral proteins by total chemical synthesis: the C-terminal 104 residue peptide from gag p24 4637
Mascagni P. see Hyde C. B. 399
Mash E. A. Kaczynski M. A. and **Dolata D. P.** Diastereoselective manipulations of conformationally restricted enantiomerically pure bicyclo[m.1.0]alkanes-I.

Nucleophilic additions to the carbonyl carbons of bicylo[m.1.0]alkan-2-ones 4565
Mashima K. see Fukuda N. 7185
Mashino T. Nakamura S. and **Hirobe M.** Sulfide oxidation, amine N-demethylation and olefin oxidation by heme-undecapeptide, microperoxidase-11, in the presence of hydrogen peroxide 3163
Mashino T. see Nishinaga A. 3171
Masjedizadeh M. R. Fite C. and **Little R. D.** Direct observation of intermediates involved in the intramolecular diyl trapping reaction 1229
Maslak P. and **Kula J.** Photoinduced electron transfer between aromatic amines and alkyl nitriles 4969
Maslak P. Sczepanski J. J. Minard R. D. and **Collins L. A.** Selectivity in near-diffusion-limited reactions. Isotope effects in phosphorylnitrene insertion into C-H bonds 4261
Masnovi J. M. see Yang N. C. 3825
Mason J. see Elofson R. M. 7205
Massanet G. M. see Collado I. G. 563
Massanet G. M. see Collado I. G. 5795
Massanet G. M. see Macias F. A. 3063
Massiott G. Nuzillard J. M. Richard B. and **Le Men-Olivier L.** Alternative partial synthesis of bisindole alkaloids 2883
Masson S. see Bulpin A. 1151
Masuda H. see Nakata M. 1585
Masuda K. see Chakravarty A. K. 7649
Masuda R. see Kamitori Y. 1183
Masuda Y. see Kyushin S. 6395
Masuda Y. see Normant J.-F. 2879
Masumi N. see Ryu I. 6887
Masunari T. see Hosomi A. 6201
Masuyama A. see Kida T. 5939
Matayoshi E. see Wang G. T. 6493
Matchett S. A. see Gronbeck D. A. 4977
Mathew F. and **Myrboh B.** A facile one-step synthesis of β, γ-unsaturated carboxylic acid esters via 1,2-carbonyl transpositions of α, β-unsaturated ketones 3757
Mathew S. see Kulkarni M. G. 4497
Mathur N. C. and **Shechter H.** Thermal and rhodium acetate catalyzed reactions of 5-diazouracil with nucleophiles 6965
Matsubara S. Kodama T. and **Utimoto K.** $Yb(CN)_3$-catalyzed reaction of aziridines with cyanotrimethylsilane. A facile synthesis of optically pure β-amino nitriles 6379
Matsubara S. Onishi H. and **Utimoto K.** Reaction of cyanotrimethylsilane with oxiranes under $Yb(CN)_3$ catalysis 6209
Matsuda F. see Ito Y. 2731
Matsuda F. see Morimoto Y. 6031
Matsuda F. see Nakatani K. 2323
Matsuda H. see Shibata I. 6381
Matsuda I. Takahashi K. and **Sato S.** Rhodium catalyzed direct coupling of α, β-unsaturated ketone, aldehyde and trialkylsilane: an easy access to regio-defined aldol derivatives 5331
Matsuda N. see Shimizu I. 4899
Matsuda T. see Iwamoto K. 7169
Matsukura H. see Akita H. 1731
Matsukura H. see Akita H. 1735
Matsumoto H. See Shimizu H. 7021
Matsumoto K. Minatogawa H. Munakata M. Toda M. and **Tsukube H.** High pressure synthesis of new Ag^+ ion-specific crown ethers 3923
Matsumoto K. Oshima K. and **Utimoto K.** Stereoselective formation of silacyclopentanes by the reaction of silacyclobutane with lithium carbenoids 6055
Matsumoto K. see Nagase H. 4493
Matsumoto K. see Ohno K. 4489
Matsumoto K. Suzuki N. and **Ohta H.** Preparation of optically active α-hydroxy ketone derivatives by enzyme-mediated hydrolysis of enol esters 7159
Matsumoto K. Suzuki N. and **Ohta H.** Synthesis of (+)-*endo*- and (+)-*exo*-brevicomin via enzyme-mediated hydrolysis of an enol ester 7163
Matsumoto N. see Irie K. 7345
Matsumoto S. see Ohto H. 2895
Matsumoto T. Hosoya T. and **Suzuki K.** Improvement in O C-glycoside rearrangement approach to C-aryl glycosides: use of 1-O-acetyl sugar as stable but efficient glycosyl donor 4629
Matsumoto T. Koboyashi Y. Takemoto Y. Ito Y. Kamijo T. Harada H. and **Terashima S** A stereoselective synthesis of cyclohexylnorstatine, the key component of a renin inhibitor 4175
Matsumoto T. see Nishiwaki E. 1299
Matsumoto T. see Takemoto Y. 217
Matsumoto Y. see Ueoka R. 5311
Matsumoto Y. see Ueoka R. 5335
Matsumura Y. see Fukuda N. 7185
Matsumura Y. see Shono T. 6385
Matsunaga K. see Lai S. 5503
Matsunaga S. see Fusetani N. 5623
Matsunaga S. see Hirota H. 4163
Matsushita K. see Kyushin S. 6395
Matta K. L. see Jain R. K. 4325
Matta K. L. see Thomas R. L. 2825
Mattay J. see Bischof E. W. 7137
Mattay J. see Vondenhof M. 985
Matteucci M. Deoxyoligonucleotide analogs based on formacetal linkages 2385
Matthews B. R. see Jackson W. R. 1447
Matthews D. P. see Edwards M. L. 5571
Matthews D. P. see McCarthy

J. R. 973
Matthews D. P. see McCarthy J. R. 5449
Mattia C. A. see Cimino G. 6565
Mauleón D. see Camps P. 3059
Maumy M. see Capdevielle P. 3305
Maumy M. see Capdevielle P. 3891
Maunder C. M. see Alder R. W. 6717
Maurya R. and **Ghera E.** A new intramolecular annulation approach leading to 1-oxo-phenanthrenequinone derivatives 5179
Maw G. N. see de Laszlo S. E. 5525
Maw G. N. see Ley S. V. 5521
Maya I. see Gómez-Sánchez A. 4077
Mayne C. L. see West R. R. 3271
Mayr H. see Musigmann K. 1261
Mazières M. R. see Kim T. C. 4459
Mazières M. R. see Rauzy K. 4463
Mazumdar S. N. and **Mahajan M. P.** 1,4-Addition of Reformatsky reagent to 1,3-diaza-1,3-butadienes 4215
Mazur P. Meyers H. V. Nakanishi K. El-Zayat A. A. E. and **Champe S. P.** Structural elucidation of sporogenic fatty acid metabolites from *Aspergillus nidulans* 3837
Mazzarella L. see Cimino G. 6565
Mazzocchi P. H. see Houk K. N. 7285
Mazzocchi P. H. see Houk K. N. 7289
Mazzola E. P. see Jarvis B. B. 4401
McCallum J. S. see Liebeskind L. S. 4397
McCarthy J. R. Matthews D. P. and **Barney C. L.** A new synthesis of 2-fluoro-1-olefins 973
McCarthy J. R. Matthews D. P. Edwards M. L. Stemerick D. M. and **Jarvi E. T.** A new route to vinyl flourides 5449
McCarthy J. R. see Barney C. L. 5547
McCarthy J. R. see Edwards M. L. 3417
McCarthy J. R. see Edwards M. L. 5571
McCarthy T. J. Pang D. C. Tivakornpannaral S. and **Waali E. E.** Net carbon atom loss from 5,6-(9',10'-dihydro-9',10'-anthraceno)-1,2,4,6-cycloheptatetraene 6265
McClard R. W. see Stowell M. H. B. 3261
McClelland R. A. Cozens F. and **Steenken S.** Laser flash photolysis observation of the 1-*p*-methoxphenylvinyl cation by photoprotonation of *p*-methoxyphenylacetylene. Comparison with the 1-*p*-methoxyphenethyl cation 2821
McCollum C. see Vu H. 7269
McDaniel K. F. Kracker L. R. II and **Thamburaj P. K.** Reaction of organolithium reagents with η^3-pentadienyl iron complexes: formation of iron complexes 2373
McDermott T. S. see Black T. H. 6617
McDonald C. E. Holcomb H. Leathers T. Ampadu-Nyarko F. and **Frommer, Jr. J.** N-Iodosuccinimide mediated oxidative cleavage of vicinal, mono-protected diols 6283
McDonald F. E. see Wender P. A. 3691
McGarvey G. J. and **Andersen M. W.** The diastereoselective influences of remote substituents on enolate alkylations 4569
McGarvey G. J. see Overly K. R. 4573
McGettigan C. see Daeuble J. F. 2397
McGuiness M. and **Shechter H.** Azidotris(diethylamino)phosphonium bromide: a self-catalyzing diazo transfer reagent 4987
McIlwaine D. B. see Cane D. E. 7553
McIntyre S. and **Warren S.** Stereoelectronic factors in the synthesis of tetrahydrofurans by hydroxyl participation in phenylthio migration 3457
McKervey M. A. see Duddeck H. 4061
McKervey M. A. see Kraft D. 4941
McKillop A. Koyunçu D. Krief A. Dumont W. Renier P. and **Trabelsi M.** Efficient, high yield oxidation of thiols and selenols to disulphides and diselenides 5007
McLaughlin L. W. see Iocono J. A. 175
McLean S. see Tinto W. F. 465
McLoughlin J. I. Brahma R. Campopiano O. and **Little R. D.** Stereoselectivity in intramolecular diyl trapping reactions. Model studies directed toward the phorbols 1377
McMills M. C. see Tanis S. P. 1977
McMullen L. A. see Herndon J. W. 4547
McNeil D. see Skiles J. W. 7277
McNeill A. H. and **Thomas E. J.** 1,5-Asymmetric induction in reactions between δ-alkoxyallylstannanes and aldehydes induced by tin(IV) chloride 6239
McPhail A. T. see Chen G.-F. 3413
McPhail A. T. see Scott D. M. 1679
McPhail A. T. see Wu T.-S. 1786
McPhail A. T. see Wu T.-S. 1786
McPhail D. R. see Chen G.-F. 3413
McSwine D. See Thompson A. S. 6953
Mecozzi S. see Bonini C. 5369
Medebielle M. Pinson J. and **Savéant J.-M.** Perfluoroalkylation of imidazoles by electrochemically induced $S_{RN}1$ substitution 1279
Medforth C. J. and **Smith K. M.** The synthesis and solution conformation of dodecaphenylporphyrin 5583
Medforth C. J. Berber M. D. Smith K. M. and **Shelnutt J. A.** Tetracycloalkenyl-*meso*-tetraphenylporphyrins as models for the effect of non-planarity on the light absorption properties of photosynthetic chromophores 3719
Medforth C. J. see Pandey R. K. 789
Medforth C. J. see Pandey R. K. 7399
Meesters L. see Feringa B. L. 7201
Meffre P. Vo-Quang L. Vo-Quang Y. and **Le Goffic F.** Unusual α-aminoacids from vinylglycine 2291

Meghani P. see Kelly T. R. 3381
Mehmandoust M. see Marazano C. 1995
Mehta G. and **Reddy M. S.** A strategy for the construction of novel tetracyclic lycopodium alkaloids of paniculatine- and magellanine-type 2039
Mehta G. see Lalitha S. 4219
Mehta V. D. see Corriu R. J. P. 2585
Meier A. and **Sauer J.** Donor-Akzeptor substituierte Dienophile bei Diels-Alder-Reaktionen mit inversem Elektronenbedarf 6855
Meier C. and **Boche G.** N-(α-Aminoacyloxy)-N-arylamines: activation of aromatic amines to ultimate carcinogens by amino acids 1685
Meier C. and **Boche G.** N-Acetoxy-4-methoxyaniline, a model compound for the ultimate carcinogen of the phenacetin related 4-ethoxyaniline 1693
Mekhalfia A. see Markó I. E. 7237
Meldal M. and **Bock K.** Pentafluorophenyl esters for temporary carboxyl group protection in solid phase synthesis of N-linked glycopeptides 6987
Meldal M. See Jansson A. M. 6991
Melder J.-P. Prinzbach H. and **Rihs G.** X-ray crystallographic analyses of highly functionalized dodecahedranes - skeletal distortion by twofold epoxy-annulation 1129
Mele A. see Dell'Erba C. 4933
Mello R. Cassidei L. Fiorentino M. Fusco C. and **Curci R.** Brominative lactonization in eudesmanes 3067
Mello R. Ciminale F. Fiorentino M. Fusco C. Prencipe T. and **Curci R.** Oxidations by methyl(trifluoromethyl)dioxirane - IV. Oxyfunctionalization of aromatic hydrocarbons 6097
Melnick M. J. Bisaha S. N. and **Gammill R. B.** Conformationally restricted P_1-P_1' transition state analogues. Synthesis of 1(R),3(R)[1(S),2(S)] and 1(S), 3(S)[1(S),2(S)]3-[3-cyclohexyl-2-[(BOC)-amino]-1-hydroxypropyl]-2,2-dimethylcyclopropane carboxylic acids 961
Menassieu P. see Einhorn J. 6633
Mende T. J. Schulman L. S. and **Baden D. G.** Synthesis of a multifunctional radioiodinatable photoaffinity probe 5307
Mendelson W. see Baures P. W. 6501
Mendoza J. S. see Kende A. S. 7105
Menger F. M. see Sherrod M. J. 459
Menges D. see Kauffmann T. 507
Menges D. see Kauffmann T. 1553
Menichetti S. see Capozzi G. 6213
Menon R. B. see Ravindranathan T. 755
Mereyala H. see Gopalakrishnan V. 1613
Merger R. see Gleiter R. 1845
Merino I. see Barluenga J. 6713
Merino P. see Dondoni A. 4513
Merola J. S. see Hudlicky M. 7403
Mertes K. B. see Qian L. 6469
Mertes M. P. see Wang B. 5543
Méry J. see Ceccato M.-L. 6189
Messeguer A. see Bujons J. 5235
Messeguer A. see Sánchez-Baeza F. 3359
Mestdagh H. see Eddarir S. 4449
Mestres R. see Aurell M. J. 5791
Metzger M. S. see Clemans G. B. 2255
Metzner P. see Kpegba K. 1853
Meunier B. see Hoffmann P. 1991
Meunier B. see Hoffmann P. 3946
Meyers A. I. and **Guiles J.** A convenient asymmetric synthesis of pyrrolo[2,1-a]isoquinolines 2813
Meyers A. I. see Gottlieb L. 4723
Meyers H. V. see Mazur P. 3837
Meyrueix R. see Mignani G. 4743
Mezzina E. see Cainelli G. 3481
Mhaskar S. Y. and **Lakshminarayana G.** Synthesis of 6-(*R*)-hydroxy-7,9-octadecadiynoic acid, a HMG-CoA reductase inhibitor 7227
Michalski J. see Heil´nski J. 4081
Michalski T. J. Appelman E. H. Bowman M. K. Hunt J. E. Norris J. R. Cotton T. M. and **Raser L.** 20-Fluoromethylpyropheophorbide: the first synthesis of a fluorine-substituted derivative of chlorophyll 6847
Michel F. see Fotiadu F. 4863
Michell F. see Bernardi A. 4949
Mielgo A. see Palomo C. 6429
Miesch M. see Franck-Neumann M. 4121
Miesch M. see Franck-Neumann M. 5027
Mignani G. Chevalier C. Grass F. Allmang G. and **Morel D.** Synthesis of new unsaturated enynes, catalysed by copper(I) complexes 5161
Mignani G. Leising F. Meyrueix R. and **Samson H.** Synthesis of new thiophene compounds with large second order optical non-linearities 4743
Mikami K. Kaneko M. Loh T.-P. Terada M. and **Nakai T.** Aminoaldehyde-ene reaction: stereoselective route to β-amino alcohols 3909
Mikami T. Katoh A. and **Mitsunobu O.** A convenient procedure for the preparation of fused ring cyclic acetals from 2-deoxy-2-C-(hydroxyalkyl)-α-D-altropyranosides and -arabinofuranosides 539
Miknis G. F. see Williams R. M. 4297
Milart P. and **Sepiol J.** New synthesis of substituted biphenyls' biaryls and terphenyls from arylidenemalonodinitriles ethyl pyruvate and malonodinitrile 2735
Milberg C. I. see Petter R. C. 6117
Miller A. and **Procter G.** On the origin of the diastereoselectivity observed in cycloadditions of chiral acyl-nitroso compounds

1041
Miller A. and **Procter G.** Stereoselective cycloadditions of chiral acylnitroso compounds; synthetically useful reactions of the adducts 1043
Miller M. J. see Reno D. S. 827
Miller M. J. see Williams M. A. 1807
Miller T. A. see Lipshutz B. H. 5253
Millet J. see Stoller A. 5035
Mima H. see Fujihara H. 2307
Mima Y. see Kodama M. 4025
Minami H. see Kodama M. 4025
Minami K. see Tanaka K. 2727
Minami T. see Okada Y. 3905
Minami T. see Palomo C. 2218
Minami T. see Yamaguchi M. 2423
Minami T. see Yamaguchi M. 3913
Minard R. D. see Maslak P. 4261
Minatogawa H. see Matsumoto K. 3923
Ming N. S. see Dmitrienko G. I. 3681
Minguillón C. see Camps P. 3059
Minkin V. I. see Stephan B. 6335
Minoguchi M. see Ogura K. 3331
Minoshima T. see Takahashi T. 4333
Miocque M. see Parrot-Lopez H. 1999
Mioskowski C. see Stoller A. 361
Mioskowski C. see Stoller A. 5035
Mioskowski C. see Wagner A. 3141
Miralles J. see Aknin M. 2979
Miranda E. I. see Soderquist J. A. 4677
Mironov V. I. Nizhnik A. N. Deruzhenko I. V. and **Bonnett R.** Regiospecific synthesis of ether-bonded oligomers of haematoporphyrin IX and its relatives 6409
Misawa Y. see Akasaka T. 1173
Mischnick P. see König W. A. 6867
Misco P. F. see Kim C. U. 3257
Mishima M. Inoue H. Fujio M. and **Tsuno Y.** Gas phase substituent effects. Stabilities of 1-aryl-2,2,2-trifluoroethyl cations 685
Misiti D. and **Zappia G.** A stereoselective synthesis of (3*S*,4*S*) statine and related compounds 7359
Miskevich F. see Grove D. D. 6277
Mison P. see Felix C. 4143
Mistry J. see Crombie L. 2647
Mitchell A. L. see Charonnat J. A. 315
Mitchell M. O. and **Le Quesne P. W.** Total synthesis of (±) pseudophrynaminol 2681
Mitchell R. H. and **Zhou P.** The synthesis and trapping of the first [14]annulyne with benzyne like reactivity. A fast route to several annelated bridged annulenes 5277
Mitchell R. H. Venugopalan S. Zhou P. and **Dingle T. W.** An experimental NMR method to estimate resonance energies of 4N+2 - electron systems relative to that of benzene 5281
Mitkidou S. and **Stephanidou-Stephanatou J.** The pyrazole analogue of *ortho*-quinodimethane: generation and cycloaddition reactions 5197
Mitsui K. see Kikugawa Y. 243
Mitsunobu O. see Mikami T. 539
Miura K. Taniguchi M. Nozaki K. Oshima K. and **Utimoto K.** Triethylborane induced perfluoroalkylation of silyl enol ethers or germyl enol ethers with perfluoroalkyl iodides 6391
Miura M. Gabel D. Oenbrink G. and **Fairchild R. G.** Preparation of carboranyl porphyrins for boron neutron capture therapy 2247
Miwa Y. see Fuji K. 6663
Miyahara Y. and **Inazu T.** An extremely efficient synthesis of thiophene 1,1-dioxides. Oxidation of thiophene derivatives with dimethyldioxirane 5955
Miyai J. see Kataoka Y. 369
Miyai T. see Nakamura K. 1159
Miyai T. see Nakamura K. 3631
Miyaoka H. see Nagaoka H. 1573
Miyasaka T. see Haraguchi K. 227
Miyasaka T. see Shimizu M. 1295
Miyasaka T. see Tagaki W. 3897
Miyashi T. see Kamata M. 681
Miyashi T. Takahashi Y. Ohaku H. Yokogawa K. Morishima S. and **Mukai T.** Divergent rearrangement pathways in the electron-transfer induced spiropentane-methylenecyclobutane rearrangement: role of CIP and SSIP 2411
Miyashiro S. see Hirota H. 3321
Miyata N. see Fukuhara K. 3743
Miyaura N. see Sato M. 231
Miyazaki H. see Nakamura N. 699
Miyazaki M. see Fujioka H. 5951
Miyazawa Y. See Jung M. E. 6983
Mizsak S. A. see Gammill R. B. 5301
Mizsak S. A. see Gammill R. B. 5303
Mizuno T. Nishiguchi I. Hirashima T. Ogawa A. Kambe N. and **Sonoda N.** A new selenium catalyzed synthesis of S-alkyl carbonothioates from alcohols, carbon monoxide, sulfur and alkyl halides 4773
Mizuno T. see Kawagishi H. 373
Mizutani J. see Moriyama M. 6667
Mlinarić-Majerski K. see Majerski Z. 915
Mlochowski J. see Siedlecka R. 2177
Mo C. L. see Borthwick A. D. 767
Mocerino M. and **Stick R. V.** 2-Phenyl-1,3-benzodithiolylium trifluoromethanesulfonate: a reagent for the conversion of alcohols into benzyl ethers and benzoates under mild conditions 3051
Mock W. L. and **Zhang J. Z.** Concerning the relative acidities of simple alcohols 5687
Modi S. P. Carey J. J. and **Archer S.** Synthesis of 5-methyl-6H-pyrido[4,3-*b*]carbazole-11-methanol 5845
Moene W. Schakel M. Hoogland G. J. M. de Kanter F. J. J. Klumpp G. W. and **Spek A. L.** X-ray crystal structure and

hydrocarbon solution behaviour of tetrameric 2,2-bis(methoxymethyl)-1-propyllithium 2641
Mohammadpour Baltork I. see Iranpoor N. 735
Mohri M. see Komatsu M. 3627
Mohsinaly N. see Er-Rhaimini A. 5757
Moiseenkov A. M. see Veselovsky V. V. 1187
Molina P. Arques A. Alías A. and Velasco M. D. Synthesis and electrochemical properties of the unknown N,N-bisheteroaryl amines bearing a fused heterocycle as N-substituent 6219
Molinari F. see Gennari C. 2453
Molinari F. see Gennari C. 2929
Molinillo J. M. G. see Macías F. A. 3063
Molle G. and Dugast J.-Y. Synthése sur support solide de peptides comportant un résidu aminoalcool C-terminal 6355
Molloy K. C. see Aggarwal V. K. 135
Momose T. see Hirai Y. 4755
Monahan J. B. see Pellicciari R. 139
Mondimore D. see Dougherty W. 4389
Mongkolaussavaratana T. see Grigg R. 3075
Mongkolaussavaratana T. see Grigg R. 7215
Moniotte P. see Hosay T. 873
Monneret C. see Bertounesque E. 7153
Monneret C. see Bonin M. 2885
Monneret C. see Genevois-Borella A. 4879
Montaufier M.-T. see Cabral J. 1705
Montaufier M.-T. see Laszlo P. 4867
Montgomery J. see Barr D. A. 6569
Monti D. see Speranza G. 3077
Moody C. J. Rees C. W. and Thomas R. Synthesis of the marine alkaloid ascididemin 4375
Moorcroft D. see MacLeod D. 6077
Moore B. S. see Urban F. J. 4421
Moore I. see Becker D. 4923
Moradpour A. see Gimbert Y. 1007
Moran E. J. see England P. 2669
Morat C. and Taravel F. R. Measurement of long-range heteronuclear couplings: application to oligosaccharide conformation 1413
Morat C. see Espie J. C. 1423
Moreau M. see Lilo B. 887
Morel C. see Gaudin J.-M. 5749
Morel D. see Mignani G. 5161
Moreno-Mañas M. see Lloris M. E. 7489
Morera E. see Ciattini P. G. 1889
Moretó J. M. see Camps F. 2479
Morgan B. see Ramaswamy S. 3405
Morgans, Jr. D. see Kurz L. 6321
Mori K. see Kouno I. 3658
Mori K. see Persoons C. J. 1747
Mori M. Ito Y. and Ogawa T. An approach to the regioselective introduction of functional groups on α-(1→4) linked cyclo*manno*hexaose: alkylation at O-2 3029
Mori M. Ito Y. Uzawa J. and Ogawa T. Stereoselectivity of cycloglycosylation in *manno*oligose series depends on carbohydrate chain length: syntheses of *manno*isomers of β- and γ-cyclodextrins 3191
Mori M. Okada K. Shimazaki K. and Chuman T. Synthesis of a simple analog of periplanone-B 4037
Mori Y. Kohchi Y. Ota T. and Suzuki M. Synthetic study on 1,3-polyols. Total synthesis of (4*S*, 6*S*, 8*S*, 10*S*, 12*R*, 14*R*, 16*R*, 18*R*, 20*R*)-nonamethoxy-1-pentacosene from blue-green algae 2915
Moriarty K. J. see Roush W. R. 6509
Moriarty R. M. Epa W. R. and Awasthi A. K. Palladium-catalysed C-8 allylation and vinylation of adenosine 2'-deoxyadenosine and 2',3'-dideoxyadenosine nucleosides 5877
Moriarty R. M. Vaid R. K. Hopkins T. E Vaid B. K. and Prakash O. Hypervalent iodine oxidation of 5-keto acids and 4,6-diketo acids with [hydroxy(tosyloxy)iodo]benzene: synthesis of keto-γ-lactones and diketo-δ-lactones 201
Moriarty R. M. Vaid R. K. Hopkins T. E. Vaid B. K. and Prakash O. Conversion of lactones to the higher homologous α, β-unsaturated lactones via hypervalent iodine oxidation of 1-trimethylsilyloxy-2-oxa[*n*.1.0] cycloalkanes 197
Morihashi K. see Takahashi O. 5175
Morimoto M. see Shimazaki M. 3335
Morimoto O. see Uneyama K. 2717
Morimoto S. see Nagata R. 4485
Morimoto T. Chiba M. and Achiwa K. Asymmetric total synthesis of (-)-deoxypodophyllotoxin 261
Morimoto Y. Matsuda F. and Shirahama H. An efficient approach toward virantmycin stereospecific construction of tetrahydroquinoline ring system employing intramolecular nitrene-addition reaction 6031
Morinaka Y. see Takayanagi H. 3317
Morishima H. see Atsuumi S. 1601
Morishima H. see Nakano M. 1569
Morishima S. see Miyashi T. 2411
Morita H. see Itokawa H. 6881
Moritani Y. Ukita T. Nishitani T. Seki M. and Iwasaki T. A synthesis of α-substituted *trans*-α, β-dibenzyl-γ-butyrolactones: diastereofacial differentiation in the electrophilic attack on the metal enolates of α, β-dibenzyl-γ-butyrolactones 3615
Moriwake T. see Saito S. 221
Moriyama M. Tahara S. Ingham J. L. Narita E. Kawabata J. and Mizutani J. The first naturally occurring amino-isoflavone from the root bark of *Piscidia erythrina* L 6667
Morley A. D. Hollinshead D. M. and Procter G. Stereoselective

cycloadditions of acyl-nitroso compounds; an approach to carbapenem synthesis 1047
Mornet R. see Er-Rhaimini A. 5757
Mornet R. see Haidoune M. 1419
Morrison H. see Wu Z.-Z. 5865
Morrow G. W. see Doty B. J. 6125
Mortezaei R. see Bhide R. 4827
Mortimer R. J. see Kocian O. 5069
Mortimore M. see Martin S. F. 4557
Mortreux A. see Hatat C. 4139
Morvan F. Rayner B. and **Imbach J.-L.** Modified oligonucleotides-IV. Solid phase synthesis and preliminary evaluation of phosphorothioate RNA as potential antisense agents 7149
Moss R. A. and **Fujita T.** Dynamics of liposomes constructed from phytanyl lipids 7559
Moss R. A. and **Fujita T.** Proton hydroxide permeation across ammonium ion bilayer vesicles detected by self-indicating head groups 2377
Moss R. A. and **Ho G.-J.** Competitive kinetics of 1,2 carbon and hydride shifts in cyclobutyl chlorocarbene 1225
Moss R. A. and **Kim H.-R.** The stereochemical course of fragmentation of benzyloxychlorocarbene 4715
Moss R. A. see Pross A. 4553
Moss W. O. Bradbury R. H. Hales N. J. and **Gallagher T.** Generation of α-amino acid homoenolate equivalents. Synthesis of 3-substituted prolines 5653
Motegi A. see Kadota S. 393
Motegi T. see Oda M. 7341
Mottahedeh M. see Marriott J. H. 7485
Moucheron C. see Nasielski J. 2573
Mouna A. M. Blanchard P. Fourrey J.-L. and **Robert-Gero M.** Synthesis of adenine nucleosides related to sinefungin 7003
Mousset G. see Martre A.-M. 2599
Moyano A. Pericàs M. A. Riera A. and **Luche J.-L.** A theoretical study of the Barbier reaction 7619
Moyano A. see Poch M. 7505
Moyano A. see Riera A. 2169
Moyano A. see Riera A. 2173
Mrozik H. see Blizzard T. A. 4965
Mrozik H. see Shih T. L. 3525
Mrozik H. see Shih T. L. 3529
Muckensturm B. see Pflieger D. 2299
Mudd J. see Georg G. I. 451
Mueller P. H. see Houk K. N. 7285
Mueller P. H. see Houk K. N. 7289
Mueller R. H. see Kronenthal D. R. 1241
Mukai C. Cho W. J. Kim I. J. and **Hanaoka M.** Tricarbonyl(benzaldehyde)chromium(0) complexes in organic synthesis: a highly stereoselective 1,3-dipolar cycloaddition of chromium(0)-complexed nitrones 6893
Mukai T. see Miyashi T. 2411
Mukaiyama S. see Toshima K. 3339
Mukaiyama S. see Toshima K. 6361
Mukaiyama S. see Toshima K. 6697
Müllen K. see Pollmann M. 2701
Müllen K. see Schenk R. 7367
Müller C. E. and **Roth H. J.** A new synthesis of thiphosphoric acid esters with a C-S-P bond 501
Muller C. L. see Murphree S. S. 6145
Munakata M. see Matsumoto K. 3923
Murahashi E. see Nagata R. 2907
Murahashi E. see Saito I. 7469
Murahashi S.-I. see Naota T. 7475
Murai A. see Fukuzawa A. 4895
Murai T. see Kato S. 3587
Murakami Y. see Hisaeda Y. 1027
Murakata C. and **Ogawa T.** Synthetic study on glycophosphatidyl inositol (GPI) anchor of *Trypanosoma brucei*: glycoheptaosyl core 2439
Muralidharan K. R. see Back T. G. 1957
Muralidharan V. B. Wood H. B. and **Ganem B.** Enantioselective synthesis of (-)-methyl 5-lactylshikimate lactone 183
Muralikrishna C. see Pandey G. 3771
Murasaki C. see Fujimoto Y. 535
Murata A. see Ogura K. 3331
Murata S. and **Suzuki T.** Cyclization of terpene alcohols and related polyenols by benzeneselenenyl triflate 6535
Murata T. see Koreeda M. 5997
Murayama H. see Mandai T. 7179
Murayama T. see Sugiyama T. 7343
Murphree S. S. Muller C. L. and **Padwa A.** A new route to disubstituted cyclopentenones using 2,3-dibromo-1-(phenylsulonyl)-1-propene as a pivotal reagent 6145
Murphree S. S. see Padwa A. 2983
Murphy C. K. see Discordia R. P. 5603
Murphy J. A. and **Sherburn M. S.** Intramolecular free-radical substitution reactions of pyridinium rings: efficient formation of [5,6]- and [6,7]-fused ring systems 3495
Murphy J. A. and **Sherburn M. S.** Intramolecular addition of free radicals to quaternised heterocyclic rings 1625
Murphy P. J. and **Procter G.** Allylsilanes in organic synthesis; an approach to the stereoselective synthesis of units for natural product synthesis 1059
Murphy P. J. Russell A. T. and **Procter G.** Allylsilanes in organic synthesis; stereoselctive preparation and reactions of functionalised β, γ-epoxysilanes 1055
Murphy P. J. Spencer J. L. and **Procter G.** Allylsilanes in organic synthesis; convenient preparation of synthetic intermediates by catalytic hydrosilation of acetylenic alcohols 1051

Murray D. H. and **Albizati K. F.** Ambiphilic reactivity of 1,1-dimethoxyacetone 4109
Musigmann K. Mayr H. and **de Meijere A.** Regio- and stereoselective ring-opening reactions of cyclopropenones: α-methylene-γ-butyrolactones via additions of trichlorocyclopropenylium ions to alkenes 1261
Musso H. see Skuballa N. 497
Mutter M. see Ernest I. 4011
Mutter M. see Ernest I. 4015
Muzart J. see Henin F. 1015
Myers P. L. see Wilson F. X. 6931
Myers P. L. see Witty D. R. 4787
Myers P. L. see Witty D. R. 6927
Myrboh B. see Mathew F. 3757

Nabeshima T. Inaba T. Sagae T. and **Furukawa N.** A novel type of pseudocryptand for simultaneous recognition of heavy and alkali metals 3919
Nabeshima T. Inabe T. Furukawa N. Ohshima S. Hosoya T. and **Yano Y.** Selective recognition for heavy and transition metals by novel polyethers bearing bipyridines, and molecular chirality of pseudocrown structure in the Cu(I) complex 6543
Nabeshima T. See Tabushi I. 7017
Nadler E. B. and **Rappoport Z.** Hexamethyldisilane as a source of both trimethylsily and pentamethyldisilyl anions. Formation of a substituted pentamethyldisilyl stable enol 555
Näf R. Velluz A. and **Thommen W.** Isolation of a glucosidic precursor of damascenone from *Lycium halimifolium* Mil. 6521
Nagahara S. see Maruoka K. 5475
Nagai K. see Kitamura M. 549
Nagai M. Kato K. Takita T. Nishiyama S. and **Yamamura S.** A facile and practical synthesis of the derivatives of 1-O-acetyl-2-deoxy-2-hydroxymethyl-D-erythrooxetanose, a key sugar moiety for the synthesis of oxetanosyl-N-glycoside 119
Nagai M. see Nishiyama S. 705
Nagai M. see Nishiyama S. 4777
Nagaki H. See Sugano M. 7015
Nagano Y. see Ikeda H. 5045
Nagao S. see Tanaka H. 6661
Nagaoka H. Miyaoka H. and **Yamada Y.** Total synthesis of (+)-halimedatrial: the absolute configuration of halimedatrial 1573
Nagaoka T. see Sato R. 4165
Nagarathnam D. see Cushman M. 6497
Nagasawa K. and **Narisada M.** Synthesis of polyhedral borane derivatives having a carboxy group 4029
Nagasawa K. see Shimizu I. 4899
Nagasawa M. see Fukuyama Y. 5621
Nagase H. Matsumoto K. Yoshiwara H. Tajima A. and **Ohno K.** Synthesis of (+)-5,6,7-trinor-4,8-inter-*m*-phenylene PGI_2 4493
Nagase H. see Ohno K. 4489
Nagata K. see Itoh T. 2429
Nagata K. see Itoh T. 7193
Nagata R. Morimoto S. and **Saito I.** Iron-peplomycin catalyzed oxygenation of linoleic acid 4485
Nagata R. see Saito I. 7469
Nagata R. Yamanaka H. Murahashi E. and **Saito I.** DNA Cleavage by acyclic eneyne-allene systems related to neocarzinostatin and esperamicin-calicheamicin 2907
Nagle D. G. and **Gerwick W. H.** Isolation and structure of constanolactones A and B, new cyclopropyl hydroxy-eicosanoids from the temperate red alga *Constantinea simplex* 2995
Nagy M. see De Kimpe N. 2771
Naidorf-Meir S. see Hassner A. 2181
Naidorf-Meir S. see Hassner A. 5669
Naik S. N. see Ayyangar N. R. 3217
Nair V. and **Sells T. B.** Copper mediated reactions in nucleoside synthesis 807
Naito S. see Yoda H. 7623
Najdi S. and **Kurth M. J.** Synthesis of (2*R*,6*R*)-(-)-2,6-lupetidine:2,6-disubstituted piperidines as potentially useful 'C_2-symmetric' chiral reagents 3279
Nájera C. Yus M. Karlsson U. Gogoll A. and **Bäckvall J.-E.** Nitroselenation of conjugated dienes. Preparation of 3,4-epoxy-3-nitro-1-alkenes 4199
Nakadaira Y. see Kyushin S. 6395
Nakagawa M. see Kitamura E. 4605
Nakagawa M. see Torisawa Y. 3195
Nakagawa N. see Takahashi T. 4333
Nakahara Y. Iijima H. Sibayama S. and **Ogawa T.** A highly stereoselective synthesis of di- and trimeric sialosyl-Tn epitope: a partial structure of glycophorin A 6897
Nakahara Y. see Sakai K. 3035
Nakai T. See Qian C.-P. 7043
Nakai T. see Mikami K. 3909
Nakai T. see Tomooka K. 7353
Nakajima M. see Tomioka K. 1741
Nakajima N. see Nakamura K. 1159
Nakajima T. see Kita Y. 7173
Nakamura A. see Fujihara H. 6375
Nakamura K. and **Osamura Y.** Theoretical study on the migratory aptitude in pinacol rearrangement 251
Nakamura K. Ishihara K. Ohno A. Uemura M. Nishimura H. and **Hayashi Y.** Kinetic resolution of (η^6-arene)chromium complexes by a lipase 3603
Nakamura K. Kawai Y. and **Ohno A.** A novel method to synthesize (L)-β-hydroxyl esters by the reduction with baker's yeast 267
Nakamura K. Kawai Y. Miyai T. and **Ohno A.** Stereochemical control in diastereoselective reduction with baker's yeast 3631
Nakamura K. Miyai T. Kawai Y. Nakajima N. and **Ohno A.** Stereoselective synthesis of (2*R*,3*S*)-*syn*-2-allyl-3-hydroxy butanoate mediated by an enzymatic system from

bakers' yeast 1159
Nakamura K. see Kusumoto T. 5343
Nakamura K. see Lichtenthaler F. W. 71
Nakamura K. see Shibata I. 6381
Nakamura M. see Fukuzawa A. 4895
Nakamura N. Miyazaki H. Ohkawa N. Oshima T. and **Koike H.** An efficient synthesis of platelet-activating factor (PAF) via 1-*O*-alkyl-2-*O*-(3-isoxazolyl)-*sn*-glycero-3-phosphocholine, a new PAF agonist. Utilization of the 3-isoxazolyloxy group as a protected hydroxyl 699
Nakamura S. see Mashino T. 3163
Nakamura S. see Yamaguchi M. 3913
Nakamura T. see Okuyama T. 1017
Nakamura T. see Tanino K. 2165
Nakanishi K. see Mazur P. 3837
Nakanishi K. see Spears G. W. 5339
Nakanishi T. see Kim D. 7119
Nakanishi T. see Nishinaga A. 3171
Nakano M. Atsuumi S. Koike Y. Tanaka S. Funabashi H. Hashimoto J. and **Morishima H.** A stereospecific synthesis of a renin inhibitor (BW-175) which incorporates a sulfonemethylene isostere and a dihydroxyethylene isostere 1569
Nakano M. see Atsuumi S. 1601
Nakano T. Ito Y. and **Ogawa T.** Total synthesis of a sulfated glucuronyl glycosphingolipid, IV^{3}GlcA(3-SO$_3$)nLcOse$_4$Cer, a carbohydrate epitope of neural cell adhesion molecules 1597
Nakano T. see Sato M. 7463
Nakata M. Akiyama N. Kojima K. Masuda H. Kinoshita M. and **Tatsuta K.** Total synthesis of rifamycin W 1585
Nakata M. see Tatsuta K. 1171
Nakata T. Hata N. and **Oishi T.** A general and efficent strategy for determining the stereostructure of 1,3-polyol 381
Nakata T. see Akita H. 1731
Nakata T. see Akita H. 1735
Nakata T. see Mandal T. 7179
Nakata T. see Torisawa Y. 3195
Nakatani K. Arai K. Hirayama N. Matsuda F. and **Terashima S.** Synthesis and cytotoxicity of the acyclic (*E*)- and (*Z*)-dienediyne systems related to neocarzinostatine chromophore 2323
Nakatani K. see Fukuda Y. 6699
Nakatani S. see Yoshida J. 2425
Nakato T. see Naota T. 7475
Nakayam M. see Kitamura E. 4605
Nakayama A. see Takeda T. 6685
Nakayama J. Ishii A. Yamada Y. Sugino M. and **Hoshino M.**. Dimerization of tri-2-thienylmethyl radical 2627
Nakayama J. see Ishii A. 2623
Nakayama J. Sugihara Y. Terada K. and **Clennan E. L.** Synthesis and characterization of 3,4-di-*t*-butylfuran, pyrrole and selenophene 4473
Nakayama N. see Ando W. 3597
Nakayama O. see Tamao K. 7333
Nakayama Y. see Ojika M. 4907
Nakayasu S. see Torii S. 5319
Nakazawa M. see Takahashi T. 7349
Nam G.-S. see Ha H.-J. 1567
Nam H. H. and **Leroi G. E.** Matrix infrared study of the photolysis products of 2,3-pyridine dicarboxylic anhydride (2,3-PDA) a search for 2,3-didehydropyridine 4837
Namane A. see Sarfati S. R. 2581
Namavari M. Satyamurthy N. Phelps M. E. and **Barrio J. R.** Halogen exchange reactions between alkyl halides and aqueous hydrogen halides. A new method for preparation of alkyl halides 4973
Nambu Y. and **Endo T.** A novel reaction for the functionalization of epoxy resins: new regio-and chemoselective ring-opening of epoxides with aryl silyl ether catalyzed by cesium fluoride 1723
Nambu Y. Gan Y. Tanaka C. and **Endo T.** Unusual photoreduction of viologen by dimethyl sulfoxide on a new polymer having direct pendants of viologen and benzophenone structures 891
Namkung J.-Y. see Kim C. W. 2905
Naniwa Y. see Fuji K. 3175
Naniwa Y. see Fuji K. 4666
Naoki H. see Yotsu M. 3187
Naota T. Nakato T. and **Murahashi S.-I.** Novel method for α-substitution of amines via *N*-methoxycarbonyl-α-*t*-butyldioxyamines 7475
Narayana C. Padmanabhan S. and **Kabalka G. W.** Cleavage of ethers and geminal diacetates using the boron triiodide-N,N-diethylaniline complex 6977
Narayana Murty Y. V. S. and **Narayana Pillai C.** A new route to linearly fused polyquinanes 6067
Narayana Pillai C. see Narayana Murty Y. V. S. 6067
Narayana Rao M. Holkar A. G. and **Ayyangar N. R.** Unusual reactivity of azomethine ylides due to electronic effects: a novel route to 5-alkylidene-3-oxazolines 3343
Narayanan K. and **Cook J. M.** Carboxyl-mediated Pictet-Spengler reaction. Direct synthesis of 1,2,3,4-tetrahydro β-carbolines from tryptamine-2-carboxylic acids 3397
Nardelli M. see Jamart-Grégoire B. 7603
Narisada M. see Nagasawa K. 4029
Narisano E. see Guanti G. 6421
Narita E. see Moriyama M. 6667
Nash S. A. see Gammill R. B. 5303
Nasielski J. Moucheron C. Verhoeven C. and **Nasielski-Hinkens R.** 2,3-Diphenyl- and 2,3 6,7-tetraphenyl-hexa-azatriphenylene, ligands for

transition metals 2573
Nasielski-Hinkens R. see Nasielski J. 2573
Natalini B. see Pellicciari R. 139
Natalini B. see Pellicciari R. 3658
Nativi C. Ricci A. and **Taddei M.** Synthesis of 4-(trimethylsilyl)- and 4-(tributylstannyl)-2-azetidinones and some of their applications to β-lactam chemistry 2637
Natoli M. Nicolosi G. and **Piattelli M.** Enzyme-catalyzed alcoholysis of flavone acetates in organic solvent 7371
Natori T. Kawai H. and **Fusetani N.** Tubiporein, a novel diterpene from a Japanese soft coral *Tubipora* sp. 689
Natori T. see Fusetani N. 3599
Navech J. see Despax C. 1557
Navech J. see Despax C. 4471
Naylor A. see Sainsbury M. 2763
Nebois P. Barret R. and **Fillion H.** Synthesis of azaanthraquinone derivatives via a hetero Diels-Alder reaction 2569
Neckers D. C. see Tsuchiya M. 5143
Neel D. A. see Holmes R. E. 5567
Neeson S. see Burns B. 4351
Negishi E. Noda Y. Lamaty F. and **Vawter E. J.** Effects of organometals on the palladium-catalyzed tandem carbopalladation-cross coupling for preparing stereodefined exocyclic alkenes 4393
Negishi E. see Shimoyama I. 2841
Negishi E. see Wu G. 493
Negro A. see Guenoun F. 2153
Neiteler G. see Kauffmann T. 503
Nemeth G. A. see Majetich G. 2239
Nemoto H. Ando M. and **Fukumoto K.** A novel *o*-quinodimethane strategy for an active metabolite of vitamin D_3. A total synthesis of 25-hydroxy Windaus-Grundmann ketone 6205
Nerz-Stormes M. see Shirodkar S. 4699
Nestler B. see Adam W. 331
Nestler B. see Schönecker B. 1257
Neunlist S. see Bisseret P. 6523
Newcomb M. and **Kumar M. U.** N-Hydroxypyridine-2-thione carbamates - VII. Intermolecular addition and addition-cyclization reactions of aminium cation radicals 1675
Newcomb M. see Park S.-U. 2975
Newton R. F. see Leonard J. 6703
Neya M. see Hagiwara D. 6539
Ng H. P. See Dauben W. G. 6969
Nguyen van Duong M. see Chaubet F. 5729
Nichols J. R. see Jones R. C. F. 1767
Nichols J. R. see Jones R. C. F. 1771
Nichols J. R. see Jones R. C. F. 2333
Nicolosi G. see Natoli M. 7371
Nie X.-Y. see Dittami J. P. 3821
Nielsen J. see Dahl B. H. 3489
Nielsen J. see Petersen K. H. 911
Nielsen K. E. see Dmitrienko G. I. 3681
Niemeyer C. see Reetz M. T. 3863
Nienaber H. see Kauffmann T. 1553
Niino H. see Ouchi A. 6043
Nikishin G. I. and **Kovalev I. P.** Novel vinyl ketone;acetylene cross-coupling catalyzed by RhCl(PMe) 7063
Nikolaides N. and **Ganem B.** New chemistry of amines - II. A convenient synthesis of phosphotriesters from phosphoramidates 1113
Nikolaides N. Godfrey A. G. and **Ganem B.** New chemistry of diazoesters from thermal rearrangement of N-alkyl-N-nitrosoamides 6009
Nilsson B. see Bergman R. 2783
Nimkar S. see Liebeskind L. S. 3723
Nimtz M. see Blankemeyer-Menge B. 1701
Ninomiya S. see Chauncey M. A. 5901
Nippe K.-S. see König W. A. 6867
Nisar M. see Yamada M. 2407
Nishi K. See Ogino K. 7023
Nishida A. Nishida M. and **Yonemitsu O.** Generation and intramolecular cyclization of free radicals at the carbon between two heteroatoms under non-reductive conditions 7035
Nishida M. See Nishida A. 7035
Nishiguchi I. see Mizuno T. 4773
Nishikawa T. see Isobe M. 3327
Nishikawa T. see Isobe M. 5499
Nishikawa T. see Saito S. 221
Nishimura H. see Nakamura K. 3603
Nishimura H. see Uemura M. 2319
Nishimura J. see Inokuma S. 97,
Nishimura J. see Okada Y. 107
Nishimura J. Takeuchi M. Takahashi H. and **Sato M.** Intramolecular [2+2] photocycloaddition - IX. Stereoselective synthesis of naphthalenophanes and effects of the tether lenght and substituents on the photochemical reaction courses of vinylnaphthalenes 2911
Nishimura M. see Aimi N. 5169
Nishinaga A. Maruyama K. Ando H. Sato R. Mashino T. Inada A. and **Nakanishi T.** Cobalt Schiff base complex promoted retro-Claisen reaction of 1-(2-hydroxyphenyl)-3-phenyl1,3-propanediones and flavone formation 3171
Nishino H. see Tategami S. 6371
Nishitani T. see Moritani Y. 3615
Nishitani T. see Yamazaki H. 5345
Nishiwaki E. Lee H. Matsumoto T. Toyooka K. Sakurai H. and **Shibuya M.** Synthesis of nitrated oligo-N-methylpyrrole carboxamide derivatives and their photochemical DNA cleaving activites 1299
Nishiyama H. see Ohno K. 4489
Nishiyama S. Ohgiya T. Yamamura S. Kato K. Nagai M. and **Takita T.** Synthetic studies on new sugar oxetanose: synthesis

of D-erythro-oxetanose and its reaction with silylated adenine derivative 705
Nishiyama S. see Arimoto H. 5491
Nishiyama S. see Arimoto H. 5619
Nishiyama S. see Nagai M. 119
Nishiyama S. see Suzuki Y. 4053
Nishiyama S. Yamamura S. Kato K. Nagai M. Takita T. and **Terada Y.** Evaluation of two possible transition states in intramolecular oxetane/oxolane ring formation based on AM1 calculations 4777
Nishizawa M. Kan Y. Shimomoto W. and **Yamada H.** α-Selective thermal glycosidation of rhamnosyl and mannosyl chlorides 2431
Nitta M. Kanomata N. and **Tada M.** Synthesis and spectroscopic properties of 1-azamethanocyclopentacycloundecene ring system 1291
Niwa H. Ieda S. Inagaki H. and **Yamada K.** A biogenetic-type synthesis of (±)-aplysiadiol, a brominated diterpene isolated from the marine mollusc *Aplysia kurodai* 7157
Niwata Y. see Tatsuta K. 1171
Nizhnik A. N. see Mironov A. F. 6409
Noda Y. see Negishi E. 4393
Node M. see Fuji K. 2419
Node M. see Fuji K. 3175
Node M. see Fuji K. 4666
Node M. see Fuji K. 6553
Nodo I. Horita K. Oikawa Y. and **Yonemitsu O.** Stereoselective synthesis of polyether antibiotics, lasalocid A and isolasalocid A, via a chelation-controlled formation of tetrahydrofuran rings under thermodynamic conditions 6035
Noels A. F. see Fontaine M. 3117
Noguchi M. see Ogura K. 3331
Noguchi M. see Tokitoh N. 7641
Noguchi Y. see Shimizu I 4899
Noheda P. see Tamayo N. 5189
Nokami J. Maihara A. and **Tsuji J.** Preparation of methyl 1,3-dien-2-carboxylate by the palladium-catalyzed carbonylation of 2,3-dien-1-ols 5629
Norbert W. D. J. A. see Grigg R. 3075
Norberto F. see Iley J. 4921
Normant J.-F. Quirion J.-Ch. Masuda Y. and **Alexakis A.** Reactivity of allyl-zinc (and copper) reagents toward allenic ethers and α-metallated allenic ethers 2879
Normant J.-F. see Alexakis A. 1271
Norris J. R. see Michalski T. J. 6847
North J. T. see Hoye T. R. 4281
Nöth H. See Märkl G. 6999
Nöth H. see Märkl G. 4429
Nouaille A. see Horeau A. 2707
Nouguier R. Lesueur C. De Riggi E. Bertrand M. P. and **Virgili A.** Stereoselective free-radical cyclization on a sugar template. The sulphonyl radical as a synthetic tool for functionalized glycosides 3541
Novi M. see Dell'Erba C. 4933
Noyori R. see Kitamura M. 549
Noyori R. see Ohta T. 7189
Nozaki H. see Kitamura E. 4605
Nozaki H. see Ohira S. 1039
Nozaki H. see Sato T. 1581
Nozaki H. see Sato T. 3591
Nozaki H. see Sato T. 3595
Nozaki K. see Miura K. 6391
Nozaki K. Uemura A. Yamashita J. and **Yasumoto M.** Enzymatic regioselective acylation of the 3'-hydroxyl groups of 2'-deoxy-5-fluorouridine (FUdR) and 2'-deoxy-5-trifluoromethyluridine (CF UdR) 7327
Nozoe S. see Fushiya S. 3901
Nozoe S. see Kobayashi J. 4617
Nozoe S. see Ohta T. 7329
Nozoe T. see Shono T. 895
Nuber B. see Gleiter R. 6175
Nuber B. see Märkl G. 4849
Nudelman N. S. Doctorovich F. and **Amorin G.** Spectroscopic determination of radical anions in the reaction of phenyllithium with carbon monoxide 2533
Nukina M. see Kitamura E. 4605
Nuñez M. T. see Martin V. S. 763
Nunomura S. see Sugimoto M. 385
Nunomura S. see Sugimoto M. 1435
Nuyken O. see Stasko A. 5737
Nuzillard J. M. see Massiot G. 2883

O'Connell M. J. Coxon J. M. 5357
O'Donnell M. J. Arasappan A. Hornback W. J. and **Huffman J. C.** Preparation and Wittig reactions of an α-keto amino acid derivative 157
O'Donnell M. J. Yang X. and **Li M.** 2-Aza-π-allylpalladium complexes for the synthesis of β-carboxy-aspartic acid (ASA) derivatives 5135
O'Hagan D. see Harper D. B. 7661
O'Neil I. A. see Baldwin J. E. 2047
O'Neil I. A. see Baldwin J. E. 2051
O'Neill B. T. see Phillips D. 3291
O'Shea K. E. and **Foote C. S.** Reactions of TCNE with isomeric 2,4-hexadienes 841
O-Yang C. see Barth F. 1121
Oae S. see Uenishi J. 4625
Oalmann C. J. see Martin S. F. 4731
Obeyesekere N. U. see Walkup R. D. 1531
Ocampo R. see Verne-Mismer J. 1751
Ochi M. see Kotsuki H. 4609
Oda M. Okada K. Motegi T. Liu L.-K. and **Wen Y.-S.** Novel thermal decarbonylative dimerization of 1,2,3,4,5,6-hexahydrobenzo[1,2;4,5]dicyclobutene-3,6-dione 7341
Oda M. see Kawase T. 545
Odaka H. see Takayama H. 5483
Odriozola J. M. see Palomo C. 2218
Oehlschlager A. C. Hutzinger M. W. Aksela R. Sharma S. and **Singh S. M.** Corrigendum 2794
Oehlschlager A. C. Hutzinger M. W. Aksela R. Sharma S. and **Singh S. M.** Facile

formation and reactions of mixed trimethylstannylmethylcuprates 165
Oehlschlager A. C. see Ramaswamy S. 3405
Oenbrink G. see Miura M. 2247
Ogasawara K. see Takano S. 2315
Ogasawara K. see Takano S. 3325
Ogasawara K. see Takano S. 3619
Ogata K. see Ogura K. 3331
Ogata T. see Hiroi K. 239
Ogawa A. see Mizuno T. 4773
Ogawa A. see Ryu I. 6887
Ogawa A. Yokoyama K. Yokoyama H. Sekiguchi M. Kambe N. and **Sonoda N.** Photo-initiated addition of diphenyl diselenide to allenes 5931
Ogawa H. see Komatsu M. 3627
Ogawa M. see Mandai T. 7179
Ogawa S. see Tadano K. 2609
Ogawa T. see Hong N. 3179
Ogawa T. see Mori M. 3029
Ogawa T. see Mori M. 3191
Ogawa T. see Murakata C. 2439
Ogawa T. see Nakahara Y. 6897
Ogawa T. see Nakano T. 1597
Ogawa T. see Sakai K. 3035
Ogawa T. see Sugimoto M. 385
Ogawa T. see Sugimoto M. 1435
Ogbu C. O. see Rigby J. H. 3385
Ogiku T. Seki M. Takahashi M. Ohmizu H. and **Iwasaki T.** A new two-step synthesis of 1-arylnaphthalene lignans from cyano-hydrins 5487
Ogilvie W. W. see Breau L. 35
Ogino K. Nishi K. Yamamoto H. Yishida T. and **Tagaki W.** Rate enhancing multi-site interactions in ester hydrolysis catalyzed by Cu^{2+} Complexes of surfactant imidazole ligands in non-ionic micelles 7023
Ogino K. See Carité C. 7011
Ogino Y. see Kwong H.-L. 2999
Ogura H. see Konda Y. 5315
Ogura H. see Takeda K. 265
Ogura K. see Koyama T. 4189
Ogura K. Uchida T. Noguchi M. Minoguchi M. Murata A. Fujita M. and **Ogata K.** A new system for molecular recognition: highly specific inclusion of (*S*)-isopropyl phenyl sulfoxide by solid (*R*)-phenylglycyl-(*R*)-phenylglycine 3331
Ogura K. Yahata N. Fujimori T. and **Fujita M.** A novel 1,5-rearrangement of a sulfonyl group in a 1-sulfenylated 2,4-alkadiene 4621
Ohaku H. see Miyashi T. 2411
Ohashi M. see Kyushin S. 6395
Ohashi M. see Oka M. 7473
Ohfune Y. see Sakai N. 3183
Ohfune Y. see Sakai N. 4151
Ohfune Y. see Shimamoto K. 4049
Ohfune Y. see Spears G. W. 5339
Ohgiya T. see Nishiyama S. 705
Ohira S. Ishi S. Shinohara K. and **Nozaki H.** C-H insertion method for the chiral tertiary alcohol: formal synthesis of (-)-frontalin 1039
Ohizumi Y. see Kobayashi J. 4617
Ohkata K. Ohsugi M. Kuwaki T. Yamamoto K. and **Akiba K.** Restricted rotation of pyrimidine ring in symmetrical 10-S-3 sulfuranes: evaluation of hypervalent N-S-N bond energy 1605
Ohkawa N. see Nakamura N. 699
Ohki Y. see Shono T. 6385
Ohkubo M. see Atsuumi S. 1601
Ohkubo M. see Shizuri Y. 7167
Ohkuma T. Kitamura M. and **Noyori R.** Enantioselective synthesis of 4-substituted γ-lactones 5509
Ohmizu H. see Ogiku T. 5487
Ohmori H. see Takanami T. 677
Ohno A. see Nakamura K. 267
Ohno A. see Nakamura K. 1159
Ohno A. see Nakamura K. 3603
Ohno A. see Nakamura K. 3631
Ohno K. Nishiyama H. Nagase H. Matsumoto K. and **Ishikawa M.** Synthesis of (±)-5,6,7-trinor-4,8-inter-*m*-phenylene PGI_2 4489
Ohno K. see Nagase H. 4493
Ohno M. see Hirao T. 6039
Ohno M. see Kobayashi S. 1577
Ohno M. see Kobayashi S. 2435
Ohno M. see Owa T. 6063
Ohno M. Shimizu S and **Eguchi S.** Diverse process in [4+2]cycloaddition reactionof silyl enol ethers of *N*-substituted 2-acetylpyrroles to an indole skeleton 4613
Ohno T. see Hisaeda Y. 1027
Ohnuma S. see Koyama T. 4189
Ohsawa A. see Itoh T. 2429
Ohsawa A. see Itoh T. 7193
Ohshima S. see Nabeshima T. 6543
Ohshiro Y. see Hirao T. 3917
Ohshiro Y. see Hirao T. 6039
Ohshiro Y. see Komatsu M. 3627
Ohshiro Y. see Komatsu M. 5327
Ohsugi M. see Ohkata K. 1605
Ohta H. Matsumoto S. and **Sugai T.** Alkylation of 2-phenylsufinylethanol 2895
Ohta H. see Matsumoto K. 7159
Ohta H. see Matsumoto K. 7163
Ohta T. see Itoh T. 6387
Ohta T. see Itoh T. 6407
Ohta T. see Itoh T. 6450
Ohta T. see Kobayashi J. 4617
Ohta T. Shiokawa S. Sakamoto R. and **Nozoe S.** Diastereospecific synthesis of (-)-statine 7329
Ohta T. Takaya H. and **Noyori R.** Stereochemistry and mechanism of the asymmetric hydrogenation of unsaturated carboxylic acids catalyzed by BINAP-ruthenium(II) dicarboxylate complexes 7189
Ohto M. see Orito K. 5921
Oi N. see Fujihara H. 1019
Olarbide M. see Palomo C. 6425
Oikawa Y. see Noda I. 6035
Oishi T. see Akita H. 1731
Oishi T. see Akita H. 1735
Oishi T. see Nakata T. 381
Oishi T. see Torisawa Y. 3195
Ojika M. Yoshida Y. Nakayama Y. and **Yamada K.** Aplydilactone a novel fatty acid metabolite from the marine mollusc *Aplysia kurodai* 4907
Ojima I. and **Habus I.** Asymmetric synthesis of β-lactams by chiral ester enolate-imine condensation 4289
Ojima I. and **Pei Y.** Asymmetric

syntheiss with chiral β-lactams. Highly stereoselective alkylation and aldol reaction of a chiral 3-amino-4-styryl-β-lactam 977
Ok H. Arison B. H. Bali R. G. Beattie T. R. Fisher M. H. and Wyvratt M. J. Thermal rearrangment of the immunosuppressant FK-506 6477
Oka A. see Watanabe Y. 2613
Oka M. Konishi M. Oki T. and Ohashi M. Absolute configuration of the rubiginones and photo-induced oxidation of the C1 hydroxyl of the antibiotics to a ketone 7473
Okada K. see Mori M. 4037
Okada K. see Oda M. 7341
Okada M. see Itoh T. 2429
Okada M. see Itoh T. 7193
Okada Y. Minami T. Sasaki Y. Umezu Y. and Yamaguchi M. The first synthesis of chiral phosphinocarboxylic acid ligands, *trans*-2-(diphenylphosphino)cyclohexanecarboxylic acids. The phosphine-palladium complexes catalyzed asymmetric allylic alkylation 3905
Okada Y. Sugiyama K. Wada Y. and Nishimura J. Synthesis of multi-bridged cyclophanes by means of [2+2] photocycloaddition. Stereocontrol of cyclobutane-linkage by methoxyl group 107
Okahara M. see Kida T. 5939
Okaji Y. see Hirai Y. 4755
Okajima T. see Fukazawa Y. 1309
Okamoto K. see Kinoshita T. 4057
Okamoto K. see Kinoshita T. 6673
Okamoto S. see Ito T. 6399
Okamoto S. see Tsujiyama H. 4481
Okamoto Y. see Yoshifuji M. 2311
Okano T. see Barton D. H. R. 325
Okano Y. see Tokitoh N. 5323
Okazaki H. see Fukuyama Y. 4477
Oki T. see Oka M. 7473
Oku T. see Kayakiri H. 225
Okui T. see Tatsuta K. 5495
Okuma T. see Yamaguchi M. 3913
Okumoto H. see Torii S. 5319
Okumoto H. see Torii S. 7175
Okuyama T. Nakamura T. and Fueno T. Acid-catalyzed reduction of a sulfenate ester by iodide 1017
Olesker A. see Ghini A. A. 2301
Oliva A. see Gennari C. 2453
Oliva I. M. see Urones J. G. 4501
Oliva I. M. see Urones J. G. 5665
Olkhovick V. K. see Khripach V. A. 4937
Ollis W. D. see Bailey M. 4509
Ollivier J. Legros J.-Y. Flaud J.-C. de Meijere A. and Salaun J. Rearrangements of optically active cyclopropyl allyl esters by Lewis acids and palladium (0) catalysis 4135
Olmstead M. M. see Liddell P. A. 2685
Olofson R. A. see De Cusati P. F. 1405
Olofson R. A. see De Cusati P. F. 1409
Olsufyeva E. N. and Backinowsky L. V. Synthesis of novel analogues of anthracycline antibiotics containing a branched-chain sugar 4-*epi*-L-vancosamine 4805
Oltmann K. see Hoffmann R. W. 7419
Oltra J. E. see Barrero A. F. 4069
Onaka M. see Sugita K. 7467
Onda K. see Satoh T. 3567
Onda M. see Konda Y. 5315
Onishi H. see Aoyama Y. 1177
Onishi H. see Matsubara S. 6209
Ono N. see Tsujiyama H. 4481
ons 1509
Ooiman K. A. see Clennan E. L. 6759
Oppolzer W. and Tamura O. Asymmetric syntheis of α-amino acids and α-*N*-hydroxyamino acids via electrophilic amination of bornanesultam-derived enolates with 1-chloro-1-nitrosocyclohexane 991
Oppolzer W. Birkinshaw T. N. and Bardinelli G. Palladium catalyzed cyclizations of enantiomerically pure acyclic 4-acetoxy-2,8-nonadienes efficient chirality transfer 6995
Oppolzer W. Keller T. H. Kuo D. L. and Pachinger W. Palladium(0)- and nickel(0) catalyzed 'metallo-ene-type' cyclizations: stereodirecting resident chirality 1265
Oppolzer W. Rodriguez I. Starkemann C. and Walther E. Chiral toluene-2,α-sultam auxiliaries: asymmetric alkylations, acylations and aldolizations of N-acyl derivatives 5019
Oppolzer W. Wills M. Kelly M. J. Signer M. and Blagg J. Chiral toluene-2,α-sultam auxiliaries: asymmetric Diels-Alder reactions of N-enoyl derivatives 5015
Oppolzer W. Wills M. Starkemann C. and Bernardinelli G. Chiral toluene-2, α-sultam auxiliaries preparation and structure of enantiomerically pure (*R*)- and (*S*)-ethyl-2,1'-sultam 4117
Orfanopoulos M. Elemes Y. and Stratakis M. Reactions of triazolinedione with alkenes. A remarkable geminal selectivity 5775
Organ M. G. see Lange G. L. 4689
Orita H. see Takehira K. 2607
Orito K. Ohto M. Sugawara N. and Suginome H. Long-range intramolecular functionalization by alkoxyl radicals; long-range intramolecular double functionalization of ring C of cholestane and androstane skeletons 5921
Orliac A. see Delaunay J. 667
Orpen A. G. see Alder R. W. 6717
Ortar G. see Ciattini P. G. 1889
Ortholand J.-Y. see Greiner A. 2135
Osajima Y. see Terahara N. 2921
Osaki H. see Harusawa S. 5471
Osamura Y. see Nakamura K. 251
Ősapay G. Profit A. and Taylor J. W. Synthesis of Tyrocidine A: use of oxime resin for peptide chain assembly and cyclization 6121
Osawa M. see Kusumoto T. 5343
Osborne S. see Paterson I. 2213

Osguthorpe D. J. see Dauber-Osguthorpe P. 917
Oshima K. see Katoaka Y. 365
Oshima K. see Katoaka Y. 369
Oshima K. see Matsumoto K. 6055
Oshima K. see Miura K. 6391
Oshima K. see Takeyama Y. 6059
Oshima M. see Shimizu I. 4757
Oshima T. see Nakamura N. 699
Ota T. see Mori Y. 2915
Otera J. see Sato T. 1581
Otera J. see Sato T. 3591
Otera J. see Sato T. 3595
Otoshi Y. see Fukuyama Y. 4477
Otsuka M. see Owa T. 6063
Otsuka T. see Tezuka T. 7633
Ottinger R. see Berlinck R. G. S. 6531
Ötvös L. see Szemző A. 1463
Ötvös, Jr. L. Urge L. Hollosi M. Wroblewski K. Graczyk G. Fasman G. D. and **Thurin J.** Automated solid-phase synthesis of glycopeptides. Incorporation of unprotected mono- and disaccharide units of N-glycoprotein antennae into T cell epitopic peptides 5889
Ouali D. see Leonard J. 739
Ouali D. see Leonard J. 6703
Ouchi A. and **Yabe A.** A laser-specific C-C bond formation of biochromophoric compounds 1727
Ouchi A. Niino H. Kawabata Y. Tanaka M. and **Yabe A.** Substituent effect in the photodimerization of amphiphilic anthracenes: reactions in monolayer assemblies and in solutions 6043
Ourisson G. see Biovin J. 2501
Outten R. A. see Tagliaferri F. 1105
Ovaska T. V. see Bailey W. F. 627
Overly K. R. Williams J. M. and **McGarvey G. J.** Studies toward the application of oxazoline-epoxide equivalency in 1,3-asymmetric induction 4573
Overton K. see Freer A. 1471
Owa T. Sugiyama T. Otsuka M. Ohno M. and **Meada K.** A model study on the mechanism of the autoxidation of bleomycin 6063
Owen D. A. Stephenson G. R. Finch H. and **Swanson S.** Aryl-substituted cyclohexadienyl complexes: novel intermediates for an organometallic approach to *Sceletium* and *Amaryllidaceae* alkaloid synthesis 3401
Owens M. see Kraft D. 4941
Ozabalik N. see Barton D. H. R. 2817
Ozaki H. see Toril S. 5319
Ozaki S. see Akiyama T. 1433
Ozaki S. see Watanabe Y. 255
Ozaki S. see Watanabe Y. 2613
Ozaki Y. see Hirota H. 3321
Ozawa M. See Shimizu H. 7021
Ozbalik N. see About-Jaudet E. 1657
Ozbalik N. see Barton D. H. R. 325
Ozbalik N. see Barton D. H. R. 353
Ozbalik N. see Barton D. H. R. 3097
Ozeki H. see Tatsuta K. 5495

Pachinger W. see Oppolzer W. 1265
Paddon-Row M. N. see Houk K. N. 7289
Padma-Malar E. J. see Ibnusaud I. 7357
Padmanabhan S. See Narayana C. 6977
Padwa A. Murphree S. S. and **Yeske P. E.** Synthesis of vinylic and cyclic sulfones via a radical addition-elimination sequence 2983
Padwa A. see Kinder F. R. 6835
Padwa A. see Murphree S. S. 6145
Page P. see Rauzy K. 4463
Pagni R. M. see Hondrogiannis G. 5433
Palacios F. see Barluenga J. 3497
Palacios F. see Barluenga J. 6713
Palacios J. C. see Avalos M. 2467
Palazzi C. Poli G. Scolastico C. and **Villa R.** Electrophilic α-formylation of carbonyl compounds using nor-ephedrine-derived 2-methoxy oxazolidines. A novel asymmetric formation of quaternary stereocenters 4223
Palazzi C. see Cozzi P. G. 5661
Paley R. S. and **Snow S. R.** Stereospecific synthesis of *N*-acyl-(*E*)-vinyl-, dienyl-, and enynylsulfoximines 5853
Palfreyman A. R. see Gill M. 1203
Palkovic A. and **Poje M.** Synthesis of dehydro-1,3-dimethyluric acid 6101
Palmer C. F. Parry K. P. and **Roberts S. M.** Synthesis of carbocyclic clitocine 279
Palmer C. J. and **Casida J. E.** Selective catalytic hydrogenation of an olefin moiety in the presence of a terminal alkyne function 2857
Palmisano G. Brenna E. Danieli B. Lesma G. Vodopivec B. and **Fiori G.** Selectivity in the thiocyanation of 3-alkylindoles: an unexpectedly easy access to 2-isothiocyano derivatives 7229
Palomo C. Aizpurua J. M. and **Aurrekoetxea N.** A stereoselective synthesis of *cis*-alkenenitriles through Reformatsky-Peterson reaction 2209
Palomo C. Aizpurua J. M. García J. M. Picard J. P. and **Dunoguès J.** A concise formal approach to the oxacephem skeleton from an intramolecuar Peterson type olefination of N-[bis(trimethylsilyl)methyl]-β-lactams 1921
Palomo C. Aizpurua J. M. López M. C. and **Aurrekoetxea N.** Addition of α-halonitriles to carbonyl compounds catalyzed by zinc-trimethylchlorosilane : a general synthesis of β-trimethylsilyloxy nitriles 2205
Palomo C. Aizpurua J. M. López M. C. Aurrekoetxea N. and **Olarbide M.** Addition of α-bromoesters to azetidine-2,3-diones promoted by zinc-trimethylchlorosilane: a general synthesis of 3-trimethylsilyloxyazetidin-2-ones and α-alkylidene β-lactams 6425
Palomo C. Arrieta A. Cossío

F. P. Aizpurua Mielgo A. and **Aurrekoetxea N.** Highly stereoselective synthesis of α-hydroxy β-amino acids through β-lactams: application to the synthesis of the taxol and bestatin side chains and related systems 6429
Palomo C. Cossió F. P. and **Odriozola J. M.** Corrigenda 2218
Pan D.-J. see Chen G.-F. 3413
Pandey A. see Iqbal J. 575
Pandey G. Muralikrishna C. and **Bhalerao U. T.** Mushroom tyrosinase catalysed coupling of hindered phenols: a novel approach for the synthesis of diphenoquinones and bisphenols 3771
Pandey G. Rani K. S. and **Bhalerao U. T.** Photooxidative SET initiated N-demethylation of N,N'-dimethylanilines: mimicking the cytochrome P-450 type oxygenations 1199
Pandey G. Sridhar M. and **Bhalerao U. T.** Regiospecific dihydroindoles directly from β-arylethylamines by photoinduced SET reaction: one pot 'wavelength switch' approach to benzopyrrolizidines related to mitomycin 5373
Pandey R. K. Shiau F.-Y. Medforth C. J. Dougherty T. J. and **Smith K. M.** Efficient synthesis of porphyrin dimers with carbon-carbon linkages 789
Pandey R. K. Shiau F.-Y. Medforth C. J. Dougherty T. J. and **Smith K. M.** Syntheses, stability, and tumorcidal activity of porphyrin dimers and trimers with ether linkages 7399
Panfil I. see Maciejewski S. 1901
Pang D. C. see McCarthy T. J. 6265
Pankowski J. see Krafft M. E. 5139
Pantaloni A. see Coste J. 669
Panunzio M. see Cainelli G. 3481
Panyachotipun C. and **Thornton E. R.** Steric influence of silyl groups in titanium- and lithium-mediated aldol condensations 6001
Paolucci C. see Cerè V. 1907
Papageorgiou G. see Earle M. J. 4229
Papahatjis D. see Spillotis V. 1615
Papandreou G. see Bernotas R. C. 3393
Paquet A. Preparation of dehydroalanine peptides from bis-(2,2,2-trichloroethyl) and diphenyl phosphonoserine derivatives 5269
Paquette L. A. and **Astles P. C.** Furanocembranolide interconversions. Transformation of pseudopterolide into tobagolide and its reversal 6505
Paquette L. A. See Ezquerra J. 6979
Paredes M. C. see Tamayo N. 5189
Park C. M. see Lee E. 5039
Park H. G. see Jew S. 1559
Park H.-J. see Jew S. 1559
Park J. C. see Roush W. R. 4707
Park K. P. see Ha H.-J. 1567
Park M. see Jew S. 1559
Park O.-S. see Hatanaka M. 7631
Park S.-U. Varick T. R. and **Newcomb M.** Acceleration of the 4-*exo* radical cyclization to a synthetically useful rate. Cyclization of the 2,2-dimethyl-5-cyano-4-pentenyl radical 2975
Park Y. J. see Kim Y. H. 3893
Park Y.-H. see Givens R. S. 6793
Parra M. see Aureli M. J. 5791
Parrain J.-L. Duchêne A. and **Quintard J.-P.** An efficient access to homoallyl and homocinnamyl skeletons using 1-tributylstannyl-4,4-diethoxy-but-1-ene 1857
Parrilla A. see Guerrero A. 1873
Parrot-Lopez H. Djedaïni F. Perly B. Coleman A. W. Galons H. and **Miocque M.** An approach to vectorisation of pharmacologically active molecules: the covalent binding of leu-enkephalin to a modified β-cyclodextrin 1999
Parry K. P. see Palmer C. F. 279
Parry R. J. Haridas K. De Jong R. and **Johnson C. R.** Biosynthesis of aristeromycin: evidence for the intermediacy of a 4β-hydroxymethyl-1α,2α,3α-trihydroxycyclopentanetriol 7549
Parsons P. J. see Borthwick A. D. 6911
Pascal J. see Cristau H.-J. 5463
Pascoe K. O. see Cane D. E. 7553
Pasternack R. F. see Robic N. 4739
Pasternack R. F. see Salmon L. 519
Pastor R. see Haddach M. 1989
Pastor S. D. and **Togni A.** Asymmetric synthesis: modification of chiral ferrocenylamine ligands for the gold(I)-catalyzed aldol reaction 839
Patalinghug W. C. see Dooley M. J. 6103
Patane M. A. see Petasis N. A. 6799
Pátek M. and **Lebl M.** A safety-catch type of amide protecting group 5209
Patel D. V. Rielly-Gauvin K. and **Ryono D. E.** Peptidic α-hydroxy phosphinyls; C-terminal modification methodology 5591
Patel D. V. Rielly-Gauvin K. and **Ryono D. E.** Preparation of peptidic α-hydroxy phosphonates, a new class of transition state analog renin inhibitors 5587
Paterson I. and **Hulme A. N.** Total synthesis of the esterase inhibitor (±)-ebelactone A using an aldol-Claisen strategy 7513
Paterson I. and **Osborne S.** Stereoselective aldol reactions of β-chlorovinyl ketones using dienol borinates: a new synthesis of dihydropyrones 2213
Patrick G. L. see Mander L. N. 423
Patrick T. B. Hosseini S. and **Bains S.** 2-Fluoromethy methyl-4,4,6-trimethyl-1,3-oxazine as a new reagent for the preparation of α-fluoroaldehydes 179
Pattenden G. and **Smith G. F.** Studies towards funiculosin.

Synthesis of the unique all-*cis* cyclopentanetetrol moiety 6557
Pattenden G. see Hitchcock S. A. 3641
Paun I. see Uncuta C. 5645
Payrastre C. Madaule Y. and **Wolf J. G.** Dérivés organiques de l'arsenicdicoordine. Synthèse and caractérisation de nouveaux cations arséniumpossédant l'enchainement N-As-N 1145
Pearson W. H. and **Lin K.-C.** The intramolecular cycloaddition of azides with ω-chloroalkenes. A facile route to (-)-swainsonine and other indolizidine alkaloids 7571
Pearson W. H. see Heidt P. C. 5441
Pedrocchi-Fantoni G. see Fuganti C. 4195
Pedroso E. see Bardella F. 6231
Peet N. P. see Burkhart J. P. 1385
Peet N. P. see Farr R. A. 7109
Peet N. P. see Lentz N. L. 811
Pehk T. J. see Zelenin K. N. 3927
Pei Y. see Ojima I. 977
Peicman B. Gribble G. W. Total synthesis of the marine sponge pigment fascaplysin 2381
Pellicciari R. Natalini B. and **Marinozzi M.** Corrigendum 3658
Pellicciari R. Natalini B. Marinozzi M. Monahan J. B. and **Snyder J. P.** D-3,4-'Cyclopropylglutamate' isomers as NMDA receptor ligands: synthesis and enantioselective activity 139
Pellon P. Himdi-Kabbab S. Rault I. Tonnard F. and **Hamelin J.** Synthesis of allyl dichlorophosphines and arsines, precursors oftransient 1-phosphadiene and 1-arsadiene 1147
Pendalwar S. L. see Tour J. M. 4719
Peng T.-S. and **Gladysz J. A.** Regiospecific, diastereospecific and enantiospecific nucleophilic additions to chiral monosubstituted alkene complexes of the formula $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)(HC{=}CHR)]^+BF_4^-$ 4417
Penn G. see Marschner C. 2873
Penso M. see Landini D. 7209
Percy J. M. A stabilised difluorovinyl anion 3931
Pérez A. see Bennasar M.-L. 1893
Pérez Meirás D. Gultián E. and **Castedo L.** A new intermolecular benzyne cycloaddition approach to benzophenanthridines 143
Pérez Meirás D. Gultián E. and **Castedo L.** Intramolecular aryne cycloaddition. A new approach to amaryilidaceae alkaloids 2331
Perfetti M.-T. see Bloch R. 2577
Periasamy M. see Reddy Ch. K. 1919
Pericàs M. A. see Moyano A. 7619
Pericàs M. A. see Poch M. 7505
Pericàs M. A. see Riera A. 2169
Pericàs M. A. see Riera A. 2173
Pericàs M. A. see Riera A. 2755
Perich J. W. see Tong G. 3759
Perilleux D. see François P. 6347
Periman K. L. Sicinski R. R. Schnoes H. K. and **DeLuca H. F.** 1α,25-Dihydroxy-19-*nor*-vitamin D_3, a novel vitamin D-related compound with potential therapeutic acitivity 1823
Perlmutter P. see Jackson W. R. 2461
Perly B. see Parrot-Lopez H. 1999
Perner R. J. see DeNinno M. P. 7415
Perrée-Fauvet M. see Robic N. 4739
Perrior T. see Grigg R. 559
Perron F. see Martin V. A. 301
Perrone E. see Alpegiani M. 3509
Perrot-Petta M. see Corriu R. J. P. 2585
Persoons C. J. Ritter F. J. Verwiel P. E. J. Hauptmann H. and **Mori K.** Nomenclature of American cockroach sex pheromones 1747
Pessolano A. A. see Durette P. L. 1237
Pestchanker M. J. and **Giordano O. S.** A novel application of the base induced mesyl elimination 463
Petasis N. A. and **Patane M. A.** A Claisen rearrangement strategy for the three-atom ring expansion of cyclic ketones. A total synthesis of (±) precapnelladiene 6799
Pete J.-P. see Henin F. 1015
Pete J.-P. see Piva O. 5157
Peters E.-M. see Tochtermann W. 1642
Peters K. see Bringmann G. 643
Peters K. see Tochtermann W. 1642
Peters S. J. see Stevenson G. R. 6151
Petersen K. H. and **Nielsen J.** Chemical synthesis of dimer ribonucleotides containing internucleotidic phosphorodithioate linkages 911
Peterson B. C. see Martinelli M. J. 5401
Peterson B. C. see Martinelli M. J. 7579
Peterson M. A. see Polt R. 4985
Petit F. see Hatat C. 4139
Petit Y. Sanner C. and **Larchevêque M.** Stereoselective synthesis of optically active α-methyl esters 2149
Petrillo G. see Dell'Erba C. 4933
Petrini M. see Bartoli G. 6089
Petter R. C. Milberg C. I. and **Rao S. J.** Cooperative dehydration of 1,2',2,2'-ferrocenetetramethanol 6117
Petursson S. see Fleet G. W. J. 405
Petursson S. see Fleet G. W. J. 409
Pfau M. see Sdassi H. 875
Pfeifer K.-P. and **Himbert G.** The retro-Diels-Alder-reactivity of 1,4,3-oxathiazin-4-oxides 5725
Pfleiderer W. see Stengele K.-P. 2549
Pfleger D. and **Muckensturm B.** Base catalysed cyclization of 1-(2'-hydroxy-phenyl)-2-ynones: a new pathway to the chromone skeleton 2299

Phadtare S. and **Zemlicka J.** Synthesis of (*Z*)- and (*E*)-N⁶(4-hydroxy-1-buten-1-yl)adenine - New unsaturated analogues of adenosine 43
Phelps M. E. see Namavari M. 4973
Phelps M. E. see Satyamurthy N. 4409
Phillips D. and **O'Neill B. T.** A convergent process to C-2 substituted penems via addition of thiols and organocuprates to an O-trifiylthioketene acetal 3291
Phillips H. K. see Cochran J. C. 6621
Piarulli U. see Gennari C. 2453
Piarulli U. see Gennari C. 2929
Piattelli M. see Natoli M. 7371
Picard J. P. see Palomo C. 1921
Picq D. see Giudicelli M. B. 6527
Piéroni G. see Fourneron J.-D. 4875
Pieters L. A. C. see Hishman A. 4649
Pieters R. J. see Doyle M. P. 6613
Pilling G. M. and **Johnson R. E.** The unexpected synthesis of 2-thioxo-1-imidazolidinecarboxamides from 2-oxo-1-imidazolidinethiocarbonyl chloride 6763
Pilling T. see Lutz W. 5457
Pindur U. Kim M.-H. and **Eitel M.** The 3-vinylindole parent compound and its anion: new reactivity aspects 1551
Pinkos R. see Irngartinger H. 5459
Pinsard P. Lellouche J.-P. Beaucourt J.-P. and **Grée R.** Syntheses ofchiral iron-complexed analogues of leukotriene A_4 and (5,6)-DiHETE 1141
Pinsard P. Lellouche J.-P. Beaucourt J.-P. and **Grée R.** Synthesis andreactivity of chiral organometallic phosphonium salts 1137
Pinson J. see Medebielle M. 1279
Piorko A. see Sutherland R. G. 6831
Pirrung F. O. H. Rutjes F. P. J. T. Hiemstra H. and **Speckamp W. N.** Synthesis of bridged bicyclic hydrazines via cyclic *N*-acylhydrazonium intermediates 5365
Pishugin F. see Sharshenalievna Z. 1797
Pitlik J. see Baldwin J. E. 2483
Pitt I. G. See Warrener R. N. 7073
Pitt M. J. see Easton C. J. 3471
Piva O. and **Pete J.-P.** Highly enantioselective protonation of photodienols. Ah unusual substituent effect on the induced chirality 5157
Plante R. see Aubry N. 6311
Platz M. S. see Jones M. B. 953
Ple G. see Duhamel L. 3129
Plenat F. see Cristau H.-J. 5463
Plourde R. and **d'Alarcao** Synthesis of a potentially insulin-mimetic phosphodisaccharide 2693
Plumet J. see Alcalde B. 2493
Plumet J. see Alcalde B. 4211
Plumet J. see Arjona O. 1475
Plumet J. see Domínguez C. 2635
Plumet J. see Domínguez C. 7669
Poch M. Valentí E. Mayano A. Pericàs M. A. Castro J. DeNicola A. and **Greene A. E.** Asymmetric induction studies in the intramolecular Pauson-Khand cyclization of 7-alkoxy-1-hepten-6-ynes 7505
Pochet S. Kansal V. Destouesse F. and **Sarfati S. R.** Alkylglycoside carbonates of 3'-azides-3'-deoxythymidine 6021
Pochini A. see Arduini A. 4653
Poh B.-L. and **Koay L.-S.** Complexation of aromatic hydrocarbons with cyclotetrachromotropylene in aqueous solution 1911
Pohl S. see Lübben S. 7127
Pohmakotr M. and **Popuang S.** A general synthesis of 5-alkylidene-4-hydroxy-2-cyclopentenones 3783
Poirier J.-M. see Duhamel L. 3129
Poje M. see Palković A. 6101
Pokkuluri P. R. see Chen J. 6803
Pokorski U. see Tanaka H. 3023
Polborn K. See Märki G. 6999
Polborn K. see Märki G. 4429
Poli G. see Palazzi C. 4223
Policino S. see Cerè V. 1907
Pollini G. P. see Barco A. 3039
Pollini G. P. see Barco A. 4917
Pollman M. Wohlfarth W. Müllen K. and **Lex J.** 1,2,5,6-Tetra-*exo*-methylenecyclooctane and [2.2]-(2,3)-furonophane as bis-diene components in Diels-Alder reactions 2701
Polniaszek R. P. and **Dillard L. W.** Diastereoselective addition of organometallic reagents to chiral iminium ions: synthesis of (*S*)-(+)-cryptostyline I 797
Polt R. and **Peterson M. A.** β-Amino alcohols from amino acids: chelation control via Schiff bases 4985
Polz L. Stöckigt J. Takayama H. Uchida N. Aimi N. and **Sakai S.** Biotransformation of ajmaline in plant cell cultures of *Rauwolfia serpentina* Benth.: the new indole alkaloids raumacline and $N_{(b)}$-methylraumacline 6693
Pomerantz M. and **Levanon M.** Bis(dimethyl malonato)ketazine. Formation and inversion/rotation barrier 4265
Ponomaryov A. B. see Kalinin V. N. 4073
Pons D. Savignac M. and **Genêt J.-P.** Efficient syntheses of enantiomerically pure L and D-allothreonines and (*S*) and (*R*) isoserines 5023
Ponsinet G. see Commerçon A. 3871
Popkov A. A. see Vysotskii M. V. 4367
Popp B. see Tochtermann W. 1642
Popuang S. see Pohmakotr M. 3783
Pore V. S. see Hazra B. G. 6227
Porritt G. M. and **Reese C. B.** Use of the 2,4-dinitrobenzyl protecting group in the synthesis of phosphorodithioate analogues of oligodeoxyribonucleotides 1319
Porta O. see Clerici A. 2069
Porter N. A. see Scott D. M. 1679
Porter W. J. see Burke S. D. 5285
Potenza D. see Bernardi A.

4949
Potenza D. see Cozzi P. G. 5661
Pounds C. A. see Grigg R. 7215
Pousaz P. see Jeanneret-Gris G. 75
Power M. B. and **Barron A. R.** Organoaluminum promoted conversion of aldehydes to methyl ketones 323
Powers T. A. and **Evans, Jr. S. A.** Lanthanide induced ^{17}O NMR shifts of diastereotopic oxygen atoms in 1-thiadecalin 1,1-dioxide and related compounds 5835
Prabhakar S. see Rosa A. M. 1881
Prabhakaran P. C. see Cane D. E. 1943
Pradere J.-P. see Abouelfida A. 4019
Prakash O. see Moriarty R. M. 197
Prakash O. see Moriarty R. M. 201
Praly J.-P. and **Descotes G.** Photohalogenation comparee d'un phenyl-S-glucopyranoside and de ses derives d'oxydation 1133
Praly J.-P. El Kharraf Z. and **Descotes G.** Synthesis of C-1 spirocyclopropyl sugars from anomeric diazides 4441
Prasad J. V. N. V. and **Rich D. H.** Addition of allylic metals to α-aminoaldehydes. Application to the synthesis of statine, ketomethylene and hydroxyethylene dipeptide isosteres 1803
Prasad K. see Estermann H. 445
Prashad M. see Anderson D. W. 1759
Prato M. see Maggini M. 6243
Preiser F. A. see Blizzard T. A. 4965
Prencipe T. see Mello R. 6097
Press J. B. Hajos Z. G. and **Sawyers R. A.** A remarkable thietane formation from a 6-mercaptopurine derivative 1373
Preston S. C. see Collingwood S. P. 4067
Prestwich G. D. see Sun W.-C. 801
Prestwich G. D. see Xiao X. 2097
Previero A. see Pugniére M. 4883
Prhavc M. and **Kobe J.** Novel regioselective N-alkylations of 5-substituted-2H-tetrazoles 1925
Prince B. see Agami C. 2889
Prince P. see Evans K. L. 6753
Prinzbach H. see Beckmann E. 1125
Prinzbach H. see Imgartinger H. 5459
Prinzbach H. see Melder J.-P. 1129
Procter G. see Miller A. 1041
Procter G. see Miller A. 1043
Procter G. see Morley A. D. 1047
Procter G. see Murphy P. J. 1051
Procter G. see Murphy P. J. 1055
Procter G. see Murphy P. J. 1059
Profit A. see Ösapay G. 6121
Pross A. and **Moss R. A.** A curve crossing approach to carbenic reactivity 4553
Prota G. see Crescenzi O. 6095
Prout K. see Harwood L. M. 1885
Puchot C. see Agami C. 2889
Pudlo J. S. and **Townsend L. B.** A new and novel approach towards the synthesis of 3'-deoxy-3'-hydroxymethyl ribofuranosides 3101
Pugniére M. San Juan C. and **Previero A.** Specific esterase activity of subtilisin toward esters of α-haloacids 4883
Pujol M. D. see Al Neirabeyeh M. 2273
Pujol M. D. see Camps P. 3059
Puliti R. see Cimino G. 6565
Purandare A. V. see Rama Rao A. V. 1443
Purdon J. G. see Buncel E. 6513
Pyne S. G. and **Dikic B.** Diastereoselective additions of lithiated N-*tert*-butyldiphenysilyl-S-methyl-S-phenylsulfoximine to imines and aldehydes 5231
Pyun C. see Kang J. 2713

Qian C.-P. and **Nakai T.** Perfluoro-enolate chemistry: an 'electrophile-coexisting' procedure for carbon-carbon bond forming reactions with an ester lithiun *F*-enolate 7043
Qian L. Sun Z. Deffo T. and **Mertes K. B.** A convenient synthesis of macrocyclic lactams 6469
Qing F.-L. see Hu C.-M. 1307
Quallich G. J. and **Lackey J. W.** Diastereoselective oxidation of sulfides to sulfoxides with potassium peroxymonosulfate 3685
Quayle P. see King J. 5221
Quayle P. see MacLeod D. 4927
Quayle P. see MacLeod D. 6077
Quazzotti S. see Colonna S. 6185
Querci C. and **Ricci M.** Hydroxylation of saturated hydrocarbons by magnesium monoperoxyphthalate catalysed by manganese porphyrins 1779
Querci C. Strologo S. and **Ricci M.** Nickel(salen) catalysed chlorination of saturated hydrocarbons by sodium hypochlorite 6577
Quéré L. see Bruneau P. 7141
Quin G. S. see Quin L. D. 6473
Quin L. D. Bourdieu C. and **Quin G. S.** Direct detection of two metaphosphoramidates in -75°C THF solutions by ^{31}P NMR spectroscopy 6473
Quin L. D. Wu X.-P. Breuer E. and **Mahajna M.** The mechanism of fragmentation of alkyl α-(oxyimino)-benzylphosphonates; use of silica gel as a novel hydroxylic trapping reactant for an intermediate alkyl metaphosphate 6281
Quinn R. J. see Dooley M. J. 6103
Quintard J.-P. see Parrain J.-L. 1857
Quirion J.-Ch. see Normant J.-F. 2879

Raban M. and **Durocher D. T.** Conformationally controlled intramolecular charge transfer complexes 5125
Rachon J. and **Walborsky H. M.** Corrigenda 1786
Racioppi R. Gavagnin M. Strazzullo G. and **Sodano G.** Stereochemistry and

synthesis of bursatellin from chloramphenicol 573
Raczko J. Golebiowski A. Krajewski J. W. Gluzinski P. and Jurczak J. Stereoselective addition of furylithium to variously *N,N*-diprotected D-alaninals 3797
Rae I. D. see Ede N. J. 6071
Rafalko P. W. see Yang N. C. 3825
Raghuveer K. S. see Tsuchiya M. 5143
Ragnarsson U. see Könnecke A. 2697
Ragoussis N. see Spiliotis V. 1615
Rahman S. K. see Leonard J. 739
Rainer H. see Van Laak K. 4113
Rajagopal D. see Yadav J. S. 5077
Rajappa S. see Manjunatha S. G. 1327
Rajca A. and Wiessler M. Synthesis of unsymmetrical disulfides with thiolsulfonates immobilised on a polystyrene support 6075
Raju V. S. see Bose A. K. 1661
Rajviroongit S. see Barr D. A. 6569
Rama Krishna K. V. Sujatha K. and Kapil R. S. Phenolic oxidative coupling with hypervalent organo iodine compound (diacetoxyiodo) benzene 1351
Rama Krishna P. see Basavaiah D. 4347
Rama Rao A. V. Chakraborty T. K. and Purandare A. V. Studies directed towards the synthesis of immunosuppressive agent FK-506: synthesis of C-20 to C-27 moiety 1443
Rama Rao A. V. Chakraborty T. K. and Reddy K. L. Studies directed towards the synthesis of immunosuppressive agent FK-506: construction of the tricarbonyl moiety 1439
Rama Rao A. V. Gurjar M. K. Khare V. B. Ashok B. and Deshmukh M. N. Stereocontrolled approaches to the key intermediate of 1β-methylthienamycin 271
Rama Rao A. V. Gurjar M. K. Sharma P. A. and Kalwar V. Enantioselective reductions of ketones with with oxazaborolidines derived from (R) and (S)-α, α-diphenyl-2-piperidine methanol 2341
Rama Rao K. Bhanumathi N. and Sattur P. B. Baker's yeast catalyzed asymmetric cycloaddition of nitrileoxides to C=C bond: improved chiral recognition by using β-cyclodextrin 3201
Rama Rao K. Bhanumathi N. Srinivasan T. N. and Sattur P. B. A regioselective enzyme catalysed cycloaddition 899
Ramamurthy V. Caspar J. V. and Corbin D. R. Modification of photochemicalreactivity by zeolites: heavy cation induced phosphorescence and entrapment of rotational conformers of *trans*-stilbene 1097
Ramamurthy V. Corbin D. R. Kumar C. V. and Turro N. J. Modification of photochemical reactivity by zeolites: cation controlled photodimerisation of acenaphthylene within faujasites 47
Ramaswamy S. Morgan B. and Oehlschlager A. C. Porcine pancreatic lipase mediated selective acylation of primary alcohols in organic solvents 3405
Ramesh K. see Ali S. M. 1509
Ramesh M. see Barton D. H. R. 949
Ramirez M. A. see Martin V. S. 763
Ramo Rao K. Srinivasan T. N. and Bhanumathi N. A stereoselective biocatalytic Diels-Alder reaction 5959
Ramón D. J. and Yus M. 2-(3-Lithiopropyl)- and 2-(3-lithiopropyl)-2-methyl-1,3-dioxolane: new masked lithium bishomoenolates in the synthesis of bifunctionalized compounds 3763
Ramón D. J. and Yus M. Direct synthesis of δ-lactones from 2-(3-lithiopropyl)-1,3-dioxolane and carbonyl compounds 3767
Ramondenc Y. see Duhamel L. 3129
Ramsden N. G. see Elliott R. P. 3785
Ramsden N. G. see Fleet G. W. J. 405, 409
Rancourt J. see Burke S. D. 5285
Randad R. S. see Brown H. C. 455
Randriamahefa S. L. see Cabral J. 1705
Randriamahefa S. L. see Laszlo P. 4867
Rangaishenvi M. V. see Brown H. C. 7113
Rangaishenvi M. V. see Brown H. C. 7115
Rani K. S. see Pandey G. 1199
Rano T. A. Greenlee M. L. and DiNinno F. P. A highly efficient method for the preparation of 2-aryl substituted carbapenems exploiting a Pd(0) mediated cross-coupling reaction 2853
Ranu B. C. and Chakraborty R. Chemoselective reduction of aldehydes with zinc borohydride in tetrahydrofuran 7663
Rao K. K. see Choudary B. M. 5781
Rao P. D. see Basavaiah D. 1621
Rao S. J. see Petter R. C. 6117
Rao V. P. Han N. and Turro N. J. A fine-tuning of photoreactivity of large ring 2-phenylcycloalkanones adsorbed in cyclodextrins 835
Rappoport Z. see Nadler E. B. 555
Rascle M.-C. see De Jeso B. 653
Raser L. see Michalski T. J. 6847
Raslan D. S. see de Oliviera A. B. 6873
Rasmussen P. R. see Bailey M. 4509
Rathjen H.-J. see Margaretha P. 3245
Ratton S. see Bennetau B. 6179
Rau H. see Henin F. 1015
Rault I. see Pellon P. 1147
Rauzy K. Mazières M. R. Page P. Sanchez M. and Bellan J. Synthèse du premier 1,2,3-benzazadiphosphole à double liaison P=P stable 4463
Ravelo J. L. see Zárraga M. 1633
Ravindran T. see Jeyaraman R.

2787
Ravindranathan T. Anil Kumar M. Menon R. B. and **Hiremath S. V.** Stereoselective synthesis of artemisinin 755
Raw A. S. see Hawkins J. M. 981
Rawlins D. B. see Fleming S. A. 4995
Ray A. B. see Fujimoto Y. 535
Rayner B. see Debart F. 3537
Rayner B. see Morvan F. 7149
reactions at the anomeric centre - II. An efficient thioglycoside mediated approach toward the formation of 1,2-*trans* linked glycosides and glycosidic esters 1331
Reader J. C. see Craig D. 6585
Rebek, Jr. J. see Horiuchi N. 5121
Rebiere F. Samuel O. and **Kagan H. B.** A convenient method for the preparation of monolithioferrocene 3121
Recht J. Cohen B. I. Goldman A. S. and **Kohn J.** High oxidation state transition metal carboxylates as acylating agents 7281
Reddy A. S. see Gurjar M. K. 1783
Reddy Ch. K. and **Periasamy M.** A new, simple procedure for the generation and addition of HI to alkenes and alkynes using BI_3:N,N-diethylaniline complex and acetic acid 1919
Reddy D. S. Maggini M. Tsanaktsidis J. and **Eaton P. E.** Direct radical substitution on the cubane skeleton 805
Reddy G. D. see Lewis F. D. 5293
Reddy G. M. see Marchand A. P. 1811
Reddy G. V. see Chakraborty T.K. 1335
Reddy K. L. see Rama Rao A. V. 1439
Reddy K. V. see Manjunatha S. G. 1327
Reddy M. S. see Mehta G. 2039
Rees C. W. see Moody C. J. 4375
Reese C. B. see Joshi B. V. 7483
Reese C. B. see Marriott J. H. 7485
Reese C. B. see Porritt G. M. 1319
Reetz M. T. Rivadeneira E. and **Niemeyer C.** Reagent control in the aldol addition of chiral boron enolates based on the 2,5-diphenylborolane ligand system 3863
Reetz M. T. see Bonar-Law R. P. 6725
Regan A. C. see Boyd E. A. 2933
Regitz M. see Ehle M. 3429
Reichardt P. B. see Clausen T. P. 4537
Reid J. G. and **Debiak-Krook T.** Corticoids from 17-oxosteroids 3669
Reid J. G. and **Reny Runge J. M.** Addition of nitroalkanes to *ortho*-halo-nitrobenzenes. A new synthesis of 4-chloro-7-(trifluoromethyl) quinoline 1093
Reidy K. A. see Stevenson G. R. 6151
Reifenstahl U. see Imgartinger H. 5459
Rein K. S. and **Gawley R. E.** Synthesis of (-)-egenine (decumbensine) by asmmetric carbonyl addition 3711
Reinhoudt D. N. see Kraft D. 4941
Reithinger S. see Märki G. 6331
Reitz A. B. and **Baxter E. W.** Pyrrolidine and piperidine aminosugars from dicarbonyl sugars in one step. Concise synthesis of 1-deoxynojirimycin 6777
Remich J. J. see Baures P. W. 6501
Renaud P. Addition of sulfinylated and sulfonylated carbon centered radicals to alkenes and enolethers 4601
Renhowe P. A. see Sibi M. P. 7407
Renier P. see McKillop A. 5007
Reno D. S. Lotz B. T. and **Miller M. J.** Asymmetric aldol reactions using boron enolates of chiral oxazinones, synthesis of L-*allo*-threonine 827
Reny Runge J. M. see Reid J. G. 1093
Repic O. see Estermann H. 445
Retherford C. Chou T.-S. Schelkun R. M. and **Knochel P.** Preparation and reactivity of β-zinc and copper phosphonates 1833
Rethmeier L. see Kauffmann T. 1553
Reuscher H. see Bringmann G. 643
Reuter D. C. see Lipshutz B. H. 4539
Reuter D. C. see Lipshutz B. H. 7253
Revial G. see Sdassi H. 875
Reyne F. Brun P. and **Waegell B.** Reduction and carbonylation of *gem*-dihalogeno cyclopropanes with iron pentacarbonyl 4597
Reynolds W. F. see Tinto W. F. 465
Rezzano I. N. see Vicente M. G. H. 1365
Rhee C. K. see Ward D. E. 845
Ricart S. see Camps F. 2479
Ricci A. see Nativi C. 2637
Ricci M. see Querci C. 1779
Ricci M. see Querci C. 6577
Riccio R. see Berlinck R. G. S. 6531
Rich D. H. see Prasad J. V. N. V. 1803
Richard B. see Massiot G. 2883
Richardson D. P. Smith T. E. Lin W. W. Kiser C. N. and **Mahon B. R.** Stereoselective synthesis of the paeonilactones A, B and C 5973
Riche C. see Langlois Y. 1865
Riche C. see Langlois Y. 6450
Riedl Th. see Markl G. 4589
Rieger D. L. see Evans D. A. 7099
Rieker A. and **Speiser B.** Electrochemistry of anilines - V. Spectroscopic and electrochemical characterization of a persistent biphenylyl nitrenium ion 5013
Rielly-Gauvin K. see Patel D. V. 5587
Rielly-Gauvin K. see Patel D. V. 5591
Riera A. Cabré F. Moyano A. Pericàs M. A. and **Santamaría J.** A broad scope highly efficient synthesis of bis(*R*-thio)acetylenes 2169
Riera A. Martí M. Moyano A. Pericàs M. A. and **Santamaría J.** Bis(*tert*-butylsulfonyl)acetylene: a highly reactive dienophile 2173
Riera A. Pericàs M. A. and **Cabré F.** Conformational

behaviour of *trans*-2,3-bis(R-thio)-1,4-dioxanes 2755
Riera A. see Moyano A. 7619
Riess J. G. see Haddach M. 1989
Rife J. P. see Lebedev A. V. 3673
Rife J.P. see Lebedev A. V. 855
Rigatti S. see Dittami J. P. 3821
Rigaudy J. see Santamaria J. 4735
Rigby J. H. and **Ogbu C. O.** Tricarbonyl(tropone)iron as a useful funtionalized enone equivalent 3385
Righi G. see Bonini C. 5369
Rigo B. see Fasseur D. 1713
Rihs G. see Beckmann E. 1125
Rihs G. see Ernest I. 4011
Rihs G. see Lutz W. 5457
Rihs G. see Meider J.-P. 1129
Riker A. I. see Lebedev A. V. 3673
Rim H. J. see Kim K. 5631
Ringold C. see Majetich G. 2239
Riolo J. see Lichtfouse E. 3937
Ripoll J.-L. see Bourdon F. 6183
Ritchie B. M. see Cory R. M. 6789
Ritter F. J. see Persoons C. J. 1747
Ritter K. Claisen rearrangement of organotin compounds 869
Rivadeneira E. see Reetz M. T. 3863
Rivera I. see Soderquist J. A 4981
Rivera I. see Soderquist J. A. 4677
Rizzi A. see Arduini A. 4653
Robbe S. see Kauffmann T. 1553
Robert A. see Hoffmann P. 1991
Robert A. see Hoffmann P. 3946
Robert-Gero M. See Mouna A. M. 7003
Roberts B. P. see Kirwan J. N. 5093
Roberts S. M. see Palmer C. F. 279
Robic N. Bied-Charreton C. Perrée-Fauvet M. Verchère-Béaur C. Salmon L. Gaudemer A. and **Pasternack R. F.** Synthesis and preliminary DNA-interaction studies of a new cationic porphyrin 4739
Robins M. J. and **Manfredini S.** Conversion of vinylsilanes to vinyl halides with xenon difluoride and metal halides. A versatile new route to 5-(2-halovinyl)pyrimidine nucleosides 5633
Robins M. J. see Fleming S. A. 4995
Robins M. J. Vinayak R. S. and **Wood S. G.** Solvent, not palladium oxidation state, is the primary determinant for successful coupling of terminal alkynes with iodo-nucleosides 3731
Robinson B. C. see Gunter M. J. 285
Robinson B. H. see Kirchner J. J. 593
Robl J. A. A new and versatile route for the synthesis of highly substituted benzenoids 3421
Roblot F. see Laprévote O. 2283
Roche M. see Kerbal A. 4145
Rockell C. J. M. see Beeley L. . J. 417
Roden F. S. see Lee T. V 2067
Roden F. S. see Lee T. V. 2063
Rodilla J. S. see Urones J. G. 4501
Rodriguez I. see Oppolzer W. 5019
Rodríguez M. A. see Barluenga J. 2751
Rodríguez M. A. see Barluenga J. 4207
Rodríguez M. A. see Barluenga J. 7375
Rodríguez M. Aumelas A. and **Martinez J.** A general route to 'carba' peptide bond replacements: unequivocal synthesis of Boc-L-Phe-$\psi(CH_2\text{-}CH_2)$-L-Ala-OH and Boc-L-Phe- $\psi(CH_2\text{-}Ch_2)$-D-Ala-OH 5153
Rodríguez M. Heitz A. and **Martinez J.** 'Carba' peptide bond surrogates: synthesis of Boc-L-Leu-$\psi(CH_2\text{-}CH_2)$-L-Phe-OH and Boc-L-Leu-$\psi(CH_2\text{-}CH_2)$-D-Phe-OH through a Horner-Emmons reaction 7319
Rodríguez M. L. see Alvarez E. 1629
Rodríguez M. L. see Zárraga M. 1633
Rodríguez V. see Zárraga M. 1633
Rodríguez-Campos I. M. see Alcaide B. 4211
Rodríguez-López J. see Alcaide B. 2493
Rodriguez-Luis F. see Macias F. A. 3063
Rogge M. see Sustmann R. 2265
Rohmer M. see Bisseret P. 6523
Rohmer M. see Bisseret P. 7445
Rolando C. see Eddarir S. 4449
Rollin P. see Blanc-Muesser M. 3867
Rollin P. see Viaud M. C. 1417
Rong D. and **D'Souza V. T.** 4275
Rong G. and **Keese R.** Preparation and dehydration of α-perfluorobutyl carbinols 5617
Rong G. and **Keese R.** The addition of perfluorobutyl iodide to carbon-carbon multiple bonds and the preparation of perfluorobutylalkenes 5615
Rönnberg I. see Stjerniöf P. 5773
Ronzini L. see Florio S. 2327
Röper H. see Vanhessche K. 2337
Rosa A. M. Prabhakar S. and **Lobo A. M.** Aryl-aryl coupling induced by *n*-tributylstannyl hydride. An efficient phenanthridine synthesis 1881
Rosa E. see Iley J. 4921
Rosati O. see Ceccherelli P. 3071
Rosazza J. P. N. see Liu P. S. 2833
Rose E. see Khourzom R. 2011
Rose E. see Rose-Munch F. 2589
Rose M. I. see Giguere R. J. 4577
Rose-Munch F. and **Aniss K.** Cationic arenetricarbonylmanganese complexes: nucleophilic aromatic addition 6351
Rose-Munch F. Djukic J. P. and **Rose E.** Hydro-de-alkoxylation of alkoxybenzenetricarbonylchromium complexes 2589
Rose-Munch F. see Khourzom R. 2011
Rosenbaum D. see Duddeck H. 4061
Rosenberg D. see Künzer H. 6171
Rosenberger F. see Chen J. 3975
Rosenblum M. see Gronbeck D. A. 4977

Rosenmund P. and Hosseini-Merescht M. Ein neuer Weg in die Heteroyohimbanreihe 647
Rosenthal G. L. see Sharshenalievna Z. 1797
Roskamp E. J. see Holmquist C. R. 4991
Rosnati V. see Di Vona M. L. 6081
Rossi E. Celentano G. Stradi R. and Strada A. Quinazolines by electrocyclic ring closure of 1,3-diaza-1,3-dienes 903
Rossi J.-C. see Durand T. 4131
Rossier J.-C. see Jefford C. W. 5741
Rossiter B. E. and Eguchi M. Enantioselective conjugate addition with chiral amidocuprates 965
Roth H. J. see Müller C. E. 501
Rouessac F. see Gosselin P. 3151
Roush W. R. and Grover P. T. Diisopropyl tartrate (*E*)-γ-(dimethylphenylsilyl)allylboronate, a chiral allylic alcohol β-carbanion equivalent for the enantioselective synthesis of 2-butene-1,4-diols from aldehydes 7567
Roush W. R. and Park J. C. Asymmetric allylborations of diene aldehyde $Fe(CO)_3$ derivatives: efficient kinetic resolution of racemic complexes and the highly enantiotopic group and face selective allylboration of a *meso* substrate 4707
Roush W. R. Grover P. T. and Lin X. Diisopropyl tartrate modified (*E*)-γ-[(cyclohexyloxy)dimethylsily]-allylboronate, a chiral reagent for the stereoselective synthesis of anti 1,2-diols via the formal α-hydroxyallylation of aldehydes 7563
Roush W. R. Moriarty K. J. and Brown B. B. Stereoselective synthesis of (*Z,E*)-2-bromo-1,3-dienes via the palladium(0) catalyzed cross coupling reactions of 1,1-dibromoolefins and vinylboronic acids 6509
Rowbottom C. A. see Campbell J. J. 5377
Roy R. Vishwakarma R. A. Varma N. and Tandon J. S. Coleonolic acid, a rearranged ursane triterpenoid from *Coleus forskohlii* 3467
Roy S. S. see Saha G. 1483
Rozé J.-C. see Abouelfida A. 4019
Rübenacker M. see Bringmann G. 639
Rübenacker M. see Bringmann G. 643
Rubio E. see Barluenga J. 2189
Rubio González R. see Fernández Mateos A. 4343
Rubiralta M. Diez A. and Vila C. Synthetic studies on indole alkaloids - II. Applications of phenylsulfonylindoles on intramolecular cyclizations 3347
Rubiralta M. Diez A. and Vila C. Synthetic studies on indole alkaloids - III. Synthesis of 1-ethylindolo[2,3-*a*]quinolizidin-2-one 3779
Rudakov B. V. see Chupakhin O. N. 7665
Ruel O. see Baudin J.-B. 213
Ruel R. and Deslongchamps P. Synthesis of an optically active 13β-methyl 14β-hydroxy steroid via base-catalyzed reactions 3961
Ruiz M. P. see Carreño M. C. 6653
Ruiz-Montes J. see Genet J. P. 3133
Runge A. and Sander W. W. Chlorofluoroacetylene and bromofluoroacetylene by gas phase dehalogenation of 1,1-difluoroethylenes 5453
Russ W. See Thompson A. S. 6953
Russell A. T. see Murphy P. J. 1055
Russell G. A. and Kim B. H. Effects of iodide ion and amines on the free radical alkylation of 1,4-enediones by alkylmercury halides 6273
Russell R. A. See Warrener R. N. 7069
Russell R. A. See Warrener R. N. 7073
Rutjes F. P. J. T. see Pirrung F. O. H. 5365
Rúveda E. A. see Colombo M. I. 39
Ruvinov S. B. See Faleev N. G. 7051
Rychnovsky S. D. and Skalitzky D. J. Stereochemistry of alternating polyol chains: ^{13}C NMR analysis of 1,3-diol acetonides 945
Rycroft D. S. see Tchouankeu J. C. 4505
Ryono D. E. see Patel D. V. 5587
Ryono D. E. see Patel D. V. 5591
Ryu E. K. see Kim K. 5043
Ryu I. Kusano K. Masumi N. Yamazaki H. Ogawa A. and Sonoda N. Free-radical carbonylation. Conversion of aromatic halides to aldehydes 6887

Saá J. M. see Ballester P. 1339
Saá J. M. see Martorell G. 2357
Saak W. see Lübben S. 7127
Saavedra O. see Ferrer J. C. 3941
Saba A. 7-Methyltricyclo[5.3.0.0.]deca-2,4-din-8-ones: the first examples of tricyclonorcaradienones in tautomeric equilibrium with the 7-methylbicyclo[5.3.0]1,3,5-decatrien-8-ones 4657
Sabol J. S. and Cregge R. J. Conformationally restricted leukotriene antagonists. Asymmetric synthesis of a *nor*-leukotriene D_4 analog -II 27
Safi M. Fahrang R. and Sinou D. Palladium(0)-catalyzed azidation of allyl esters with trimethylsilyl azide 527
Sagae T. see Nabeshima T. 3919
Sági J. see Szemző A. 1463
Saha G. Bhattacharya A. Roy S. S. and Ghosh S. A simple approach to the construction of bicyclo[5.2.1] and [5.3.1]ring systems from bicyclo[2.2.1]heptane precursors 1483
Saha S. see Majumdar K. C. 1207
Sahai M. see Fujimoto Y. 535
Sahli A. see Dussault P. 5117
Saičič R. N. and Cekovič Z. Radical annulation methodology. 2-Vinylcyclopentane derivative formation by a 3 + 2 cycloaddition reaction

4203
Saičić R. see Čeković Z. 6085
Saigo K. see Hashimoto Y. 5625
Saikali E. see Davies H. M. L. 6299
Sainsbury M. see Bowles S. 2650
Sainsbury M. Williams C. S. Naylor A. and Scopes D. I. C. An enantioselective synthesis of a 6,7-benzomorphan through the cyclization of the chromium tricarbonyl complex of a 1-(aminoethan-2'-yl)-1,2-dihydronaphthalene 2763
Saito H. see Sugiyama H. 7197
Saito I. see Nagata R. 2907
Saito I. see Nagata R. 4485
Saito I. see Sugiyama H. 7197
Saito I. Yamaguchi K. Nagata R. and Murahashi E. A new method for the synthesis of [3]-cumulenes and eneynecumu-lenes related to neocarzinostatin chromophore 7469
Saito M. see Hirol K. 239
Saito M. see Sato R. 4165
Saito N. see Terahara N. 2921
Saito S. Nishikawa T. Yokoyama Y. and Moriwake T. Efficient nucleophilic oxirane ring cleavage with dibutyltin diazide 221
Saito S. see Mandai T. 4041
Sakai K. Nakahara Y. and Ogawa T. Total synthesis of nonasaccharide repeating unit of plant cell wall xyloglucan: an endogenous hormone which regulates cell growth 3035
Sakai K. see Fang C. 4751
Sakai N. and Ohfune Y. Efficient synthesis of the revised structure of (-)-galantinic acid 4151
Sakai N. and Ohfune Y. Total synthesis of galantin I. Revision of the original structure 3183
Sakai S. see Aimi N. 5169
Sakai S. see Polz L. 6693
Sakai S. see Takayama H. 1287
Sakai S. see Takayama H. 5483
Sakaki J. see Katagiri N. 4633
Sakaki J. see Sato M. 7463
Sakakibara T. Takai I. Yamamoto A. Iizuka H. Hirasawa K. and Ishido Y. Reactions of 3-*O*-acetyl-2-*C*-*p*-tolylsulfonyl-D-*arabino*- and -D-*ribo*-hex-1-enitol derivatives with nucleophiles; the SN2' mechanism is proved firstly in glycal derivatives 3749
Sakamoto R. see Ohta T. 7329
Sakamoto T. see Kikugawa Y. 243
Sakan K. Babirad S. A. Smith D. A. and Houk K. N. Alkaline hydrolysis of some erythronolide A derivatives 3687
Sakata H. Aoki Y. and Kuwajima I. A remarkable catalytic effect of Cu(II) species for conjugate addition of Grignard reagents to α, β-unsaturated esters 1161
Sakata K. Yamamoto K. Ishikawa H. Yagi A. Etoh H. and Ina K. Chlorophyllone-a, a new pheophorbide-a related compound isolated from *Ruditapes philippinarum* as an antioxidative compound 1165
Sakharova I. S. See Faleev N. G. 7051
Sakuraba H. and Ushiki S. Highly enantioselective addition of (*S*)-lithiomethyl 1-naphthyl sulfoxide to ketones 5349
Sakurai H. see Nishiwaki E. 1299
Sakurai M. see Asaoka M. 4759
Sakurai Y. see Hikota M. 6367
Salah S. A. A. see Veronese A. C. 3485
Salamonczyk G. M. and Bruzik K. S. The synthesis of diastereomers of phosphorothioate analogue of dipalmitoylphosphatidylinositol 2015
Salas M. see Alvarez M. 5089
Salaski E. J. see Cane D. E. 1943
Salaün J. see Ollivier J. 4135
Salaun J. see Stolle A. 4593
Salbeck J. see Daub J. 3113
Salem S. M. see Luheshi A.-B. N. 6561
Salle M. see Badri M. 6343
Sallin K. J. see Dellaria, Jr. J. F. 2661
Salmon L. see Robic N. 4739
Salmon L. Verlhac J.-B. Bied-Charreton C. Verchère-Béaur C. Gaudemer A. and Pasternack R. F. Synthesis of a binuclear copper(II) water-soluble porphyrinic complex Cu_2(tMPyP)(BiPy) 519
Salomon R. G. see Cooper A. J. 3813
Saluzzo C. Alvernhe G. Anker D. and Haufe G. Phénylsélénofluoration d'alcènes acido-sensibles 663
Saluzzo C. Alvernhe G. Anker D. and Haufe G. Phénylsélénofluoration d'alcynes 2127
Salvador L. A. see Lambert J. B. 3841
Salvino J. M. see Wrensford G. 4257
Sammes M. P. see Yung T. W. K. 5935
Sampson P. see Krishnan G. 5609
Samson H. see Mignani G. 4743
Samuel A. G. see Gopalakrishnan V. 1613
Samuel O. see Rebiere F. 3121
San Juan C. see Pugniére M. 4883
Sanchez M. see Kim T. C. 4459
Sanchez M. see Rauzy K. 4463
Sánchez-Baeza F. Durand G. Barceló D. and Messeguer A. Dimethyldioxirane conversion of phosphine sulfides and phosphorothioates into their corresponding oxygen analogues 3359
Sánchez-Cantalejo Y. M. see Alcalde B. 2493
Sandanayake K. R. A. S. see de Silva A. P. 5193
Sander W. W. see Runge A. 5453
Sandhu J. S. see Konwar D. 1063
Sandhu J. S. see Mahajan A. R. 3943
Sandri E. see Cerè V. 1907
Sankawa U. see Ichinose K. 5905
Sankawa U. see Kinoshita T. 7355
Sanner C. see Petit Y. 2149
Sano M. see Itoh T. 6387
Sano M. see Itoh T. 6450
Santamaria J. Kaddachi M. T. and Rigaudy J. Electron-transfer activation. Photocyanation of tertiary

amines 4735
Santamaría J. see Riera A. 2169
Santamaría J. see Riera A. 2173
Santander P. J. see Sharp T. R. 6163
Santaniello E. Ferraboschi P. and **Grisenti P.** An efficient chemo-enzymatic approach to the enantioselective synthesis of 2-methyl-1,3-propanediol derivatives 5657
Santiago B. see Soderquist J. A. 4981
Santiago B. see Soderquist J. A. 5113
Santiago B. see Soderquist J. A. 5541
Sanyal B. J. see Takacs J. M. 6765
Sanz J. F. see Marco J. A. 999
Sapino, Jr. C. see Kant J. 3389
Saporovskaya M. B. See Faleev N. G. 7051
Sarfati S. R. and **Namane A.** Synthesis of fluoresceinylated 2'-deoxyadenosine. Mono, di and triphosphate derivatives 2581
Sarfati S. R. see Pochet S. 6021
Sarkar A. K. see Thomas R. L. 2825
Sarkar T. K. Ghosh S. K. Subba Rao P. S. V. and **Satapathi T. K.** Cyclopentanoid allylsilanes in synthesis: generation via intramolecular ene reaction of activated 1,6-dienes and application to the synthesis of functionalized diquinanes 3461
Sarkar T. L. Ghosh S. K. Subba Rao P. S. V. and **Mamdapur V. R.** Cyclopentanoid alylsilanes in synthesis: a stereoselective synthesis of (±)-hirsutene 3465
Sarma J. C. see Barton D. H. R. 1965
Sarma M. R. see Choudary B. M. 1495
Sarma M. R. see Choudary B. M. 5781
Sarma P. K. S. see Basavalah D. 1621
Sarmah P. and **Barua N. C.** A facile reduction procedure for nitroarenes with Al-$NiCl_2$-THF system 4065
Sasaki M. Gama Y. Yasumoto M. and **Ishigami Y.** Glycosylation reaction under high pressure 6549
Sasaki O. see Tsunoda T. 727
Sasaki O. see Tsunoda T. 731
Sasaki S. Takase Y. and **Koga K.** An attempt on acceleration of peptide synthesis using the enzyme model having preorganized catalytic groups 6051
Sasaki Y. see Kabuto K. 1031
Sasaki Y. see Okada Y. 3905
Sasaoka M. see Tanaka H. 6661
Satapathi T. K. see Sarkar T. K. 3461
Sathyanarayana S. see Gupta K. C. 2471
Sato A. See Sugano M. 7015
Sato F. see Ito T. 6399
Sato F. see Tsujiyama H. 4481
Sato J. see Maruoka K. 377
Sato K. see Kusumoto T. 5343
Sato M. and **Kahn M.** A convenient preparation of 1-phenylsulfonyl-3-iodomethylindole 4697
Sato M. Hisamichi H. Kitazawa N. Kaneko C. Furuya T. Suzaki N. and **Inukai N.** Chiral spirocyclic 1,3-oxazine-4,6-diones as novel synthons for enantiomerically pure compounds 3605
Sato M. Miyaura N. and **Suzuki A.** Rhodium(I)-catalyzed asymmetric hydroboration of alkenes with 1,3,2-benzodioxaborole 231
Sato M. Sakaki J. Sugita Y. Nakano T. and **Kaneko C.** Highly enantioselective reduction of acetoacetylated Meldrum's acid with fermenting baker's yeast 7463
Sato M. see Hara S. 247
Sato M. see Nishimura J. 2911
Sato O. see Suzuki T. 4747
Sato R. Nagaoka T. and **Saito M.** Novel reductive coupling-rearrangement of carbonyl compounds with metal/Lewis acid under irradiation of ultrasonic wave 4165
Sato R. see Nishinaga A. 3171
Sato S. see Fushiya S. 3901
Sato S. see Kouno I. 3658
Sato S. see Matsuda I. 5331
Sato T. Otera J. and **Nozaki H.** Activation and synthetic applications of thiostannanes. Efficient conversion of thiol acetates into disulfides 3595
Sato T. Otera J. and **Nozaki H.** Activation and synthetic applications of thiostannanes. Efficient conversion of thiols into disulfides 3591
Sato T. Wakahara Y. Otera J. and **Nozaki H.** Organotin triflates as functional Lewis acids. A new entry to simple and efficient Robinson annulation 1581
Satoh T. Kawase Y. and **Yamakawa K.** A novel synthesis of carbocyclic spiro-type methylenecyclopropane derivatives 3609
Satoh T. Onda K. and **Yamakawa K.** A novel synthesis of both enantiomers of -hydroxycarboxylic esters and amides from (-)-1-chlorobutyl *p*-tolyl sufoxide 3567
Satouri S. see Coval S. J. 2117
Sattur P. B. see Rama Rao K. 899
Sattur P. B. see Rama Rao K. 3201
Satyamurthy N. Barrio J. R. Bida G. T. and **Phelps M. E.** Efficient conversion of 1-aryl-3,3-dialkyltriazenes to phenols and oxygen-18 labeled phenols 4409
Satyamurthy N. see Namavari M. 4973
Sauer G. see Künzer H. 3859
Sauer G. see Künzer H. 6171
Sauer J. see Meier A. 6855
Sauer J. see Thalhammer F. 6851
Sauers R. R. and **Huang S.-Y.** Analysis of Norrish type II reactions by molecular mechanics methodology: cyclodecanone 5709
Savéant J.-M. see Medebielle M. 1279
Savignac M. see Pons D. 5023
Savignac Ph. see Durand T. 4131
Sawai H. see Shimazu M. 235
Sawamura M. Ito Y. and **Hayashi T.** NMR Studies of the gold(I)-catalyzed asymmetric aldol reaction of isocyanoacetate 2723
Sawden J. see Cohen M. A. 7223
Sawicki M. see Frauenrath H. 649
Sawyers R. A. see Press J. B. 1373

Sayed Y. M. see Jaeger D. A. 449
Scahill T. A. see Gammill R. B. 5303
Scahill T. A. see Tanis S. P. 1977
Schäfer J. and **Szeimies G.** Reaction of 1,6-dihalopentacyclo[5.2.0.$0^{2,5}$.$0^{3,8}$.$0^{4,7}$]nonanes with *tert*-butyllithium: Is 1,6-dehydrohomocubane involved as a reactive intermediate? 2263
Schakel M. see Moene W. 2641
Schaller J.-P. see Burger U. 3155
Scharf H.-D. see Van Laak K. 4113
Scheer C. see Carrier M.-N. 6645
Scheeren J. W. see de Bie J. F. M. 7233
Scheffer J. R. see Chen J. 6803
Scheffer J. R. see Gudmundsdottir A. D. 6807
Scheikun R. M. see Retherford C. 1833
Schellenberger U. see Schellenberger V. 7305
Schellenberger V. Schellenberger U. Jakubke H.-D Hänsicke A. Bienert M. and **Krause E.** Chymotrypsin-catalyzed fragment coupling synthesis of D-Phe(6)-GnRH 7305
Schenk R. Müllen K. and **Wennerström O.** Multiply charged anions from molecules with extended π-systems 7367
Scherler D. see Kauffmann T. 1553
Scherrmann M. C. see Bruneau P. 7141
Scheutzow D. see Bringmann G. 639
Schlosser M. see Liu Z. 5753
Schlosser M. see Simig G. 3125
Schlosser U. see Tochtermann W. 1642
Schmickler H. see Marco J. A. 999
Schmid J. see Brückner R. 7129
Schmidt R. R. Gaden H. and **Jatzke H.** New catalysts for the glycosyl transfer with O-glycosyl trichloroacetimidates 327
Schmidt R. R. see Hirsenkorn R. 4433
Schmidt R. R. see Zimmermann P. 1849
Schmidtchen F. P. A novel synthesis of chiral guanidinium molecular hosts 2269
Schmitt M. Bourguignon J. J. and **Wermuth C. G.** (*E*)-Ethyl β-formylacrylate dimethylhydrazone methiodide: a reactive and convenient precursor of (*E*)-ethyl-β-formylacrylate 2145
Schneider K. C. and **Benner S. A.** Building blocks for oligonucleotide analogs with dimethylene-sulfide, -sulfoxide, and -sulfone groups replacing phosphodiester linkages 335
Schneller S. W. see Koga M. 5861
Schnierer M. see Wess G. 2545
Schnoes H. K. see Perlman K. L. 1823
Schöffling B. see Maier M. E. 3007
Schofield C. J. see Baldwin J. E. 2211
Scholz T. H. see Graham S. L. 6269
Schönecker B. Walther D. Fischer R. Nestler B. Bräunlich G. Eibisch H and **Droescher P.** A nickelacycle as propionic acid equivalent for carbon-carbon coupling reactions; application to the synthesis of C_{25} steroid carboxylic acids 1257
Schönfeis C. see Könnecke A. 989
Schoofs A. R. see Genêt J. P. 515
Schreer M. see Kauffmann T. 503
Schreiber S. L. see Shambayati S. 5289
Schreiber S. L. see Wang Z. 31
Schrickel J. see Kauffmann T. 1553
Schulman L. S. see Mende T. J. 5307
Schultz A. G. Taveras A. G. and **Kullnig R. K.** Acid-catalyzed rearrangement of methyl (2aα ,4aβ,6aβ,7bβ)-2,2a,5,6,6a,7b-hexahydro-2a-hydroxy-4-methoxycyclobut[3,4]indeno[4,5-b]oxete-4a(7H)-carboxylate 849
Schultz M. Waldmann H. Vogt W. and **Kunz H.** Stereospecific C-C-bond formation with rabbit muscle aldolase - a chemoenzymatic synthesis of (+)-*exo*-brevicomin 867
Schwartzkopff-Fischer B. see Marco J. A. 999
Schwering J. E. see Thompson W. J. 6819
Schwidetzky S. see Lichtenthaler F. W. 71
Schwinden M. D. see Kraus G. A. 1819
Scilimati A. see Bhide R. 4827
Scolastico C. see Bernardi A. 2779
Scolastico C. see Bernardi A. 4949
Scolastico C. see Cozzi P. G. 5661
Scolastico C. see Palazzi C. 4223
Scopes D. I. C. see Sainsbury M. 2763
Scorrano G. see Maggini M. 6243
Scott A. I. see Sharp T. R. 6163
Scott D. M. McPhail A. T. and **Porter N. A.** Highly stereoselective radical addition to a trisubstituted alkene by low temperature photolysis of thiohydroxamic esters 1679
Scrimin P. see De Santi G. 4791
Scully, Jr. F. W. see Wachter-Jurcsak N. 5261
Sczepanski J. J. see Maslak P. 4261
Sdassi H. Revial G. Pfau M. and **d'Angelo J.** Enantioselective approach to morphinans 875
Seçen H. Sütbeyaz Y. and **Balci M.** A new and stereospecific synthesis of conduritol-F and conduritol-B 1323
Sedrani R. see Alexakis A. 345
Seerden J. P. see de Bie J. F. M. 7233
Segall Y. Wu S.-Y. Tolia R. F. and **Casida J. E.** Organophosphoro (thioperoxoic) acids: direct observation and reactivity 473
Seitz G. see Keil J.-M. 4581
Seki M. see Moritani Y. 3615

Seki M. see Ogiku T. 5487
Sekiguchi M. see Ogawa A. 5931
Seko S. Tanabe Y. and **Suzukamo G.** A novel synthesis of α- and β-halonaphthalenes via regioselective ring cleavage of aryl(*gem*-dihalocyclopropyl)methanols and its application to total synthesis of lignan lactones, *Justicidin E* and *Taiwanin C* 6883
Seligsohn H. W. see Lebedev A. V. 855
Sells T. B. see Nair V. 807
Semenov V. V. see Gakh A. A. 7379
Semmelhack M. F. and **Jeong N.** Approach to the synthesis of nogalarol via the cycloaddition of a crabene-chromium complex with a functionalized alkyne 605
Semmelhack M. F. Gallagher J. and **Cohen D.** Bioreductive alkylation as a trigger for toxic effects of dynemicin 1521
Semmelhack M. F. Jeong N. and **Lee G. R.** The effect of propargyl oxygen substituents in the carbene-chromium/alkyne cycloaddition 609
Semple G. see Dauber-Osguthorpe P. 917
Sen S. E. see Xiao X. 2097
Sene A. see Bulpin A. 1151
Senglet N. see Barton D. H. R. 3097
Sengupta S. and **Snieckus V.** The 2-(trimethylsilyl)ethoxymethoxy (OSEM) directed *ortho* metalation goup. New regiospecific synthetic routes to substituted benzenes and pyridines 4267
Seo Y. see Kim K. 5043
Seplot J. see Milart P. 2735
Sepulchre C. see Stoller A. 361
Sepulchre C. see Stoller A. 5035
Sera A. Itoh K. and **Yamaguchi H.** Synthesis of C-nucleosides from non-carbohydrate precursors. A 2,4-dioxoimidazolidin-5-yl ribofuranoside 6547
Seres L. see Görgényi M. 6447
Serramedan D. Delmond B. and **Deleris G.** Cycloaddition du myrcène et de l'époxy-6,7 myrcène avec le N-sulfinylbenzene sulfonamide 7007
Servi S. see Fuganti C. 4195
Seto H. see Shin-ya K. 6025
Setsune J. Yamaji H. and **Kitao T.** Oxidation of N^{21},N^{22}-etheno-bridged 5H-phlorins to the monocationic N^{21},N^{22}-etheno-bridged 5-alkylporphyrins by $Cu(BF_4)_2$ 5057
Seufer-Wasserthal P. see Hönig H. 3011
Severin M. G. see Maran F. 7523
Sgarra R. see Florio S. 2327
Sha C.-K. Jean T.-S. and **Wang D.-C.** Intramolecular radical cyclization of silylacetylenic or olefinic α-iodo ketones: application to the total synthesis of (±)-modhephene 3745
Shah P. M. see Shekhani M. S. 1669
Shambayati S. Crowe W. E. and **Schreiber S. L.** N-Oxide promoted Pauson-Khand cyclizations at room temperature 5289
Shapiro M. J. see Estermann H. 445
Sharma G. V. M. and **Vepachedu S. R.** A simple and stereoselective synthesis of avenaciolide from D-glucose 4931
Sharma G. V. M. see Yadav J. S. 4495
Sharma M. and **Bobek M.** Synthesis of 2',3'-dideoxy-3'-methylene pyrimidine nucleosides as potential anti-AIDS agents 5839
Sharma M. K. and **Durst T.** Stereospecific syntheses of 3-spiro-epoxyazetidin-2-ones 3249
Sharma P. A. see Rama Rao A. V. 2341
Sharma P. see Gupta K. C. 2471
Sharma S. see Lipshutz B. H. 7253
Sharma S. see Oehlschlager A. C. 165
Sharma S. see Oehlschlager A. C. 2794
Sharp T. R. Santander P. J. and **Scott A. I.** Intermediates in the vitamin B_{12} biosynthetic pathway of *Propionibacterium shermanii* by fast atom bombardment mass spectrometry 6163
Sharpless K. B. see Kim B. M. 3003
Sharpless K. B. see Kim B. M. 4317
Sharpless K. B. see Kwong H.-L. 2999
Sharpless K. B. see Shibata T. 3817
Sharshenallevna Z. Pishugin F. Rosenthal G. L. and **Strauss M. J.** The action of secondary amines on myoinositol hexanitrate. The formation of dialkylammonium croconates 1797
Shaw A. N. Dolle R. E. and **Kruse L. I.** Enantioselective synthesis of (+)-(2*S*,3*S*)-3-ethynyltyrosine 5081
Shea K. J. Cooper D. K. England W. P. Ziller J. W. and **Lease T. G.** Structural studies of bridgehead alkenes. The X-ray crystal structure of 3-oxabicyclo[5.3.1]deca-1(10),7(8)-(*ZZ*)-diene-10-carboxylic acid 6843
Shea K. J. Higby R.G. and **Gilman J. W.** Stereochemistry of hydride reductions. The tricyclo[9.3.1.$0^{3,8}$]-pentadecane (taxane) ring system 1221
Shea K. J. Zandi K. S. Staab A. J. and **Carr R.** Disposable tethers in type 2 intramolecular Diels-Alder cycloaddition reactions. Applications in stereochemical control 5885
Shechter H. See Mathur N. C. 6965
Shechter H. see Aprahamian S. L. 1089
Shechter H. see McGuiness M. 4987
Shekhani M. S. Grübler G. Echner H. and **Voelter W.** Carboxamidomethyl ester as useful handle in polystyrene-based peptide synthesis: cleavage of peptide with mercaptide 339
Shekhani M. S. Khan K. M. Mahmood K. Shah P. M. and **Malik S.** Selective cleavage of *t*-butyldiphenylsily ethers in the presence of *t*-butyldimethylsily ethers

1669
Sheinutt J. A. see Medforth C. J. 3719
Shen T. Y. see Berlin W. K. 1109
Shen T. Y. see Tagliaferri F. 1105
Shen Y. and **Wang T.** A new one-pot synthesis of silylated 1,3-dienes 543
Shen Y. and **Wang T.** A novel synthesis of *trans*-γ, δ-unsaturated trifluoromethyl ketones 3161
Shen Y. and **Wang T.** A novel synthesis of perfluoroalkylated α, β-unsaturated carbonyl compounds 5925
Shen Y. and **Xiang Y.** A novel double elimination of arsonium salts. One-pot synthesis of 4-trifluoromethyl-2,4-dienyl carboxylates 2305
Sherburn M. S. see Murphy J. A. 1625
Sherburn M. S. see Murphy J. A. 3495
Sheridan R. S. see Dover J. 1961
Sherrod M. J. and **Menger F. M.** 'Delivery control' in organic reactivity 459
Sherrod M. J. Empirically optimized 'transition state models' 5085
Sheu H.-C.see Liu K.-T. 3611
Shi L.-L. see Wang W.-B. 1185
Shi L.-L. see Zhou Z.-L. 7657
Shi L.-L. Zhou Z.-L. and **Huang Y.-Z.** A first non-stabilized telluronium ylide - diphenyltelluronium methylide as a novel reagent for synthesis of oxiranes 4173
Shiau F.-Y. see Pandey R. K. 789
Shiau F.-Y. see Pandey R. K. 7399
Shiba T. see Inami K. 4033
Shibata I. Nakamura K. Baba A. and **Matsuda H.** Remarkable difference of chemoselectivity in the reduction of α-bromo ketones with dibutyltin dihydride system 6381
Shibata J. see Kobayashi S. 1577
Shibata T. Gilheany D. G. Blackburn B. K. and **Sharpless K. B.** Ligand-based improvement of enantioselectivity in the catalytic asymmetric dihydroxylation of dialkyl substituted olefins 3817
Shibuya M. see Nishiwaki E. 1299
Shibuya M. see Shishido K. 219
Shida N. see Fukuyama Y. 5621
Shih T. L. Mrozik H. Holmes M. A. and **Fisher M. H.** A Wittig approach to novel C24 and C25-substituted avermectins 3529
Shih T. L. Mrozik H. Holmes M. A. and **Fisher M. H.** Cleavage of the spiroketal portion of avermectin B_{2a} 3525
Shim S. C. Hwang J.-T. Kang H.-Y. and **Chang M. H.** Intramolecular reductive cyclization of alehydes and ketones with alkynes promoted by samarium(II) iodide 4765
Shim S. C. Kwon Y. G. Doh C. H. Kim H. S. and **Kim T. J.** Selective synthesis of N-(cyclohexylmethyl)-N-alkylamines from primary amines and pimelaldehyde using tetracarbonylhydriodoferrate $HFe(CO)_4$, as a reducing reagent 105
Shim S. C. see Lee S. J. 6197
Shima T. see Yamaguchi M. 5049
Shimabayashi A. see Tanaka H. 6661
Shimada M. see Kobayashi S. 1577
Shimamoto K. and **Ohfune Y.** Syntheses of 3'-substituted-2-(carboxycyclopropyl)glycines via intramolecular cyclopropanation. The folded form of L-glutamate acitivates the Non-NMDA receptor subtype 4049
Shimazaki K. see Mori M. 4037
Shimazaki M. Morimoto M. and **Suzuki K.** Stereoselective construction of three- and four-contiguous asymmetric centers: novel possibility by alkylative rearrangement of epoxy silyl ethers 3335
Shimazaki Y. see Takano S. 3325
Shimazaki Y. see Takano S. 3619
Shimazu M. Shinozuka K. and **Sawai H.** Facile synthesis of nucleotides containing polyphosphates by Mn(II)and Cd(II) ion-catalyzed pyrophosphate bond formation in aqueous solution 235
Shimizu H. Ikedo K. Hamada K. Matsumo H. Ozawa M. Kataoka T. and **Hori M.** Thermal rearrangement of 9-benzyl-10-aza-9-thiaphenanthrenes 7021
Shimizu H. Kudo N. Kataoka T. and **Hori M.** First isolation of moncyclic thiabenzenes 115
Shimizu H. see Kataoka T. 3027
Shimizu H. see Kataoka T. 5927
Shimizu I. Hayashi K. and **Oshima M.** A short stereoselective synthesis of (-)-sericornin 4757
Shimizu I. Matsuda N. Noguchi Y. Zako Y. and **Nagasawa K.** Synthesis of vitamin D_3 D ring synthons by reductive cleavage of norbornan-6-one-2-carboxylates 4899
Shimizu K. see Doi T. 3313
Shimizu K. see Yamada H. 2407
Shimizu M. see Takehira K. 2607
Shimizu M. Tanaka H. Hayakawa H. and **Miyasaka T.** Dynamic aspects in the LDA lithiation of an arabinofuranosyl derivative of 4-ethoxy-2-pyrimidinone: regioselective entry to both C-5 and C-6 substitutions 1295
Shimizu S. see Ohno M. 4613
Shimizu T. see Ando W. 3597
Shimizu T. see Hasegawa E. 4045
Shimizu Y. see Watanabe Y. 2613
Shimokawa K. see Isobe M. 5499
Shimomoto W. see Nishizawa M. 2431
Shin-ya K. Furihata K. Hayakawa Y. and **Seto H.** Biosynthetic studies of naphterpin a terpenoid metabolite of *streptomyces* 6025
Shindo M. see Tomioka K. 1739
Shindo M. see Tomioka K.

6681
Shinkai H. See Tabushi I. 7017
Shinkai I. See Thompson A. S. 6953
Shinkai S. see Iwamoto K. 7169
Shinohara K. see Ohira S. 1039
Shinozaki M. see Takeda R. 4159
Shinozuka K. see Shimazu M. 235
Shioiri T. see Aoyama T. 5507
Shioiri T. see Hamada Y. 5041
Shiokawa S. see Ohta T. 7329
Shirahama H. See Hashimoto K. 7047
Shirahama H. see Morimoto Y. 6031
Shiraki T. See Sugano M. 7015
Shiro M. see Fuji K. 2419
Shirodkar S. Nerz-Stormes M. and **Thornton E. R.** Asymmetric aldol reactions. Mechanism of solvent effect on stereoselectivity is specific, stoichiometric binding of tetrahydrofuran to a chiral titanium enolate 4699
Shiroi T. see Tanaka H. 6661
Shirota O. see Itokawa H. 6881
Shishido K. Azuma T. and **Shibuya M.** Novel and facile route to (±)-physovenine via intramolecular [2+2]cycloaddition reaction 219
Shizuri Y. Maki S. Ohkubo M. and **Yamamura S.** Synthesis of (±)-pentalenene using electrochemical method as a key step 7167
Shizuri Y. see Lal S. 5503
Shobana N. see Katritzky A. R. 3999
Shockcor J. P. see Crouch R. C. 5273
Shoji T. see Kusumoto T. 5343
Shono T. and **Kise N.** Electroreductive intramolecular coupling of γ- and δ-cyanoketones 1303
Shono T. Ishifune M. Ishige O. Uyama H. and **Kashimura S.** Formation of a reasonably stabilized trichloromethyl anion by the reaction of chloroform with electrogenerated base, and its 1,4-addition to α,β-unsaturated carbonyl compounds 7181
Shono T. Maekawa H. Nozoe T. and **Kashimura S.** A novel regioselective synthesis of 4-substituted tropones 895
Shono T. Terauchi J. Ohki Y. and **Matsumura Y.** Regioselective introduction of alkyl groups to the position α or γ to nitrogen atom of piperidine skeletons using anodic oxidation in a key step 6385
Shook D. see Houk K. N. 7285
Shostakovsky M. V. see Kalinin V. N. 4073
Shrier A. M. see Cory R. M. 6789
Shubkin R. L. see Hargis D. C. 2991
Shum P. W. and **Kozikowski A. P.** A convenient method for the synthesis of unsymmetrical 3,4-disubstituted pyrroles 6785
Shum W. see Dougherty W. 4389
Sia D. Y. see Mascagni P. 4637
Sibayama S. see Nakahara Y. 6397
Sibi M. P. and **Christensen J. W.** Amino acids as precursors to indolizidine alkaloids 5689
Sibi M. P. and **Renhowe P. A.** A new nucleophilic alaninol synthon from serine 7407
Sicinski R. R. see Perlman K. L. 1823
Sicuri A. R. see Arduini A. 4653
Siddiqui M. A. and **Snieckus V.** Concise syntheses of the Amaryllidaceae alkaloids ungerimine and hippadine via the Suzuki aryl-aryl cross coupling reaction 1523
Siedlecka R. Skarżewski J. and **Mlochowski J.** Selective oxidation of primary hydroxy groups in primary-secondary diols 2177
Signer M. see Oppolzer W. 5015
Sih C. J. see Bhide R. 4827
Sih C. J. see Gu R.-L. 3283
Sih C. J. see Gu R.-L. 3287
Simig G. and **Schlosser M.** An easy and versatile access to 8-substituted isoquinolines 3125
Simonet J. see Delaunay J. 667
Simonet J. see Le Guillanton G. 3149
Simpson H. O'N. see Leidner C. R. 189
Simpson P. See Thompson A. S. 6953
Simpson S. J. see Leonard J. 6703
Sinäy P. see Haudrechy A. 5765
Singh C. Preparation of β-hydroxyhydroperoxides by photooxygenation of allylic alcohols and their elaboration into 1,2,4-trioxanes 6901
Singh J. see Jain S. 131
Singh O. V. and **Kapoor R. P.** Dehydrogenationof flavanones to flavones using thallium(III) acetate (TTA) 1459
Singh O. V. Garg C. P. and **Kapoor R. P.** Oxidative 1,2-aryl rearangement in flavanones using thallium(III) *p*-tolysulphonate (TTS): a new useful route to isoflavones 2747
Singh Om. V. Hypervalent iodine oxidation of aryl methyl ketones: a convenient route to methyl α-methoxyarylacetates 3055
Singh R. and **Just G.** The synthesis of a 10-membered benzo-oxadiyne ring 185
Singh R. see Givens R. S. 6793
Singh S. K. see Wender P. A. 2517
Singh S. M. see Oehlschlager A C. 2794
Singh S. M. see Oehlschlager A. C. 165
Singleton D. A. Church K. M. and **Lucero M.J.** Catalytic stereocontrol of a radical cyclization 5551
Sinisterra-Gago J. V. see Luche J. L. 4125
Sinou D. see Safi M. 527
Siret P. J. see Bruneau P. 7141
Sivagnanam S. see Grigg R. 7215
Skalitzky D. J. see Rychnovsky S. D. 945
Skarżewski J. see Siedlecka R. 2177
Skerlj R. T. see Davies S. G. 3213
Skiles J. W. and **McNeil D.** Spiro indolinone beta-lactams, inhibitors of poliovirus and rhinovirus 3C-proteinases 7277
Skrinjar M. and **Wistrand L.-G.**

Highly stereoselective addition of alkylcopper reagents to *N*-acyliminium ions. Enantioselective synthesis of *trans*-2-butyl-5-heptylpyrrolidine 1775
Skrydstrup T. Bénéchie M. and **Khuong-Huu F.** The opening of *trans*-2-3-epoxy-1-butanol derivatives with organometallic reagents 7145
Skrzypczynski Z. see Heli´nski J. 4081
Skuballa N. Musso H. and **Boland W.** Synthesis of trishomohypostrophene, trishomohypostrophenone, trishomopentaprismane and trihomopentaprismanone 497
Skuballa W. see Buchmann B. 3425
Slawin A. M. Z. see Urones J. G. 4501
Sledeski A. W. see Jefford C. W. 5741
Silwa H. see Doise M. 1155
Smalley R. K. see Luheshi A.-B. N. 123
Smalley R. K. see Luheshi A.-B. N. 127
Smalley R. K. see Luheshi A.-B. N. 6561
Smiley D. W. M. see Fyles T. M. 1233
Smith A. C. see Lautens M. 3253
Smith A. M. see Craig D. 2631
Smith C. C. see Grove D. D. 6277
Smith C. see Elliott R. P. 3785
Smith C. W. see Maggiora L. L. 2837
Smith G. F. see Pattenden G. 6557
Smith K. M. see Iakovides P. 3853
Smith K. M. see Liddell P. A. 2685
Smith K. M. see Medforth C. J. 3719
Smith K. M. see Medforth C. J. 5583
Smith K. M. see Pandey R. K. 789
Smith K. M. see Pandey R. K. 7399
Smith K. M. see Vicente M. G. H. 1365
Smith K. M. see Wallace D. M. 7265
Smith T. E. see Richardson D. P. 5973
Smith, III A. B. see Wood J. L. 6329
Snieckus V. see Fu J. 1665
Snieckus V. see Sengupta S. 4267
Snieckus V. see Siddiqui M. A. 1523
Snow S. R. see Paley R. S. 5853
Snyder J. K. see Cai P. 969
Snyder J. P. see Pellicciari R. 139
So J.-H. see Lambert J. B. 3841
Sobieray D. see Gammill R. B. 5303
Sodano G. see Gavagnin M. 6093
Sodano G. see Racioppi R. 573
Soderquist J. A. and **Santiago B.** Alkynylsilanes to *cis*-vinylsilanes via hydroboration 5113
Soderquist J. A. and **Santiago B.** Methylation via the Suzuki reaction 5541
Soderquist J. A. and **Vaquer J.** *E*-3-Silyl allyl alcohols via organoboranes 4545
Soderquist J. A. Anderson C. L. Miranda E. I. Rivera I. and **Kabalka G. W.** Essentially homochiral 1-silyl alcohols from the reduction of aliphatic acylsilanes with chlorodiisopinocampheylborane 4677
Soderquist J. A. Santiago B. and **Rivera I.** Allyl, benzyl and propargyl silanes via the Suzuki reaction 4981
Sohmiya H. See Tsukube H. 7027
Sokolova N. I. see Grayaznov S. M. 3205
Soler M. A. see Martin V. S. 763
Solladié G. see Carreno M. C. 6653
Solladié G. see Solladié-Cavallo A. 6649
Solladié-Cavallo A. and **Bencheqroun M.** N-Isopropyl-N-methyl formamidine, a reagent for the synthesis of bioactive amino-alcohols 2157
Solladié-Cavallo A. see Colonna S. 6185
Solladié-Cavallo A. Suffert J. Adib A. and **Solladié G.** A catalytic effect of $ZnCl_2$ during DIBAL reduction of β-ketosulfoxides 6649
Somasunderam A. see Grigg R. 2767
Somers T. C. see White J. D. 59
Sommer J. see Cherry G. 2007
Somoza C. see Colombo M. I. 39
Sonawane H. R. Kulkarni D. G. and **Ayyangar N. R.** Light-mediated direct transformation of 2-chloropropiophenones into 2-arylpropionic acids 7495
Sondengam B. L. see Tchouankeu J. C. 4505
Song G.-Q. see Zhao R.-B. 3559
Song J. S. see Majetich G. 2239
Sonoda N. see Mizuno T. 4773
Sonoda N. see Ogawa A. 5931
Sonoda N. see Ryu I. 6887
Sonoda S. see Asaoka M. 4761
Sonveaux E. see François P. 6347
Sorato C. see Kwong H.-L. 2999
Sörensen H. and **Greene A. E.** A useful preparation of substituted alkoxyacetylenes 7597
Souchet M. see Clark R. D. 193
Souflaoui M. see Baba N. 1709
Southgate R. see Coulton S. 6923
Sowell C. G. see Bode H. E. 2525
Sowell C. G. Wolin R. L. and **Little R. D.** Electroreductive cyclization reactions. Stereoselection, creation of quaternary centers in bicyclic frameworks, and a formal total synthesis of quadrone 485
Spagnuolo C. J. see Lansbury P. T. 3965
Spaliuto G. see Barco A. 3039
Spaliuto G. see Barco A. 4917
Sparfel D. see Capdevielle P. 3305
Spears G. W. Nakanishi K. and **Ohfune Y.** Pd-Catalyzed S_{ON}, reactions: stereoselective formation of cyclic carbamates from *tert*-butyldimethylsilyl carbamates 5339
Speckamp W. N. see Esch P. M. 759
Speckamp W. N. see Pirrung F. O. H. 5365
Speiser B. see Rieker A. 5013

Spek A. L. see Moene W. 2641
Spencer J. L. see Murphy P. J. 1051
Spencer M. D. see Bloodworth A. J. 5513
Speranza G. Manitto P. Monti D. and Lianza F. Feroxidin, a novel 1-methyltetralin derivative isolated from Cape aloe 3077
Spies H. S. C. see Burger B. V. 5771
Spiess E. see Vu H. 7269
Spiliotis V. Papahatjis D. and Ragoussis N. Enhanced optical purity of 3-hydroxyesters obtained by Baker's yeast reduction of 3-ketoesters 1615
Spina D. R. see Dolata D. R. 6811
Spinella A. see Gavagnin M. 6093
Spino C. and Deslongchamps P. Highly stereoselective double Michael cyclization of 1-phenylsulfinyl and sulfonyl analogues of the Nazarov reagent 3969
Sreenivasa Rao E. see Yadav J. S. 2491
Sreenivasa Rao V. see Yadav J. S. 2491
Sridhar M. see Pandey G. 5373
Sridharan V. see Grigg R. 1343
Sridharan V. see Grigg R. 3075
Sridharan V. see Grigg R. 6573
Srinivasan K. V. see Ayyangar N. R. 3217
Srinivasan T. N. see Rama Rao K. 899
Srinivasan T. N. see Rama Rao K. 5959
Srivastava R. R. see Iqbal J. 1485
Staab A. J. see Shea K. J. 5885
Stadler R. see Loeffler S. 4853
Stagnaro P. see Dell'Erba C. 4933
Stahnke M. see Künzer H. 3859
Stang P. J. see Brel V. K. 4799
Stang P. J. see Brel V. K. 5225
Stang P. J. see Kitamura T. 703
Stang P. J. see Zhdankin V. V. 4821
Starkemann C. see Oppolzer W. 4117
Starkemann C. see Oppolzer W. 5019
Stasko A. Nuyken O. Volt B. and Biskupic S. Azo compounds as spin traps in their photochemical decomposition 5737
Staszak M. see Deeter J. 7101
Staten G. see Deeter J. 7101
Stavber S. and Zupan M. Reactions of caesium fluoroxysulphate with pyridine 775
Steel P. J. see Coxon J. M. 5357
Steel P. J. see Coxon J. M. 7479
Steenkamp J. A. see Hundt A. F. 5073
Steenken S. see McClelland R. A. 2821
Stefanovsky Y. see Viteva L. 5649
Stegemann D. see Kauffmann T. 511
Steingart C. see Dmitrienko G. I. 3681
Stella L. Abraham H. Feneau-Dupont J. Tinant B. and Declercq J. P. Asymmetric aza-Diels-Alder reaction using the chiral 1-phenylethyl imine of methyl glyoxylate 2603
Stemerick D. M. see Edwards M. L. 3417
Stemerick D. M. see Edwards M. L. 5571
Stemerick D. M. see McCarthy J. R. 5449
Stemp G. see Burrell G. 3649
Stengele K.-P. and Pfleiderer W. Improved synthesis of oligodeoxyribonucleotides 2549
Stephan B. Mannschreck A. Voloshin N. A. Volbushko N. V. and Minkin V. I. Separation and photoinduced transformations of the enantiomers of 3',3'-dimethylspiro[2H-1-benzopyran-2,1'(2)oxaindans] 6335
Stephan M. see Jugé S. 4443
Stephan M. see Jugé S. 6357
Stephanidou-Stephanatou J. see Mitkidou S. 5197
Stephens R. W. see Dauben W. G. 2393
Stephenson G. R. see Owen D. A. 3401
Stephenson G. R. Voyle M. and Williams S. Electrophilic vinylogous dienyl π-complexes: a novel approach to the stereocontrolled preparation of polyenes 3979
Stevenson G. R. Peters S. J. and Reidy K. A. Contrasting free energies of electron transfer from [6] and [8]annulenes to their perdeuteriated-per-^{13}C analogues 6151
Stevenson P. J. see Burns B. 4351
Stevenson P. see Barr D. A. 6569
Steynberg J. P. see Hundt A. F. 5073
Steynberg J. P. see Steynberg P. J. 2059
Steynberg J. P. see van Dyk M. S. 2643
Steynberg P. J. Burger J. F. W. Bezuidenhoudt B. C. B. Steynberg J. P. van Dyk M. S. and Ferreira D. The first natural condensed tannins with (-)-catechin 'terminal' units 2059
Steynberg P. J. see van Dyk M. S. 2643
Stezowski J. J. see Lee H. 6773
Stick R. V. see Mocerino M. 3051
Stiehm T. see Dehmlow E. V. 1841
Still W. C. see Erickson S. D. 4253
Stinn D. E. see Larock R. C. 17
Stjerniöf P. Jönsson U. and Rönnberg I. Butyl(3-trimethoxysilylpropyl)disulfide. A new effective reagent for silicon surface modification and protein immobilization; preparation procedure 5773
Stöckigt J. see Polz L. 6693
Stocks M. Kocie´nski P. and Donald D. K. A synthesis of the C16-C23 segment of FK-506 1637
Stolle A. Salaun J. and de Meijere A. Palladium(0) catalyzed substitution reactions of cyclopropyl group containing allylic esters 4593
Stoller A. Mioskowski C. Millet J. Sepulchre C. and Bellamy F. Synthesis of rigidified arachidonic acid analogues 5035
Stoller A. Mioskowski C. Sepulchre C. and Bellamy F. Synthesis of new 5 and 6-exomethylenic arachidonic

acid analogs 361
Storer R. see Wilson F. X. 6931
Storer R. see Witty D. R. 4787
Storer R. see Witty D. R. 6927
Storr R. C. see Chauhan P. M. S. 1487
Storr R. C. see Crew A. P. A. 1491
Stowell M. H. B. Ueland J. M. and McClard R. W. The mild preparation of synthetically useful phosphonic dichlorides: application to the synthesis of cyclic phosphonic diesters and diamides 3261
Stracker E. C. and Zweifel G. Novel syntheses of 1-(trialkylsilyl)-1,3-diynes and 1,4-bis-silyl-1,3-butadiynes from (*Z*)-1-methoxy-1-buten-3-yne 6815
Strada A. see Rossi E. 903
Stradi R. see Rossi E. 903
Stratakis M. see Orfanopoulos M. 5775
Strauss M. J. see Sharshenalievna Z. 1797
Strazzullo G. see Racioppi R. 573
Street J. D. see Balczewski P. 569
Streith J. see Backenstrass F. 2139
Strobel G. A. see Coval S. J. 2117
Strobel S. A. see Wiemer D. F. 1973
Strologo S. see Querci C. 6577
Stryker J. M. see Daeuble J. F. 2397
Stryker J. M. see Koenig T. M. 3237
Su W. see Corey E. J. 2089
Su W. see Corey E. J. 2113
Su W. see Corey E. J. 2677
Su W. see Corey E. J. 3833
Suárez-Sobrino A. see Barluenga J. 2189
Subba Rao P. S. V. see Sarkar T. K. 3461
Subba Rao P. S. V. see Sarkar T. K. 3465
Subramanian R. S. and Balasubramanian K. K. Investigations on Mitsunobu reaction of 5-norbornen-2-ols 2201
Suckling C. J. see Brown L. 5799
Suda K. see Takanami T. 677
Suemune H. see Fang C. 4751
Suffert J. see Solladié-Cavallo A. 6649
Suffert J. Synthesis of a new 10-membered ring functionalised cyclodiynol related to neocarzinostatin chromophore 7437
Sufrin J. R. see Alks V. 5257
Sugai T. see Ohta H. 2895
Sugano M. Sato A. Nagaki H. Yoshioka S. Shiraki T. and Hirokoshi H. Aldose reductase inhibitors from the red alga *Asparagopsis taxiformis* 7015
Sugawara F. Kim K.-W. Uzawa J. Yoshida S. Takahashi N. and Curtis R. W. Structure of maiformin A_2, reinvestigation of phytotoic metabolites produced by *Aspergillus niger* 4337
Sugawara N. see Orito K. 5921
Sugihara Y. see Nakayama J. 4473
Sugii A. see Ueoka R. 5335
Sugimori M. see Ichinose K. 5905
Sugimoto K. see Uneyama K. 2717
Sugimoto M. Fujikura K. Nunomura S. Horisaki T. Ito Y. and Ogawa T. A stereocontrolled total synthesis of a *ganglio*-ganglioside GM1b, IV^{3}NeuAcαGgOse$_4$Cer 385
Sugimoto M. Fujikura K. Nunomura S. Ito Y. and Ogawa T. Total synthesis of an extended *ganglio*-ganglioside, IV^{4}GalNAcβGM1b 1435
Sugimura H. Structural elucidation of the cyclic products formed by the reaction of 2,3-*O*-isopropylidene derivatives of *aldehydo*-aldose with allylsilanes, vinyl ethers, or vinyl sulfides in the prescence of boron trifluoride etherate 5909
Sugino M. see Nakayama J. 2627
Suginome H. see Orito K. 5921
Suginome H. see Tokuda M. 5353
Sugita K. Onaka M. and Izumi Y. Regioselective reductive opening of 2,3-epoxy alcohol derivatives with lithium borohydride in a solid state 7467
Sugita Y. see Sato M. 7463
Sugiura Y. see Fuji K. 6663
Sugiyama H. Hosoda M. Saito I. Asai A. and Saito H. Covalent alkylation of DNA with duocarmycin A. Identification of abasic site structure 7197
Sugiyama K. see Okada Y. 107
Sugiyama T. Murayama T. and Yamashita K. A convergent synthesis of optically active aspyrone 7343
Sugiyama T. see Owa T. 6063
Sujatha K. see Rama Krishna K. V. 1351
Sukirthalingam S. see Grigg R. 1343
Sukirthalingam S. see Grigg R. 6573
Sumathi T. and Balasubramanian K. K. A photochemical route to 2-alkenyl- and 2-ethynylbenzofurans 3775
Sun C.-M. see Chou S.-S. P. 1035
Sun W. Y. see Cozzi P. G. 5661
Sun W.-C. and Prestwich G. D. Partially fluorinated analogs of (*Z*)-9-dodecenyl acetate: probes for pheromone hydrophobicity requirements 801
Sun Z. see Qian L. 6469
Sundaram N. see Ibnusaud I. 7357
Surendrakumar S. see Grigg R. 559
Surendrakumar S. see Grigg R. 1191
Suresh V. V. see Fyles T. M. 1101
Suri S. C. Base-promoted eliminative cyclization: novel synthesis of functionalized tetracyclo[6.2.1.0^{2,7}.0^{4,10}]undecane and tetracyclo[5.3.0.0^{2,6}.0^{5,9}]-decane systems 3695
Sustmann R. and Rogge M. Reactions of 1,1-bis(N,N-dimethylamino)-1,3-butadiene with olefins. Zwitterion formation and (4+2) cycloaddition as competing pathways 2265
Sütbeyaz Y. see Seçen H. 1323
Sutherland J. K. see Allway P. A. 4781
Sutherland R. G. Zhang C. and Piorko A. Selective trichloromethylation of dialkylarenes at β-position of

the ring promoted by arene π-complexation with the iron(Cp) moiety 6831
Suyama K. see Fukuchi N. 1589
Suyama K. see Isogai A. 695
Suzaki N. see Sato M. 3605
Suzui K. see Matsumoto T. 4629
Suzukamo G. see Seko S. 6883
Suzuki A. see Fukuchi N. 1589
Suzuki A. see Hara S. 247
Suzuki A. see Isogai A. 695
Suzuki A. see Sato M. 231
Suzuki H. see Tanaka K. 2727
Suzuki I. see Uyehara T. 3753
Suzuki K. see Shimazaki M. 3335
Suzuki M. see Mori Y. 2915
Suzuki M. see Takano S. 2315
Suzuki N. see Matsumoto K. 7159
Suzuki N. see Matsumoto K. 7163
Suzuki T. Sato O. and **Hirama M.** Palladium catalyzed stereospecific cyclization of hydroxy epoxides. Stereocontrolled synthesis of *cis*- and *trans*-2-alkenyl-3-hydroxy-tetrahydropyrans 4747
Suzuki T. see Murata S. 6535
Suzuki Y. Nishiyama S. and **Yamamura S.** Synthesis of a bicyclic hexapeptide as a plausible active center in vancomycin 4053
Svetashev V. I. see Vysotskii M. V. 4367
Swain C. J. Kneen C. and **Baker R.** Synthesis of indole oxazolines, potent 5-HT_3 antagonists 2445
Swallow S. see Adams J. P. 4355
Swanepoel A. D. see Bredenkamp M. W. 2759
Swanson A. G. see Alker D. 1479
Swanson S. see Owen D. A. 3401
Swenton J. S. see Callinan A. 4551
Swenton J. S. see Wang S. 1513
Swindell C. S. Blase F. R. and **Carroll P. J.** Evaluation of a chiral aryl auxiliary design for sulfur: construction of auxiliary-modified reagents and stereoselection in sulfoxide formation 5405
Swindell C. S. Blase F. R. and **Carroll P. J.** Evaluation of a chiral aryl auxiliary design for sulfur: regio- and diastereoselective conugate additions of auxiliary-modified allylic sulfoixide reagents 5409
Symons M. C. R. Bowman W. R. and **Taylor P. F.** Radical anions of nitrosoimidazoles: putative intermediates in the mechanism of action of nitroimidazole antibiotics 3221
Szabó G. T. see Töke L. 7501
Szantay, Jr. C. see Alanine A. I. D. 5674
Szécsi J. see Szemző A. 1463
Szelmies G. see Bunz U. 651
Szelmies G. see Schäfer J. 2263
Szemző A. Szécsi J. Ságl J. and **Ötvös L.** First synthesis of carbocyclic oligothymidylates 1463
Sztaricskai F. J. see Herczegh P. 1195
Sztaricskai F. see Gunda T. E. 6707

Tabatabai M. Vogt W. and **Böhmer V.** Calix[4]arenes with resorcinol units incorporated in 2,6-position 3295
Tabei K. see Bose A. K. 1661
Tabushi I. Nabeshima T. Ikeji T. Shinkai H. and **Yamamura K.** The first rigid anion capped β-cyclodextrin for the effective inclusion binding of hydrophobic cationic molecules 7017
Tada M. see Nitta M. 1291
Tada T. see Kitamura E. 4605
Tadano K. Ishihara J. and **Ogawa S.** Total synthesis of (-)-acetomycin 2609
Taddei M. see Jako I. 1011
Taddei M. see Nativi C. 2637
Taga T. see Fuji K. 6663
Tagaki W. See Ogino K. 7023
Tagaki W. Yano K. Yamanaka K. Yamamoto H. and **Miyasaka T.** Polyaminocyclodextrins as remarkably active catalysts for the decarboxylation of oxalacetate 3897
Tagliaferri F. Wang S.-N. Berlin W. K. Outten R. A. and **Shen T. Y.** Glycosyl-inositol derivatives - I. Synthesis of 1-substituted *chiro*-inositol derivatives 1105
Tahara S. see Moriyama M. 6667
Talihan C. see Forbes J. E. 2565
Tajima A. see Nagase H. 4493
Tajima S. see Tatsuta K. 709
Takabe K. see Yoda H. 7623
Takacs B. E. and **Takacs J. M.** Catalytic iron-mediated ene carbocyclizations of trienes: the stereoselective preparation of N-acylpiperidines 2865
Takacs J. M. and **Zhu J.** Catalytic palladium-mediated tetraene carbocyclizations: enamine trapping reagents 1117
Takacs J. M. Helle M. A. Sanyal B. J. and **Eberspacher T. A.** The magnitude of the stereodirecting effect of an allylic alkoxy-substituent in an amidomercuration cyclization 6765
Takacs J. M. see Takacs B. E. 2865
Takahashi H. see Isobe M. 717
Takahashi H. see Nishimura J. 2911
Takahashi K. see Matsuda I. 5331
Takahashi M. see Ogiku T. 5487
Takahashi N. Sugawara F. 4337
Takahashi O. Furuhashi K. Fukumasa M. and **Hirai T.** Trifluoropropene oxide as a trifluoromethyl source. Preparation of optically active alcohols 7031
Takahashi O. Morihashi K. and **Kikuchi O.** Vibration-induced intramolecular charge transfer in the ring opening of 2,2-diaryl-1-methylenecylopropane radical cation 5175
Takahashi T. Nakagawa N. Minoshima T. Yamada H. and **Tsuji J.** Palladium catalyzed selective formation of homoannular conjugated dienes from allylic esters in decalin derivatives, and its application to the synthesis of 1-α-hydroxy-provitamin D_3 4333
Takahashi T. Nakazawa M. Kanoh M. and **Yamamoto K.** Chiral prostaglandin

syntheses via conjugate addition of (*Z*)-vinylzincate involving kinetic resolution and enantioface selection 7349
Takahashi T. see Doi T. 3313
Takahashi T. see Yamada H. 2407
Takahashi Y. see Miyashi T. 2411
Takai I. see Sakakibara T. 3749
Takai K. see Kataoka Y. 365
Takai K. see Kataoka Y. 369
Takamori Y. see Kadota S. 393
Takamuki Y. see Kinoshita T. 6673
Takanami T. Suda K. and Ohmori H. Utilization of PPh_3-Tl(IV)reagents. An efficient α'-alkylidenation of cyclic enones 677
Takano S. Shimazaki Y. and Ogasawara K. Enantiocontrolled synthesis of natural (+)-bakuchiol 3325
Takano S. Shimazaki Y. Iwabuchi Y. and Ogasawara K. A convergent enantiocontrolled route to mevalonolactone and vitamin E from (*S*)-*O*-benzylglycidol 3619
Takano S. Suzuki M. Kijima A. and Ogasawara K. Isoquinoline frameworks via aryl radical-initiated 1,6-cyclization 2315
Takase Y. see Sasaki S. 6051
Takaya H. see Fukuda N. 7185
Takaya H. see Ohta T. 7189
Takayama H. Horigome M. Aimi N. and Sakai S. Synthetic studies on gelsedine alkaloids - I. Stereoselective preparation of hypothetical biogenetic intermediates, D-norsarpagine type compounds from ajmaline 1287
Takayama H. Odaka H. Aimi N. and Sakai S. Synthetic studies on gelsedine alkaloids - II. First construction of gelsedine skeleton (N_a-desmethoxygelsemicine) from gardnerine based on the alternative biogenetic speculation 5483
Takayama H. see Polz L. 6693
Takayama S. see Hirota H. 3321
Takayanagi H. Kitano Y. and Morinaka Y. Stereo- and enantioselective total synthesis of sarcophytol-A 3317
Takayanagi H. see Konda Y. 5315
Takechi N. see Akiyama T. 1433
Takeda K. Torii K. and Ogura H. Silver triflate-promoted coupling reactions of benzylic and allylic sulfides with *o*-silylated enolates of ketones and esters, a synthesis of (±)-*ar*-turmerone 265
Takeda R. Hasegawa J. and Shinozaki M. The first isolation of ligans, megacerotonic acid and anthocerotonic, acid from non-vascular plants, Anthocerotae (Hornworts) 4159
Takeda T. Nakayama A. Furukawa T. and Fujiwara T. γ-(Phenylthio)allyl and allenylstannanes as unsaturated thionium ion equivalents 6685
Takeda T. see Fujiwara T. 6027
Takehara S. see Kusumoto T. 5343
Takehira K. Shimizu M. Watanabe Y. Orita H. and Hayakawa T. A novel oxygenation of 2,4,6-trimethylphenol to 3,5-dimethyl-4-hydroxybenzaldehyde by dioxygen with copper(II)-amine complex catalyst 2607
Takei H. see Asaoka M. 4759
Takei H. see Asaoka M. 4761
Takemoto J. Y. see Fukuchi N. 1589
Takemoto Y. Matsumoto T. Ito Y. and Terashima S. An expeditious synthesis of (3S,4S)-statine and (3S,4S)-cyclo-hexyl-statine 217
Takemoto Y. see Kobayashi Y. 3031
Takemoto Y. see Matsumoto T. 4175
Takemura I. see Fujisawa T. 5479
Takemura M. see Kugimiya S. 3157
Takeuchi K. see Kinoshita T. 4057
Takeuchi K. see Kinoshita T. 6673
Takeuchi M. see Nishimura J. 2911
Takeya K. see Itokawa H. 6881
Takeyama Y. Oshima K. and Utimoto K. Base induced reaction of silacyclobutane with aldehyde or epoxide 6059
Takita T. see Nagai M. 119
Takita T. see Nishiyama S. 705
Takita T. see Nishiyama S. 4777
Takusagawa F. see Wang B. 5543
Tallant N. A. See Bloodworth A. J. 7077
Tam S. Y. see Fiandor J. 597
Tamao K. Tohma T. Inui N. Nakayama O. and Ito Y. Catalytic asymmetric intramolecular hydrosilation 7333
Tamao K. Yao H. Tsutsumi Y. Abe H. Hayashi T. and Ito Y. *Ortho* lithiation directed by amino groups on silicon in phenylsilane derivatives 2925
Tamaoki N. Koseki K. and Yamaoka T. The photo- and thermal *cis-trans* isomerizationof $[2_n](4,4')$-azobenzenophane 3309
Tamara M. see Fukuzawa A. 4895
Tamaru T. see Kimura M. 4887
Tamayo N. Echavarren A. M. Paredes M. C. Fariña F. and Noheda P. Synthesis of anthraquinone derivatives by palladium-catalyzed coupling of triflates with stannanes 5189
Tamiya H. see Kikugawa Y. 243
Tamura O. see Oppolzer W. 991
Tan E. W. See Easton C. J. 7059
Tanabe Y. see Seko S. 6883
Tanaka C. see Nambu Y. 891
Tanaka F. see Fuji K. 6553
Tanaka H. Inoue K. Pokorski U. Taniguchi M. and Torii S. A novel 'Ti(0)' induced allylation of imines in a $TiCl_4$(cat.)/Al bimetal system. Chirality transfer of L-valine to homoallylamine 3023
Tanaka H. see Fukase K. 389
Tanaka H. see Haraguchi K. 227
Tanaka H. see Shimizu M. 1295
Tanaka H. Taniguchi M. Kameyama Y. Torii S. Sasaoka M. Shirai T. Kikuchi R. Kawahara I. Shimabayashi A. and Nagao S. Deprotection of carboxylic esters assisted by

hydrogen bonding network in phenolic media. Its application to β-lactam antibiotic syntheses 6661
Tanaka K. Minami K. Funaki I. and Suzuki H. Stereochemistry of sulfur-lithium and tin-lithium exchange reactions of functionalized cyclopropanes 2727
Tanaka K. see Atsuumi S. 1601
Tanaka K. see Kadota S. 5943
Tanaka M. see Ouchi A. 6043
Tanaka M. see Tatsuta K. 5495
Tanaka N. see Yoda H. 7623
Tanaka S. see Kimura M. 4887
Tanaka S. see Nakano M. 1569
Tanaka T. Fujiwara K. and Hirama M. Oxidative triggering for aromatization of the neocarzinostatin chromophore 5947
Tanaka T. see Uenishi J. 4625
Tanaka Y. Khare C. Yonezawa M. and Aoyama Y. Highly stereoselective glycosidation of ribose solubilized in apolar organic media via host-guest complexation 6193
Tanaka Y. see Aoyama Y. 1177
Tandon J. S. see Roy R. 3467
Tandon J. S. see Vishwakarma R. A. 7493
Tang C.-M. see Chen G.-F. 3413
Tang J.-Y. see Agrawal S. 1543
Tang J.-Y. see Agrawal S. 7541
Tang P. C. see Barrish J. C. 2235
Tang Q. see Jefford C. W. 995
Tang X.-C. see Kozikowski A. P. 6159
Tanier S. see Genet J. P. 3133
Taniguchi H. See Fujio M. 7039
Taniguchi H. see Kitamura T. 703
Taniguchi M. see Mikra K. 6391
Taniguchi M. see Tanaka H. 3023
Taniguchi M. see Tanaka H. 6661
Tanino K. Nakamura T. and Kuwajima I. Highly *threo*-selective ene-reaction of 2-(alkylthio)allyl silyl ethers with aldehydes 2165
Tanis S. P. McMillis M. C. Scahill T. A. and Kloosterman D. A. Furans in synthesis - X. An efficient construction of the bicyclo[5.3.0]decane ring system of Fastigilin-C 1977
Tanner D. Birgersson C. and Dhaliwal H. K. Nucleophilic ring opening of C_2-symmetric aziridines. Synthetic equivalents for the β-cation of aspartic acid 1903
Taravel F. R. see Morat C. 1413
Tarnchompoo B. Thebtaranonth C. and Thebtaranonth Y. Synthesis of 2-(2-arylethyl)imidazoles by direct alkylation of 1-(*N,N*-dimethylaminomethyl)2-lithiomethylimidazole 5779
Taschner M. J. and Cyr P. T. Synthesis of tricyclo[6.2.2.$0^{1,6}$]dodeca-6,9-dienes. An approach to clerodane diterpenes 5297
Tasdelen E. E. see Jackson W. R. 2461
Tassely S. M. see Giguere R. J. 4577
Tategami S. Yamada T. Nishino H. Korp J. D. and Kurosawa K. Formation of 1,2-dioxacyclohexanes by the reaction of alkenes with tris(2,4-pentanedionato)manganese(III) or with β-ketocarbonyl compounds in the presence of manganese(III) acetate 6371
Tatsumi S. see Kinoshita T. 6673
Tatsuta K. Ishiyama T. Tajima S. Koguchi Y. and Gunji H. The total synthesis of oleandomycin 709
Tatsuta K. Niwata Y. Umezawa K. Toshima K. and Nakata M. Enantiospecific total synthesis of a β-glucosidase inhibitor, cyclophellitol 1171
Tatsuta K. Ozeki H. Yamaguchi M. Tanaka M. and Okui T. Enantioselective total synthesis of medermycin (lactoquinomycin) 5495
Tatsuta K. see Nakata M. 1585
Tatsuta K. see Toshima K. 3339
Tatsuta K. see Toshima K. 6361
Tatsuta K. see Toshima K. 6697
Taveras A. G. see Schultz A. G. 849
Taylor D. K. see Della E. W. 5219
Taylor G. E. see Blackburn G. M. 5637
Taylor J. W. see Ösapay G. 6121
Taylor N. J. see Weeratunga G. 5713
Taylor P. F. see Symons M. C. R. 3221
Taylor R. J. K. see De Medeiros E. F. 5843
Tchouankeu J. C. Tsamo E. Sondengam B. L. Connolly J. D. and Rycroft D. S. Entilins A and B, two novel heptanortriterpenoid derivatives from *Entandrophragma utile* (Meliaceae): structural elucidation using 2D NMR long-range δ_C/δ_H correlation experiments 4505
Tellier F. and Descoins C. Stereospecific synthesis of (*Z,E*)-9,11,13-tetradecatrien-1-yl acetate and aldehyde. Sex pheromone components of *Stenoma cecropia* and *Ectomyelois ceratoniae* 2295
Tenaglia A. Terranova E. and Waegell B. Ruthenium-catalyzed oxidation of 2,3-epoxynorbornane. Influence of the nature of the reoxidizing reagent 1157
Teng K. see Koreeda M. 5997
Tengalia A. Faure R. and Brun P. Aluminaum-promoted ring contraction in the cedrane series 4457
Tengō J. see Lloyd H. A. 5559
Téoule R. see Guy A. 5745
Terada K. see Nakayama J. 4473
Terada M. see Mikami K. 3909
Terada T. see Hirai Y. 4755
Terada Y. see Nishiyama S. 4777
Terahara N. Saito N. Honda T. Toki K. and Osajima Y. Structure of ternatin A1, the largest ternatin in the major blue anthocyanins from *Clitoria ternatea* flowers 2921
Terashima S. see Fukuda Y. 6699
Terashima S. see Ito Y. 2731
Terashima S. see Kobayashi Y. 3031
Terashima S. see Matsumoto T. 4175
Terashima S. see Nakatani K.

2323
Terashima S. see Takemoto Y. 217
Terauchi J. see Shono T. 6385
Ternansky R. J. and **Draheim S. E.** [3.3.0] Pyrazolodinones: an efficient synthesis of a new class of synthetic antibacterial agents 2805
Terranova E. see Tenglia A. 1157
Terrence K. M. see Cochran J. C. 6621
Teshima T. see Inami K. 4033
Teulade J.-C. see Vanelle P. 3013
Texier F. see Khanous A. 7307
Tezuka M. see Kataoka Y. 369
Tezuka T. Otsuka T. and **Kasuga H.** Involvement of the intramolecular ionic reaction in the steric compression-assisted reaction (STECAR) concept. Rearrangement of bornyl α-azo benzoate into lactam 7633
Thai C. See Carité C. 7011
Thalhammer F. Wallfahrer U. and **Sauer J.** Reactivität einfacher offenkettiger und cyclischer Dienophile bei Diels-Alder. Reactionen mit inversem Elektronenbedarf 6851
Thamburaj P. K. see McDaniel K. F. 2373
Thebtaranonth C. see Tarnchompoo B. 5779
Thebtaranonth Y. see Tarnchompoo B. 5779
Theisen P. see Vu H. 7269
Theilend A. see Cossy J. 1427
Theodoridis G. Manfredi M. C. and **Krebs J. D.** Selective hydrogenation of polynitroaromatic derivatives with noble metal catalysts in the presence of catalytic amounts of iron 6141
Thiam M. and **Chastrette F.** Enantioselective synthesis via the nucleophilic alkylation of hydrazones: acetals as chiral auxiliaries 1429
Thijs L. Dommerholt F. J. Leemhuis F. M. C. and **Zwanenburg B.** A general stereospecific synthesis of γ-hydroxy-α,β-unsaturated esters 6589
Thomas A. see Bargon J. 5721
Thomas E. J. see McNeill A. H. 6239
Thomas P. J. see Kraus G. A. 1819
Thomas R. L. Sarkar A. K. Kohata K. Abbas S. A. and **Matta K. L.** Silver zeolite - effective catalyst for the regio-stereoselective formation of the Neu5Acα2→6 glycosyl linkage - synthesis of several sialosaccharides 2825
Thomas R. see Moody C. J. 4375
Thommem W. see Näf R. 6521
Thompson A. S. Tschaen D. M. Simpson P. McSwine D. Russ W. Little E. D. Verhoeven T. R. and **Shinkai I.** Conversion of silylated hemiacetal into an α-bromoether using trimethlsilylbromide. Synthesis of platelet activating factor antagonist L-659,989 6953
Thompson W. J. Tucker T. J. Schwering J. E. and **Barnes J. L.** A stereocontrolled synthesis of *trans*-allylic amines 6819
Thorel P.-J. see Burger U. 3155
Thornton E. R. see Panyachotipun C. 6001
Thornton E. R. see Shirodkar S. 4699
Thummel R. P. see Goulle V. 1539
Thuong N. T. see Asseline U. 81
Thuong N. T. see Gottikh M. 6657
Thurin J. see Otvos, Jr. L. 5889
Thurston D. E. see Bose D. S. 6903
Tiekink E. R. T. See Easton C. J. 7059
Tietze L. F. and **Hartfiel U.** Hetero-Diels-Alder reaction of substituted 1-oxabutadienes and 2-ethoxyvinylacetate. An entry to various natural occuring carbohydrates 1697
Tinant B. see Stella L. 2603
Tinto W. F. Chan W. R. Reynolds W. F. and **McLean S.** Tobagolide, a new pseudopterane diterpenoid of the octocoral *Pseudopterogorgia acerosa* 465
Tisnes P. see Baltas M. 4453
Tivakornpannarai S. see McCarthy T. J. 6265
Tjarks W. see Ketz H. 4003
Tochtermann W. Schlösser U. Popp B. Peters E.-M. Peters K. and **von Schering H. G.** see Corrigendum 1642
Toda F. see Ikeda H. 5045
Toda M. see Matsumoto K. 3923
Togni A. see Pastor S. D. 839
Tohma T. see Tamao K. 7333
Tola R. F. see Segall Y. 473
Töke L. Szabó G. T. Heil Z. and **Tóth G.** Reaction of non-activated olefins with CH-acids; a novel method for the preparation of electrophilic cyclopropanes 7501
Toki K. see Terahara N. 2921
Tokitoh N. Choi N. and **Ando W.** Novel ring transformation in the reactions of 2-alkylidene-1,3,4-thiadiazolines and their selenium analogues 3571
Tokitoh N. Noguchi M. Kabe Y. Ando W. Goto M. and **Maki H.** Sulfurization of 1,4,7,10-tetraarylcyclododeca-1,2,3,7,8,9-hexaenes 7641
Tokitoh N. Okano Y. Ando W. Goto M. and **Maki H.** Novel formation and molecular structure of 1,2,3,4,5,6,7,8,9-nonathiacycloundec-10-ene 5323
Tokitoh N. see Ando W. 4185
Tokuda M. Fujita H. and **Suginome H.** New facile synthesis of substituted 2-benzylidene-pyrrolidines by the anionic cyclization of δ-alkynylamines 5353
Tolstikov G. A. see Kasatkin A. N. 4915
Tomanek R. see Freer A. 1471
Tomás M. see Barluenga J. 2189
Tomasini C. see Amoroso R. 6413
Tominaga Y. see Hosomi A. 6201
Tomioka H. Watanabe M. Kobayashi N. and **Hirai K.** Flash vacuum pyrolysis of dialkyl diazobenzylphosphonates forming styrenes via a Wittig type intermediate 5061
Tomioka K. Inoue I. Shindo M.

and **Koga K.** Asymmetric organolithium additions to imines 6681
Tomioka K. Nakajima M. and **Koga K.** Dramatic enantioselectivity change in dihydroxylation of olefins with chiral amine-osmium tetroxide complex 1741
Tomioka K. Shindo M. and **Koga K.** Conjugate addition reaction of organolithiums to naphthalenecarboxylates 1739
Tomioka N. see Itokawa H 6881
Tomooka K. Watanabe M. and **Nakai T.** Highly periselective [2,3]Wittig rearrangements on dihydrofuran and dihydropyran rings 7353
Tömösközi I. see Kánai K. 403
Tompkins J. see Hahn R. C. 937
Tonellato U. see De Santi G. 4791
Tong G. Perich J. W. and **Johns R. B.** Synthesis of Leu-Abu(*P*) and Glu-Abu(*P*)-Leu. Isosteres of Ser(*P*)-peptides 3759
Tong M. K. Blumenthal E. M. and **Ganem B.** Inhibition of plant glycosidases by a D-galacturonic acid analog 1683
Tonnard F. see Pellon P. 1147
Torchinsky Yu. M. See Faleev N. G. 7051
Torii K. see Takeda K. 265
Torii S. Okumoto H. and **Xu L. H.** A direct approach to 2-substituted 1,4-dihydro-4-oxo-quinoline-3-carboxylates by palladium-catalyzed carbonylative cyclization 7175
Torii S. Okumoto H. Ozaki H. Nakayasu S. and **Kotani T.** Palladium-catalyzed tandem assembly of norbornene, vinylic halides and cyanide nucleophile leading to *cis-exo*-2,3-disubstituted norbornanes 5319
Torii S. see Fukase K. 389
Torii S. see Tanaka H. 3023
Torii S. see Tanaka H. 6661
Torisawa Y. Nakagawa M. Arai H. Lai Z. Hino T. Nakata T. and **Oishi T.** Synthetic studies on manzamine A - II. A novel Diels-Alder approach to the pyrrolo[2,3-*j*]isoquinoline skeleton 3195
Toró A. and **Ambrus G.** Oxidative decarboxylation of 17(20)-dehydro-23,24-dinorcholanoic acids 3475
Torrens A. see Bennasar M.-L. 1893
Tortajada A. see Auurell M. J. 5791
Toru T. see Watanabe Y. 6669
Toshima K. Mukaiyama S. Ishiyama T. and **Tatsuta K.** The use of 2,6-anhydro-2-thio glycopyranosyl fluoride for a highly α-stereoselective glycosylation 6361
Toshima K. Mukaiyama S. Ishiyama T. and **Tatsuta K.** The use of 2,6-anhydro-2-thio sugar for a highly stereocontrolled glycosylation: a novel strategy for synthesis of 2,6-dideoxy-α-glycosides 3339
Toshima K. see Tatsuta K. 1171
Toshima K. Yanagawa K. Mukaiyama S. and **Tatsuta K.** The selective distinction of diethylisopropylsiyl ether in hydrogenolysis 6697
Tóth G. see Töke L. 7501
Touboul E. and **Dana G.** Anomeric effect and infra-red V_{C-O} stretching frequency in tetrahydropyran compounds 3549
Toupet L. see Alexakis A. 1271
Toupet L. see Benvegnu T. 3145
Tour J. M. and **Pendalwar S. L.** Selective heterogeneous palladium-catalyzed hydrogenations of water soluble alkenes and alkynes 4719
Townsend L. B. see Pudlo J. S. 3101
Toyokuni T. Dean B. and **Hakomori S.** Synthetic vaccines-I. Synthesis and multivalent Tn antigen cluster-lysylysine conjugates 2673
Toyooka K. see Nishiwaki E. 1299
Toyota K. see Yoshifuji M. 2311
Trabelsi M. see McKillop A. 5007
Trivellone E. see Cimino G. 6565
Tronchet J. M. J. Benhamza R. Bernardinelli G. and **Geoffroy M.** Novel types of cyclonucleosides 531
Trost B. M and **Urabe H.** Regioselective cyclopropanation via unsymmetrical oxatrimethylene-methane palladium intermediates 615
Trotter J. see Chen J. 6803
Trudell M. L. see Ley S. V. 5521
Trushkov I. V. Zhdankin V. V. Koz'min A. S. and **Zefirov N. S.** Cubic reaction coordinate diagram in the nucleophilic substitution process 3199
Tsai Y.-M. Ke B.-W. and **Lin C.-H.** The study of intramolecular free radical cyclizations of α-sulfonyl and α-sulfinyl radicals 6047
Tsamo E. see Tchouankeu J. C. 4505
Tsanaktsidis J. see Della E. W. 5219
Tsanaktsidis J. see Reddy D. S. 805
Tschaen D. M. See Thompson A. S. 6953
Tschamber T. see Backenstrass F. 2139
Tse D. W. C. see Cory R. M. 6839
Tsubuki M. see Honda T. 4891
Tsuchiya M. Raghuveer K. S. Valdes-Aguilera O. M. and **Neckers D. C.** Electron relay in the photoinduced decomposition of a tunable perester 5143
Tsuji J. see Doi T. 3313
Tsuji J. see Mandai T. 4041
Tsuji J. see Mandai T. 7179
Tsuji J. see Nokami J. 5629
Tsuji J. see Takahashi T. 4333
Tsuji J. see Yamada M. 2407
Tsuji S. see Kinoshita T. 6673
Tsujiyama H. Ono N. Yoshino T. Okamoto S. and **Sato F.** A highly practical synthesis of natural PGE_1, Δ^2-*trans*-PGE_1 and 2,2,3,3-tetradehydro-PGE_1 via two-component coupling process using zinc-copper reagents 4481
Tsukamoto Y. see Yamaguchi M. 2423
Tsukube H. and **Sohmiya H.** Bis-monensin: synthesis of new chiral receptor from naturally occuring monensin ionophore 7027
Tsukube H. see Matsumoto K.

3923
Tsukube H. see Uenishi J. 4625
Tsuno Y. See Fujio M. 7039
Tsuno Y. see Mishima M. 685
Tsunoda T. Sasaki O. and Itô S. An efficient method for hydrolysis of N-monosubstituted amides via acetoxypivalimides 731
Tsunoda T. Sasaki O. and Itô S. Aza-Claisen rearrangement of amide enolates. Stereoselective synthesis of 2,3-disubstituted carboxamides 727
Tsushima T. Ishihara S. and Fujita Y. Fluorine-containing amino acids and their derivatives - IX. Synthesis and biological activities of difluoromethylhomocysteine 3017
Tsutsumi K. see Kataoka T. 3027
Tsutsumi Y. see Tamao K. 2925
Tsvetkov E. N. see Bovin A. N. 5361
Tubéry F. Grierson D. S. and Husson H.-P. Synthesis of novel aza-prostacyclin analogs 523
Tucker C. E. see AchyuthaRao S. 7575
Tucker T. J. see Thompson W. J. 6819
Tun M. M. see Fukuyama T. 5989
Turner N. J. see Cohen M. A. 7223
Turner R. M. see Lindell S. D. 5381
Turro N. J. see Ramamurthy V. 47
Turro N. J. see Rao V. P. 835
Twitchin B. see Kraft-Klaunzer P. 6235

Uang B.-J. see Lee K.-C. 3563
Uang B.-J. see Liu H.-H. 257
Ubeda M.-C. see Bonjoch J. 2449
Uchida N. see Polz L. 6693
Uchida T. see Ogura K. 3331
Uchiyama H. see Ishikawa A. 2415
Udodong U. E. see Konradsson P. 4313
Ueda I. see Hatanaka M. 7631
Ueda M. see Mandal T. 4041
Ueland J. M. see Stowell M. H. B. 3261
Uemura A. see Nozaki K. 7327
Uemura M. Nishimura H. and Hayashi Y. Synthesis of (±)-dihydroxyserrulatic acid via (arene)chromium complexes 2319
Uemura M. see Nakamura K. 3603
Uemura M. see Palomo C. 2218
Ueng Y.-G. see Liao C.-C. 1563
Uenishi J. Tanaka T. Wakabayashi S. Oae S and Tsukube H. *Ipso* substitution of 2-alkisulfinylpyridine by 2-pyridyllithium; a new preparation of oligopyridine and their bromomethyl derivatives 4625
Ueno Y. see Watanabe Y. 6669
Ueoka R. Cho M. Matsumoto Y. Goto K. Kato Y. Harada K. and Sugii A. A remarkable steric control for the enantioselective hydrolytic-cleavage of amino acid esters responding to ionic strength 5335
Ueoka R. Matsumoto Y. Dózono H. Yano Y. Hirasa H. Goto K. and Kato Y. Remarkable substituent effects on the micellar enantioselective hydrolysis of amino acid esters 5311
Uguen D. see Breuilles P. 357
Uhlendorf S. see Chucholowski A. W. 1949
Uiber P. see Jako I. 1011
Ukaji Y. see Fujisawa T. 5479
Ukita T. see Moritani Y. 3615
Ulbrich R. Famulok M. Bosold F. and Boche G. S_N2 at nitrogen: the reaction of N-(4-cyanophenyl)-O-diphenylphosphinoylhydroxylamine with N-methylaniline. A model for the reactions of ultimate carcinogens of aromatic amines with (bio)nucleophiles 1689
Umemoto T. and Ishihara S. Power-variable trifluoromethylating agents, (trifluoromethyl)dibenzothio- and -selenophenium salt system 3579
Umezawa K. see Tatsuta K. 1171
Umezu Y. see Okada Y. 3905
Uncuta C. Paun I. Ghitescu A. Deleanu C. Balaban T.-S. Chiraleu F. Gheorghiu M. D. and Balaban A. T. Stereoisomerism due to restricted rotation in N-substituted, 2,6-di-*ortho*-tolylpyridinium cations. A molecular design enabling unambiguous identification of isomers 5645
Uneyama K. and Kanai M. Benzeneselenenyl fluoride equivalent *in situ* generated with XeF_2-$(PhSe)_2$ in CH_2Cel_2 for fluoroselenenylation of olefins 3583
Uneyama K. Yamashita F. Sugimoto K. and Morimoto O. N,N'-disubstituted trifluoroacetamidines for trifluoromethylated polynitrogen heterocycles 2717
Ung C. see Lipshutz B. H. 4539
Ungaro R. see Arduini A. 4653
Urabe H. see Trost B. M. 615
Urbach J. see Bernotas R. C. 3393
Urban F. J. Moore B. S. and Breitenbach R. Synthesis of tigogenyl β-O-cellobioside heptaacetate and glycoside tetraacetate via Schmidt's trichloroacetimidate method; some new observations 4421
Urge L. see Otvos, Jr. L. 5889
Uriz M. J. see Cimino G. 6565
Urones J. G. Marcos I. S. Basabe P. Alonso C. A. Diez D. Garrido N. M. Oliva I. M. Rodilla J. S. Slawin A. M. Z. and Williams D. J. Valparene: a tricyclic diterpene hydrocarbon with a new carbon skeleton 4501
Urones J. G. Marcos I. S. Basabe P. Alonso C. A. Diez-Martin D. Garrido N. M. and Oliva I. M. Valparolone: a tricyclic diterpene ketone with a new carbon skeleton 5665
Urpí F. and Vilarrasa J. New synthetic 'tricks'. A novel one-pot procedure for the conversion of primary nitro groups into aldehydes 7499
Urpí F. and Vilarrasa J. New synthetic 'tricks'. Direct conversion of nitro compounds to nitriles 7497
Ushiki S. see Sakuraba H. 5349
Uskoković M. R. see Daniewski A. R. 5599
Uskoković M. R. see Barrish J. C. 2235
Usui S. see Fukazawa Y. 1309

Usui S. see Fukazawa Y. 6689
Utimoto K. see Kataoka Y. 365
Utimoto K. see Kataoka Y. 369
Utimoto K. see Matsubara S. 6209
Utimoto K. see Matsubara S. 6379
Utimoto K. see Matsumoto K. 6055
Utimoto K. see Miura K. 6391
Utimoto K. see Takeyama Y. 6059
Uvarov V. I. see Brel V. K. 4799
Uvarov V. I. see Brel V. K. 5225
Uyama H. see Shono T. 7181
Uyehara T. Suzuki I. and **Yamamoto Y.** A new method for generation and intramolecular Diels-Alder reaction of *N*-acyl and *N*-alkoxycarbonyl-1-aza-1,3-butadienes. A one-pot synthesis of 1,7,8,8a-tetrahydro-3(2*H*)-indolizinones and 1,2,3,8,9,9a-hexahydro-4(4*H*)-quinolizinones from α, β unsaturated aldehydes 3753
Uzawa J. see Mori M. 3191
Uzawa J. see Sugawara F. 4337

Vaid B. K. see Moriarty R. M. 197
Vaid B. K. see Moriarty R. M. 201
Vaid R. K. see Moriarty R. M. 197
Vaid R. K. see Moriarty R. M. 201
Valdés C. see Barluenga J. 5237
Valdes-Aguilera O. M. see Tsuchiya M. 5143
Valenti E. see Poch M. 7505
Vall V. L. K. see Choudary B. M. 5785
Vallvety R. H. see Brown L. 5799
Vallée Y. see Bourdon F. 6183
Valli V. L. K. see Choudary B. M. 7521
Van der Eycken E. see Vanhessche K. 2337
Van Duyne G. see Golik J. 6149
Van Engen D. see Krasutsky P. A. 3973
Van Hemelryck B. see Fournet G. 5147
Van Laak K. Rainer H. and **Scharf H.-D.** Syntheses of subunits of calichemicins γ_1^I 4113
van Aarssen B. G. K. Kruk C. Hessels J K. C. and **de Leeuw J. W.** ***Cis-cis-trans***-bicadinane, a novel member of an uncommon triterpane family isolated from crude oils 4645
van Boeckel C. A. A. see Kuijpers W. H. A. 6729
van Boeckel C. A. A. see Westerduin P. 6915
van Boeckel C. A. A. see Westerduin P. 6919
van Boom J. H. see Boons G. J. P. H. 2197
van Boom J. H. see de Bont H. B. A. 2497
van Boom J. H. see Dreef-Tromp C. M. 427
van Boom J. H. see Veeneman G. H. 275
van Boom J. H. see Veeneman G. H. 1331
van der Marel G. A. see Boons G. J. P. H. 2197
van der Marel G. A. see Dreef-Tromp C. M. 427
van Duzer J. H. see Wasserman H. H. 1609
van Duzer J. H. see Wasserman H. H. 7528
van Dyk M. S. see Steynberg P. J. 2059
van Dyk M. S. Steynberg J. P. Steynberg P. J. and **Ferreira D.** Selective *O*-methylation of polyhydroxyflavan-3-ols via benzyl carbonates 2643
van Elburg P. A. see Curran D. P. 2861
van Leeuwen S. H. see Veeneman G. H. 1331
van Loon J.-D. see Kraft D. 4941
van Strijdonck G. P. F. see de Bie J. F. M. 7233
van Truong Ng. see Buncel E. 6513
Vandewalle M. see Vanhessche K. 2337
Vanelle P. Maldonado J. Madadi N. Gueiffier A. Teulade J.-C. Chapat J.-P. and **Crozet M. P.** $S_{RN}1$ reactions in imidazo[1,2-*a*]pyridine series 3013
Vanelle P. see Crozet M. P. 1269
Vanhessche K. Van der Eycken E. Vandewalle M. and **Röper H.** L-Ribulose: a novel chiral pool compound 2337
Vaquer J. see Soderquist J. A. 4545
Varick T. R. see Park S.-U. 2975
Varie D. L. Preparation of 1-benzoyl-4-(amino)-1,2,2a,3,4,5-hexahydrobenz-[*cd*]indoles from L-tryptophan 7583
Varie D. L. see Martinelli M. J. 7579
Varma N. see Roy R. 3467
Vatele J.-M. Dumas D. and **Gore J.** Thermal rearrangement of α-hydroxy imines with an α-allyl or an α-propargyl substituent 2277
Vawter E. J. see Negishi E. 4393
Vebrel J. see Kerbal A. 4145
Veeneman G. H. and **van Boom J. H.** An efficient thioglycoside-mediated formation of α-glycosidic linkages promoted by iodonium dicollidineperchlorate 275
Veeneman G. H. van Leeuwen S. H. and **van Boom J. H.** Iodonium ion promoted
Velasco M. D. see Molina P. 6219
Velluz A. see Näf R. 6521
Venkatachalam T. K. see Chung Y. 5413
Venugopalan S. see Mitchell R. H. 5281
Vepachedu S. R. see Sharma G. V. M. 4931
Verboom W. see Kraft D. 4941
Verchère-Béaur C. see Robic N. 4739
Verchère-Béaur C. see Salmon L. 519
Verhoeven C. see Nasielski J. 2573
Verhoeven T. R. See Thompson A. S. 6953
Verlhac J.-B. see Salmon L. 519
Verne-Mismer J. Ocampo R. Callot H. J. and **Albrecht P.** New chlorophyll fossils from Moroccan oil shales. Porphyrins derived from chlorophyll c_3 or a related pigment? 1751
Veronese A. C. Callegari R. and **Salah S. A. A.** Tin (IV) chloride-promoted reactions of β-dicarbonyl compounds with nitriles. Synthesis of

aminopyridines and aminoquinolines 3485
Verwiel P. E. J. see Persoons C. J. 1747
Veschambre H. see Martre A.-M. 2599
Veselovsky V. V. Dragan V. A. and **Moiseenkov A. M.** Cationic cyclization of regular α-monoterpenols as a model for tri- and tetracyclic diterpene biosynthesis 1187
Veyron B. see Giudicelli M. B. 6527
Viallefont P. see Guenoun F. 2153
Vianello E. see Maran F. 5803
Vianello E. see Maran F. 7523
Viaud M. C. and **Rollin P.** First synthesis of an indole glucosinolate 1417
Viaud M. C. see Blanc-Muesser M. 3867
Vicente M. G. H. Rezzano I. N. and **Smith K. M.** Efficient new syntheses of benzochlorins, benzoisobacteriochlorins and benzobacteriochlorins 1365
Vidal M. see Barlet R. 3553
Vidari G. see Garlaschelli L. 5815
Viehe H. G. see Maliverney C. 6339
Vieth S. see Gunda T. E. 6707
Vigne L. see Blanc-Muesser M. 3869
Vijayarahavan B. and **Chauhan S. M. S.** Chloroiron(III)-5,10,15,20-tetraarylporphinate/N-methylimidazole catalyzed oxidation of androst-4-en-3,17-dione by cumene hydroperoxide 6223
Vila C. see Rubiralta M. 3347
Vila C. see Rubiralta M. 3779
Vilar A. see Genêt J. P. 515
Vilarrasa J. see Bou V. 567
Vilarrasa J. see Urpí F. 7497
Vilarrasa J. see Urpí F. 7499
Villa R. see Bernardi A. 2779
Villa R. see Bernardi A. 4949
Villa R. see Palazzi C. 4223
Viñas J. M. see Camps F. 2479
Vinayak R. S. see Robins M. J. 3731
Vinayak R. see Vu H. 7269
Virgili A. see Nouguier R. 3541
Vishwakarma R. A. and **Tandon J. S.** Stereoisomers of Coleonol (Forskolin) and related diterpenoids 7493
Vishwakarma R. A. see Roy R. 3467
Viso A. see Arjona O. 1475
Viteva L. and **Stefanovsky Y.** Michael addition of phenylacetic acid dialkylamide and ester enolates to *Z*-methyl cinnamate. Dependence of the stereochemistry on the acceptor geometry 5649
Vlietinck A. J. see Hisham A. 4649
Vo-Quang L. see Meffre P. 2291
Vo-Quang Y. see Meffre P. 2291
Vodopivec B. see Palmisano G. 7229
Voelter W. see Shekhani M. S. 339
Vogel E. see Marco J. A. 999
Vogel P. see Antonsson T. 89
Vogel P. see Jeganathan S. 1717
Vogt K. see Wilson F. X. 6931
Vogt K. see Witty D. R. 4787
Vogt K. see Witty D. R. 6927
Vogt W. see Kraft D. 4941
Vogt W. see Schultz M. 867
Vogt W. see Tabatabai M. 3295
Volt B. see Stasko A. 5737
Volbushko N. V. see Stephan B. 6335
Volicer L. see Cai P. 969
Voloshin N. A. see Stephan B. 6335
von Schnering H. G. see Bringmann G. 643
von Schnering H. G. see Tochtermann W. 1642
Vondenhof M. and **Mattay J.** Sulfonic acid esters derived from 1,1'-binaphthalene as new axially chiral photosensitizers 985
Vong A. K. K. see Feldman K. S. 823
Vong W.-J. see Lin S.-H. 7645
Vorbruggen H. see Buchmann B. 3425
Voß K.-U. see Kauffmann T. 507
Vottero P. J. A. see Bouhroum S. 7441
Voyle M. see Stephenson G. R. 3979
Vriends J. J. T. see Houwen-Claassen A. A. M. 723
Vu C. B. see Wasserman H. H. 1609
Vu C. B. see Wasserman H. H. 4945
Vu C. B. see Wasserman H. H. 5205
Vu C. B. see Wasserman H. H. 7528
Vu H. McCollum C. Jacobson K. Theisen P. Vinayak R. Spiess E. and **Andrus A.** Fast oligonucleotide deprotection: phosphoramidite chemsitry for DNA synthesis 7269
Vuilleumier S. see Ernest I. 4015
Vysotskii M. V. Imbs A. B. Popkov A. A. Latyshev N. A. and **Svetashev V. I.** *Trans*-olefinic very-long-chain fatty acid (26:3Δ5c,9c,19t) in lipids of fresh-water sponges of Lake Baikal 4367

Waali E. E. see McCarthy T. J. 6265
Wachter-Jurcsak N. and **Scully, Jr. F. E.** The reactions of organoboranes with N-chloro-N-sodiocarbamates: a novel synthesis of N-alkylcarbamates 5261
Wada T. and **Hata T.** A facile conversion of dialkyl phosphonates to dialkyl phosphorodithioates 7461
Wada T. Ishikawa K. and **Hata T.** Nucleoside 3'-*N,N*-dialkylphosphonamidates: novel building blocks for oligonucleotide synthesis 6363
Wada Y. see Okada Y. 107
Waegell B. see Reyne F. 4597
Waegell B. see Tenaglia A. 1157
Waespe H. R. see Lutz W. 5457
Wagner A. Heitz M. P. and **Mioskowski C.** Convenient preparation of bromoalkynes from primary alkynes and PPh_3/CBr_4 3141
Wagner B. see Ernst B. 6167
Wagner O. see Ehle M. 3429
Wagner P. J. and **Zhou B.** Conformational control of photoreactivity: three α-mesityl ketones that undergo efficient radical cleavage 2251
Wakabayashi S. see Uenishi J. 4625
Wakahara Y. see Sato T. 1581
Wakharkar R. D. see Kasar R. A. 6445
Wakselman M. see Cabaret D.

2131
Wakselman M. see Jugé S. 4443
Walborsky H. M. see Rachon J. 1786
Waldmann H. see Schultz M. 867
Waldyke M. J. see Kurz L. 6321
Walker D. G. New cephalosporin acylating agents derived from *syn*-2-(2-aminothiazol-4-yl)-2-methoxyiminoacetic acid. Application to the synthesis of cefepime sulfate 6481
Walker S. M. see Chauhan P. M. S. 1487
Walkinshaw M. D. see Estermann H. 445
Walkup R. D. and **Boatman, Jr. P. D.** Preparation of 4-alkylthio-Δ^4-1,3-oxathianes, novel endocyclic ketene dithioacetals via an acetalization of β-hydroxydithioesters 6961
Walkup R. D. Kane R. R. and **Obeyesekere N. U.** An α-alkylation/reduction of ketones via radical cyclizations of β-chloroethylsilyl enol ethers 1531
Walkup R. D. Kane R. R. Boatman, Jr. P. D. and **Cunningham R. T.** Expeditious synthesis of a key C_6-C_{21} subunit of the aplysiatoxins and oscillatoxins 7587
Wallace D. M. and **Smith K. M.** Stepwise syntheses of unsymmetrical tetraarylporphyrins. Adaptation of the MacDonald dipyrrole self-condensation methodology 7265
Wallace T. W. see Hayes R. 3355
Wallfahrer U. see Thalhammer F. 6851
Wallis C. J. see Wilson F. X. 6931
Wallis C. J. see Witty D. R. 4787
Wallis C. J. see Witty D. R. 6927
Walther D. see Schönecker B. 1257
Walther E. see Oppolzer W. 5019
Walton J. C. see Culshaw P. N. 2457
Walton J. C. see Culshaw P. N. 6433
Walton J. C. see MacCorquodale F. 771
Wan P. and **Xu X.** Enhanced photodecarboxylation efficiency of α-hydroxy-substituted arylacetic acids in aqueous solution 2809
Wang B. Mertes M. P. Bowman Mertes K. and **Takusagawa F.** A novel intramolecular 1,3-dipolar cycloaddition reaction of a C-6 substituted uridine analog 5543
Wang D.-C. see Sha C.-K. 3745
Wang G. T. Matayoshi E. Huffaker H. J. and **Krafft G. A.** Design and synthesis of new fluorogenic HIV protease substrates based on resonance energy transfer 6493
Wang J. see Liebeskind L. S. 4293
Wang J.-M. See Warrener R. N. 7069
Wang K. C. Young L.-H. Wang Y. and **Lee S.-S.** Microbial transformation of cycloartenol and 24-methylene cycloartanol 1283
Wang S. and **Swenton J. S.** Anodic 1,2-and 1,4-addition products from methyl eugenol as predicted by the EEC,Cp mechanism 1513
Wang S.-L. see Lin S.-H. 7645
Wang S.-L. see Liu H.-H. 257
Wang S.-N. see Berlin W. K. 1109
Wang S.-N. see Tagliaferri F. 1105
Wang T. see Dauben W. G. 2393
Wang T. see Shen Y. 543
Wang T. see Shen Y. 3161
Wang T. see Shen Y. 5925
Wang W.-B. Shi L.-L. and **Huang Y.-Z.** A novel reduction system - $SbCl_3$-Al\ or $SbCl_3$-Zn/DMF-H_2O for conversion of aldehydes 1185
Wang X. see Adam W. 1245
Wang X. see Adam W. 2259
Wang Y. see Baudin J.-B. 213
Wang Y. see Wang K. C. 1283
Wang Y. see Wilson F. X. 6931
Wang Y. see Witty D. R. 4787
Wang Y. see Witty D. R. 6927
Wang Y.-F. see Hsu S.-H. 6403
Wang Z. and **Schreiber S. L.** Stereochemical studies of epoxides relevant to the ansa chain of the streptovaricins 31
Wang Z. and **Zvilichovsky G.** Selectivity in ozonolyses of cyclic 1,3-dienes 5579
Wang Z. Y. and **Hay A. S.** A novel synthesis of diaryl sulfides 5685
Wanner M. J. and **Koomen G. J.** Glutarimide nucleosides. Synthesis and properties of analogs of 1-deaza-thymidine 907
Ward D. E. Zoghaib W. M. Rhee C. K. and **Gai Y.** Diels-Alder reactions of 2H-thiopyrans 845
Ward T. see Kurz L. 6321
Warnock W. J. see Grigg R. 559
Warren S. see Harmat N. J. S. 2743
Warren S. see McIntyre S. 3457
Warrener R. N. Bina S. Butler D. N. Pitt I. G. and **Russell R. A.** A transannular π-bond pairing approach to the synthesis of 1,3-cyclopentadiene diesters and maleimido-oxepines and a report on thier isomerisation 7073
Warrener R. N. Wang J.-M. Weerasuria K. D. V. and **Russell R. A.** Transfer technology - III. The synthesis of bridged cyclic polyenes using a new retrosynthetic algorithm as a guide 7069
Wasiak J. see Heli´nski J. 4081
Wasicak J. T. see Chung J. Y. L. 3957
Wasmund L. M. see Guziec F. S. 23
Wasserman H. H. and **Vu C. B.** Formation of vicinal tricarbonyl compounds by selective oxidation of ylides using potassium peroxymonosulfate 5205
Wasserman H. H. Cook J. D. and **Vu C. B.** Intramolecular alkylation of 3-hydroxypyrrole-2-carboxylates. Formation of 5/5, 5/6, and 5/7 ring systems related to pyrrolidine alkaloids 4945

Wasserman H. H. van Duzer J. H. and Vu C. B. Corrigendum 7528
Wasserman H. H. van Duzer J. H. and Vu C. B. The chemistry of vicinal tricarbonyls. formation of carbazole derivatives 1609
Watanabe K. see Kataoka H. 4181
Watanabe M. see Tomioka H. 5061
Watanabe M. see Tomooka K. 7353
Watanabe N. see Hashimoto S. 5173
Watanabe N. see Katagiri N. 4633
Watanabe Y. Komoda Y. Ebisuya K. and Ozaki S. An efficient phosphorylation method using a new phosphitylating agent, 2-diethylamino-1,3,2-benzodioxaphophepane 255
Watanabe Y. Oka A. Shimizu Y. and Ozaki S. Easy access of optically active *myo*-inositol derivatives by enantioselective acylation using a tartaric acid monoester 2613
Watanabe Y. see Takehira K. 2607
Watanabe Y. Yoneda T. Ueono Y. and Toru T. Radical reaction of acetonyltributylstannane with α-(phenyl-seleno)carbonyl compounds: a novel procedure for preparation of 1,4-dicarbonyl compounds 6669
Watkins L. M. see Doyle M. P. 6613
Watson K. G. see Jackson W. R. 1447
Watt D. S. see Kwiatkowski S. 2093
Watt W. see Gammill R. B. 5303
Wayner D. D. M. see Kolt R. J. 7539
Weber H. see Hönig H. 3011
Weber K. see Irngartinger H. 5459
Weber M. see Golinick K. 4585
Weerasuria K. D. V. See Warrener R. N. 7069
Weeratunga G. Prasad G. K. B. Dilley J. Taylor N. J. and Dmitrienko G. I. Regioselective Diels-Alder reactions of N-cyanoindole-4,7-diones: elaboration of the A-ring of the kinamycins on a BC ring template 5713
Weeratunga G. see Dmitrienko G. I. 3681
Wege D. see Anthony I. J. 1315
Wehlage T. Krebs A. and Link T. A new route to 10-membered ring analogues of neocarzinostatin chromophore 6625
Wehlage T. see Krebs A. 3533
Wehrsig A. see Bonar-Law R. P. 6725
Weigel L. see Deeter J. 7101
Weigmann R. H. and Wurthwein E.-U. Corrigendum 3082
Weiler L. see Keller T. H. 6307
Weinreb S. M. see Lessen T. A. 2105
Weissman S. A. and Baxter S. G. Evidence for the rearrangement of P-chloro-phosphirenium ions to P-vinyl-phosphenium ions 819
Wen Y.-S. see Oda M. 7341
Wender P. A. and deLong M. A. Synthetic studies on arene-olefin cycloadditions - XII. Total synthesis of (±)-subergorgic acid 5429
Wender P. A. and McDonald F. E. Studies on tumor promoters - X. Synthesis of the ABC ring system of the tiglianes and daphnanes by a zirconium-mediated intramolecular enyne carbocyclization 3691
Wender P. A. and Singh S. K. Synthetic studies on arene-olefin cycloadditions - XI. Total synthesis of (-)-retigeranic acid 2517
Wender P. A. Grissom J. W. Hoffmann U. and Mah R. Hetero-atom substituted chromium allyls: synthetic studies on neo-carzinostatin chromophore analogues 6605
Wenkert E. see Ducoux J.-P. 2595
Wennerström O. see Schenk R. 7367
Wenzinger G. R. see Lebedev A. V. 851
Wenzinger G. R. see Lebedev A. V. 855
Wepsiec J. P. see Martinelli M. J. 7579
Wermuth C. G. see Schmitt M. 2145
Wermuth C.-G. see Jako I. 1011
Wess G. Kesseler K. Baader E. Bartmann W. Beck G. Bergmann A. Jendralla H. Bock K. Holzstein G. Kleine H. and Schnierer M. Stereoselective synthesis of HR 780 a new highly potent HMG-CoA reductase inhibitor 2545
Wess G. see Beck G. 7293
Wessel H. P. Comparison of catalysts in α-glucosylation reactions and identification of triflic anhydride as a new reactive promoter 6863
Wesselmann G. see Zeeck E. 5613
West R. R. Mayne C. L. Ireland C. M. Brinen L. S. and Clardy J. Plakinidines: cytotoxic alkaloid pigments from the Fijian sponge *Plakortis* sp. 3271
Westerduin P. Willems H. A. M. and van Boeckel C. A. A. Synthesis of 1,4,5-trissulphated and 1,4,5-trissulphamoylated *myo*-inositol: isosteric *myo*-inositol 1,4,5-trisphosphate analogues 6919
Westerduin P. Willems H. A. M. and van Boeckel C. A. A. Total synthesis of new 1,5-bissubstituted *myo*-inositol derivatives. Synthesis of D-myo-inositol 1,5-bisphosphate, 3,5 bisphosphate and of *rac.* 1,5-bissulphated and 1,5-bissulphamoylated isosteric analogues 6915
Westwood R. see Luheshi A.-B. N. 123
Westwood R. see Luheshi A.-B. N. 127
Westwood R. see Luheshi A.-B. N. 6561
Whalon M. R. see Anzeveno P. B. 4321
Whang K. see Kim Y. G. 3275
White A. H. see Dooley M. J. 6103
White J. and Foo L. Y. Flavan and xanthene compounds from rearrangement of phloroglucinol polymers 2789
White J. B. see Liao Y. 5129
White J. D. Somers T. C. and Yager K. M. Synthesis of dihydropallescensin D via manganese(III)mediated

cyclization of an olefinic β-keto ester 59
Whittaker M. see Davies S. G. 3213
Wickberg B. see Bergman R. 2783
Wickramaratne D. B. M. see Kumar V. 5217
Wickstrom E. see Lebedev A. V. 851
Wickstrom E. see Lebedev A. V. 855
Wickstrom E. see Lebedev A. V. 3673
Wiechert R. see Künzer H. 3859
Wiechert R. see Künzer H. 6171
Wiemer D. F. Wolfe L. K. Fenical W. Strobel S. A. and Clardy J. Palmosalides A-C, new sesquiterpenoids from the Indian Ocean telestacean octocoral *Coelogorgia palmosa* 1973
Wiessler M. see Rajca A. 6075
Wightman R. H. see Anderson D. W. 1759
Wilkins R. F. see Earle M. J. 4229
Willems H. A. M. see Westerduin P. 6915
Willems H. A. M. see Westerduin P. 6919
Williams C. S. see Sainsbury M. 2763
Williams D. J. see Urones J. G. 4501
Williams D. R. and Benbow J. W. Alkylation studies of anions from pyruvate oxime ethers and related derivatives 5881
Williams D. R. Benbow J. W. and Allen E. E. Intramolecular dipolar addition of carbonyl ylides. Studies of substituted bicycloundecanones 6769
Williams G. M. see Brimble M. A. 3043
Williams G. M. see Brimble M. A. 7509
Williams J. M. see Overly K. R. 4573
Williams M. A. and Miller M. J. Synthesis of the carbapenam ring system via carbene mediated rearrangement of an N-benzyloxy-β-lactam 1807
Williams R. M. and Cushing T. D. Synthetic studies on paraherquamide: synthesis of the 2H-1,5-benzodioxepin ring system 6325
Williams R. M. and Miknis G. F. Synthetic studies on aspirochlorine (A30641) 4297
Williams S. see Stephenson G. R. 3979
Williard P. G. see Wrensford G. 4257
Willis C. L. Stereoselectivity of osmylation reactions: synthesis of giberellins A_{78} and A_{79} 6437
Willis C. R. see Kirwan J. N. 5093
Willis M. see Oppolzer W. 4117
Wills M. see Oppolzer W. 5015
Wilson J. M. see Dmitrienko G. I. 3681
Wilson T. see Jarowicki K. 3433
Wilson F. X. Fleet G. W. J. Vogt K. Wang Y. Witty D. R. Choi S. Storer R. Myers P. L. and Wallis C. J. Synthesis of oxetanocin 6931
Wilson F. X. see Witty D. R. 4787
Wilson F. X. see Witty D. R. 6927
Wilson L. J. and Liotta D. A general method for controlling glycosylation stereochemistry in the synthesis of 2'-deoxyribose nucleosides 1815
Wingbermühle D. see Kauffmann T. 507
Wingbermühle D. see Kauffmann T. 511
Wingbermühle D. see Kauffmann T. 1553
Winkler T. see Ernst B. 6167
Winkler T. see Lutz W. 5457
Winterfeldt E. see Hölscher P. 2705
Wistrand L.-G. see Ludkvist J. R. M. 719
Wistrand L.-G. see Skrinjar M. 1775
Witt F. J. see Harwood L. M. 1885
Wittman M. D. see Coutts S. J. 4301
Witty D. R. Fleet G. W. J. Choi S. Vogt K. Wilson F. X. Wang Y. Storer R. Myers P. L. and Wallis C. J. Ring contraction of 3-deoxy-2-O-trifluoromethanesulphonates of α-hydroxy-β-lactones to oxetanes 6927
Witty D. R. Fleet G. W. J. Vogt K. Wilson F. X. Wang Y. Storer R. Myers P. L. and Wallis C. J. Ring contraction of 2-*O*-trifluoromethanesulphonates of α-hydroxy-γ-lactones to oxetane carboxylic esters 4787
Witty D. R. see Wilson F. X. 6931
Witzeman J. S. The transacetoacetylation reaction: mechanistic implications 1401
Wohlfarth W. see Pollmann M. 2701
Wolf J. G. see Payrastre C. 1145
Wolf R. see Kim T. C. 4459
Wolfe L. K. see Wiemer D. F. 1973
Wolin R. L. see Sowell C. G. 485
Wolk J. L. see Hoz S. 4085
Wolstenholme H. J. see Fusetani N. 5623
Wong C.-H. see Hsu S.-H. 6403
Wood H. B. see Muralidharan V. B. 183
Wood J. L. Jones D. R. Hirschmann R. and Smith, III A. B. A versatile, efficient synthesis of (-)-(2*S*,3*R*,4*S*)-2-amino-1-cyclohexyl-3,4-dihydroxy-6-methylheptane, the Abbott pseudodipeptidyl insert 6329
Wood S. G. see Robins M. J. 3731
Worsfold D. J. see MacCorquodale F. 771
Wovkulich P. M. see Barrish J. C. 2235
Wrensford G. Grab L. A. Salvino J. M. and Williard P. G. Synthesis of 3-bromo-6-ethenyltetrahydro-2,2,6-trimethyl-2H-pyran 4257
Wright S. H. B. see Collins P. M. 2055
Wroblewski K. see Otvos, Jr. L. 5889
Wu G. Cederbaum F. E. and Negishi E. Stereoselective cyclic carbolithiation of alkyne derivatives. A stereoselective synthesis of exocyclic alkenes 493
Wu G. see Shimoyama I. 2841
Wu J. C. C. see Lee K.-C. 3563
Wu J.-P. see Kozikowski A. P. 4309
Wu S.-S. see Hsu S.-H. 6403
Wu S.-Y. see Segall Y. 473
Wu T.-S. Liou M. Lee C.-J.

Jong T.-T. McPhail A. T. McPhail D. R. and Lee K.-H. Corrigenda 1786
Wu X.-P. see Quin L. D. 6281
Wu Y.-D. see Houk K. N. 7285
Wu Y.-D. see Houk K. N. 7289
Wu Y.-L. see Zhao R.-B. 3559
Wu Z.-Z. and Morrison H. Photoactivation of distal carbonyl groups in steroidal ketones intramolecular energy transfer control of multiplicity 5865
Wurthwein E.-U. see Weigmann R. H. 3082
Wyatt P. G. see Harnden M. R. 2185
Wysoki M. see Becker D. 4923
Wyvratt M. J. see Ok H. 6477

Xiang Y. see Shen Y. 2305
Xiao X. Sen S. E. and Prestwich G. D. Chelation and non-chelation directed cleavage of acetals 2097
Xing Y. Hixson S. S. and Zimmermann R. A. Photochemistry of 2-azidoadenine in alcohols 5849
Xu L. H. see Torii S. 7175
Xu X. see Wan P. 2809
Xue J. see Givens R. S. 6793

Yabe A. see Ouchi A. 1727
Yabe A. see Ouchi A. 6043
Yadav J. S. and Chander M. C. Stereoselective synthesis of (11*R*, 12*12S*, 13*S*)-trihydroxy-(9*Z*,15*Z*)-octadecadienoic acid: a constituent of rice plant suffering from rice blast disease 4349
Yadav J. S. and Gadgil V. R. TosMIC in the preparation of spiroacetals: synthesis of pheromone components of olive fruit fly 6217
Yadav J. S. and Rajagopal D. Total synthesis of triyne carbonate L-660,631 methylester from D-glucose 5077
Yadav J. S. Deshpande P. K. and Sharma G. V. M. Base induced opening of 2,3-epoxychlorides: an efficient preparation of *trans*-chlorovinyl alcohols 4495
Yadav J. S. Sreenivasa Rao E. Sreenivasa Rao V. and Choudary B. M. A novel palladium catalysed oxycarbonylation of dienones: a convenient method for construction of cyclic acetals 2491
Yager K. M. see White J. D. 59
Yagi A. see Sakata K. 1165
Yagii T. see Komatsu M. 5327
Yahata N. see Ogura K. 4621
Yakimovitch S. I. see Zelenin K. N. 3927
Yamabe S. Machiguchi T. 4169
Yamabe S. see Yamazaki S. 2917
Yamada F. see Kozikowski A. P. 6159
Yamada H. see Akita H. 1731
Yamada H. see Akita H. 1735
Yamada H. see Nishizawa M. 2431
Yamada H. see Takahashi T. 4333
Yamada H. Shimizu K. Nasir M. Takahashi T. and Tsuji J. New synthetic intermediate for *trans*-8-methylhdrindanones 2407
Yamada K. see Kigoshi H. 4911
Yamada K. see Niwa H. 7157
Yamada K. see Ojika M. 4907
Yamada S. see Yamamoto K. 4903
Yamada T. see Tategami S. 6371
Yamada Y. see Nagaoka H. 1573
Yamada Y. see Nakayama J. 2627
Yamagishi T. see Yamaguchi M. 5049
Yamaguchi H. see Sera A. 6547
Yamaguchi K. see Saito I. 7469
Yamaguchi M. Nakamura S. Okuma T. and Minami T. A biomimetic synthesis of (±)-nanaomycin A 3913
Yamaguchi M. see Ishikawa A. 2415
Yamaguchi M. see Okada Y. 3905
Yamaguchi M. see Tatsuta K. 5495
Yamaguchi M. Shima T. Yamagishi T. and Hida M. Palladium-catalyzed asymmetric alkylation via π-allyl intermediate: acetamidomalonate ester as a nucleophile 5049
Yamaguchi M. Tsukamoto Y. Hayashi A. and Minami T. A stereoselective Michael addition of α-lithiated phosphonates to α, β-unsaturated esters 2423
Yamaji H. see Setsune J. 5057
Yamakawa K. see Satoh T. 3567
Yamakawa K. see Satoh T. 3609
Yamamoto A. see Hayashi T. 1743
Yamamoto A. see Sakakibara T. 3749
Yamamoto H. See Ogino K. 7023
Yamamoto H. see Fujioka H. 5951
Yamamoto H. see Kanemasa S. 3633
Yamamoto H. see Kita Y. 7173
Yamamoto H. see Maruoka K. 377
Yamamoto H. see Maruoka K. 5475
Yamamoto H. see Tagaki W. 3897
Yamamoto K. Imae Y. and Yamada S. Biomimetic oxidation of vitamin D by iron-sulfur model cluster and dioxygen system 4903
Yamamoto K. see Doi T. 3313
Yamamoto K. see Ohkata K. 1605
Yamamoto K. see Sakata K. 1165
Yamamoto K. see Takahashi T. 7349
Yamamoto M. see Hiroi K. 2619
Yamamoto T. see Inokuma S. 97
Yamamoto Y. see Uyehara T. 3753
Yamamura K. See Tabushi I. 7017
Yamamura S. see Arimoto H. 5491
Yamamura S. see Arimoto H. 5619
Yamamura S. see Kobayashi J. 4617
Yamamura S. see Lai S. 5503
Yamamura S. see Nagai M. 119
Yamamura S. see Nishiyama S. 705
Yamamura S. see Nishiyama S. 4777
Yamamura S. see Shizuri Y. 7167
Yamamura S. see Suzuki Y. 4053
Yamanaka H. see Nagata R. 2907
Yamanaka K. see Tagaki W.

3897
Yamanaka T. see Fujioka H. 5951
Yamaoka T. see zTamaoki N. 3309
Yamaoki H. see Mandai T. 7179
Yamashita F. see Uneyama K. 2717
Yamashita J. see Nozaki K. 7327
Yamashita K. see Sugiyama T. 7343
Yamashita S. see Fukuchi N. 1589
Yamashita S. see Isogai A. 695
Yamazaki H. Horikawa H. Nishitani T. and **Iwasaki T.** A synthesis of 2-*exo*-substituted 2-*endo*-aminonorborenes: organoaluminum-promoted nucleophilic substitution on 2-*endo*-acetamido-2-*exo*-methoxynorborene 5345
Yamazaki H. see Ryu I. 6887
Yamazaki S. Hama M. and **Yamabe S.** Cyclopentenone annulation reaction using (*E*)-1-(phenylseleno)-2-(trimethylsilyl)ethene 2917
Yamazaki T. see Hirai Y. 4755
Yamazaki Y. and **Hosono K.** Facile resolution of planar chiral organometallic alcohols with lipase in organic solvents 3895
Yan T.-H. see Cheng H.-C. 673
Yanagawa K. see Kadota S. 5943
Yanagawa K. see Toshima K. 6697
Yanagi T. see Hosomi A. 6201
Yang D. see Kahne D. 21
Yang J.-H. see Lin T.-S. 3829
Yang N. C. Gan H. Kim S. S. Masnovi J. M. Rafalko P. W. Ezell E. F. and **Lenz G. R.** Stereoselectivity in $4\pi_s+\pi_s$ photocycloaddition of 1,3-cyclohexadiene to arenes 3825
Yang X. see O'Donnell M. J. 5135
Yang Z.-Y. and **Burton D. J.** A facile, general method for the preparation of fluorinated enynes 1369
Yannic S. see Marazano C. 1995
Yano K. see Tagaki W. 3897
Yano Y. see Nabeshima T. 6543
Yano Y. see Ueoka R. 5311
Yao H. see Tamao K. 2925
Yao Z.-P. see De Kimpe N. 2771
Yasumoto M. see Nozaki K. 7327
Yasumoto M. see Sasaki M. 6549
Yasumoto T. see Yotsu M. 3187
Yasumuro K. see Fusetani N. 3599
Yasunami M. see Yoshifuji M. 6891
Yau E. K. Ma Y.-X. and **Caruthers M. H.** Synthesis of dinucleoside and dinucleotide phosphorodithioates via a phosphotriester approach 1953
Yechezkel T. see Ghera E. 3653
Yelland M. see Chauhan P. M. S. 1487
Yelland M. see Crew A. P. A. 1491
Yen K.-F. see Lee K.-C. 3563
Yeoh H. T.-L. see Lee T. V. 2063
Yeske P. E. see Padwa A. 2983
Yeung C. M. and **Klein L. L.** 2121
Yi K. Y. see Yoo S.-E. 5913
Yi K.-Y. see Yoo S.-E. 6877
Yoakim C. see Guindon Y. 2845
Yoda H. Naito S. Takabe K. Tanaka N. and **Hosoya K.** Conjugate addition to chiral γ-heterosubstituted δ-lactones as pivotal synthons from L-glutamic acid. Synthesis of an optically acitve lignan lactone; (-)hinokinin 7623
Yokogawa K. see Miyashi T. 2411
Yokoyama H. see Ogawa A. 5931
Yokoyama K. see Ogawa A. 5931
Yokoyama Y. see Saito S. 221
Yoneda R. see Harusawa S. 5471
Yoneda T. see Watanabe Y. 6669
Yonemitsu O. See Nishida A. 7035
Yonemitsu O. see Hikota M. 6367
Yonemitsu O. see Noda I. 6035
Yonezawa H. see Hiroi K. 2619
Yonezawa M. see Tanaka Y. 6193
Yonezawa T. see Atsuumi S. 1601
Yoo H. K. Davis D. M. Chen Z. Echegoyen L. and **Gokel G. W.** The remarkable nucleophilic substitutions of anthraquinones using podands as nucleophiles and leaving groups 55
Yoo S.-E. Kim H. R. and **Yi K. Y.** Oxidative debenzylation of 4-methoxy-α-methylbenzyl esters 5913
Yoo S.-E. Lee S.-H. Yi K.-Y. and **Jeong N.** Synthesis of α-kainic acid and α-allokainic acid by Pd(O) mediated olefin insertion-carbonylation reaction 6877
Yoshida J. Nakatani S. and **Isoe S.** Oxygenation of γ, δ-unsaturated ketones in the presence of thiophenol. Efficient formation of cyclic peroxides 2425
Yoshida K. see Goto T. 713
Yoshida S. see Sugawara F. 4337
Yoshida T. See Ogino K. 7023
Yoshida Y. see Ojika M. 4907
Yoshida Z. see Kimura M. 4887
Yoshifuji M. Kawai Y. and **Yasunami M.** Reactions of halocarbenes with phosphaalkyne. Formation of acetylenes via phosphirene intermediates 6891
Yoshifuji M. Toyota K. Okamoto Y. and **Asakura T.** Separation of an optically active phosphaallene of pseudo axial dissymmetry 2311
Yoshikane M. see Goto T. 713
Yoshikawa K. see Kigoshi H. 4911
Yoshimatsu M. see Kataoka T. 5927
Yoshino T. see Tsujiyama H. 4481
Yoshioka S. See Sugano M. 7015
Yoshiwara H. see Nagase H. 4493
Yotsu M. Yasumoto T. Kim Y. H. Naoki H. and **Kao C. Y.** The structure of chiriquitoxin from the Costa Rican frog *Atelopus chiriquiensis* 3187
Young L.-H. see Wang K. C. 1283
Young R. C. see Gilbert I. H. 2633
Yu L. see Loeppky R. N. 3263

Yung T. W. K. and **Sammes M. P.** The first oxathiazolium cations - a simple synthesis of 1,3,4-oxathiazolium salts 5935
Yurchenko A. G. see Krasutsky P. A. 3973
Yus M. see Nájera C. 4199
Yus M. see Ramón D. J. 3763
Yus M. see Ramón D. J. 3767

Zako Y. see Shimizu I. 4899
Zakomyrdina L. N. See Faleev N. G. 7051
Zamecka-Krakowiak D. J. see Bradshaw J. S. 1077
Zandi K. S. see Shea K. J. 5885
Zanka Y. see Kinoshita T. 6673
Zappia G. see Misiti D. 7359
Zaragoza Dörwald F. see Franck-Neumann M. 4121
Zard S. Z. see Barlaam B. 7429
Zard S. Z. see Boivin J. 85
Zard S. Z. see Boivin J. 2501
Zard S. Z. see Boivin J. 3545
Zard S. Z. see Boivin J. 6869
Zard S. Z. see Forbes J. E. 2565
Zárraga M. Alvarez E. Ravelo J. L. Rodríguez V. Rodríguez M. L. and **Martín J. D.** Approaches to the synthesis of the tetrahydropyran subunits of marine *trans*-fused polyether toxins 1633
Závada J. see Hovorka M. 413
Zbiral E. see Hartmann M. 2875
Zbiral E. see Hiebl J. 4007
Zeeck E. Hardege J. D. Bartels-Hardege H. and **Wesselmann G.** Potential sex pheromone in *Platynereis dumerilii* - identification and synthesis 5613
Zefirov N. S. see Brel V. K. 4799
Zefirov N. S. see Brel V. K. 5225
Zefirov N. S. see Trushkov I. V. 3199
Zefirov N. S. see Zhdankin V. V. 4821
Zelenin K. N. Alekseyev V. V. Gabis T. Ye. Yakimovitch S. I. and **Pehk T. J.** Ring-chain tautomerism of thiocarbohydrazones 3927
Zemlicka J. see Phadtare S. 43
Zeng M. see Jarvis B. B. 4401
Zenk M. H. see De-Eknamkul W. 4855
Zenk M. H. see Loeffler S. 4853
Zhabinskiy V. N. see Khripach V. A. 4937
Zhang C. see Sutherland R. G. 6831
Zhang J. Z. see Mock W. L. 5687
Zhang Y. see Shimoyama I. 2841
Zhao R.-B. Zhao Y.-F. Song G.-Q. and **Wu Y.-L.** Double Michael reaction of carvone and its derivatives 3559
Zhao S. H. see Block E. 4999
Zhao S. H. see Block E. 5003
Zhao Y.-F. see Zhao R.-B. 3559
Zhdankin V. V. Crittell C. M. Stang P. J. and **Zefirov N. S.** A general approach to unsymmetrical tricoordinate iodinanes: single step preparation of mixed iodosobenzene sulfonates $Ph(X)OSO_2R$, via reaction of iodosobenzene with Me_3SiX 4821
Zhdankin V. V. see Brel V. K. 4799
Zhdankin V. V. see Brel V. K. 5225
Zhdankin V. V. see Trushkov I. V. 3199
Zheng G.-C. Hatano M. Ishitsuka M. O. Kusumi T. and **Kakisawa H.** Corrigendum 4522
Zheng G.-C. Hatano M. Ishitsuka M. O. Kusumi T. and **Kakisawa H.** Novel seco- and seconorsesquiterpenes having a cyclopropane ring from the Okinawan actinia *Anthopleura pacifica* Uchida 2617
Zhi B. see Lansbury P. T. 3965
Zhou B. see Wagner P. J. 2251
Zhou P. see Davis F. A. 1653
Zhou P. see Mitchell R. H. 5277
Zhou P. see Mitchell R. H. 5281
Zhou Q. see Bai D. 2161
Zhou Z.-L. see Shi L.-L. 4173
Zhou Z.-L. Shi L.-L. and **Huang Y.-Z.** A first example of catalytic ylide epoxidation reaction: facile synthesis of vinyl epoxides from aldehydes catalyzed by diisobutyl telluride 7657
Zhu J. see Takacs J. M. 1117
Zhu J.-L. see Lin T.-S. 3829
Ziegler M. L. see Gleiter R. 6175
Ziegler M. L. see Märki G. 4849
Ziegler T. see Effenberger F. 1249
Ziller J. W. see Shea K. J. 6843
Zimbiniski R. see Lohray B. B. 7273
Zimmerman J. W. see Imperiali B. 6485
Zimmermann P. Greilich U. and **Schmidt R. R.** Total synthesis of a hexaosyl ceramide glycolipid acting as a receptor for macrophage migration inhibition-factor 1849
Zimmermann R. A. see Xing Y. 5849
Zinczuk J. see Colombo M. I. 39
Zniber R. see Cherkaoui O. 5467
Zoghaib W. M. see Ward D. E. 845
Zsély M. see Herczegh P. 1195
Zulaica E. see Bennasar M.-L. 747
Zulaica E. see Bennasar M.-L. 1893
Zuobi K. see Gutman A. L. 2037
Zupan M. and **Bregar Z.** A new method of introducing a trifluoromethyl group into an aromatic ring 3357
Zupan M. see Stavber S. 775
Zvilichovsky G. see Wang Z. 5579
Zwanenburg B. see Houwen-Claassen A. A. M. 723
Zwanenburg B. see Janssen A. J. M. 7219
Zwanenburg B. see Thijs L. 6589
Zweifel G. see Stracker E. C. 6815

SEND FOR A FREE SAMPLE COPY OF...

TETRAHEDRON

The International Journal for the Rapid Publication of Critical Reviews and Original Research in Organic Chemistry and Related Disciplines, including Bio-organic Chemistry

Founded jointly by **SIR ROBERT ROBINSON** and **R B WOODWARD**.
Chairman of the Executive Board of Editors for Tetrahedron Publications:
SIR DEREK BARTON FRS, *Department of Chemistry, Texas A and M University, College Station, Texas 77843-3255, USA*
Co-ordinating Editor: **T STEPHEN,** *8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, UK*

Tetrahedron publishes experimental and theoretical research results of outstanding significance and timeliness in the field of organic chemistry and its application to related disciplines especially bio-organic chemistry.
Areas covered by the journal include the many facets of organic synthesis, organic reactions, natural products chemistry, studies of reaction mechanism and various aspects of spectroscopy.
Contributions take the form of full papers, which are major original contributions to the literature *Tetrahedron* also publishes specially commissioned review articles -- Tetrahedron Reports -- and collections of original papers -- Tetrahedron Symposia-in-Print.

A Selection of Papers
J S BRADSHAW, H AN, K E KRAKOWIAK, G WU & R M IZATT (USA), Synthesis of macrobicyclic polyethers with nitrogen atom bridgeheads.
J E BALDWIN, M G MOLONEY & A F PARSONS (UK), Enantioselective kainoid synthesis by cobalt-mediated cyclisation of an amino acid derivative.
H J CALLOT, R CROMER, B METZ & B CHEVRIER (France), Synthesis of N-cyanoporphyrins and related compounds. Crystal structure of N-cyano-*meso*-tetratolyporphyrin.
Y AUBERSON & P VOGEL (Switzerland), Total, asymmetric synthesis of deoxypolyoxin C.
N de KIMPE & C STEVENS (Belgium), Silver ion induced reactions of α-haloimines.
I B STOINEVA, S E BOJADZIEV & D D PETKOV (Bulgaria), Synergism between stereoelectronic and stereoprotonic effects in the enzymic peptide bond formation.
M J BEGLEY, C B JACKSON & G PATTENDEN (UK), Total synthesis of verticillene. A biomimetic approach to the taxane family of alkaloids.
Y HAMADA, A KAWAI, T MATSUI, O HARA & T SHIOIRI (Japan), 4-Alkoxycarbonyloxazoles as β-hydroxy-α-amino acid synthons: efficient stereoselective syntheses of 3-amino-2,3,6-trideoxyhexoses and a hydroxy amino acid moiety of Al-77-B.

Indexed/Abstracted in: *Current Contents, Chemical Abstracts, Excerpta Medica, CABS, BIOSIS Database, PASCAL-CNRS Database*

(00232)
Subscription Information (including Tetrahedron: Asymmetry)
1991: Volume 47 (60 issues)
Annual subscription (1991)**DM 6840.00**
Two-year rate (1991/92)**DM 12996.00**
ISSN: 0040-4020

PERGAMON PRESS
Member of Maxwell Macmillan Pergamon Publishing Corporation

Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, UK
Pergamon Press, Inc., Maxwell House, Fairview Park, Elmsford NY 10523, USA

Advertising rate card available on request. Back issues are available. Prices shown include postage and insurance. German Mark (DM) prices quoted apply in Europe, Africa, Asia/Australasia (with the exception of Japan). For the rest of the world including Japan apply to the nearest Pergamon office. Prices and proposed publication dates are subject to change without prior notice.

PERGAMON
SCIENTIFIC PUBLISHING
AT ITS BEST

Clinical & Medical Research
Electrical & Electronic Engineering
Industrial Technology
Agriculture, Food Science & Nutrition
Civil & Structural Engineering
Physiology & Biophysics
Plant & Ecological Science
Biological Sciences
Information Science
Visual Sciences
Cancer Research
Pharmacology
Social Studies
Chemistry
Entomology
Energy
EFL/ELT
Physics
Biochemistry
Mathematics
Metallurgy
Immunology
Applied Chemistry
Neurosciences
Analytical Chemistry
Computer Science
Mechanical Engineering
Chemical Engineering
Astronomy & Astrophysics
Psychology & Psychiatry
Education & Child Studies
Systems Engineering, Automation & Control Engineering
Geosciences & Oceanography
Materials Science & Technology
Economics & Social Planning
Database Publications
Management Sciences & Business Studies
Environmental Science & Water Technology



Pergamon Press plc
Headington Hill Hall
Oxford OX3 0BW
UK

Pergamon Press Inc
Maxwell House
Fairview Park
Elmsford NY 10523 USA

Member of Maxwell Macmillan Pergamon Publishing Corporation

SEND FOR A FREE SAMPLE COPY OF...

TETRAHEDRON: ASYMMETRY

The International Journal for Rapid Publication on all Aspects of Asymmetry in Organic, Inorganic, Organometallic, Physical and Bio-organic Chemistry

Editor-in-Chief: **S G DAVIES,** *The Dyson Perrins Laboratory, South Parks Road, Oxford OX1 3QY, UK*
Chairman of the Executive Board of Editors for Tetrahedron Publications:
SIR DEREK BARTON FRS, *Department of Chemistry, Texas A and M University, College Station, Texas 77843-3255, USA*

Tetrahedron: Asymmetry presents experimental or theoretical research results of outstanding significance and timeliness on asymmetry in organic, inorganic, organometallic and physical chemistry, as well as its application to related disciplines, especially bio-organic chemistry. The journal will publish critical reviews, original research articles and preliminary communications dealing with all aspects of the chemical, physical and theoretical properties of non-racemic organic and inorganic materials and processes.
Topics relevant to the journal include: the physico-chemical and biological properties of enantiomers; strategies and methodologies of asymmetric synthesis; resolution; chirality recognition and enhancement; analytical techniques for assessing enantiomeric purity and the unambiguous determination of absolute configuration; and molecular graphics and modelling methods for interpreting and predicting asymmetric phenomena. Papers describing the synthesis or properties of non-racemic molecules will be required to include a separate statement in the form of a Stereochemistry Abstract, for publication in the same issue, of the criteria used for the assignment of configuration and enantiomeric purity.

A Selection of Papers
A ALEXAKIS & P MANGENEY (France), Chiral acetals in asymmetric synthesis.
M T REETZ, T WUNSCH & K HARMS (Germany), Stereoselective synthesis of α,γ-diamino-β-hydroxy amino acid esters: a new class of amino acids.
H SUEMUNE, M TAKAHASHI, S MAEDA, Z-F XIE & K SAKAI (Japan), Asymmetric hydrolysis of *cis,cis*-5-benzyloxy-1,3-diacetoxy-cyclohexane and its application to the synthesis of chiral lactone moiety in compactin.
S LIANG & L A PAQUETTE (USA), Biocatalytic-based synthesis of optically pure (C-6)-functionalized 1-(*tert*-butyldimethylsilyloxy) 2-methyl-(E)-2-heptenes.
M BECKMANN, H HILDEBRANDT & E WINTERFELDT (Germany), Pure enantiomers from retro-Diels-Alder processes.
E Q MORALES, J T VAZQUEZ & J D MARTIN (Spain), Stereochemical studies of cyclononyl systems.
M KITAMURA, T OHKUMA, M TOKUNAGA & R NOYORI (Japan), Dynamic kinetic resolution in BINAP-ruthenium (II) catalyzed hydrogenation of 2-substituted 3-oxo carboxylic esters.
C MORLEY, D W KNIGHT & A C SHARE (UK), Complementary enantioselective routes to the quinolizidine alkaloids lupinine and epilupinine.

Indexed/Abstracted in: *Current Contents*

(00937)
Subscription Information
1991: Volume 2 (12 issues)
Annual subscription (1991)**DM 585.00** Two-year rate (1991/92)**DM 1111.50**
ISSN: 0957-4166

PERGAMON PRESS
Member of Maxwell Macmillan Pergamon Publishing Corporation

Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, UK
Pergamon Press, Inc., Maxwell House, Fairview Park, Elmsford NY 10523, USA

Advertising rate card available on request. Back issues and current subscriptions are also available in microform. Prices shown include postage and insurance. German Mark (DM) prices quoted apply in Europe, Africa, Asia/Australasia (with the exception of Japan). For the rest of the world including Japan apply to the nearest Pergamon office. Prices and proposed publication dates are subject to change without prior notice.

PERGAMON PRESS

For

BOOKS
RESEARCH JOURNALS
MAJOR REFERENCE WORKS
CURRENT AWARENESS SERVICES
DATABASES
REPORTS

PUBLISHERS
of
RESEARCH and LEARNING in all forms: Traditional and Electronic

Announcing New and Newly Acquired Journals
For 1990 & 1991

Life Sciences & Medicine
Annual Review of Addictions Research and Treatment
Annual Review of Fish Diseases
Chinese Medical Journal
Journal of Vestibular Research: Equilibrium and Orientation
Neuromuscular Disorders
Veterinary Dermatology

Physical Sciences
The Astronomy Quarterly
Atmospheric Environment, Part B: Urban Atmosphere
Bioorganic & Medicinal Chemistry Letters
Chaos, Solitons and Fractals
Computer Optics
Quaternary International
Tetrahedron: Asymmetry

Engineering, Materials Science & Energy
Bio-Medical Materials and Engineering
Computing Systems in Engineering
Engineering Applications of Artificial Intelligence
Expert Systems with Applications
Mechatronics
Microgravity Quarterly
Renewable Energy
Welding Abstracts

Social & Behavioural Sciences
Accounting, Management and Information Technologies
Learning and Instruction

Art & Music
Leonardo Music Journal

Pergamon Press
Member of Maxwell Macmillan Pergamon Publishing Corporation

Pergamon Press plc
Headington Hill Hall
Oxford OX3 0BW, UK

Pergamon Press, Inc.
Fairview Park
Elmsford, NY 10523, USA

INSTRUCTIONS TO CONTRIBUTORS FOR THE PREPARATION OF MANUSCRIPTS FOR DIRECT REPRODUCTION

Tetrahedron Letters is a medium for the rapid publication of short communications in English, French or German and offers maximum dissemination of outstanding developments in organic chemistry.

The Letters attempts to provide rapid publication of important **new** contributions. Communications may announce either experimental or theoretical results of special interest, and will be evaluated for their novelty, timeliness and general interest. In accepting papers, the editors are guided by the opinions of referees who are chosen from panels of experts or from specialists in the community of organic chemists. **Authors are encouraged to suggest names of several experts in the field when papers are first submitted or at any time in the evaluation process.**

Referees are asked to distinguish contributions meeting the above requirements, and having an element of urgency, from otherwise worthwhile work which could more properly await publication in a complete form accompanied by full experimental details. Alternatively, as for example, where the main interest lies in medicinal aspects of the work, it may be preferable to publish the results in a more specialized journal.

When submitting a communication, authors must include a brief statement justifying acceptance.

The typewritten manuscript is reproduced photographically, and each communication is a separate entity. Authors are requested to send papers of 2 or 4 pages. Longer papers wi'l not be accepted. Articles of 3 or just over 3 pages may be returned to the authors for shortening.

SUMMARY

Authors must include a short abstract in English of approximately three lines typed in single spacing. This should appear immediately after the address and before the commencement of the communication.

GRAPHICAL ABSTRACTS

Authors are requested to supply a graphical abstract in triplicate in finished, camera-ready form at the time the Letter is first submitted. These abstracts should aim at presenting the essence of the Letter in a concise, pictorial form, useful for rapid scanning of the Journal and for the compilation of data bases. Carefully drawn structural formulae are desired which serve to illustrate the theme of the paper. Appropriate text should be incorporated, not to exceed the space limitations (5 × 20 cm). In publication, abstracts will be reduced by 25%.

PREPARATION OF MANUSCRIPTS

In the introductory section of the communication, the author should attempt to outline the significance of the work and the rationale for urgent publication. Where new general methods are described, typical experimental procedures should be provided.

Manuscripts should be typed to one and a half spaces, using a black ribbon (blue ink cannot be reproduced) on good quality white bond paper. The typist should ensure a clean, clear impression on the letters. Any good quality paper may be used, provided the actual typing area fills the space as outlined below, the margins being provided during reproduction. **A duplicate (photocopy) must accompany the original.**

For papers composed on a word processor, letter quality printers, but not dot matrix printers should be used.

The title should be all in capital letters, centred on the width of page 1 with the title at least 2 cm from the top of the page. After one line of space, the authors' names and addresses should be provided on separate lines, capitalizing the first letter of all main words. The author or authors to whom correspondence should be addressed by readers of the Journal should be indicated by an asterisk. The typing area of page 1, including the title, should be 19 cm wide by 24 cm deep.

The typing area of all other pages should be extended to cover an area 19 cm wide by approximately 26 cm deep (which will fit on 8½″ by 11″ paper).

CAMERA-READY REQUIREMENTS, FORMULAE AND TABLES

To maintain a finished, artistic appearance of the Journal, authors are asked to use whatever resources are available to them to produce manuscripts of pleasing appearance. Direct reproduction of camera-ready papers requires the author to provide the manuscript in a finished artistic format making the best possible use of the space within two or four completely utilized pages. Manuscripts may be cut and pasted, with tables and formulae placed appropriately within the manuscript. Formulae and other graphical material should be drawn with special care and pasted up exactly as the page is to appear in the Journal, generally avoiding freehand illustration. The size of formulae may vary according to the nature of the illustrations but these should neither be overpowering nor so small that they are hard to read after the usual reduction (by a factor of 25%). *Regional Editors may return otherwise acceptable papers for modification if the quality of the figures or structural formulae is poor or the overall layout is carelessly composed. Originals are preferred, but high-quality reproductions are acceptable if they are clear with good black and white contrast.*

HAZARDOUS COMPOUNDS

Authors are encouraged to draw attention to hazards by adding the word CAUTION followed by a brief descriptive phrase and literature reference if appropriate.

TRADEMARKS

Authors are required to acknowledge trademark protection in the standard fashion, e.g. Selectride®, Exaltolide® (although not for words which have entered general usage: pyrex, etc.).

MAILING OF MANUSCRIPTS

Manuscripts and graphical abstracts in English should be sent in triplicate directly to the Regional Editor for the particular areas as outlined below. **In order to achieve the most rapid publication time possible for communications, authors should FAX a copy (supplying their own telephone and FAX numbers) to the Regional Editor at the same time as they mail the camera-ready manuscript.** Communications in the French language should be sent to Professor Ourisson; those in the German language to Professor Steglich. Extra delay will be involved if papers are sent to other Regional Editors as they will be forwarded for refereeing to the Editor of the particular region involved. The appropriate Editor is normally determined by the address of the author to whom the correspondence should be sent (as indicated by an asterisk). *Where question arises, the area chosen should correspond to the laboratory where the work was performed.*

1. Professor W. Steglich (*contributions from the German-speaking area in German or in English*), *Institut für Organische Chemie und Biochemie der Universität Bonn, D-5300 Bonn 1, Gerhard-Domagk-Strasse 1, BRD.* **FAX: 49 228 258216.**

2. Professor G. Ourisson (*contributions from the French-speaking area in French or in English*), *Centre National de la Recherche Scientifique, Centre de Neurochimie, 5 rue Blaise Pascal, 67084 Strasbourg, Cedex, France.* **FAX: 33 88 607620.**

3. Professor S. Ito (*Japan, China including Taiwan, North and South Korea, Hong Kong and Macau*), *Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Yamashiro-cho, Tokushima 770, Japan.* **FAX: 81 886 55 8774.**

4. Professor H. H. Wasserman (*North, Central and South America*), *Department of Chemistry, Yale University, P.O. Box 6666, New Haven, CT 06511, USA.* **FAX: 1 203 432 9990.**

5. Professor N. K. Kochetkov (*USSR*), *N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences USSR, Leninsky Prospekt 47, Moscow B-334, USSR.* **FAX: 7 095 135 5328**

6. Professor A. McKillop (*all regions other than those specified under 1–5 above*), *University of East Anglia, School of Chemical Sciences, University Plain, Norwich NR4 7TJ, England.* **FAX: 44 603 507773.**

Note: The contents of papers shall be the sole responsibility of the authors and publication shall not imply the concurrence of Editors or Publisher.

A New Monthly Journal from Pergamon Press

BIOORGANIC & MEDICINAL CHEMISTRY LETTERS

A Tetrahedron Publication for Rapid Dissemination of Preliminary Communications on all Aspects of Bioorganic Chemistry, Medicinal Chemistry and Related Disciplines

Editor-in-Chief:
DALE L BOGER, *Purdue University, West Lafayette, IN 47907, USA*

CALL FOR PAPERS - *NEW* FOR 1991

Submission of Manuscripts
The original and three copies of the manuscript should be sent to the editorial office below. In order to achieve the most rapid publication time possible for the communication, authors may wish to FAX a copy (supplying their own telephone and FAX numbers) to the Editor at the same time as they mail the camera-ready manuscript.
Professor Dale L Boger, *Department of Chemistry, Purdue University, West Lafayette, Indiana 47907, USA*
FAX: 1-317-494-9695
Phone: 1-317-494-0176

For a fully descriptive leaflet containing pricing information and full notes for authors, write to the marketing department, Oxford, UK

SAME FORMAT AS TETRAHEDRON LETTERS

Aims & Scope
Bioorganic & Medicinal Chemistry Letters presents preliminary experimental or theoretical research results of outstanding significance and timeliness on all aspects of science at the interface of chemistry and biology, and on major advances in drug design and development. The journal will publish preliminary communications in camera-ready copy form in much the same format as *Tetrahedron Letters* and strives to provide maximum dissemination, to a large, international audience, of the outstanding advances in bioorganic chemistry, medicinal chemistry and related disciplines.

Topics relevant to, but not limited to the journal include:-

- bioorganic chemistry, all aspects
- medicinal chemistry, all aspects
- design, synthesis and evaluation of enzyme inhibitors
- elucidation of enzyme mechanism and structure
- chemistry of enzymatic and metabolic pathways
- biosynthesis
- kinetic, spectroscopic, isotopic, and stereochemical studies of enzymatic and metabolic reactions
- chemical models for enzymes, peptides and biological macromolecules
- coenzyme structure and reactivity
- protein/enzyme structure-function studies
- catalyst systems that mimic enzymes
- structure, mechanism, synthesis and evaluation of pheromones
- chemical modification of nucleic acids
- physical, chemical, biochemical and biological aspects of nucleic acids
- DNA: agent and DNA: protein interactions
- catalytic antibodies
- enzymes in organic synthesis
- molecular recognition
- isolation, structure determination and synthesis of bioactive agents
- bioconjugates
- molecular basis for protein function
- design, synthesis and evaluation of biologically active agents and novel drugs
- structure-activity relationship (SAR) studies
- chemical-biological relationships, all aspects
- development of novel receptor models
- molecular modeling, conformational analysis, QSAR
- physicochemical studies on established drugs pertinent to the mechanism of action
- drug delivery
- drug metabolism, metabolic transformation of drugs
- design, synthesis and evaluation of diagnostic agents

PERGAMON PRESS
Member of Maxwell Macmillan Pergamon Publishing Corporation
Pergamon Press plc, Headington Hill Hall, Oxford OX3 0BW, UK
Pergamon Press, Inc., Fairview Park, Elmsford, NY 10523, USA

JCM110.8/90

Printed in Great Britain by Nuffield Press Ltd